

## Collaborative Spaces

Effective July 2024 Canada

E60PQ-140003/071/PQ

PRICELIST

# collaborative spaces



D  
DISTRIBUTION

global

## Technical Notes

- All tables are available in HP - High Pressure Laminate (1-1/16" thick) with flat edge.
- Surfaces constructed of 45lb. density particleboard substructure with low pressure laminate or optional high pressure laminate.
- All tables are PVC 3mm edge banded.
- Grommet location must be specified at the time of order or it will default to a no grommet option.
- Power modules and grommets are not included, they must be specified separately.
- Table legs and bases are painted aluminum finish.
- Tables are shipped knocked down and must assembled on site.
- Casters cannot be used with TV Mount units and wire basket for tables larger than 78" long.

## DIMENSIONS

Corner radius for small radius table tops is 1.5".

Corner radius for large radius tables tops is 9".

Top end overhang for large tables is 10.5"

Worksurface support beams and footrests (where applicable) are centered for tables 18" and 24" deep.

Worksurface support beams and footrests (where applicable) are 9" from the outside table edges for tables 30" deep.

Worksurface support beams and footrests (where applicable) are 12" from the outside table edges for tables 36 to 48" deep.

## GENERAL NOTES

- GREENGUARD certified ([www.greenguard.org](http://www.greenguard.org))
- Carb compliant
- Level3™ certified ([www.levelcertified.org](http://www.levelcertified.org))
- Tested to meet or exceed ANSI/BIFMA X5.9.2019 , ANSI/ BIFMA X5.5.2021 and CAN/CGSB 44-227-2008
- Plant is ISO 9001:2015 (Quality) certified
- Plant is ISO 14001: 2015 (Environmental) certified
- Plant is OHSAS 18001:2007 (Health and Safety) certified
- 100% made in Canada
- Lifetime Warranty

## STORAGE AND WORKSURFACE FINISHES

### Metal Storage Colors - Panel Frame

#### Matches

|                |     |
|----------------|-----|
| Black          | BLK |
| Blizzard       | BZD |
| Charcoal       | CHR |
| Designer White | DWT |
| Ink            | TIN |
| Nevada         | NEV |
| Silver         | SIL |
| Stonedust      | SDT |
| Taupe          | TPE |
| Tungsten       | TUN |

### PVC Edge Finishes - Panel Frame

#### Matches

|                |     |
|----------------|-----|
| Black          | BLK |
| Blizzard       | BZD |
| Brushed Cobalt | BRC |
| Charcoal       | CHR |
| Designer White | DWE |
| Nevada         | NEV |
| Silver         | SIL |
| Stonedust      | SDT |
| Taupe          | TPE |
| Tungsten       | TUN |

### Worksurface PVC Edge Trim - Wood

#### Grain Matches

|                 |     |                    |     |
|-----------------|-----|--------------------|-----|
| Absolute Acajou | AAE | Noce Leggero       | NEL |
| Asian Night     | ASE | Noce Medio         | NML |
| Avant Cherry    | ACE | Quartered Mahogany | QTM |
| Avant Honey     | AHE | Sheer Beauty       | SBY |
| Clear Maple     | CME | Walnut Heights     | WHE |
| Dark Espresso   | DEE | White Chocolate    | CBE |
| Fashionista     | FAS | Winter Cherry      | WCE |
| First Class     | FCL |                    |     |
| Noce Biondo     | NBL |                    |     |
| Noce Grigio     | NGL |                    |     |

### High Pressure Laminates (HP)

#### Panel Frame Matches

|                           |       |
|---------------------------|-------|
| Black                     | BLKHP |
| Blizzard                  | BZDHP |
| Brushed Cobalt (Tungsten) | BRCHP |
| Custom Grey (Silver)      | CGYHP |
| Designer White            | DWTHP |
| Hayden Grey (Taupe)       | HGTHP |
| Stonedust                 | SDTHP |
| Storm Grey (Charcoal)     | SOGHP |
| String (Nevada)           | STGHP |

### High Pressure Laminates (HP)

#### Solids and Patterns

|                     |       |
|---------------------|-------|
| Blizzard Matrix     | BMXHP |
| Grey Matrix         | GRXHP |
| Hayden Linen        | HLNHP |
| Stone Linen         | SLNHP |
| Studio White Matrix | SWXHP |

### High Pressure Laminates (HP) Wood


#### Grain Laminates

|                 |       |                    |       |
|-----------------|-------|--------------------|-------|
| Absolute Acajou | ACJHP | Noce Leggero       | NELHP |
| Asian Night     | ASNHP | Noce Medio         | NMLHP |
| Avant Cherry    | AWCHP | Quartered Mahogany | QTMHP |
| Avant Honey     | AWHHP | Sheer Beauty       | SBYHP |
| Clear Maple     | CMBHP | Walnut Heights     | WHEHP |
| Dark Espresso   | DESHP | White Chocolate    | WHCHP |
| Fashionista     | FASHP | Winter Cherry      | WCRHP |
| First Class     | FCLHP |                    |       |
| Noce Biondo     | NBLHP |                    |       |
| Noce Grigio     | NGLHP |                    |       |


### Caster Finish

|       |     |
|-------|-----|
| Black | BLK |
| Grey  | GRC |

Grommet Locations



- NOTES:
1. Cutout not available for 18" and 24" Deep Tables.
  2. Cutout Position TC available only.
  3. These rules apply to both Small and Large Radius Table Tops. Small Radius Top Shown.



- NOTES:
1. Cutout not available for 18" and 24" Deep Tables.
  2. SCTAOT/SCTAPS/TL TR Available only for 90" & 96" WIDE TABLES.
  3. These rules apply to both Small and Large Radius Table Tops. Small Radius Top Shown.

Spaces Collaborative Specifications


HOW TO SPECIFY :

Example: SCTWSL2472

|           |                         |                                                                             |
|-----------|-------------------------|-----------------------------------------------------------------------------|
| <b>SC</b> | Space Collaborative     |                                                                             |
| <b>T</b>  | Table                   |                                                                             |
| <b>W</b>  | Work Height Table - 29" | Other Options:<br>C - Café Height Table - 36"<br>B - Bar Height Table - 42" |
| <b>S</b>  | Small Radius - 1.5"     | Other Options:<br>L - Large Radius - 9"                                     |
| <b>L</b>  | Levelers                | Other Options:<br>C - Casters - Available in BLK - Black or GRC - Grey      |
| <b>24</b> | Depth                   |                                                                             |
| <b>72</b> | Width                   |                                                                             |
| <b>HP</b> | HP - High Pressure      |                                                                             |


**Choose:** Laminate Finish  
Edging  
Paint  
Grommet location as per chart



**SCTWD • Core Collaboration Table, 29" Work Height, Small Radius, Levelers**



- Core Work Height Collaboration Tables on levelers consist of four individual legs and one surface with a small 1.5" radius at each corner.
- Surface available in HP - High Pressure laminates.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Tables from 48" to 72" include a center worksurface support beam
- Center worksurface support beam eliminates the possibility of a grommet cutout.

| PRODUCT CODE | PRICE HP | SIZE/INCHES |    |    | WEIGHT LBS | VOL FT³ |
|--------------|----------|-------------|----|----|------------|---------|
|              |          | H           | W  | D  |            |         |
| SCTWD1848    | 771      | 29          | 48 | 18 | 47.06      | 2.71    |
| SCTWD1854    | 815      | 29          | 54 | 18 | 50.88      | 2.90    |
| SCTWD1860    | 896      | 29          | 60 | 18 | 54.70      | 3.08    |
| SCTWD1866    | 946      | 29          | 66 | 18 | 58.52      | 3.27    |
| SCTWD1872    | 997      | 29          | 72 | 18 | 62.34      | 3.46    |
| SCTWD3048    | 945      | 29          | 48 | 30 | 62.98      | 4.51    |
| SCTWD3054    | 1010     | 29          | 54 | 30 | 68.78      | 4.83    |
| SCTWD3060    | 1134     | 29          | 60 | 30 | 74.59      | 5.14    |
| SCTWD3066    | 1207     | 29          | 66 | 30 | 80.40      | 5.45    |
| SCTWD3072    | 1280     | 29          | 72 | 30 | 86.20      | 5.76    |


**SCTWSL • Standard Collaboration Table, 29" Work Height, Small Radius, Levelers**


- Work Height Collaboration Tables on levelers consist of two leg assemblies, worksurface support beams and one worksurface with a small 1.5" radius at each corner.
- Surface available in HP - High Pressure laminates.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Cutouts for power modules are limited to specific sizes/configurations, please see Grommet Location Chart.
- 18" deep tables feature one worksurface support beam.
- 30" deep tables feature two worksurface support beams.


| PRODUCT CODE | PRICE HP | SIZE/INCHES |    |    | WEIGHT LBS | VOL FT³ |
|--------------|----------|-------------|----|----|------------|---------|
|              |          | H           | W  | D  |            |         |
| SCTWSL1848   | 1235     | 29          | 48 | 18 | 50.15      | 2.71    |
| SCTWSL1854   | 1272     | 29          | 54 | 18 | 53.75      | 2.90    |
| SCTWSL1860   | 1331     | 29          | 60 | 18 | 57.34      | 3.08    |
| SCTWSL1866   | 1368     | 29          | 66 | 18 | 60.93      | 3.27    |
| SCTWSL1872   | 1443     | 29          | 72 | 18 | 64.52      | 3.46    |
| SCTWSL1878   | 1480     | 29          | 78 | 18 | 68.12      | 3.65    |
| SCTWSL1884   | 1517     | 29          | 84 | 18 | 71.71      | 3.83    |
| SCTWSL1890   | 1628     | 29          | 90 | 18 | 75.31      | 4.02    |
| SCTWSL1896   | 1665     | 29          | 96 | 18 | 78.90      | 4.21    |
| SCTWSL3048   | 1641     | 29          | 48 | 30 | 56.15      | 4.51    |
| SCTWSL3054   | 1698     | 29          | 54 | 30 | 59.75      | 4.83    |
| SCTWSL3060   | 1800     | 29          | 60 | 30 | 63.34      | 5.14    |
| SCTWSL3066   | 1857     | 29          | 66 | 30 | 66.93      | 5.45    |
| SCTWSL3072   | 1988     | 29          | 72 | 30 | 70.52      | 5.76    |
| SCTWSL3078   | 2064     | 29          | 78 | 30 | 74.12      | 6.08    |
| SCTWSL3084   | 2121     | 29          | 84 | 30 | 77.71      | 6.70    |
| SCTWSL3090   | 2326     | 29          | 90 | 30 | 81.31      | 6.39    |
| SCTWSL3096   | 2383     | 29          | 96 | 30 | 84.90      | 7.01    |

**SCTCSL • Standard Collaboration Table, 36" Café Height, Small Radius, Levelers**


For 18" deep surfaces




For 30" deep tables, 36" to 72" wide





For 30" deep tables, 78" to 96" wide

- Café Height Collaboration Tables on levelers consist of two leg assemblies, worksurface support beam(s), footrest(s) and one worksurface with a small 1.5" radius at each corner.
- Surface available in HP - High Pressure laminates.
- Legs are painted extruded aluminum.
- Levelers have 1" adjustment for leveling.
- Cutouts for power modules are limited to specific sizes/configurations, please see Grommet Location Chart.
- Tables 18" deep feature one worksurface support beam and one footrest.
- Tables 30" deep feature two worksurface support beams and two footrests.
- Tables 30" deep and 78" wide and greater include a reinforcement cantilever for added stability.

| PRODUCT CODE | PRICE HP | SIZE/INCHES |    |    | WEIGHT LBS | VOL FT³ |
|--------------|----------|-------------|----|----|------------|---------|
|              |          | H           | W  | D  |            |         |
| SCTCSL1848   | 1645     | 36          | 48 | 18 | 61.46      | 2.71    |
| SCTCSL1854   | 1682     | 36          | 54 | 18 | 65.66      | 2.90    |
| SCTCSL1860   | 1764     | 36          | 60 | 18 | 69.87      | 3.08    |
| SCTCSL1866   | 1801     | 36          | 66 | 18 | 74.07      | 3.27    |
| SCTCSL1872   | 1912     | 36          | 72 | 18 | 78.28      | 3.46    |
| SCTCSL1878   | 1949     | 36          | 78 | 18 | 82.48      | 3.65    |
| SCTCSL1884   | 1987     | 36          | 84 | 18 | 86.69      | 3.83    |
| SCTCSL1890   | 2171     | 36          | 90 | 18 | 90.90      | 4.02    |
| SCTCSL1896   | 2208     | 36          | 96 | 18 | 95.10      | 4.21    |
| SCTCSL3048   | 2239     | 36          | 48 | 30 | 107.70     | 4.51    |
| SCTCSL3054   | 2296     | 36          | 54 | 30 | 117.05     | 4.83    |
| SCTCSL3060   | 2442     | 36          | 60 | 30 | 126.41     | 5.14    |
| SCTCSL3066   | 2499     | 36          | 66 | 30 | 135.76     | 5.45    |
| SCTCSL3072   | 2704     | 36          | 72 | 30 | 145.11     | 5.76    |
| SCTCSL3078   | 2906     | 36          | 78 | 30 | 156.91     | 6.08    |
| SCTCSL3084   | 2964     | 36          | 84 | 30 | 166.26     | 6.70    |
| SCTCSL3090   | 3316     | 36          | 90 | 30 | 175.62     | 6.39    |
| SCTCSL3096   | 3373     | 36          | 96 | 30 | 184.97     | 7.01    |


**SCTBSL • Standard Collaboration Table, 42" Bar Height, Small Radius, Levelers**

For 18" deep surfaces

For 30" deep tables,  
36" to 72" wideFor 30" deep tables,  
78" to 96" wide


- Bar Height Collaboration Tables on levelers consist of two leg assemblies, worksurface support beam(s), footrest(s) and one worksurface with a small 1.5" radius at each corner.
- Surface available in HP - High Pressure laminates.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Cutouts for power modules are limited to specific sizes/configurations, please see Grommet Location Chart.
- Tables 18" deep feature one worksurface support beam and one footrest.
- Tables 30" deep feature two worksurface support beams and two footrests.
- Tables 30" deep and 78" wide and greater include a reinforcement cantilever for added stability.

| PRODUCT CODE | PRICE HP | SIZE/INCHES |    |    | WEIGHT LBS | VOL FT <sup>3</sup> |
|--------------|----------|-------------|----|----|------------|---------------------|
|              |          | H           | W  | D  |            |                     |
| SCTBSL1848   | 1746     | 42          | 48 | 18 | 63.90      | 2.71                |
| SCTBSL1854   | 1784     | 42          | 54 | 18 | 68.11      | 2.90                |
| SCTBSL1860   | 1865     | 42          | 60 | 18 | 72.31      | 3.08                |
| SCTBSL1866   | 1902     | 42          | 66 | 18 | 76.52      | 3.27                |
| SCTBSL1872   | 2013     | 42          | 72 | 18 | 80.72      | 3.46                |
| SCTBSL1878   | 2050     | 42          | 78 | 18 | 84.93      | 3.65                |
| SCTBSL1884   | 2088     | 42          | 84 | 18 | 89.13      | 3.83                |
| SCTBSL1890   | 2272     | 42          | 90 | 18 | 93.34      | 4.02                |
| SCTBSL1896   | 2310     | 42          | 96 | 18 | 97.55      | 4.21                |
| SCTBSL3048   | 2340     | 42          | 48 | 30 | 110.14     | 4.51                |
| SCTBSL3054   | 2397     | 42          | 54 | 30 | 117.05     | 4.83                |
| SCTBSL3060   | 2543     | 42          | 60 | 30 | 126.41     | 5.14                |
| SCTBSL3066   | 2600     | 42          | 66 | 30 | 135.76     | 5.45                |
| SCTBSL3072   | 2805     | 42          | 72 | 30 | 145.11     | 5.76                |
| SCTBSL3078   | 3008     | 42          | 78 | 30 | 159.35     | 6.08                |
| SCTBSL3084   | 3065     | 42          | 84 | 30 | 168.71     | 6.70                |
| SCTBSL3090   | 3417     | 42          | 90 | 30 | 178.06     | 6.39                |
| SCTBSL3096   | 3474     | 42          | 96 | 30 | 187.41     | 7.01                |

**SCTSWSL • Workshop Table, 29" Work Height, Small Radius, Levelers**


- Work Height Workshop Tables on levelers consist of two leg assemblies, two worksurface support beams and a one worksurface with a small 1.5" radius at each corner.
- Surface available in HP - High Pressure laminates.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Cutouts for power modules are limited to specific sizes/configurations, please see Grommet Location Chart.

| PRODUCT CODE | PRICE HP | SIZE/INCHES |    |    | WEIGHT LBS | VOL FT <sup>3</sup> |
|--------------|----------|-------------|----|----|------------|---------------------|
|              |          | H           | W  | D  |            |                     |
| SCTSWSL3636  | 1377     | 29          | 36 | 36 | 79.31      | 4.67                |
| SCTSWSL3642  | 1555     | 29          | 42 | 36 | 88.83      | 5.04                |
| SCTSWSL3648  | 1756     | 29          | 48 | 36 | 101.24     | 5.42                |
| SCTSWSL3654  | 1824     | 29          | 54 | 36 | 110.76     | 5.79                |
| SCTSWSL3660  | 1935     | 29          | 60 | 36 | 120.27     | 6.17                |
| SCTSWSL4242  | 1609     | 29          | 42 | 42 | 99.72      | 5.88                |
| SCTSWSL4248  | 1865     | 29          | 48 | 42 | 113.52     | 6.32                |
| SCTSWSL4254  | 1942     | 29          | 54 | 42 | 124.41     | 6.76                |
| SCTSWSL4260  | 2064     | 29          | 60 | 42 | 135.31     | 7.19                |
| SCTSWSL4848  | 1982     | 29          | 48 | 48 | 125.80     | 7.22                |
| SCTSWSL4854  | 2069     | 29          | 54 | 48 | 138.07     | 7.72                |
| SCTSWSL4860  | 2201     | 29          | 60 | 48 | 150.35     | 8.22                |

**SCTSWSC • Workshop Table, 29" Work Height, Small Radius, Casters**


- Work Height Workshop Tables on casters consist of two leg assemblies, two worksurface support beams and a one worksurface with a small 1.5" radius at each corner.
- Surface available in HP - High Pressure laminates.
- Legs are painted extruded aluminum. Casters are lockable, in a choice of two finishes.
- Cutouts for power modules are limited to specific sizes/configurations, please see Grommet Location Chart.

| PRODUCT<br>CODE | PRICE<br>HP | SIZE/INCHES |    |    | WEIGHT<br>LBS | VOL<br>FT <sup>3</sup> |
|-----------------|-------------|-------------|----|----|---------------|------------------------|
|                 |             | H           | W  | D  |               |                        |
| SCTSWSC3636     | 1593        | 29          | 36 | 36 | 79.40         | 4.67                   |
| SCTSWSC3642     | 1727        | 29          | 42 | 36 | 88.92         | 5.04                   |
| SCTSWSC3648     | 1928        | 29          | 48 | 36 | 101.33        | 5.42                   |
| SCTSWSC3654     | 1996        | 29          | 54 | 36 | 110.85        | 5.79                   |
| SCTSWSC3660     | 2107        | 29          | 60 | 36 | 120.36        | 6.17                   |
| SCTSWSC4242     | 1825        | 29          | 42 | 42 | 99.81         | 5.88                   |
| SCTSWSC4248     | 2037        | 29          | 48 | 42 | 113.61        | 6.32                   |
| SCTSWSC4254     | 1942        | 29          | 54 | 42 | 124.50        | 6.76                   |
| SCTSWSC4260     | 2236        | 29          | 60 | 42 | 135.40        | 7.19                   |
| SCTSWSC4848     | 2154        | 29          | 48 | 48 | 125.89        | 7.22                   |
| SCTSWSC4854     | 2241        | 29          | 54 | 48 | 138.16        | 7.72                   |
| SCTSWSC4860     | 2373        | 29          | 60 | 48 | 150.44        | 8.22                   |

**SCTWSX • Workshop Table, 29" Work Height, Small Radius, Casters/Levelers**


- Work Height Workshop Tables consist of one leg assembly with casters, one leg assembly with levelers, two worksurface support beams and a one worksurface with a small 1.5" radius at each corner.
- Surface available in HP - High Pressure laminates.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling. Casters are lockable, in a choice of 2 finishes.
- Cutouts for power modules are limited to specific sizes/configurations, please see Grommet Location Chart.

| PRODUCT<br>CODE | PRICE<br>HP | SIZE/INCHES |    |    | WEIGHT<br>LBS | VOL<br>FT <sup>3</sup> |
|-----------------|-------------|-------------|----|----|---------------|------------------------|
|                 |             | H           | W  | D  |               |                        |
| SCTWSX3636      | 1485        | 29          | 36 | 36 | 79.36         | 4.67                   |
| SCTWSX3642      | 1619        | 29          | 42 | 36 | 88.87         | 5.04                   |
| SCTWSX3648      | 1842        | 29          | 48 | 36 | 101.29        | 5.42                   |
| SCTWSX3654      | 1910        | 29          | 54 | 36 | 110.80        | 5.79                   |
| SCTWSX3660      | 2021        | 29          | 60 | 36 | 120.31        | 6.17                   |
| SCTWSX4242      | 1717        | 29          | 42 | 42 | 99.77         | 5.88                   |
| SCTWSX4248      | 1951        | 29          | 48 | 42 | 113.56        | 6.32                   |
| SCTWSX4254      | 2028        | 29          | 54 | 42 | 124.46        | 6.76                   |
| SCTWSX4260      | 2150        | 29          | 60 | 42 | 135.36        | 7.19                   |
| SCTWSX4848      | 2068        | 29          | 48 | 48 | 125.71        | 7.22                   |
| SCTWSX4854      | 2155        | 29          | 54 | 48 | 137.99        | 7.72                   |
| SCTWSX4860      | 2287        | 29          | 60 | 48 | 150.27        | 8.22                   |

**SCTLWSL • Large Collaboration Table, 29" Work Height, Small Radius, Levelers**


- Large Work Height Collaboration Tables on levelers consist of two leg assemblies, two worksurface support beams and a one worksurface with a small 1.5" radius at each corner.
- Surface available in HP - High Pressure laminates.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Cutouts for power modules are limited to specific sizes/configurations, please see Grommet Location Chart.

| PRODUCT<br>CODE | PRICE<br>HP | SIZE/INCHES |    |    | WEIGHT<br>LBS | VOL<br>FT <sup>3</sup> |
|-----------------|-------------|-------------|----|----|---------------|------------------------|
|                 |             | H           | W  | D  |               |                        |
| SCTLWSL3666     | 2003        | 29          | 66 | 36 | 129.78        | 6.54                   |
| SCTLWSL3672     | 2144        | 29          | 72 | 36 | 139.30        | 6.92                   |
| SCTLWSL3678     | 2229        | 29          | 78 | 36 | 148.81        | 7.29                   |
| SCTLWSL3684     | 2297        | 29          | 84 | 36 | 158.32        | 7.67                   |
| SCTLWSL3690     | 2512        | 29          | 90 | 36 | 167.84        | 8.04                   |
| SCTLWSL3696     | 2579        | 29          | 96 | 36 | 177.35        | 8.42                   |
| SCTLWSL4266     | 2141        | 29          | 66 | 42 | 146.21        | 7.63                   |
| SCTLWSL4272     | 2293        | 29          | 72 | 42 | 127.10        | 8.07                   |
| SCTLWSL4278     | 2388        | 29          | 78 | 42 | 168.00        | 8.51                   |
| SCTLWSL4284     | 2466        | 29          | 84 | 42 | 178.89        | 8.94                   |
| SCTLWSL4290     | 2690        | 29          | 90 | 42 | 189.79        | 9.38                   |
| SCTLWSL4296     | 2768        | 29          | 96 | 42 | 200.68        | 9.82                   |
| SCTLWSL4866     | 2288        | 29          | 66 | 48 | 162.63        | 8.72                   |
| SCTLWSL4872     | 2450        | 29          | 72 | 48 | 174.91        | 9.22                   |
| SCTLWSL4878     | 2555        | 29          | 78 | 48 | 187.18        | 9.72                   |
| SCTLWSL4884     | 2643        | 29          | 84 | 48 | 199.46        | 10.22                  |
| SCTLWSL4890     | 2878        | 29          | 90 | 48 | 211.74        | 10.72                  |
| SCTLWSL4896     | 2965        | 29          | 96 | 48 | 224.01        | 11.22                  |

**SCTLWLL • Large Collaboration Table, 29" Work Height, Large Radius, Levelers**


- Large Work Height Collaboration Tables on levelers consist of two leg assemblies, two worksurface support beams and a one worksurface with a large 9" radius at each corner with 10.5" overhang on each end.
- Surface available in HP - High Pressure laminates.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Cutouts for power modules are limited to specific sizes/configurations, please see Grommet Location Chart.
- Note: Large radius tables are not compatible with SCTAMxx and SCTAMTxx Media Units.

| PRODUCT<br>CODE | PRICE<br>HP | SIZE/INCHES |    |    | WEIGHT<br>LBS | VOL<br>FT <sup>3</sup> |
|-----------------|-------------|-------------|----|----|---------------|------------------------|
|                 |             | H           | W  | D  |               |                        |
| SCTLWLL3666     | 1958        | 29          | 66 | 36 | 123.52        | 6.54                   |
| SCTLWLL3672     | 2026        | 29          | 72 | 36 | 133.03        | 6.92                   |
| SCTLWLLSL678    | 2137        | 29          | 78 | 36 | 142.55        | 7.29                   |
| SCTLWLL3684     | 2205        | 29          | 84 | 36 | 152.06        | 7.67                   |
| SCTLWLL3690     | 2346        | 29          | 90 | 36 | 161.57        | 8.04                   |
| SCTLWLL3696     | 2431        | 29          | 96 | 36 | 171.09        | 8.42                   |
| SCTLWLL4266     | 2097        | 29          | 66 | 42 | 139.94        | 7.63                   |
| SCTLWLL4272     | 2175        | 29          | 72 | 42 | 150.84        | 8.07                   |
| SCTLWLL4278     | 2296        | 29          | 78 | 42 | 161.73        | 8.51                   |
| SCTLWLL4284     | 2374        | 29          | 84 | 42 | 172.63        | 8.94                   |
| SCTLWLL4290     | 2525        | 29          | 90 | 42 | 183.52        | 9.38                   |
| SCTLWLL4296     | 2599        | 29          | 96 | 42 | 194.42        | 9.82                   |
| SCTLWLL4866     | 2244        | 29          | 66 | 48 | 156.37        | 8.72                   |
| SCTLWLL4872     | 2332        | 29          | 72 | 48 | 168.64        | 9.22                   |
| SCTLWLL4878     | 2463        | 29          | 78 | 48 | 180.92        | 9.72                   |
| SCTLWLL4884     | 2551        | 29          | 84 | 48 | 193.20        | 10.22                  |
| SCTLWLL4890     | 2712        | 29          | 90 | 48 | 205.48        | 10.72                  |
| SCTLWLL4896     | 2818        | 29          | 96 | 48 | 217.75        | 11.22                  |

**SCTLWSC • Large Collaboration Table, 29" Work Height, Small Radius, Casters**


- Large Work Height Collaboration Tables on casters consist of two leg assemblies, two worksurface support beams and a one worksurface with a small 1.5" radius at each corner.
- Surface available in HP - High Pressure laminates.
- Legs are painted extruded aluminum. Casters are lockable, in a choice of two finishes.
- Cutouts for power modules are limited to specific sizes/configurations, please see Grommet Location Chart.

| PRODUCT<br>CODE | PRICE<br>HP | SIZE/INCHES |    |    | WEIGHT<br>LBS | VOL<br>FT <sup>3</sup> |
|-----------------|-------------|-------------|----|----|---------------|------------------------|
|                 |             | H           | W  | D  |               |                        |
| SCTLWSC3666     | 2175        | 29          | 66 | 36 | 129.87        | 6.54                   |
| SCTLWSC3672     | 2316        | 29          | 72 | 36 | 139.39        | 6.92                   |
| SCTLWSC3678     | 2401        | 29          | 78 | 36 | 148.90        | 7.29                   |
| SCTLWSC3684     | 2469        | 29          | 84 | 36 | 158.41        | 7.67                   |
| SCTLWSC3690     | 2683        | 29          | 90 | 36 | 167.93        | 8.04                   |
| SCTLWSC3696     | 2751        | 29          | 96 | 36 | 177.44        | 8.42                   |
| SCTLWSC4266     | 2313        | 29          | 66 | 42 | 146.30        | 7.63                   |
| SCTLWSC4272     | 2464        | 29          | 72 | 42 | 157.19        | 8.07                   |
| SCTLWSC4278     | 2560        | 29          | 78 | 42 | 168.09        | 8.51                   |
| SCTLWSC4284     | 2637        | 29          | 84 | 42 | 178.98        | 8.94                   |
| SCTLWSC4290     | 2862        | 29          | 90 | 42 | 189.88        | 9.38                   |
| SCTLWSC4296     | 2747        | 29          | 96 | 42 | 200.77        | 9.82                   |
| SCTLWSC4866     | 2460        | 29          | 66 | 48 | 162.72        | 8.72                   |
| SCTLWSC4872     | 2621        | 29          | 72 | 48 | 175.00        | 9.22                   |
| SCTLWSC4878     | 2727        | 29          | 78 | 48 | 187.27        | 9.72                   |
| SCTLWSC4884     | 2815        | 29          | 84 | 48 | 199.55        | 10.22                  |
| SCTLWSC4890     | 3050        | 29          | 90 | 48 | 211.83        | 10.72                  |
| SCTLWSC4896     | 3137        | 29          | 96 | 48 | 224.10        | 11.22                  |

**SCTLWLC • Large Collaboration Table, 29" Work Height, Large Radius, Casters**


- Large Work Height Collaboration Tables on casters consist of two leg assemblies, two worksurface support beams and a one worksurface with a large 9" radius at each corner with 10.5" overhang on each end.
- Surface available in HP - High Pressure laminates.
- Legs are painted extruded aluminum. Casters are lockable, in a choice of two finishes.
- Cutouts for power modules are limited to specific sizes/configurations, please see Grommet Location Chart.
- Note: Large radius tables are not compatible with SCTAMxx and SCTAMTxx Media Units.

| PRODUCT<br>CODE | PRICE<br>HP | SIZE/INCHES |    |    | WEIGHT<br>LBS | VOL<br>FT <sup>3</sup> |
|-----------------|-------------|-------------|----|----|---------------|------------------------|
|                 |             | H           | W  | D  |               |                        |
| SCTLWLC3666     | 2130        | 29          | 66 | 36 | 123.61        | 6.54                   |
| SCTLWLC3672     | 2198        | 29          | 72 | 36 | 133.12        | 6.92                   |
| SCTLWLC3678     | 2309        | 29          | 78 | 36 | 142.64        | 7.29                   |
| SCTLWLC3684     | 2377        | 29          | 84 | 36 | 152.15        | 7.67                   |
| SCTLWLC3690     | 2518        | 29          | 90 | 36 | 161.66        | 8.04                   |
| SCTLWLC3696     | 2603        | 29          | 96 | 36 | 171.18        | 8.42                   |
| SCTLWLC4266     | 2269        | 29          | 66 | 42 | 140.03        | 7.63                   |
| SCTLWLC4272     | 2346        | 29          | 72 | 42 | 150.93        | 8.07                   |
| SCTLWLC4278     | 2468        | 29          | 78 | 42 | 161.82        | 8.51                   |
| SCTLWLC4284     | 2545        | 29          | 84 | 42 | 172.72        | 8.94                   |
| SCTLWLC4290     | 2697        | 29          | 90 | 42 | 183.62        | 9.38                   |
| SCTLWLC4296     | 2792        | 29          | 96 | 42 | 194.51        | 9.82                   |
| SCTLWLC4866     | 2416        | 29          | 66 | 48 | 156.46        | 8.72                   |
| SCTLWLC4872     | 2503        | 29          | 72 | 48 | 168.73        | 9.22                   |
| SCTLWLC4878     | 2635        | 29          | 78 | 48 | 181.01        | 9.72                   |
| SCTLWLC4884     | 2723        | 29          | 84 | 48 | 193.29        | 10.22                  |
| SCTLWLC4890     | 2884        | 29          | 90 | 48 | 205.57        | 10.72                  |
| SCTLWLC4896     | 2989        | 29          | 96 | 48 | 217.84        | 11.22                  |

**SCTSCSL • Workshop Table, 36" Café Height, Small Radius, Levelers**

- Café Height Workshop Tables on levelers consist of two leg assemblies, two worksurface support beams, dual footrests and a one worksurface with a small 1.5" radius at each corner.
- Surface available in HP - High Pressure laminates.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Cutouts for power modules are limited to specific sizes/configurations, please see Grommet Location Chart.

| PRODUCT CODE | PRICE HP | SIZE/INCHES |    |    | WEIGHT LBS | VOL FT³ |
|--------------|----------|-------------|----|----|------------|---------|
| SCTSCSL3636  | 1959     | 36          | 36 | 36 | 96.82      | 5.67    |
| SCTSCSL3642  | 2159     | 36          | 42 | 36 | 107.56     | 6.21    |
| SCTSCSL3648  | 2382     | 36          | 48 | 36 | 121.20     | 6.75    |
| SCTSCSL3654  | 2450     | 36          | 54 | 36 | 131.93     | 7.29    |
| SCTSCSL3660  | 2605     | 36          | 60 | 36 | 142.67     | 7.83    |
| SCTSCSL4242  | 2236     | 36          | 42 | 42 | 119.68     | 7.05    |
| SCTSCSL4248  | 2512     | 36          | 48 | 42 | 134.70     | 7.65    |
| SCTSCSL4254  | 2589     | 36          | 54 | 42 | 146.81     | 8.26    |
| SCTSCSL4260  | 2755     | 36          | 60 | 42 | 158.93     | 8.86    |
| SCTSCSL4848  | 2658     | 36          | 48 | 48 | 148.20     | 8.56    |
| SCTSCSL4854  | 2746     | 36          | 54 | 48 | 161.70     | 9.22    |
| SCTSCSL4860  | 2922     | 36          | 60 | 48 | 175.20     | 9.89    |

**SCTSCSC • Workshop Table, 36" Café Height, Small Radius, Casters**

- Café Height Workshop Tables on casters consist of two leg assemblies, two worksurface support beams, dual footrests and a one worksurface with a small 1.5" radius at each corner.
- Surface available in HP - High Pressure laminates.
- Legs are painted extruded aluminum. Casters are lockable, in a choice of two finishes.
- Cutouts for power modules are limited to specific sizes/configurations, please see Grommet Location Chart.

| PRODUCT CODE | PRICE HP | SIZE/INCHES |    |    | WEIGHT LBS | VOL FT³ |
|--------------|----------|-------------|----|----|------------|---------|
| SCTSCSC3636  | 2155     | 36          | 36 | 36 | 96.66      | 5.67    |
| SCTSCSC3642  | 2355     | 36          | 42 | 36 | 107.39     | 6.21    |
| SCTSCSC3648  | 2579     | 36          | 48 | 36 | 121.03     | 6.75    |
| SCTSCSC3654  | 2646     | 36          | 54 | 36 | 131.77     | 7.29    |
| SCTSCSC3660  | 2802     | 36          | 60 | 36 | 142.50     | 7.83    |
| SCTSCSC4242  | 2475     | 36          | 42 | 42 | 119.51     | 7.05    |
| SCTSCSC4248  | 2708     | 36          | 48 | 42 | 134.53     | 7.65    |
| SCTSCSC4254  | 2786     | 36          | 54 | 42 | 146.65     | 8.26    |
| SCTSCSC4296  | 2952     | 36          | 60 | 42 | 158.77     | 8.86    |
| SCTSCSC4848  | 2855     | 36          | 48 | 48 | 148.03     | 8.56    |
| SCTSCSC4854  | 2942     | 36          | 54 | 48 | 161.53     | 9.22    |
| SCTSCSC4860  | 3118     | 36          | 60 | 48 | 175.03     | 9.89    |

**SCTLCSL • Large Collaboration Table, 36" Café Height, Small Radius, Levelers**

For 66" and 72" wide tables




For 78" to 96" wide tables


- Large Café Height Collaboration Tables on levelers consist of two leg assemblies, two worksurface support beams, dual footrests and a one worksurface with a small 1.5" radius at each corner.
- Surface available in HP - High Pressure laminates.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Cutouts for power modules are limited to specific sizes/configurations, please see Grommet Location Chart.
- Tables 78" wide and greater include a reinforcement cantilever for added stability.

| PRODUCT<br>CODE | PRICE<br>HP | SIZE/INCHES |    |    | WEIGHT<br>LBS | VOL<br>FT³ |
|-----------------|-------------|-------------|----|----|---------------|------------|
|                 |             | H           | W  | D  |               |            |
| SCTLCSL3666     | 2673        | 36          | 66 | 36 | 153.40        | 8.38       |
| SCTLCSL3672     | 2888        | 36          | 72 | 36 | 164.14        | 8.92       |
| SCTLCSL3678     | 3100        | 36          | 78 | 36 | 177.32        | 9.46       |
| SCTLCSL3684     | 3168        | 36          | 84 | 36 | 188.05        | 10.00      |
| SCTLCSL3690     | 3530        | 36          | 90 | 36 | 198.79        | 10.54      |
| SCTLCSL3696     | 3597        | 36          | 96 | 36 | 209.52        | 11.08      |
| SCTLCSL4266     | 2832        | 36          | 66 | 42 | 171.05        | 9.47       |
| SCTLCSL4272     | 3057        | 36          | 72 | 42 | 183.17        | 10.07      |
| SCTLCSL4278     | 3280        | 36          | 78 | 42 | 197.73        | 10.67      |
| SCTLCSL4284     | 3358        | 36          | 84 | 42 | 209.84        | 11.28      |
| SCTLCSL4290     | 3730        | 36          | 90 | 42 | 221.96        | 11.88      |
| SCTLCSL4296     | 3807        | 36          | 96 | 42 | 234.08        | 12.49      |
| SCTLCSL4866     | 3009        | 36          | 66 | 48 | 188.69        | 10.56      |
| SCTLCSL4872     | 3244        | 36          | 72 | 48 | 202.19        | 11.22      |
| SCTLCSL4878     | 3477        | 36          | 78 | 48 | 218.14        | 11.89      |
| SCTLCSL4884     | 3564        | 36          | 84 | 48 | 231.63        | 12.56      |
| SCTLCSL4890     | 3947        | 36          | 90 | 48 | 245.13        | 13.22      |
| SCTLCSL4896     | 4034        | 36          | 96 | 48 | 258.63        | 13.89      |



**SCTLCLL • Large Collaboration Table, 36" Café Height, Large Radius, Levelers**


For 66" to 90" wide tables




For 96" wide tables

- Large Café Height Collaboration Tables on levelers consist of two leg assemblies, two worksurface support beams and a one worksurface with a large 9" radius at each corner with 10.5" overhang on each end.
- Surface available in HP - High Pressure laminates.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Cutouts for power modules are limited to specific sizes/configurations, please see Grommet Location Chart.
- Tables 78" wide and greater include a reinforcement cantilever for added stability.
- Note: Large radius tables are not compatible with SCTAMxx and SCTAMTx Media Units.

| PRODUCT CODE | PRICE HP | SIZE/INCHES |    |    | WEIGHT LBS | VOL FT <sup>3</sup> |
|--------------|----------|-------------|----|----|------------|---------------------|
|              |          | H           | W  | D  |            |                     |
| SCTLCLL3666  | 2584     | 36          | 66 | 36 | 143.48     | 8.38                |
| SCTLCLL3672  | 2652     | 36          | 72 | 36 | 154.21     | 8.92                |
| SCTLCLL3678  | 2807     | 36          | 78 | 36 | 164.95     | 9.46                |
| SCTLCLL3684  | 2875     | 36          | 84 | 36 | 175.68     | 10.00               |
| SCTLCLL3690  | 3090     | 36          | 90 | 36 | 186.42     | 10.54               |
| SCTLCLL3696  | 3302     | 36          | 96 | 36 | 199.60     | 11.08               |
| SCTLCLL4266  | 2744     | 36          | 66 | 42 | 161.12     | 9.47                |
| SCTLCLL4272  | 2821     | 36          | 72 | 42 | 173.24     | 10.07               |
| SCTLCLL4278  | 2987     | 36          | 78 | 42 | 185.36     | 10.67               |
| SCTLCLL4284  | 3065     | 36          | 84 | 42 | 197.47     | 11.28               |
| SCTLCLL4290  | 3290     | 36          | 90 | 42 | 209.59     | 11.88               |
| SCTLCLL4296  | 3165     | 36          | 96 | 42 | 224.15     | 12.49               |
| SCTLCLL4866  | 2921     | 36          | 66 | 48 | 178.77     | 10.56               |
| SCTLCLL4872  | 3008     | 36          | 72 | 48 | 192.27     | 11.22               |
| SCTLCLL4878  | 3184     | 36          | 78 | 48 | 205.77     | 11.89               |
| SCTLCLL4884  | 3271     | 36          | 84 | 48 | 219.26     | 12.56               |
| SCTLCLL4890  | 3506     | 36          | 90 | 48 | 232.76     | 13.22               |
| SCTLCLL4896  | 3739     | 36          | 96 | 48 | 248.71     | 13.89               |

**SCTLCSC • Large Collaboration Table, 36" Café Height, Small Radius, Casters**


For 66" to 90" wide tables




For 96" wide tables

- Large Café Height Collaboration Tables on casters consist of two leg assemblies, two worksurface support beams, dual footrests and a one worksurface with a small 1.5" radius at each corner.
- Surface available in HP - High Pressure laminates.
- Legs are painted extruded aluminum. Casters are lockable, in a choice of two finishes.
- Cutouts for power modules are limited to specific sizes/configurations, please see Grommet Location Chart.
- Tables 78" wide and greater include a reinforcement cantilever for added stability.

| PRODUCT CODE | PRICE HP | SIZE/INCHES |    |    | WEIGHT LBS | VOL FT <sup>3</sup> |
|--------------|----------|-------------|----|----|------------|---------------------|
|              |          | H           | W  | D  |            |                     |
| SCTLCSC3666  | 2869     | 36          | 66 | 36 | 153.24     | 8.38                |
| SCTLCSC3672  | 3084     | 36          | 72 | 36 | 163.97     | 8.92                |
| SCTLCSC3678  | 3297     | 36          | 78 | 36 | 177.15     | 9.46                |
| SCTLCSC3684  | 3364     | 36          | 84 | 36 | 187.89     | 10.00               |
| SCTLCSC3690  | 3726     | 36          | 90 | 36 | 198.62     | 10.54               |
| SCTLCSC3696  | 3794     | 36          | 96 | 36 | 209.36     | 11.08               |
| SCTLCSC4266  | 3029     | 36          | 66 | 42 | 170.88     | 9.47                |
| SCTLCSC4272  | 3254     | 36          | 72 | 42 | 183.00     | 10.07               |
| SCTLCSC4278  | 3477     | 36          | 78 | 42 | 197.56     | 10.67               |
| SCTLCSC4284  | 3554     | 36          | 84 | 42 | 209.68     | 11.28               |
| SCTLCSC4290  | 3926     | 36          | 90 | 42 | 221.80     | 11.88               |
| SCTLCSC4296  | 4004     | 36          | 96 | 42 | 233.91     | 12.49               |
| SCTLCSC4866  | 3205     | 36          | 66 | 48 | 188.53     | 10.56               |
| SCTLCSC4872  | 3440     | 36          | 72 | 48 | 202.03     | 11.22               |
| SCTLCSC4878  | 3673     | 36          | 78 | 48 | 217.97     | 11.89               |
| SCTLCSC4884  | 3761     | 36          | 84 | 48 | 231.47     | 12.56               |
| SCTLCSC4890  | 4143     | 36          | 90 | 48 | 244.97     | 13.22               |
| SCTLCSC4896  | 4231     | 36          | 96 | 48 | 258.47     | 13.89               |

**SCTLCLC • Large Collaboration Table, 36" Café Height, Large Radius, Casters**


For 66" to 90" wide tables



For 96" wide tables


- Large Café Height Collaboration Tables on casters consist of two leg assemblies, two worksurface support beams and a one worksurface with a large 9" radius at each corner with 10.5" overhang on each end.
- Surface available in HP - High Pressure laminates.
- Legs are painted extruded aluminum. Casters are lockable, in a choice of two finishes.
- Cutouts for power modules are limited to specific sizes/configurations, please see Grommet Location Chart.
- Tables 78" wide and greater include a reinforcement cantilever for added stability.
- Note: Large radius tables are not compatible with SCTAMxx and SCTAMTx Media Units.

| PRODUCT CODE | PRICE HP | SIZE/INCHES |    |    | WEIGHT LBS | VOL FT <sup>3</sup> |
|--------------|----------|-------------|----|----|------------|---------------------|
|              |          | H           | W  | D  |            |                     |
| SCTLCLC3666  | 2781     | 36          | 66 | 36 | 143.31     | 8.38                |
| SCTLCLC3672  | 2848     | 36          | 72 | 36 | 154.05     | 8.92                |
| SCTLCLC3678  | 3004     | 36          | 78 | 36 | 164.78     | 9.46                |
| SCTLCLC3684  | 3071     | 36          | 84 | 36 | 175.52     | 10.00               |
| SCTLCLC3690  | 3286     | 36          | 90 | 36 | 186.25     | 10.54               |
| SCTLCLC3696  | 3499     | 36          | 96 | 36 | 199.43     | 11.08               |
| SCTLCLC4266  | 2940     | 36          | 66 | 42 | 160.96     | 9.47                |
| SCTLCLC4272  | 3018     | 36          | 72 | 42 | 173.07     | 10.07               |
| SCTLCLC4278  | 3184     | 36          | 78 | 42 | 185.19     | 10.67               |
| SCTLCLC4284  | 3261     | 36          | 84 | 42 | 197.31     | 11.28               |
| SCTLCLC4290  | 3486     | 36          | 90 | 42 | 209.43     | 11.88               |
| SCTLCLC4296  | 3709     | 36          | 96 | 42 | 223.98     | 12.49               |
| SCTLCLC4866  | 3117     | 42          | 66 | 48 | 178.60     | 10.56               |
| SCTLCLC4872  | 3204     | 42          | 72 | 48 | 192.10     | 11.22               |
| SCTLCLC4878  | 3380     | 42          | 78 | 48 | 205.60     | 11.89               |
| SCTLCLC4884  | 3468     | 42          | 84 | 48 | 219.10     | 12.56               |
| SCTLCLC4890  | 3703     | 42          | 90 | 48 | 232.60     | 13.22               |
| SCTLCLC4896  | 3936     | 42          | 96 | 48 | 248.54     | 13.89               |

**SCTSBSL • Workshop Table, 42" Bar Height, Small Radius, Levelers**


- Bar Height Workshop Tables on levelers consist of two leg assemblies, two worksurface support beams, dual footrests and a one worksurface with a small 1.5" radius at each corner.
- Surface available in HP - High Pressure laminates.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Cutouts for power modules are limited to specific sizes/configurations, please see Grommet Location Chart.

| PRODUCT     | PRICE | SIZE/INCHES |    |    | WEIGHT | VOL  |
|-------------|-------|-------------|----|----|--------|------|
| CODE        | HP    | H           | W  | D  | LBS    | FT³  |
| SCTSBSL3636 | 2060  | 42          | 36 | 36 | 99.27  | 5.67 |
| SCTSBSL3642 | 2260  | 42          | 42 | 36 | 110.00 | 6.21 |
| SCTSBSL3648 | 2483  | 42          | 48 | 36 | 123.64 | 6.75 |
| SCTSBSL3654 | 2551  | 42          | 54 | 36 | 134.38 | 7.29 |
| SCTSBSL3660 | 2707  | 42          | 60 | 36 | 145.11 | 7.83 |
| SCTSBSL4242 | 2379  | 42          | 42 | 42 | 122.12 | 7.05 |
| SCTSBSL4248 | 2613  | 42          | 48 | 42 | 137.14 | 7.65 |
| SCTSBSL4254 | 2690  | 42          | 54 | 42 | 149.26 | 8.26 |
| SCTSBSL4260 | 2856  | 42          | 60 | 42 | 161.38 | 8.86 |
| SCTSBSL4848 | 2759  | 42          | 48 | 48 | 150.64 | 8.56 |
| SCTSBSL4854 | 2847  | 42          | 54 | 48 | 164.14 | 9.22 |
| SCTSBSL4860 | 3023  | 42          | 60 | 48 | 177.64 | 9.89 |

**SCTSBSC • Workshop Table, 42" Bar Height, Small Radius, Casters**

- Bar Height Workshop Tables on casters consist of two leg assemblies, two worksurface support beams, dual footrests and a one worksurface with a small 1.5" radius at each corner.
- Surface available in HP - High Pressure laminates.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Cutouts for power modules are limited to specific sizes/configurations, please see Grommet Location Chart.

| PRODUCT     | PRICE | SIZE/INCHES |    |    | WEIGHT | VOL  |
|-------------|-------|-------------|----|----|--------|------|
| CODE        | HP    | H           | W  | D  | LBS    | FT³  |
| SCTSBSC3636 | 2197  | 42          | 36 | 36 | 99.10  | 5.67 |
| SCTSBSC3642 | 2397  | 42          | 42 | 36 | 109.84 | 6.21 |
| SCTSBSC3648 | 2621  | 42          | 48 | 36 | 123.48 | 6.75 |
| SCTSBSC3654 | 2688  | 42          | 54 | 36 | 134.21 | 7.29 |
| SCTSBSC3660 | 2844  | 42          | 60 | 36 | 144.95 | 7.83 |
| SCTSBSC4242 | 2517  | 42          | 42 | 42 | 121.95 | 7.05 |
| SCTSBSC4248 | 2750  | 42          | 48 | 42 | 136.98 | 7.65 |
| SCTSBSC4254 | 2828  | 42          | 54 | 42 | 149.09 | 8.26 |
| SCTSBSC4296 | 2994  | 42          | 60 | 42 | 161.21 | 8.86 |
| SCTSBSC4848 | 2897  | 42          | 48 | 48 | 150.47 | 8.56 |
| SCTSBSC4854 | 2984  | 42          | 54 | 48 | 163.97 | 9.22 |
| SCTSBSC4860 | 3160  | 42          | 60 | 48 | 177.47 | 9.89 |

**SCTLBSL • Large Collaboration Table, 42" Bar Height, Small Radius, Levelers**



For 66" and 72" wide tables



For 78" to 96" wide tables



- Large Bar Height Collaboration Tables on levelers consist of two leg assemblies, two worksurface support beams, dual footrests and a one worksurface with a small 1.5" radius at each corner.
- Surface available in HP - High Pressure laminates.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Cutouts for power modules are limited to specific sizes/configurations, please see Grommet Location Chart.
- Tables 78" wide and greater include a reinforcement cantilever for added stability.

| PRODUCT CODE | PRICE HP | SIZE/INCHES |    |    | WEIGHT LBS | VOL FT³ |
|--------------|----------|-------------|----|----|------------|---------|
|              |          | H           | W  | D  |            |         |
| SCTLBSL3666  | 2774     | 42          | 66 | 36 | 155.85     | 8.38    |
| SCTLBSL3672  | 2989     | 42          | 72 | 36 | 166.58     | 8.92    |
| SCTLBSL3678  | 3224     | 42          | 78 | 36 | 179.76     | 9.46    |
| SCTLBSL3684  | 3291     | 42          | 84 | 36 | 190.50     | 10.00   |
| SCTLBSL3690  | 3653     | 42          | 90 | 36 | 201.23     | 10.54   |
| SCTLBSL3696  | 3721     | 42          | 96 | 36 | 211.97     | 11.08   |
| SCTLBSL4266  | 2934     | 42          | 66 | 42 | 173.49     | 9.47    |
| SCTLBSL4272  | 3158     | 42          | 72 | 42 | 185.61     | 10.07   |
| SCTLBSL4278  | 3403     | 42          | 78 | 42 | 200.17     | 10.67   |
| SCTLBSL4284  | 3481     | 42          | 84 | 42 | 212.29     | 11.28   |
| SCTLBSL4290  | 3853     | 42          | 90 | 42 | 224.41     | 11.88   |
| SCTLBSL4296  | 3931     | 42          | 96 | 42 | 236.52     | 12.49   |
| SCTLBSL4866  | 3110     | 42          | 66 | 48 | 191.14     | 10.56   |
| SCTLBSL4872  | 3345     | 42          | 72 | 48 | 204.64     | 11.22   |
| SCTLBSL4878  | 3600     | 42          | 78 | 48 | 220.58     | 11.89   |
| SCTLBSL4884  | 3687     | 42          | 84 | 48 | 234.08     | 12.56   |
| SCTLBSL4890  | 4070     | 42          | 90 | 48 | 247.58     | 13.22   |
| SCTLBSL4896  | 4157     | 42          | 96 | 48 | 261.08     | 13.89   |

**SCTLBLL • Large Collaboration Table, 42" Bar Height, Large Radius, Levelers**For 66" to 90"  
wide tablesFor 96" wide  
tables



- Large Bar Height Collaboration Tables on levelers consist of two leg assemblies, two worksurface support beams and a one worksurface with a large 9" radius at each corner with 10.5" overhang on each end.
- Surface available in HP - High Pressure laminates.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Cutouts for power modules are limited to specific sizes/configurations, please see Grommet Location Chart.
- Tables 78" wide and greater include a reinforcement cantilever for added stability.
- Note: Large radius tables are not compatible with SCTAMxx and SCTAMTxx Media Units.

| PRODUCT<br>CODE | PRICE<br>HP | SIZE/INCHES |    |    | WEIGHT<br>LBS | VOL<br>FT³ |
|-----------------|-------------|-------------|----|----|---------------|------------|
|                 |             | H           | W  | D  |               |            |
| SCTLBLL3666     | 2685        | 42          | 66 | 36 | 145.92        | 8.38       |
| SCTLBLL3672     | 2753        | 42          | 72 | 36 | 156.66        | 8.92       |
| SCTLBLL3678     | 3036        | 42          | 78 | 36 | 167.39        | 9.46       |
| SCTLBLL3684     | 2976        | 42          | 84 | 36 | 178.13        | 10.00      |
| SCTLBLL3690     | 3191        | 42          | 90 | 36 | 188.86        | 10.54      |
| SCTLBLL3696     | 3403        | 42          | 96 | 36 | 202.04        | 11.08      |
| SCTLBLL4266     | 2845        | 42          | 66 | 42 | 163.57        | 9.47       |
| SCTLBLL4272     | 2922        | 42          | 72 | 42 | 175.68        | 10.07      |
| SCTLBLL4278     | 3088        | 42          | 78 | 42 | 187.80        | 10.67      |
| SCTLBLL4284     | 3166        | 42          | 84 | 42 | 199.92        | 11.28      |
| SCTLBLL4290     | 3391        | 42          | 90 | 42 | 212.04        | 11.88      |
| SCTLBLL4296     | 3613        | 42          | 96 | 42 | 226.60        | 12.49      |
| SCTLBLL4866     | 3022        | 42          | 66 | 48 | 181.21        | 10.56      |
| SCTLBLL4872     | 3109        | 42          | 72 | 48 | 194.71        | 11.22      |
| SCTLBLL4878     | 3285        | 42          | 78 | 48 | 208.21        | 11.89      |
| SCTLBLL4884     | 3372        | 42          | 84 | 48 | 221.71        | 12.56      |
| SCTLBLL4890     | 3607        | 42          | 90 | 48 | 235.21        | 13.22      |
| SCTLBLL4896     | 3840        | 42          | 96 | 48 | 251.15        | 13.89      |

**SCTLBSC • Large Collaboration Table, 42" Bar Height, Small Radius, Casters**For 66" and 72"  
wide tablesFor 78" to 96"  
wide tables


- Large Bar Height Collaboration Tables on casters consist of two leg assemblies, two worksurface support beams and a one worksurface with a small 1.5" radius at each corner.
- Surface available in HP - High Pressure laminates.
- Legs are painted extruded aluminum. Casters are lockable, in a choice of two finishes.
- Cutouts for power modules are limited to specific sizes/configurations, please see Grommet Location Chart.
- Tables 78" wide and greater include a reinforcement cantilever for added stability.

| PRODUCT<br>CODE | PRICE<br>HP | SIZE/INCHES |    |    | WEIGHT<br>LBS | VOL<br>FT³ |
|-----------------|-------------|-------------|----|----|---------------|------------|
|                 |             | H           | W  | D  |               |            |
| SCTLBSC3666     | 2911        | 42          | 66 | 36 | 155.68        | 8.38       |
| SCTLBSC3672     | 3126        | 42          | 72 | 36 | 166.42        | 8.92       |
| SCTLBSC3678     | 3361        | 42          | 78 | 36 | 179.60        | 9.46       |
| SCTLBSC3684     | 3428        | 42          | 84 | 36 | 190.33        | 10.00      |
| SCTLBSC3690     | 3791        | 42          | 90 | 36 | 201.07        | 10.54      |
| SCTLBSC3696     | 3858        | 42          | 96 | 36 | 211.80        | 11.08      |
| SCTLBSC4266     | 3071        | 42          | 66 | 42 | 173.33        | 9.47       |
| SCTLBSC4272     | 3296        | 42          | 72 | 42 | 185.45        | 10.07      |
| SCTLBSC4278     | 3541        | 42          | 78 | 42 | 200.00        | 10.67      |
| SCTLBSC4284     | 3618        | 42          | 84 | 42 | 212.12        | 11.28      |
| SCTLBSC4290     | 3991        | 42          | 90 | 42 | 224.24        | 11.88      |
| SCTLBSC4296     | 4068        | 42          | 96 | 42 | 236.36        | 12.49      |
| SCTLBSC4866     | 3248        | 42          | 66 | 48 | 190.97        | 10.56      |
| SCTLBSC4872     | 3483        | 42          | 72 | 48 | 204.47        | 11.22      |
| SCTLBSC4878     | 3737        | 42          | 78 | 48 | 220.41        | 11.89      |
| SCTLBSC4884     | 3825        | 42          | 84 | 48 | 233.91        | 12.56      |
| SCTLBSC4890     | 4207        | 42          | 90 | 48 | 247.41        | 13.22      |
| SCTLBSC4896     | 4295        | 42          | 96 | 48 | 260.91        | 13.89      |

**SCTLBLC • Large Collaboration Table, 42" Bar Height, Large Radius, Casters**For 66" to 90"  
wide tablesFor 96" wide  
tables

- Large Bar Height Collaboration Tables on casters consist of two leg assemblies, two worksurface support beams and a one worksurface with a large 9" radius at each corner with 10.5" overhang on each end.
- Surface available in HP - High Pressure laminates.
- Legs are painted extruded aluminum. Casters are lockable, in a choice of two finishes.
- Cutouts for power modules are limited to specific sizes/configurations, please see Grommet Location Chart.
- Tables 96" wide include a reinforcement cantilever for added stability.
- Note: Large radius tables are not compatible with SCTAMxx and SCTAMTxx Media Units.

| PRODUCT<br>CODE | PRICE<br>HP | SIZE/INCHES |    |    | WEIGHT<br>LBS | VOL<br>FT³ |
|-----------------|-------------|-------------|----|----|---------------|------------|
|                 |             | H           | W  | D  |               |            |
| SCTLBLC3666     | 2823        | 42          | 66 | 36 | 145.75        | 8.38       |
| SCTLBLC3672     | 2890        | 42          | 72 | 36 | 156.49        | 8.92       |
| SCTLBLC3678     | 3046        | 42          | 78 | 36 | 167.23        | 9.46       |
| SCTLBLC3684     | 3113        | 42          | 84 | 36 | 177.96        | 10.00      |
| SCTLBLC3690     | 3328        | 42          | 90 | 36 | 188.70        | 10.54      |
| SCTLBLC3696     | 3541        | 42          | 96 | 36 | 201.87        | 11.08      |
| SCTLBLC4266     | 2983        | 42          | 66 | 42 | 163.40        | 9.47       |
| SCTLBLC4272     | 3060        | 42          | 72 | 42 | 175.52        | 10.07      |
| SCTLBLC4278     | 3226        | 42          | 78 | 42 | 187.63        | 10.67      |
| SCTLBLC4284     | 3303        | 42          | 84 | 42 | 199.75        | 11.28      |
| SCTLBLC4290     | 3528        | 42          | 90 | 42 | 211.87        | 11.88      |
| SCTLBLC4296     | 3751        | 42          | 96 | 42 | 226.43        | 12.49      |
| SCTLBLC4866     | 3159        | 42          | 66 | 48 | 181.04        | 10.56      |
| SCTLBLC4872     | 3247        | 42          | 72 | 48 | 197.54        | 11.22      |
| SCTLBLC4878     | 3422        | 42          | 78 | 48 | 208.04        | 11.89      |
| SCTLBLC4884     | 3510        | 42          | 84 | 48 | 221.54        | 12.56      |
| SCTLBLC4890     | 3745        | 42          | 90 | 48 | 235.04        | 13.22      |
| SCTLBLC4896     | 3978        | 42          | 96 | 48 | 250.98        | 13.89      |

**SCTAMT • Collaboration Table Media Unit with TV Mount**


- Collaboration Table Media Unit with TV Mount can be affixed to all small radius tables of the same nominal width. User side is thermally fused laminate and includes a TV mount. Side facing away from users features a tackable PET panel affixed to the thermally fused laminate with a 0.5" inset.
- Surface available in LP - Low Pressure Laminate.
- Felt backer available in all standard finishes.
- Brackets and reinforcement bar is painted metal.
- Units 36" wide can accept TV's up to 40", not exceeding 50 lbs.
- Units 42" wide can accept TV's up to 43", not exceeding 50 lbs.
- Units 48" wide can accept TV's up to 55", not exceeding 50 lbs.

| PRODUCT<br>CODE | PRICE<br>LP | SIZE/INCHES |    |       | WEIGHT<br>LBS | VOL<br>FT³ |
|-----------------|-------------|-------------|----|-------|---------------|------------|
|                 |             | H           | W  | D     |               |            |
| SCTAMT36        | 942         | 43          | 36 | 11.25 | 47.58         | 10.08      |
| SCTAMT42        | 961         | 43          | 42 | 11.25 | 53.80         | 11.76      |
| SCTAMT48        | 1020        | 43          | 48 | 11.25 | 60.13         | 13.44      |

**SCTAL • Table Leg Cable Organizer**


- Table Leg Cable organizer snaps on to any leg to manage wires vertically. Black only.

| PRODUCT<br>CODE | PRICE | SIZE/INCHES |       |      | WEIGHT<br>LBS | VOL<br>FT³ |
|-----------------|-------|-------------|-------|------|---------------|------------|
|                 |       | H           | W     | D    |               |            |
| SCTAL21         | 29    | 21          | 2.965 | 2.21 | 0.60          | 0.09       |
| SCTAL23         | 33    | 23          | 2.965 | 2.21 | 0.60          | 0.09       |

**SCTAP • PET Felt Modesty Panel**

- PET Felt modesty panel with metal brackets for use on Core, Standard and Workshop tables.
- Modesty panels 36" to 54" include two brackets.
- Modesty panels 60" to 90" include three brackets.
- Modesty panels 96" include four brackets.
- Specify matching nominal width to table.
- PET Felt available in standard finishes.

| PRODUCT<br>CODE | PRICE | SIZE/INCHES |    |      | WEIGHT<br>LBS | VOL<br>FT³ |
|-----------------|-------|-------------|----|------|---------------|------------|
|                 |       | H           | W  | D    |               |            |
| SCTAP36         | 75    | 11          | 33 | 4.75 | 1.78          | 1.00       |
| SCTAP42         | 81    | 11          | 39 | 4.75 | 1.99          | 1.18       |
| SCTAP48         | 81    | 11          | 45 | 4.75 | 2.14          | 1.36       |
| SCTAP54         | 85    | 11          | 51 | 4.75 | 2.38          | 1.54       |
| SCTAP60         | 114   | 11          | 57 | 4.75 | 2.53          | 1.72       |
| SCTAP66         | 118   | 11          | 63 | 4.75 | 2.68          | 1.90       |
| SCTAP72         | 122   | 11          | 69 | 4.75 | 2.87          | 2.09       |
| SCTAP78         | 126   | 11          | 75 | 4.75 | 3.05          | 2.27       |
| SCTAP84         | 137   | 11          | 81 | 4.75 | 3.23          | 2.45       |
| SCTAP90         | 149   | 11          | 87 | 4.75 | 3.41          | 2.63       |
| SCTAP96         | 162   | 11          | 93 | 4.75 | 3.59          | 2.81       |

**SCTAT • Wire Mesh Storage Tray**

- Steel storage tray is attached between dual stretchers on tables 48"d x 48"w and larger.
- Specify matching nominal width to table.
- Cannot be combined with SCTAM/SCTAMT Media Units on tables on casters.
- Specify matching nominal width to table.


| PRODUCT<br>CODE | PRICE | 87SIZE/INCHES93 |    |    | WEIGHT<br>LBS | VOL<br>FT³ |
|-----------------|-------|-----------------|----|----|---------------|------------|
|                 |       | H               | W  | D  |               |            |
| SCTAT4848       | 204   | 1.6             | 42 | 22 | 7.85          | 0.98       |
| SCTAT4854       | 229   | 1.6             | 48 | 22 | 8.97          | 1.10       |
| SCTAT4860       | 260   | 1.6             | 54 | 22 | 10.09         | 1.22       |
| SCTAT4866       | 294   | 1.6             | 60 | 22 | 11.19         | 1.34       |
| SCTAT4872       | 392   | 1.6             | 66 | 22 | 12.29         | 1.47       |
| SCTAT4878       | 403   | 1.6             | 72 | 22 | 13.40         | 1.59       |
| SCTAT4884       | 417   | 1.6             | 78 | 22 | 14.52         | 1.71       |
| SCTAT4890       | 481   | 1.6             | 84 | 22 | 15.62         | 1.83       |
| SCTAT4896       | 495   | 1.6             | 90 | 22 | 16.72         | 1.96       |

**SCTAH • Table Mounted Bag Hook**

- Steel hook for use on Collaborative tables.
- Specify standard metal paint finish.
- Maximum capacity of 10 lbs.


| PRODUCT<br>CODE | PRICE | SIZE/INCHES |     |      | WEIGHT<br>LBS | VOL<br>FT³ |
|-----------------|-------|-------------|-----|------|---------------|------------|
|                 |       | H           | W   | D    |               |            |
| SCTAH           | 16    | 3.5         | 1.5 | 0.65 | 0.30          |            |



**SCTAPS • Nik In-Surface Power Module**


- Nik In-Surface Power Module in black with black receptacles, 10ft cord.
- 2 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port

| PRODUCT<br>CODE | PRICE | SIZE/INCHES |   |      | WEIGHT VOL |      |
|-----------------|-------|-------------|---|------|------------|------|
|                 |       | H           | W | D    | LBS        | FT³  |
| SCTAPSC         | 578   | 3.7         | 6 | 2.10 | 4.00       | 0.03 |

**SCTAPT • Collaborative Spaces Power Tray**


- Black plastic power tray with removable grey accessory trays. Top tray is offset for cable storage underneath. Recessed tray sits 3.7" below surface to keep cables out of sight.
- Specify configuration, last letter of the code represents the following.
- 10ft cord.
- C = 2 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port

| PRODUCT<br>CODE | PRICE | SIZE/INCHES |       |       | WEIGHT VOL |      |
|-----------------|-------|-------------|-------|-------|------------|------|
|                 |       | H           | W     | D     | LBS        | FT³  |
| SCTAPTC         | 858   | 4.53        | 23.26 | 10.51 | 7.73       | 0.64 |

**SCTAOT • Collaborative Spaces Organizer Tray**


- Black plastic power tray with removable grey accessory trays.
- 10ft cord.
- 2 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port

| PRODUCT<br>CODE | PRICE | SIZE/INCHES |       |      | WEIGHT VOL |      |
|-----------------|-------|-------------|-------|------|------------|------|
|                 |       | H           | W     | D    | LBS        | FT³  |
| SCTAOTC         | 639   | 4.28        | 12.40 | 8.32 | 1.50       | 0.26 |

**SCTAPR • Collaborative Spaces Recessed Power Tray**

- Black plastic power tray. Recessed tray sits 3.7" below surface to keep cables out of sight.
- 10ft cord.
- 2 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port


| PRODUCT<br>CODE | PRICE | SIZE/INCHES |       |       | WEIGHT VOL |      |
|-----------------|-------|-------------|-------|-------|------------|------|
|                 |       | H           | W     | D     | LBS        | FT³  |
| SCTAPRC         | 760   | 6.4         | 23.26 | 10.51 | 6.06       | 0.91 |

**SCTACT • Collaborative Spaces PET Felt Wire Manager**

- PET Felt Wire Manager hangs from four brackets under the surface.
- Includes black painted metal brackets.
- PET Felt available in standard finishes.

| PRODUCT<br>CODE | PRICE | SIZE/INCHES |    |    | WEIGHT VOL |      |
|-----------------|-------|-------------|----|----|------------|------|
|                 |       | H           | W  | D  | LBS        | FT³  |
| SCTACT          | 80    | 4           | 11 | 26 | 1.10       | 0.66 |


## SCCM • Media Cart



- Media Cart includes a bottom shelf and thermally fused laminate TV board. Short side panels feature small cutout for wire pass thru and hook for wire management.
- Side rails accept compatible accessories.
- Shelf available in LP - Low Pressure laminate.
- Back panel is removeable for access to cavity for cable management. Back panel is whiteboard laminate.
- SCCMEP models include a power bar (SCCAMP) mounted internally.
- SCCMNE models do not include any power.
- Units 48" wide can accept TV's up to 55", not exceeding 50lbs.
- Units 60" wide can accept TV's up to 60", not exceeding 50lbs.
- Painted aluminum frame available in standard paint finishes.
- Casters are lockable, in a choice of two finishes.
- Note: TV mount included. TV and video conferencing units are not included.

| PRODUCT<br>CODE | PRICE<br>LP | SIZE/INCHES |    |    | WEIGHT<br>LBS | VOL<br>FT³ |
|-----------------|-------------|-------------|----|----|---------------|------------|
|                 |             | H           | W  | D  |               |            |
| SCCMEP1848      | 3515        | 72          | 48 | 18 | 171.42        | 36.04      |
| SCCMEP1860      | 3945        | 72          | 60 | 18 | 214.23        | 45.05      |
| SCCMNE1848      | 3343        | 72          | 48 | 18 | 170.92        | 36.04      |
| SCCMNE1860      | 3772        | 72          | 60 | 18 | 213.73        | 45.05      |


## SCCSW • Single Sided Whiteboard Cart



- Cart includes one fixed shelf with metal trim detail, accessible from behind whiteboard.
- Front of vertical whiteboard panel is whiteboard only.
- Side rails accept compatible accessories.
- Back of vertical whiteboard panel is DWTLP - Designer White laminate with DWE - Designer White edging.
- Shelf available in LP - Low Pressure laminate.
- Painted aluminum frame available in standard paint finishes.
- Casters are lockable, in a choice of two finishes.

| PRODUCT<br>CODE | PRICE<br>LP | SIZE/INCHES |    |    | WEIGHT<br>LBS | VOL<br>FT³ |
|-----------------|-------------|-------------|----|----|---------------|------------|
|                 |             | H           | W  | D  |               |            |
| SCCSW1848       | 3011        | 72          | 48 | 18 | 106.37        | 36.04      |
| SCCSW1860       | 3531        | 72          | 60 | 18 | 191.07        | 45.05      |


## SCCDW • Double Side Whiteboard Cart



- Cart includes one fixed shelf with metal trim detail, accessible from behind whiteboard.
- Front of vertical whiteboard panels are whiteboard only.
- Side rails accept compatible accessories.
- Back of vertical whiteboard panels are DWTLP - Designer White laminate with DWE - Designer White edging.
- Shelf available in LP - Low Pressure laminate.
- Painted aluminum frame available in standard paint finishes.
- Casters are lockable, in a choice of two finishes.


| PRODUCT<br>CODE | PRICE<br>LP | SIZE/INCHES |    |    | WEIGHT<br>LBS | VOL<br>FT³ |
|-----------------|-------------|-------------|----|----|---------------|------------|
|                 |             | H           | W  | D  |               |            |
| SCCDW1848       | 4061        | 72          | 48 | 18 | 153.96        | 36.04      |
| SCCDW1860       | 5027        | 72          | 60 | 18 | 191.07        | 45.05      |

## SCCCW • Combo Whiteboard Cart




- Cart includes two fixed shelves with metal trim detail. Bottom shelf is accessible from both sides of cart, top shelf accessible from behind whiteboard.
- Front of vertical whiteboard panel is whiteboard only.
- Side rails accept compatible accessories.
- Back of vertical whiteboard panel is DWTLP - Designer White laminate with DWE - Designer White edging.
- Shelves available in LP - Low Pressure laminate.
- Painted aluminum frame available in standard paint finishes.
- Casters are lockable, in a choice of two finishes.

| PRODUCT<br>CODE | PRICE<br>LP | SIZE/INCHES |    |    | WEIGHT<br>LBS | VOL<br>FT³ |
|-----------------|-------------|-------------|----|----|---------------|------------|
|                 |             | H           | W  | D  |               |            |
| SCCCW1848       | 3250        | 72          | 48 | 18 | 115.66        | 36.04      |
| SCCCW1860       | 3736        | 72          | 60 | 18 | 150.33        | 45.05      |

**SCCAMP • Concealed Power Unit**

- Provided inside SCCMEPxxxx media units, can be added to SCCNMExxxx in field.
- Includes two AC outlets.
- Compatible with Mobile Media Carts only.
- BLK - Black finish only.

| PRODUCT<br>CODE | PRICE | SIZE/INCHES |   |      | WEIGHT VOL |      |
|-----------------|-------|-------------|---|------|------------|------|
|                 |       | H           | W | D    | LBS        | FT³  |
| SCCAMP          | 251   | 1.5         | 3 | 3.00 | 0.50       | 0.01 |

**SCCAMT • Media Tray**

- Attaches to the front of the SCCMEPxxxx/ SCCNMExxxx to provide a wire catch, wireless receiver area and easily accessible power at the front of the media carts.
- Compatible with Mobile Media Carts only.
- Tray is painted metal with a PET Felt insert.
- PET Felt available in 18 standard finishes.
- SCCAMT is empty and has no power capabilities.
- Specify configuration, last letter of the code represents the following:
  - C = 2 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port
  - D = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port, 1 60W USB-C charge port
  - E = 3 AC

| PRODUCT<br>CODE | PRICE | SIZE/INCHES |       |      | WEIGHT VOL |      |
|-----------------|-------|-------------|-------|------|------------|------|
|                 |       | H           | W     | D    | LBS        | FT³  |
| SCCAMT          | 611   | 13.80       | 14.57 | 5.60 | 12         | 0.65 |
| SCCAMTPC        | 1189  | 13.80       | 14.57 | 5.60 | 12         | 0.65 |
| SCCAMTPD        | 1329  | 13.80       | 14.57 | 5.60 | 12         | 0.65 |
| SCCAMTPE        | 1120  | 13.80       | 14.57 | 5.60 | 12         | 0.65 |

**SCCAC • Accessory Cup**


- Hangs onto any team cart horizontal top or side rail. Black only.

| PRODUCT<br>CODE | PRICE | SIZE/INCHES |     |      | WEIGHT VOL |      |
|-----------------|-------|-------------|-----|------|------------|------|
|                 |       | H           | W   | D    | LBS        | FT³  |
| SCCAC           | 9     | 3.7         | 3.3 | 3.00 | 0.15       | 0.02 |

**SCCAH • Hook for Team Cart**


- Hangs onto any team cart horizontal top or side rail.
- Black only
- Maximum capacity of 10 lbs.

| PRODUCT<br>CODE | PRICE | SIZE/INCHES |     |      | WEIGHT VOL |     |
|-----------------|-------|-------------|-----|------|------------|-----|
|                 |       | H           | W   | D    | LBS        | FT³ |
| SCCAH           | 6     | 1.8         | 1.3 | 0.65 | 0.10       |     |

**SCCALS • Laptop Shelf**


- Laminate laptop shelf with dual bracket.
- Can be flipped vertically to store when cart is not in use.
- Shelf available in LP - Low Pressure laminate.
- Bracket included is painted metal finish and should be specified to match the cart finish.

| PRODUCT<br>CODE | PRICE<br>LP | SIZE/INCHES |    |    | WEIGHT<br>LBS | VOL<br>FT³ |
|-----------------|-------------|-------------|----|----|---------------|------------|
|                 |             | H           | W  | D  |               |            |
| SCCALS1219      | 243         | 3           | 19 | 12 | 11.07         |            |

**SCOR • Occasional Side Table, Round Top**


- Occasional End Table includes leg assembly, cross beams and one worksurface.
- Surface available in LP - Low Pressure laminate.
- Legs and cross beam are painted aluminum available in standard paint finishes.

| PRODUCT<br>CODE | PRICE<br>LP | SIZE/INCHES |    |    | WEIGHT<br>LBS | VOL<br>FT <sup>3</sup> |
|-----------------|-------------|-------------|----|----|---------------|------------------------|
|                 |             | H           | W  | D  |               |                        |
| SCOR1818        | 514         | 21          | 18 | 18 | 18.52         | 3.94                   |
| SCOR2424        | 584         | 21          | 24 | 24 | 26.53         | 7.01                   |

**SCOC • Occasional Side Table, Square Top**


- Occasional End Table includes leg assembly, cross beams and one worksurface with a small 1.5" radius at each corner.
- Surface available in LP - Low Pressure laminate.
- Legs and cross beam are painted aluminum available in standard paint finishes.

| PRODUCT<br>CODE | PRICE<br>LP | SIZE/INCHES |    |    | WEIGHT<br>LBS | VOL<br>FT <sup>3</sup> |
|-----------------|-------------|-------------|----|----|---------------|------------------------|
|                 |             | H           | W  | D  |               |                        |
| SCOC1818        | 514         | 21          | 18 | 18 | 21.12         | 3.94                   |
| SCOC2424        | 584         | 21          | 24 | 24 | 31.20         | 7.01                   |

**SCOCL • Occasional Side Table, Square Top, Larger Radius**


- Occasional End Table includes leg assembly, cross beams and one worksurface with a larger 9" radius at each corner.
- Surface available in LP - Low Pressure laminate.
- Legs and cross beam are painted aluminum available in standard paint finishes.

| PRODUCT<br>CODE | PRICE<br>LP | SIZE/INCHES |    |    | WEIGHT<br>LBS | VOL<br>FT <sup>3</sup> |
|-----------------|-------------|-------------|----|----|---------------|------------------------|
|                 |             | H           | W  | D  |               |                        |
| SCOCL1818       | 550         | 21          | 18 | 18 | 21.12         | 3.94                   |
| SCOCL2424       | 648         | 21          | 24 | 24 | 31.20         | 7.01                   |

**SCOCR • Occasional Coffee Table, Round Top**

- Occasional End Table includes leg assembly, cross beams and one worksurface.
- Surface available in LP - Low Pressure laminate.
- Legs and cross beam are painted aluminum available in standard paint finishes.

| PRODUCT<br>CODE | PRICE<br>LP | SIZE/INCHES |    |    | WEIGHT<br>LBS | VOL<br>FT <sup>3</sup> |
|-----------------|-------------|-------------|----|----|---------------|------------------------|
|                 |             | H           | W  | D  |               |                        |
| SCOCR2424       | 563         | 17          | 24 | 24 | 25.55         | 5.67                   |
| SCOCR3030       | 643         | 17          | 30 | 30 | 35.76         | 8.86                   |
| SCOCR3636       | 739         | 17          | 36 | 36 | 48.13         | 12.76                  |

**SCOCS • Occasional Coffee Table, Square Top**


- Occasional Coffee Table includes leg assembly, cross beams and one worksurface with a small 1.5" radius at each corner.
- Surface available in LP - Low Pressure laminate.
- Legs and cross beam are painted aluminum available in standard paint finishes.

| PRODUCT<br>CODE | PRICE<br>LP | SIZE/INCHES |    |    | WEIGHT<br>LBS | VOL<br>FT <sup>3</sup> |
|-----------------|-------------|-------------|----|----|---------------|------------------------|
|                 |             | H           | W  | D  |               |                        |
| SCOCS2424       | 563         | 17          | 24 | 24 | 30.22         | 5.67                   |
| SCOCS3030       | 643         | 17          | 30 | 30 | 43.10         | 8.86                   |

**SCOCSL • Occasional Coffee Table, Square Top, Larger Radius**

- Occasional Coffee Table includes leg assembly, cross beams and one worksurface with a larger 9" radius at each corner.
- Surface available in LP - Low Pressure laminate.
- Legs and cross beam are painted aluminum available in standard paint finishes.

| PRODUCT<br>CODE | PRICE<br>LP | SIZE/INCHES |    |    | WEIGHT<br>LBS | VOL<br>FT <sup>3</sup> |
|-----------------|-------------|-------------|----|----|---------------|------------------------|
|                 |             | H           | W  | D  |               |                        |
| SCOCSL2424      | 563         | 17          | 24 | 24 | 29.11         | 5.67                   |
| SCOCSL3030      | 643         | 17          | 30 | 30 | 41.99         | 8.86                   |

**SCOCC • Occasional Coffee Table, Racetrack Top**

- Occasional Coffee Table includes leg assembly, cross beams and one racetrack worksurface.
- Surface available in LP - Low Pressure laminate.
- Legs and cross beam are painted aluminum available in standard paint finishes.

| PRODUCT<br>CODE | PRICE<br>LP | SIZE/INCHES |    |    | WEIGHT<br>LBS | VOL<br>FT <sup>3</sup> |
|-----------------|-------------|-------------|----|----|---------------|------------------------|
|                 |             | H           | W  | D  |               |                        |
| SCOCC2442       | 676         | 17          | 24 | 42 | 42.78         | 9.93                   |
| SCOCC3048       | 777         | 17          | 30 | 48 | 57.13         | 14.18                  |



**SCLCC • Laptop Table, Racetrack Top, Wheel and Foot Base**


- Laptop Table includes leg assembly and two wheels with rubber trim, one leg assembly with a foot and one racetrack worksurface.
- Two bag hooks included, one on the exterior of each leg, mounted just under the surface for easy access.
- Each bag hook accepts up to 10 lbs, and painted to match the legs.
- Legs, beams and hook are painted aluminum available in standard paint finishes.
- Wheel insert is painted to match the legs and beams.
- Surface available in LP - Low Pressure laminate.

| PRODUCT<br>CODE | PRICE<br>LP | SIZE/INCHES |    |    | WEIGHT<br>LBS | VOL<br>FT³ |
|-----------------|-------------|-------------|----|----|---------------|------------|
| H               | W           | D           |    |    |               |            |
| SCLCC1633       | 901         | 26          | 33 | 16 | 25.60         | 6.51       |

**SCLCB • Laptop Table, Racetrack Top, Foot Base**


- Laptop Table includes two leg assemblies a foot and one racetrack worksurface.
- Two bag hooks included, one on the exterior of each leg, mounted just under the surface for easy access.
- Each bag hook accepts up to 10 lbs, and painted to match the legs.
- Legs and beams are painted aluminum available in standard paint finishes.
- Surface available in LP - Low Pressure laminate.

| PRODUCT<br>CODE | PRICE<br>LP | SIZE/INCHES |    |    | WEIGHT<br>LBS | VOL<br>FT³ |
|-----------------|-------------|-------------|----|----|---------------|------------|
| H               | W           | D           |    |    |               |            |
| SCLCB1633       | 516         | 26          | 33 | 16 | 23.85         | 6.51       |

**SCLTC • Laptop Table, Rectangular Top, Small Radius, Wheel and Foot Base**

- Laptop Table includes leg assembly and two wheels with rubber trim, one leg assembly with a foot and one rectangular worksurface with a small 1.5" radius at each corner.
- Two bag hooks included, one on the exterior of each leg, mounted just under the surface for easy access.
- Each bag hook accepts up to 10 lbs, and painted to match the legs.
- Legs and beams are painted aluminum available in standard paint finishes.
- Wheel insert is painted to match the legs and beams.
- Surface available in LP - Low Pressure laminate.

| PRODUCT<br>CODE | PRICE<br>LP | SIZE/INCHES |    |    | WEIGHT<br>LBS | VOL<br>FT³ |
|-----------------|-------------|-------------|----|----|---------------|------------|
| H               | W           | D           |    |    |               |            |
| SCLTC1633       | 901         | 26          | 33 | 16 | 27.64         | 6.51       |

**SCLTB • Laptop Table, Rectangular Top, Base**

- Laptop Table includes two leg assemblies a foot and one rectangular worksurface with a small 1.5" radius at each corner.
- Two bag hooks included, one on the exterior of each leg, mounted just under the surface for easy access.
- Each bag hook accepts up to 10 lbs, and painted to match the legs.
- Legs and beams are painted aluminum available in standard paint finishes.
- Surface available in LP - Low Pressure laminate.

| PRODUCT<br>CODE | PRICE<br>LP | SIZE/INCHES |    |    | WEIGHT<br>LBS | VOL<br>FT³ |
|-----------------|-------------|-------------|----|----|---------------|------------|
| H               | W           | D           |    |    |               |            |
| SCLTB1633       | 516         | 26          | 33 | 16 | 25.88         | 6.51       |

---

## Global offices in Canada

### Head Office

560 Supertest Road  
Toronto, Ontario  
M3J 2M6  
T (416) 650-6500

### Toronto Sales Office

1350 Flint Road  
Toronto, Ontario  
M3J 2J7  
T (416) 661-3660

### Moncton

268 Coverdale Road  
Riverview, New Brunswick  
E1B 3J2  
T (506) 858-8383

---

## Showrooms

### Calgary

237 8 Avenue SE, Suite 302  
Calgary, Alberta  
T2G 5C3  
T (403) 250-7770

### Montreal

1010 Sainte-Catherine Street West  
Mezzanine 2  
Montreal, Quebec  
H3B 1E7T  
T (514) 866-4331

### Ottawa

251 Laurier Avenue West, Suite 400  
Ottawa, Ontario  
K1P 5J6  
T (613) 234-2881  
*Please call ahead to book an appointment.*

### Edmonton

10158 103 Street NW, Suite 201  
Edmonton, Alberta  
T5J 0X6  
T (780) 444-8922

### Toronto

1350 Flint Road  
Toronto, Ontario  
M3J 2J7  
T (416) 661-3660

### Vancouver

675 West Hastings Street, Suite 1000  
Vancouver, British Columbia  
V6B 1N2  
T (604) 432-1701

### Halifax

1061 Marginal Road, Suite 120  
Halifax, Nova Scotia  
B3H 4P7  
T (902) 422-7434

### Toronto - The Blueprint

(MetroCentre)  
200 Wellington Street West, Suite 1602  
Toronto, Ontario  
M5V 3C7

### Winnipeg

111 Lombard Avenue, Suite 220  
Winnipeg, Manitoba  
R3B 0T4  
T (204) 925-3350



globalfurnituregroup.com