

**Tables + Accessories for the Government of Canada**

Pricing effective January 1, 2023 - Canada

Revised March 31, 2024

E60PQ-14003/071/PQ



PRICE LIST  
**desking + tables**



# think global

## THE GLOBAL EDGE

### ERGONOMICS IN THE OFFICE

- Full range of ergonomically designed workplace, healthcare and office furniture with competitive pricing and built-in value.

### STRENGTH AND STABILITY

- Established in 1966.
- One of North America's largest office furniture manufacturers.
- Manufacturing and showrooms worldwide.

### STRONG LOCAL REPRESENTATION

- Service and expert advice where you are, when you need it!

### MANUFACTURING CAPABILITY

- Vertical integration ensures "start to finish" control.
- Ongoing research and investment in new, innovative production technology.

### QUALITY ASSURANCE

- The quality program is registered to ISO 9001.
- On-site furniture testing facility.
- Products and components are tested to meet or exceed ANSI/BIFMA standards.
- Products backed by Global's Limited Lifetime Warranty.

### ENVIRONMENTAL COMMITMENT

- Continuous development of "earth friendly" programs.
- One of the first molded foam manufacturers to create ozone-friendly, CFC and HFC-free processes.
- Many seat and back pans are made from recyclable plastics and wood waste, enabling little waste and cost effective products.

# TABLE OF CONTENTS

## WORKPLACE

### TABLES - CAFÉ, MEETING & CONFERENCE

Swap .....16

Zira boardroom tables.....5

### REFERENCE

Finishes .....94

Terms and Conditions.....97

Lifetime Warranty .....100

Index.....101

### TABLES - TRAINING

Bungee .....44

Junction.....56

### TABLES - RECEPTION & OCCASIONAL

Citi .....64

Cylinder and cube occasional tables .....65

River+ .....67

Sirena .....69

Soda .....70

Wind.....71

### PRODUCTIVITY SOLUTIONS by Global

Keyboard trays .....80

Manual height adjustable tables.....75

Monitor arms.....78

Newland height adjustable base.....92

Newland pedestals .....93

Office accessories .....90

Power/data.....83

Productivity Solutions .....74

CAFETERIA TABLES

Swap .....16

CLASSROOM + LAB TABLES

Bungee .....44

Junction.....56

LOUNGE TABLES

Citi .....64

Sirena .....69

Swap .....16

Wind.....71

MEETING + COLLABORATIVE TABLES

Bungee .....44

Swap .....16

Zira .....5

MOBILE TABLES

Bungee .....44

Junction.....56

ACCESSORIES

Keyboard mechanisms .....81

Keyboard trays .....80

Monitor arms.....78

Office accessories .....90

Power solutions.....83



# tables

## café, meeting and conference



Zira

5



Swap

16




## TOP AND BASE FINISHES

<b>ACJ</b>	Absolute Acajou	<b>FCL</b>	First Class
<b>ASN</b>	Asian Night	<b>NBL</b>	Noce Biondo
<b>AWC</b>	Avant Cherry	<b>NGL</b>	Noce Grigio
<b>AWH</b>	Avant Honey	<b>NEL</b>	Noce Leggero
<b>BLK</b>	Black	<b>NML</b>	Noce Medio
<b>BZD</b>	Blizzard	<b>QTM</b>	Quartered Mahogany
<b>BRC</b>	Brushed Cobalt	<b>SBY</b>	Sheer Beauty
<b>CMB</b>	Clear Maple	<b>SDT</b>	Stonedust
<b>CGY</b>	Custom Grey	<b>SOG</b>	Storm Grey
<b>DES</b>	Dark Espresso	<b>WHE</b>	Walnut Heights
<b>DWT</b>	Designer White	<b>WHC</b>	White Chocolate
<b>FAS</b>	Fashionista	<b>WCR</b>	Winter Cherry

## BASE TRIM FINISHES

<b>BRC</b>	Brushed Cobalt
<b>BLK</b>	Black



## TOP THICKNESS/EDGE DETAIL




**C3** 1.5" top, standard flat edge

## BASES

- 2 doors on base for wire management access from both sides.
- Because of base sizes, custom width less than 96" cannot be accommodated.


## TOPS

- 96" tops are standard in one piece. All tops 120", 144" and 168" tops are standard in two equal size pieces. Woodgrain laminate finishes may NOT align where the two tops join. Tops 192" and larger are standard in 3 equal pieces.
- 96" tops are standard with **two bases**.
- Tops 120", 144" and 168" are standard with **three bases**.
- Tops 169" to 288" and larger are standard with **four bases**.
- **Five** top shapes: **boat shaped**, **bow end**, **rectangular**, **racetrack** and **wedge**.



## POWER BLOCK OPTIONS AND CUT-OUT LOCATIONS

PRTMCS401B  
PRTMCS401T  
PRTMCS401W  
PRTMCS421B  
PRTMCS421T  
PRTMCS421W



PRTMCD602B  
PRTMCD602T  
PRTMCD602W  
PRTMCD622B  
PRTMCD622T  
PRTMCD622W  
PRTMCD642B  
PRTMCD642T  
PRTMCD642W



- For **Square**, **Media** and **Collaborative Tables**, please refer to the electronic Zira Design Guide found on the Global website under Brochures.





## CUT-OUTS

- **Boardroom** and **collaborative tables** offer optional cut-outs for in-surface mounted power modules in three standard locations - left, center or right (R1, R2, R3 or T1, T2, T3 as per above grid) for all table shapes excluding square boardroom tables. **Add \$91** for each cut-out.
- Cut-out options for **square boardroom tables** in centered position only - R2 or T2. **Add \$91**.
- Cut-out options for **media tables** in position 1 only - R1 or T1. **Add \$91**.
- Cut-outs may be placed at non-standard locations. Please submit a NON-STANDARD CUT-OUT request form with your order. Forms can be found on the Global Dealer Center under "Specials".
- Available power modules are listed on pages 83-85.
- Be sure to specify matching power module with corresponding cut-out codes (as per above grid). Cut-out size(s) and orientation(s) are specific to the power module(s).
- Refer to **Zira Boardroom Design Guide** online for more information.






TABLE NOTES - ESTIMATED CAPACITY

- Use the following to determine the size of a round table and the number of chairs needed for a conference area. All estimates are based on an average chair width of 23" with a 4" clearance between chairs. Adjust accordingly for a different chair size.

Top Size	Rectangular	Bow End	Boat	Racetrack
48 x 96	6-8	6-8	6-8	6-8
48 x 120	8-10	8-10	8-10	8-10
48 x 144	10-12	10-12	10-12	10-12
48 x 168	12-14	12-14	12-14	12-14
48 x 192	14-16	14-16	14-16	14-16
48 x 216	16-18	16-18	16-18	16-18
48 x 240	18-20	18-20	18-20	18-20
48 x 264	20-22	20-22	20-22	20-22
48 x 288	22-24	22-24	22-24	22-24

BOARDROOM TABLES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	1.5" HP TOP
	W x D x H (1.5" TOP)				
	Z3636SQ (HP)	36 x 36 x 30	129	10	\$3025
	Z4242SQ (HP)	42 x 42 x 30	165.5	13.5	\$3518
	Z4848SQ (HP)	48 x 48 x 30	190	14.25	\$3905
	Z5454SQ (HP)	54 x 54 x 30	262	21.25	\$4448
	Z6060SQ (HP)	60 x 60 x 30	300	22.75	\$4871
Square table includes one base with wire access doors on each side of base. Shipped easy to assemble in 2 cartons.					
	Z4896BE (HP)	96 x 48 x 30	342	22	\$4513
	Boat shaped table includes <b>two bases</b> with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 3 cartons.				
	Z6096BE (HP)	96 x 60 x 30	432	35.5	\$8565
	Boat shaped table includes two bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 3 cartons.				
	Z48120BE (HP)	120 x 48 x 30	452	28.3	\$6316
	Z48144BE (HP)	144 x 48 x 30	502	30.5	\$6601
	Z48168BE (HP)	168 x 48 x 30	557	37.25	\$8365
	Boat shaped table includes three bases with wire access doors on each side of base and wire concealment runners between bases. Z48144BE and Z48120BE shipped easy to assemble in 4 cartons. Z48168BE shipped easy to assemble in 5 cartons.				

Required specifications	Optional specifications	Accessories
Top finish Edge detail Base finish Base trim finish	Cut-out for power block	Power block

BOARDROOM TABLES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	1.5" HP TOP
		<b>W x D x H (1.5" TOP)</b>			
	Z60120BE (HP)	120 x 60 x 30	599	48.5	<b>\$12629</b>
	Z60144BE (HP)	144 x 60 x 30	664.65	53.25	<b>\$13738</b>
	Z60168BE (HP)	168 x 60 x 30	741.3	58	<b>\$14994</b>
Boat shaped table includes three bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 5 cartons.					
	Z48192BE (HP)	192 x 48 x 30	688	45.75	<b>\$10279</b>
	Z48216BE (HP)	216 x 48 x 30	746	48.75	<b>\$10904</b>
	Z48240BE (HP)	240 x 48 x 30	803	51.75	<b>\$11692</b>
	Z48264BE (HP)	264 x 48 x 30	855	54.75	<b>\$12476</b>
	Z48288BE (HP)	288 x 48 x 30	906	57.75	<b>\$12706</b>
Boat shaped table includes four bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 7 cartons.					
	Z60192BE (HP)	192 x 60 x 30	912.45	71.25	<b>\$18589</b>
	Z60216BE (HP)	216 x 60 x 30	980.7	76	<b>\$19815</b>
	Z60240BE (HP)	240 x 60 x 30	1062.6	81	<b>\$20878</b>
	Z60264BE (HP)	264 x 60 x 30	1129.8	85.75	<b>\$21911</b>
	Z60288BE (HP)	288 x 60 x 30	1198.05	90.5	<b>\$23366</b>
Boat shaped table includes four bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 7 cartons.					
	Z4896RTE (HP)	96 x 48 x 30	336	22	<b>\$4413</b>
Racetrack shaped table includes two bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 3 cartons.					
	Z48120RTE (HP)	120 x 48 x 30	453	28.3	<b>\$6009</b>
	Z48144RTE (HP)	144 x 48 x 30	506	30.5	<b>\$6563</b>
	Z48168RTE (HP)	168 x 48 x 30	563	37.25	<b>\$8406</b>
Racetrack shaped table includes three bases with wire access doors on each side of base and wire concealment runners between bases. Z48144RTE and Z48120RTE shipped easy to assemble in 4 cartons. Z48168RTE shipped easy to assemble in 5 cartons.					

**Required specifications**

Top finish  
Edge detail  
Base finish  
Base trim finish

**Optional specifications**


Cut-out for power block

**Accessories**

Power block

# Z ZIRA™ BOARDROOM

## BOARDROOM TABLES




**Boardroom Table - Racetrack**

### MODEL # DIMENSIONS WT/LB. CUBIC FT. 1.5" HP TOP

#### W x D x H (1.5" TOP)

Z60120RTE (HP)	120 x 60 x 30	585.9	48.5	<b>\$12629</b>
Z60144RTE (HP)	144 x 60 x 30	656.25	53.25	<b>\$13738</b>
Z60168RTE (HP)	168 x 60 x 30	737.1	58	<b>\$14994</b>


Racetrack shaped table includes three bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 5 cartons.



**Boardroom Table - Racetrack**

Z48192RTE (HP)	192 x 48 x 30	689	45.75	<b>\$10318</b>
Z48216RTE (HP)	216 x 48 x 30	749	48.75	<b>\$10945</b>
Z48240RTE (HP)	240 x 48 x 30	809	51.75	<b>\$11732</b>
Z48264RTE (HP)	264 x 48 x 30	862	54.75	<b>\$12518</b>
Z48288RTE (HP)	288 x 48 x 30	917	57.75	<b>\$12748</b>


Racetrack shaped table includes four bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 7 cartons.



**Boardroom Table - Racetrack**

Z60192RTE (HP)	192 x 60 x 30	901.95	71.25	<b>\$18589</b>
Z60216RTE (HP)	216 x 60 x 30	972.3	76	<b>\$19815</b>
Z60240RTE (HP)	240 x 60 x 30	1057.35	81	<b>\$20878</b>
Z60264RTE (HP)	264 x 60 x 30	1127.7	85.75	<b>\$21911</b>
Z60288RTE (HP)	288 x 60 x 30	1198.05	90.5	<b>\$23366</b>


Racetrack shaped table includes four bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 7 cartons.



**Boardroom Table - Rectangular**

Z4896REE (HP)	96 x 48 x 30	356	22	<b>\$4497</b>
---------------	--------------	-----	----	---------------


Rectangular shaped table includes two bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 3 cartons.



**Boardroom Table - Rectangular**

Z48120REE (HP)	120 x 48 x 30	472	28.3	<b>\$5994</b>
Z48144REE (HP)	144 x 48 x 30	525	30.5	<b>\$6571</b>
Z48168REE (HP)	168 x 48 x 30	583	37.25	<b>\$8305</b>

Rectangular shaped table includes three bases with wire access doors on each side of base and wire concealment runners between bases. Z48144REE and Z48120REE shipped easy to assemble in 4 cartons. Z48168REE shipped easy to assemble in 5 cartons.



**Boardroom Table - Rectangular**

Z60120REE (HP)	120 x 60 x 30	618	48.5	<b>\$11712</b>
Z60144REE (HP)	144 x 60 x 30	688	53.25	<b>\$12759</b>
Z60168REE (HP)	168 x 60 x 30	769	58	<b>\$13928</b>

Rectangular shaped table includes three bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 5 cartons.

#### Required specifications







Top finish  
Edge detail  
Base finish  
Base trim finish

#### Optional specifications

Cut-out for power block

#### Accessories

Power block

BOARDROOM TABLES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	1.5" HP TOP
	W x D x H (1.5" TOP)				
	Z48192REE (HP)	192 x 48 x 30	708	45.75	<b>\$10221</b>
	Z48216REE (HP)	216 x 48 x 30	768	48.75	<b>\$10845</b>
	Z48240REE (HP)	240 x 48 x 30	828	51.75	<b>\$11632</b>
	Z48264REE (HP)	264 x 48 x 30	882	54.75	<b>\$12418</b>
	Z48288REE (HP)	288 x 48 x 30	936	57.75	<b>\$12648</b>
Rectangular shaped table includes four bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 7 cartons.					
	Z60192REE (HP)	192 x 60 x 30	941.85	71.25	<b>\$12648</b>
	Z60216REE (HP)	216 x 60 x 30	1003.8	76	<b>\$18415</b>
	Z60240REE (HP)	240 x 60 x 30	1088.85	81	<b>\$19414</b>
	Z60264REE (HP)	264 x 60 x 30	1159.2	85.75	<b>\$20382</b>
	Z60288REE (HP)	288 x 60 x 30	1229.55	90.5	<b>\$21730</b>
Rectangular shaped table includes four bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 7 cartons.					
	Z4896BW (HP)	96 x 48 x 30	329	22	<b>\$4623</b>
	Bow end table includes two bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 3 cartons.				
	Z48120BW (HP)	120 x 48 x 30	476	28.3	<b>\$6084</b>
	Z48144BW (HP)	144 x 48 x 30	513	30.5	<b>\$6664</b>
	Z48168BW (HP)	168 x 48 x 30	573	37.25	<b>\$8336</b>
Bow end table includes three bases with wire access doors on each side of base and wire concealment runners between bases. Z48144BW and Z48120BW shipped easy to assemble in 4 cartons. Z48168BW shipped easy to assemble in 5 cartons.					
	Z60120BW (HP)	120 x 60 x 30	602	48.5	<b>\$12629</b>
	Z60144BW (HP)	144 x 60 x 30	673	53.25	<b>\$13738</b>
	Z60168BW (HP)	168 x 60 x 30	753	58	<b>\$14994</b>
Bow end table includes three bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 5 cartons.					
	Z48192BW (HP)	192 x 48 x 30	698	45.75	<b>\$10250</b>
	Z48216BW (HP)	216 x 48 x 30	758	48.75	<b>\$10875</b>
	Z48240BW (HP)	240 x 48 x 30	818	51.75	<b>\$11662</b>
	Z48264BW (HP)	264 x 48 x 30	872	54.75	<b>\$12448</b>
	Z48288BW (HP)	288 x 48 x 30	926	57.75	<b>\$12678</b>
	Bow end table includes four bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 7 cartons.				

#### Required specifications

Top finish  
Edge detail  
Base finish  
Base trim finish


#### Optional specifications

Cut-out for power block

#### Accessories

Power block

## BOARDROOM TABLES




**Boardroom Table - Bow End**

MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	1.5" HP TOP
---------	------------	--------	-----------	-------------

**W x D x H (1.5" TOP)**

Z60192BW (HP)	192 x 60 x 30	917.7	71.25	<b>\$18589</b>
Z60216BW (HP)	216 x 60 x 30	988.05	76	<b>\$19815</b>
Z60240BW (HP)	240 x 60 x 30	1073.1	81	<b>\$20878</b>
Z60264BW (HP)	264 x 60 x 30	1143.45	85.75	<b>\$21911</b>
Z60288BW (HP)	288 x 60 x 30	1213.8	90.5	<b>\$23366</b>


Bow end table includes four bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 7 cartons.



**Boardroom Table - Wedge**

Z60120WE (HP)	120 x 60 x 30	544.95	36.5	<b>\$12629</b>
Z60144WE (HP)	144 x 60 x 30	603.75	39.5	<b>\$13738</b>
Z60168WE (HP)	168 x 60 x 30	673.05	42.5	<b>\$14994</b>

Wedge table includes three bases with wire access doors on each side of base and wire concealment runners between bases. Wedge tapers from 60"W to 48"W. Shipped easy to assemble in 5 cartons.




**Boardroom Table - Wedge**

Z60192WE (HP)	192 x 60 x 30	824.25	63.75	<b>\$18589</b>
Z60216WE (HP)	216 x 60 x 30	884.1	68.25	<b>\$19815</b>
Z60240WE (HP)	240 x 60 x 30	948.15	73	<b>\$20878</b>
Z60264WE (HP)	264 x 60 x 30	1006.95	77.5	<b>\$21911</b>
Z60288WE (HP)	288 x 60 x 30	1065.75	82	<b>\$23366</b>

Wedge table includes four bases with wire access doors on each side of base and wire concealment runners between bases. Wedge tapers from 60"W to 48"W. Shipped easy to assemble in 7 cartons.


## MEDIA TABLES



**Media Table - D Island**

Z4860DMIL (HP)	60 x 48 x 30	267	17.75	<b>\$5178</b>
Z4872DMIL (HP)	72 x 48 x 30	298.2	19.75	<b>\$5634</b>
Z4884DMIL (HP)	84 x 48 x 30	326.55	21.5	<b>\$6080</b>
Z4896DMIL (HP)	96 x 48 x 30	347.55	23.5	<b>\$6523</b>

D media island table includes one base with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped easy to assemble in 3 cartons.



**Media Table - D Island**

Z6060DMIL (HP)	60 x 60 x 30	323.92	23.25	<b>\$6240</b>
Z6072DMIL (HP)	72 x 60 x 30	359.1	25.75	<b>\$6787</b>
Z6084DMIL (HP)	84 x 60 x 30	397.95	28	<b>\$7351</b>
Z6096DMIL (HP)	96 x 60 x 30	433.65	30.5	<b>\$7880</b>

D media island table includes one base with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped easy to assemble in 3 cartons.

### Required specifications

Top finish  
Edge detail  
Base finish  
Base trim finish






### Optional specifications

Cut-out for power block

### Accessories

Power block



BOARDROOM TABLES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	1.5" HP TOP
		<b>W x D x H (1.5" TOP)</b>			
	Z6060VMIL (HP)	60 x 60 x 30	306.6	20.75	<b>\$6240</b>
	Z6072VMIL (HP)	72 x 60 x 30	338.1	23	<b>\$6787</b>
	Z6084VMIL (HP)	84 x 60 x 30	374.85	25.5	<b>\$7351</b>
	Z6096VMIL (HP)	96 x 60 x 30	407.4	28	<b>\$7880</b>
<p>Wedge media island table includes one base with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Wedge tapers from 60"W to 48"W. Shipped easy to assemble in 3 cartons.</p>					
	Z4860RMIL (HP)	60 x 48 x 30	279.3	17.75	<b>\$4818</b>
	Z4872RMIL (HP)	72 x 48 x 30	307.65	19.75	<b>\$5250</b>
	Z4884RMIL (HP)	84 x 48 x 30	337.05	21.5	<b>\$5664</b>
	Z4896RMIL (HP)	96 x 48 x 30	357	23.5	<b>\$6082</b>
<p>Rectangular media island table includes one base with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped easy to assemble in 3 cartons.</p>					
	Z6060RMIL (HP)	60 x 60 x 30	339.15	23.25	<b>\$5803</b>
	Z6072RMIL (HP)	72 x 60 x 30	373.8	25.75	<b>\$6317</b>
	Z6084RMIL (HP)	84 x 60 x 30	414.75	28	<b>\$6843</b>
	Z6096RMIL (HP)	96 x 60 x 30	449.4	30.5	<b>\$7339</b>
<p>Rectangular media island table includes one base with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped easy to assemble in 3 cartons.</p>					
	Z4860DMIM (HP)	60 x 48 x 36.5	291.9	19.25	<b>\$5590</b>
	Z4872DMIM (HP)	72 x 48 x 36.5	321.3	21.25	<b>\$6053</b>
	Z4884DMIM (HP)	84 x 48 x 36.5	349.65	23	<b>\$6499</b>
	Z4896DMIM (HP)	96 x 48 x 36.5	370.65	25	<b>\$6939</b>
<p>D media island table includes one base with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped easy to assemble in 3 cartons.</p>					
	Z6060DMIM (HP)	60 x 60 x 36.5	352.27	25.5	<b>\$6654</b>
	Z6072DMIM (HP)	72 x 60 x 36.5	386.4	27.75	<b>\$7201</b>
	Z6084DMIM (HP)	84 x 60 x 36.5	426.3	30.25	<b>\$7765</b>
	Z6096DMIM (HP)	96 x 60 x 36.5	462	32.75	<b>\$8291</b>
<p>D media island table includes one base with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped easy to assemble in 3 cartons.</p>					

**Required specifications**







Top finish  
Edge detail  
Base finish  
Base trim finish

**Optional specifications**

Cut-out for power block

**Accessories**

Power block

MEDIA TABLES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	1.5" HP TOP
	W x D x H (1.5" TOP)				
	Z6060WMIM (HP)	60 x 60 x 36.5	331.8	22.25	<b>\$6654</b>
	Z6072WMIM (HP)	72 x 60 x 36.5	364.35	24.75	<b>\$7201</b>
	Z6084WMIM (HP)	84 x 60 x 36.5	424.2	27	<b>\$7765</b>
	Z6096WMIM (HP)	96 x 60 x 36.5	432.6	29.5	<b>\$8291</b>
	Wedge media island table includes one base with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Wedge tapers from 60"W to 48"W. Shipped easy to assemble in 3 cartons.				
	Z4860RMIM (HP)	60 x 48 x 36.5	301.35	19.25	<b>\$5195</b>
	Z4872RMIM (HP)	72 x 48 x 36.5	330.75	21.25	<b>\$5628</b>
	Z4884RMIM (HP)	84 x 48 x 36.5	360.15	23	<b>\$6044</b>
	Z4896RMIM (HP)	96 x 48 x 36.5	380.1	25	<b>\$6460</b>
	Rectangular media island table includes one base with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped easy to assemble in 3 cartons.				
	Z6060RMIM (HP)	60 x 60 x 36.5	367.5	25.5	<b>\$6177</b>
	Z6072RMIM (HP)	72 x 60 x 36.5	402.15	27.75	<b>\$6689</b>
	Z6084RMIM (HP)	84 x 60 x 36.5	442.05	30.25	<b>\$7216</b>
	Z6096RMIM (HP)	96 x 60 x 36.5	477.75	32.75	<b>\$7711</b>
	Rectangular media island table includes one base with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped easy to assemble in 3 cartons.				
	Z4860DMMH (HP)	60 x 48 x 42.5	312.9	20.75	<b>\$5904</b>
	Z4872DMMH (HP)	72 x 48 x 42.5	342.3	22.75	<b>\$6367</b>
	Z4884DMMH (HP)	84 x 48 x 42.5	371.7	24.5	<b>\$6812</b>
	Z4896DMMH (HP)	96 x 48 x 42.5	391.65	26.5	<b>\$7252</b>
	D media island table includes one base with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped easy to assemble in 3 cartons.				
	Z6060DMMH (HP)	60 x 60 x 42.5	378	27.5	<b>\$6968</b>
	Z6072DMMH (HP)	72 x 60 x 42.5	413.7	30	<b>\$7514</b>
	Z6084DMMH (HP)	84 x 60 x 42.5	453.6	32.5	<b>\$8078</b>
	Z6096DMMH (HP)	96 x 60 x 42.5	488.25	35	<b>\$8606</b>
	D media island table includes one base with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped easy to assemble in 3 cartons.				

#### Required specifications






Top finish  
Edge detail  
Base finish  
Base trim finish

#### Optional specifications

Cut-out for power block

#### Accessories

Power block

MEDIA TABLES		MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	1.5" HP TOP
		W x D x H (1.5" TOP)				
		Z6060WMIH (HP)	60 x 60 x 42.5	355	24	<b>\$6968</b>
		Z6072WMIH (HP)	72 x 60 x 42.5	387	26.25	<b>\$7514</b>
		Z6084WMIH (HP)	84 x 60 x 42.5	424	28.75	<b>\$8078</b>
		Z6096WMIH (HP)	96 x 60 x 42.5	457	31.25	<b>\$8606</b>
<b>Media Table - Wedge, 42.5"H</b>		<p>Wedge media island table includes one base with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Wedge tapers from 60"W to 48"W. Shipped easy to assemble in 3 cartons.</p>				
						
		Z4860RMIH (HP)	60 x 48 x 42.5	324	20.75	<b>\$5480</b>
		Z4872RMIH (HP)	72 x 48 x 42.5	353	22.75	<b>\$5912</b>
		Z4884RMIH (HP)	84 x 48 x 42.5	382	24.5	<b>\$6329</b>
		Z4896RMIH (HP)	96 x 48 x 42.5	402	26.5	<b>\$6747</b>
<b>Media Table - Rectangular Island, 42.5"H</b>		<p>Rectangular media island table includes one base with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped easy to assemble in 3 cartons.</p>				
						
		Z6060RMIH (HP)	60 x 60 x 42.5	394	27.5	<b>\$6462</b>
		Z6072RMIH (HP)	72 x 60 x 42.5	429	30	<b>\$6974</b>
		Z6084RMIH (HP)	84 x 60 x 42.5	469	32.5	<b>\$7501</b>
		Z6096RMIH (HP)	96 x 60 x 42.5	504	35	<b>\$7997</b>
<b>Media Table - Rectangular Island, 42.5"H</b>		<p>Rectangular media island table includes one base with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped easy to assemble in 3 cartons.</p>				
METAL BASE COVERS FOR MEDIA TABLES		LIST PRICE				
		Z48BEC	22.5 x 12.2 x 4.3	5	1.5	<b>\$513</b>
		Z60BEC	34.5 x 12.2 x 4.3	6	2	<b>\$561</b>
		<p>For use on Zira media tables. Can also be used on any Zira boardroom table of corresponding width. Acts as a cap at the upper part of a base to hide any wire or power block that may be visible to users. Available in Black or Silver finish. Shipped easy to assemble in 1 carton.</p>				
COLLABORATIVE TABLES						
		W x D x H (1.5" TOP)				
		Z367229BT (HP)	72 x 36 x 30	237	13	<b>\$2834</b>
		Z368429BT (HP)	84 x 36 x 30	263	14.75	<b>\$3302</b>
		Z369629BT (HP)	96 x 36 x 30	289	16.5	<b>\$3613</b>
		<p>Collaborative table with full end panels. Wire management runners span the length of the table between end panels. Shipped easy to assemble in 3 cartons.</p>				

**Required specifications**






Top finish  
Edge detail  
Base finish  
Base trim finish

**Optional specifications**





Cut-out for power block

**Accessories**


Power block

COLLABORATIVE TABLES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	1.5" HP TOP
		W x D x H (1.5" TOP)			
	Z487229BT (HP)	72 x 48 x 30	302	14	<b>\$3604</b>
	Z488429BT (HP)	84 x 48 x 30	335	15.75	<b>\$3954</b>
	Z489629BT (HP)	96 x 48 x 30	360	17.5	<b>\$4342</b>
	Collaborative table with full end panels. Wire management runners span the length of the table between end panels. Shipped easy to assemble in 3 cartons.				
	Z367236BT (HP)	72 x 36 x 36.5	249	13.25	<b>\$2914</b>
	Z368436BT (HP)	84 x 36 x 36.5	275	15	<b>\$3383</b>
	Z369636BT (HP)	96 x 36 x 36.5	301	16.75	<b>\$3702</b>
	Collaborative table with full end panels. Wire management runners span the length of the table between end panels. Shipped easy to assemble in 3 cartons.				
	Z487236BT (HP)	72 x 48 x 36.5	319	14.5	<b>\$3714</b>
	Z488436BT (HP)	84 x 48 x 36.5	351	16.25	<b>\$4064</b>
	Z489636BT (HP)	96 x 48 x 36.5	376	18	<b>\$4453</b>
	Collaborative table with full end panels. Wire management runners span the length of the table between end panels. Shipped easy to assemble in 3 cartons.				
	Z367242BT (HP)	72 x 36 x 42.5	283	14.25	<b>\$3187</b>
	Z368442BT (HP)	84 x 36 x 42.5	312	16	<b>\$3686</b>
	Z369642BT (HP)	96 x 36 x 42.5	342	18	<b>\$4034</b>
	Collaborative table with full end panels. Wire management runners span the length of the table between end panels. Shipped easy to assemble in 3 cartons.				
	Z487242BT (HP)	72 x 48 x 42.5	356	15.5	<b>\$4010</b>
	Z488442BT (HP)	84 x 48 x 42.5	392	17.5	<b>\$4392</b>
	Z489642BT (HP)	96 x 48 x 42.5	421	19.25	<b>\$4807</b>
	Collaborative table with full end panels. Wire management runners span the length of the table between end panels. Shipped easy to assemble in 3 cartons.				


<b>Required specifications</b>	<b>Optional specifications</b>	<b>Accessories</b>
Top finish	Cut-out for power block	Power block
Edge detail		
Base finish		
Base trim finish		

ACCESSORIES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD
 Visual Board*		W x D x H				
	Z361872VB	36 x 18 x 72.4	187	26.5	\$2698	N/A
Angled visual board with paper pad on one side and dry erase board on the opposite side. Unique push handles are standard. Locking casters included. Decorative aluminum trim is standard on the lip of each shelf. Height aligns with 36" buffets. Shipped easy to assemble in 2 cartons.						
 Buffet	Z481829BO	48 x 18 x 29	135	18	\$1514	\$234
	Z361829BO	36 x 18 x 29	112	14	\$1244	\$174
Buffet features one fixed height adjustable shelf. Top is recessed within side and end panels to act as a tray. Decorative aluminum trim is standard on the lip of each shelf. Shipped assembled in 1 carton.						
 Buffet with Doors**	Z481829BD	48 x 18 x 29	148	18	\$152	\$234
	Z361829BD	36 x 18 x 29	119	14	\$1278	\$174
Buffet features two doors with lock and one fixed height adjustable shelf. Top is recessed within side and end panels to act as a tray. Shipped assembled in 1 carton.						
 Buffet with Doors**	Z721829BU	72 x 18 x 29	211	27	\$2283	\$351
	Z601829BU	60 x 18 x 29	163	22.5	\$2079	\$293
Buffet features three separate compartments. The two outer compartments come standard with locking doors and each features one fixed height adjustable shelf. The center compartment is open with one fixed height adjustable shelf. Decorative aluminum trim is standard on the lip of the open shelf. Top is recessed within side and end panels to act as a tray. Shipped assembled in 1 carton.						


Required specifications	Optional specifications
Top finish (not Z361872VB)	HP laminate
Base finish	
Base trim finish	
Push bar finish*	Handles**




Global's Swap collection is a comprehensive offering including laptop tables, casual meeting tables, café tables, huddle tables and more. Suitable for a variety of applications: break rooms, dedicated/enclosed meeting rooms, casual/open area meeting spaces (lounge, seated, counter and bar height options), and private office (accommodate smaller 3-4 person discussions). Tops and bases are sold separately for ease of specification. Mix and match capabilities to create spaces for multi-purpose use. Choose your top, choose your base. Create the combination you desire for the way you want to work.



Top shapes



Round base



Square base

## Features and Benefits

- Tops are available in four materials to help perfect your interior design: high pressure laminate, veneer and solid surface.
- **High pressure laminate** tops are 1 1/16" thick with 2mm flat edge or 1 3/16" thick with knife edge profile. Tops with flat edge have a 45 lb. density particle board core; tops with knife edge have a MDF core.
- **Veneer** tops are 1 3/16" thick overall with matching flat edge or knife edge.
- **Solid surface** tops are 1 1/4" thick with a plywood or particle board melamine subtop depending on size, available with flat edge or knife edge.
- Bases are constructed of a solid steel metal plate and cover - round or square.
- Power block cut-outs are available on most tables.
- 6 heights:  
Coffee table height at 16"H.  
End table height at 22"H.  
Lounge height at 27"H.  
Seated height at 29"H.  
Counter height at 36"H.  
Bar height at 41.5"H.

## GENERAL INFORMATION

- Swap is a series of tables for use in casual meeting spaces, lounges, café areas and more.
- The right proportions, flawless surfaces and a solid foundation is sure to become your favorite table series to spec.
- Finish palette coordinates with most Global laminate and veneer casegoods series as well as a variety of solid surface options to choose from - tables can stand-alone or blend with other solutions.
- Each component is packed individually. Bases are shipped assembled, 1 per carton. Easy to assemble.
- For environmental certifications, please visit [globalfurnituregroup.com](http://globalfurnituregroup.com).

## WORKSURFACES

- High pressure laminate, veneer and solid surface.
- **High pressure laminate** tops are 1 1/16" thick with 2mm flat edge or 1 3/16" thick with knife edge. 1 1/16" thick tops have a 45 lb. density particle board core and the 2mm flat edge finish can be specified to match or complement the top surface. 1 3/16" thick tops have an MDF core and the knife edge finish will match top surface. Models ending in **(LK)** indicate high pressure laminate with knife edge.
- **Veneer** tops are 1 3/16" thick overall with choice of edge detail - flat edge or knife edge. Edge finish will correspond to surface finish. When flat edge, core material is 45 lb. density particle board; when knife edge, core material is MDF. Models ending in **(V)** indicate veneer.
- **Solid surface** tops are 1 1/4" thick overall with choice of edge detail - flat edge or knife edge. Solid surface material is 0.5" thick with built up edge profile over a particle board or plywood subtop depending on overall top size. Models ending in **(SF)** indicate solid surface with flat edge; models ending in **(SK)** indicate solid surface with knife edge.
- Please see model # for pricing and availability of various material and edge options.
- Refer to page 18 or [globalfurnituregroup.com](http://globalfurnituregroup.com) for available finish options.
- While not all sizes are available in all materials:
  - Worksurfaces of 96" or less in length are standard in one piece (1 carton).
  - Worksurfaces 120" to 144" in length are standard in two pieces (2 cartons).
  - Worksurfaces 96", 120" and 144" x 48" include support channels.

## BASES

- **Caution:** to meet BIFMA standards for performance and stability, appropriate base size must be specified with corresponding top sizes identified. **Top plates and base plates vary by base size and will only work with table shape sizes as referenced on the following pages.**
- Bases are constructed of a round or square solid steel metal plate for counter balance, covered with a finished steel shroud, affixed with four bolts to a cold rolled steel tube.
- GRB14H25 attaches to tops with a 6" x 6" steel plate, welded to a 1.5" diameter steel tube, bolted to a 0.5" thick solid steel counter balance. Not to be used on tops greater than 22" x 22" in size.
- GSB13H25 and GSOB13H25 attach to tops with a 6" x 6" steel plate, welded to a 1.5" diameter steel tube, bolted to a 0.5" thick solid steel counter balance. Not to be used on tops greater than 22" x 22" in size.
- GRB22H15, GRB22H21, GRB22H26, GRB22, GRB22H35, GRB22H41, GSB19H15, GSB19H21, GSB19H26, GSB19, GSB19H35 and GSB19H41 attach to tops with a 6" x 6" steel plate, welded to a 3" diameter steel tube, bolted to a 0.5" thick solid steel counter balance.
- Top plate and base plate of GRB22 and GSB19 models in all heights, have pass-through cut-outs to accommodate a single port simplex or dual USB module to deliver power or USB charging to the surface. This allows the module to be mounted directly above the base and to pass the unit's cord through the base column resulting in the cord and plug head exiting from the bottom of the base for plugging into a floor or wall mount power source.
- GRB28, GRB34, GSB23 and GSB28 attach to tops with an 11" x 11" steel plate, welded to a 4" diameter steel tube, bolted to a 0.375" thick solid steel counter balance.
- Bases are available PAINTED in "Sandtex" finish for extra durability. Also available in plated finishes (see page 18) at an upcharge and with an extended lead time. Please see model # for pricing.
- All bases come with six height adjustable glides with 0.75" of adjustability.
- Round bases available in 22", 28" and 34" dia.
- Square bases available in 18.5", 22.5" and 28.5".



## 1. SPECIFY MODEL NUMBER

## 2. SPECIFY FINISH

### Laminate finishes (high pressure laminate):

<b>ACJ</b>	Absolute Acajou	<b>FCL</b>	First Class
<b>ASN</b>	Asian Night	<b>NBL</b>	Noce Biondo
<b>AWC</b>	Avant Cherry	<b>NGL</b>	Noce Grigio
<b>AWH</b>	Avant Honey	<b>NEL</b>	Noce Leggero
<b>BLK</b>	Black	<b>NML</b>	Noce Medio
<b>BZD</b>	Blizzard	<b>QTM</b>	Quartered Mahogany
<b>BRC</b>	Brushed Cobalt	<b>SBY</b>	Sheer Beauty
<b>CMB</b>	Clear Maple	<b>SDT</b>	Stonedust
<b>CGY</b>	Custom Grey	<b>SOG</b>	Storm Grey
<b>DES</b>	Dark Espresso	<b>WHE</b>	Walnut Heights
<b>DWT</b>	Designer White	<b>WHC</b>	White Chocolate
<b>FAS</b>	Fashionista	<b>WCR</b>	Winter Cherry

### Veneer finishes (applicable for models ending in **V** only):

<b>AMW</b>	Almond Cherry	<b>LTW</b>	Latte
<b>ACW</b>	Amber Cherry	<b>MHW</b>	Mahogany on Walnut
<b>BTW</b>	Biscotti	<b>MPW</b>	Natural Maple
<b>CAW</b>	Cocoa Walnut	<b>MTW</b>	Milestone
<b>CRW</b>	Coral	<b>NLW</b>	Natural Walnut
<b>DCW</b>	Dark Cherry	<b>RCW</b>	Red Cherry
<b>DWW</b>	Dark Walnut	<b>ULW</b>	Umber Walnut
<b>EWV</b>	Espresso	<b>VNW</b>	Vintage Cherry
<b>EVW</b>	Evening Oak	<b>WLW</b>	Walnut
<b>GRW</b>	Grey on Oak	<b>WMW</b>	White Maple
<b>HAW</b>	Hazelnut	<b>WCW</b>	Warm Cherry
<b>JAW</b>	Java		

### Solid surface (applicable for models ending in **SF** or **SK** only):

Grade 1		Grade 2	
<b>SWH</b>	Designer White	<b>SBT</b>	Beige Tempest
		<b>SBX</b>	Black Onyx Mirage
		<b>SFW</b>	Frosty White Mirage
		<b>SHS</b>	Hot Stone
		<b>SMG</b>	Milk Glass Spectra
		<b>SNM</b>	Northern Melange

### Bases (paint finishes):

<b>TBL</b>	Black	<b>TIN</b>	Ink
<b>TBZ</b>	Buzz Blue	<b>TKA</b>	Kalua
<b>TCC</b>	Cactus	<b>TLA</b>	Latte
<b>TCR</b>	Carrot	<b>TMO</b>	Mocha
<b>TIV</b>	Cloud	<b>TNE</b>	Nevada
<b>TDW</b>	Designer White	<b>TSN</b>	Sand
<b>TDJ</b>	Dijon	<b>TSR</b>	Scarlet
<b>TEG</b>	Eggplant	<b>TSH</b>	Shadow
<b>TFO</b>	Fog	<b>TOA</b>	Toast
<b>TFR</b>	Frost	<b>TTU</b>	Tungsten

### Bases (plated finishes - upcharge applies):

<b>ACO</b>	Antique Copper	<b>CHM</b>	Chrome
<b>BCH</b>	Brushed Chrome	<b>SBR</b>	Satin Brass

## 3. SPECIFY EDGE PROFILE (where applicable)

- Thermally fused laminate and high pressure with flat edge tops:
  - Flat edge (FE) - default profile
  - 3" radiused corners (R3) - optional for square and rectangular tops, upcharge applies
- High pressure laminate tops (models ending in **LK**):
  - Knife edge only
  - 3" radiused corners available by quote request only
- Veneer tops (models ending in **V**):
  - Flat edge (FE) - default profile
  - Knife edge (KS) - optional
  - 3" radiused corners available by quote request only
- Solid surface tops (models ending in **SF**):
  - Flat edge (FE) - default profile
  - 3" radiused corners (R3) - optional for square and rectangular tops, upcharge applies
- Solid surface tops (models ending in **SK**):
  - Knife edge (KS) - default profile
  - Knife edge with 3" radiused corners (KR) - optional for square and rectangular tops, upcharge applies

## 4. SPECIFY EDGE FINISH

### Edge finish only applicable for high pressure tops with flat edge (FE)

<b>AAE</b>	Absolute Acajou	<b>CGY</b>	Custom Grey	<b>NML</b>	Noce Medio
<b>ASE</b>	Asian Night	<b>DEE</b>	Dark Espresso	<b>QTM</b>	Quarter Mahogany
<b>ACE</b>	Avant Cherry	<b>DWE</b>	Designer White	<b>SAR</b>	Scarlet
<b>AHE</b>	Avant Honey	<b>DJN</b>	Dijon	<b>SHW</b>	Shadow
<b>BLK</b>	Black	<b>FAS</b>	Fashionista	<b>SBY</b>	Sheer Beauty
<b>BZD</b>	Blizzard	<b>FCL</b>	First Class	<b>SDT</b>	Stonedust
<b>BRC</b>	Brushed Cobalt	<b>FOG</b>	Fog	<b>SOG</b>	Storm Grey
<b>BZB</b>	Buzz Blue	<b>LAB</b>	Latte	<b>WHE</b>	Walnut Heights
<b>CCT</b>	Cactus	<b>NBL</b>	Noce Biondo	<b>CBE</b>	White Chocolate
<b>CRO</b>	Carrot	<b>NGL</b>	Noce Grigio	<b>WCE</b>	Winter Cherry
<b>CME</b>	Clear Maple	<b>NEL</b>	Noce Leggero		

5. SPECIFY OPTIONS

POWER BLOCKS AND CUT-OUTS LOCATIONS

- A power block delivers power/data to the table surface.
- Power block modules are ordered separately.
- Not all power block locations are available on all table sizes. Please refer to the top/base chart on the following pages for more information.
- To purchase a power block, you must specify the power block cut-out location when ordering the top and order the power block separately.
- Optional cut-out available in standard worksurface locations (left, center or right) for all table shapes.  
Example: Order a **R1** or **T1**. **Add \$91** for each cut-out.
- Cut-outs may be placed at non-standard locations. Please contact Customer Service.
- Select power block option from Productivity Solutions pages 83-85.
- Custom locations or cut-outs available (drawing required). **Add \$132.**

POWER BLOCK OPTIONS AND CUT-OUT LOCATIONS

(Power modules and blocks can be found in the Productivity Solutions section of the price list)

PRTMCS401B  
PRTMCS401T  
PRTMCS401W  
PRTMCS421B  
PRTMCS421T  
PRTMCS421W

R1

R2

R3

PRTMCD602B  
PRTMCD602T  
PRTMCD602W  
PRTMCD622B  
PRTMCD622T  
PRTMCD622W  
PRTMCD642B  
PRTMCD642T  
PRTMCD642W

T1

T2












T3











- Match power block desired with cut-out code and location from above grid.
- Example: If power block module # PRTMC401B is required in the center position, specify cut-out option R2 when specifying the top.












TABLE NOTES - ESTIMATED CAPACITY


- Use the following to determine the size of a table and the number of chairs needed for a conference area.
- All estimates are based on an average chair width of 23" with a 4" clearance between chairs. Adjust accordingly for a different chair size.


Top Size	Round	NUMBER OF CHAIRS				Racetrack
		Square	Rectangular	Boat		
30 x 30	3	4	N/A	N/A	N/A	
30 x 36	N/A	N/A	4	N/A	N/A	
30 x 42	N/A	N/A	4	N/A	N/A	
36 x 36	4	4	N/A	N/A	N/A	
36 x 42	N/A	N/A	4	N/A	N/A	
42 x 42	4	4	N/A	N/A	N/A	
48 x 48	4	4	N/A	N/A	N/A	
54 x 54	5	6	N/A	N/A	N/A	
60 x 60	5	6	N/A	N/A	N/A	
30 x 60	N/A	N/A	4-6	4-6	4-6	
30 x 66	N/A	N/A	4-6	4-6	4-6	
36 x 60	N/A	N/A	4-6	4-6	4-6	
36 x 66	N/A	N/A	4-6	4-6	4-6	
36 x 72	N/A	N/A	4-6	4-6	4-6	
36 x 84	N/A	N/A	4-6	4-6	4-6	
36 x 96	N/A	N/A	6-8	6-8	6-8	
48 x 84	N/A	N/A	6-8	6-8	6-8	
48 x 96	N/A	N/A	6-8	6-8	6-8	
48 x 120	N/A	N/A	8-10	8-10	8-10	
48 x 144	N/A	N/A	10-12	10-12	10-12	


APPLICABLE BASE OPTIONS FOR CORRESPONDING TOP											POWER MGMT OPTIONS	
Table Shape/Size	Top #	Lounge Height 27"H		Seated Height 28.5"H		Counter Height 36"H		Bar Height 41.5"H		Base Qty.	# top pieces	Grommet and Power Block Cut-outs Available
		Round base 22"	Square base 18.5"	Round base 22", 28", 34"	Square base 18.5", 22.5", 28.5"	Round base 22"	Square base 18.5"	Round base 22"	Square base 18.5"			
												
Round  Nominal base plate dimension indicated by 4th and 5th characters in base model numbers												
24" diameter top	GRBTP24_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
30" diameter top	GRBTP30_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
36" diameter top	GRBTP36_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
42" diameter top	GRBTP42_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	1	1	None
48" diameter top	GRBTP48_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	1	1	None
54" diameter top	GRBTP54_	N/A	N/A	GRB34	GSB28	N/A	N/A	N/A	N/A	1	1	None
60" diameter top	GRBTP60_	N/A	N/A	GRB34	GSB28	N/A	N/A	N/A	N/A	1	1	None
Square 												
24" square top	GSBTP24_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
30" square top	GSBTP30_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
36" square top	GSBTP36_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
42" square top	GSBTP42_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	1	1	None
Rectangular 												
30x24 Rectangular	GSBTP2430_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
36x24 Rectangular	GSBTP2436_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
36x30 Rectangular	GSBTP3036_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
42x30 Rectangular	GSBTP3042_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	1	1	None
42x36 Rectangular	GSBTP3642_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	1	1	None
60x30 Rectangular	GRT5NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	Center: R2, T2, FOG2
60x36 Rectangular	GRT5TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
66x30 Rectangular	GRT5NHTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
66x36 Rectangular	GRT5HTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
72x36 Rectangular	GRT6TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
84x36 Rectangular	GRT7TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	3 positions - Left/ Center/Right: R1/2/3, T1/2/3, FOG1/2/3
96x36 Rectangular	GRT8TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
96x42 Rectangular	GRT8MTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	2	1	
96x48 Rectangular	GRT8WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	2	1	Both ends: R1, R2, T1, T2, FOG1, FOG3
120x48 Rectangular	GRT10WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	3	2	
144x48 Rectangular	GRT12WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	3	2	

APPLICABLE BASE OPTIONS FOR CORRESPONDING TOP											POWER MGMT OPTIONS	
Table Shape/Size	Top #	Lounge Height 27"H		Seated Height 28.5"H		Counter Height 36"H		Bar Height 41.5"H		Base Qty.	# top pieces	Grommet and Power Block Cut-outs Available
		Round base 22" 	Square base 18.5" 	Round base 22", 28", 34" 	Square base 18.5", 22.5", 28.5" 	Round base 22" 	Square base 18.5" 	Round base 22" 	Square base 18.5" 			
Racetrack  Nominal base plate dimension indicated by 4th and 5th characters in base model numbers												
60x30 Racetrack	GRC5NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	Center: R2, T2, FOG2
60X36 Racetrack	GRC5TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
66x30 Racetrack	GRC5NHTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
66X36 Racetrack	GRC5HTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
72x36 Racetrack	GRC6TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
84x36 Racetrack	GRC7TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	3 positions - Left/ Center/Right: R1/2/3, T1/2/3, FOG1/2/3
96x36 Racetrack	GRC8TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
96x42 Racetrack	GRC8MTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	2	1	
96x48 Racetrack	GRC8WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	2	1	
120x48 Racetrack	GRC10WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	3	2	Both ends: R1, R3, T1, T3, FOG1, FOG3
144x48 Racetrack	GRC12WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	3	2	
Boat Shape 												
60x30 Boat shape	GBT5NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	Center: R2, T2, FOG2
60X36 Boat shape	GBT5TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
66x30 Boat shape	GBT5NHTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
66X36 Boat shape	GBT5HTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
72x36 Boat shape	GBT6TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
84x36 Boat shape	GBT7TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	3 positions - Left/ Center/Right: R1/2/3, T1/2/3, FOG1/2/3
96x36 Boat shape	GBT8TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
96X42 Boat shape	GBT8MTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	2	1	
96x48 Boat shape	GBT8WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	2	1	
120x48 Boat shape	GBT10WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	3	2	
144x48 Boat shape	GBT12WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	3	2	

APPLICABLE BASE OPTIONS FOR CORRESPONDING TOP						POWER MGMT OPTIONS		
Table Shape/Size	Top #	Laptop Height 25.6"H				Base Qty.	# Top pieces	Power Block Cut-outs available
		Round base 14" Centered column 	Square base 12.5" Centered column 	Round base N/A	Square base 12.5" Offset column 			
Square Laptop 								
20"x20"	GSBTP20_	GRB14H25	GSB13H25	N/A	N/A	1	1	None
22"x22"	GSBTP22_	GRB14H25	GSB13H25	N/A	N/A	1	1	None
20"x20"	GSBOTP20_	N/A	N/A	N/A	GSOB13H25	1	1	None
22"x22"	GSBOTP22_	N/A	N/A	N/A	GSOB13H25	1	1	None
Rectangular Laptop 								
16"x20"	GSBTP1620_	GRB14H25	GSB13H25	N/A	N/A	1	1	None
16"x22"	GSBTP1622_	GRB14H25	GSB13H25	N/A	N/A	1	1	None
16"x20"	GSBOT1620_	N/A	N/A	N/A	GSOB13H25	1	1	None
16"x22"	GSBOT1622_	N/A	N/A	N/A	GSOB13H25	1	1	None
APPLICABLE BASE OPTIONS FOR CORRESPONDING TOP						POWER MGMT OPTIONS		
Table Shape	Top #	Coffee Table 16"H		End Table 22"H		Base Qty.	# top pieces	Power Block Cut-outs available
		Round base 22" 	Square base 18.5" 	Round base 22" 	Square base 18.5" 			
Round Coffee/End Tables  <i>*Nominal base plate dimension indicated by 4th and 5th characters in base model numbers.</i>								
24" dia	GRBTP24_	GRB22H15	GSB19H15	GRB22H21	GSB19H21	1	1	Q2 only
30" dia	GRBTP30_	GRB22H15	GSB19H15	GRB22H21	GSB19H21	1	1	Q2 only
36" dia	GRBTP36_	GRB22H15	GSB19H15	GRB22H21	GSB19H21	1	1	Q2 only
Square Coffee/End Tables 								
24" square	GSBTP24_	GRB22H15	GSB19H15	GRB22H21	GSB19H21	1	1	Q2 only
30" square	GSBTP30_	GRB22H15	GSB19H15	GRB22H21	GSB19H21	1	1	Q2 only
36" square	GSBTP36_	GRB22H15	GSB19H15	GRB22H21	GSB19H21	1	1	Q2 only

SQUARE LAPTOP TABLES FOR CENTER BASE	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	GRADE 2	R3 ADD	KS ADD
 <p>Square Tops, for Centered Base</p>	W x D x H							
	<b>High pressure laminate, flat edge</b> <sup>(4)</sup>							
	GSBTP20 (HP)	20 x 20 x 1	11	0.5	<b>\$295</b>	N/A	<b>\$20.60</b>	N/A
	GSBTP22 (HP)	22 x 22 x 1	13	0.5	<b>\$295</b>	N/A	<b>\$20.60</b>	N/A
	<b>High pressure laminate, knife edge</b>							
	GSBTP20LK	20 x 20 x 1.19	13	1.5	<b>\$450</b>	N/A	N/A	N/A
	GSBTP22LK	22 x 22 x 1.19	16	2	<b>\$491</b>	N/A	N/A	N/A
	<b>Veneer</b> <sup>(2)</sup>							
	GSBTP20V	20 x 20 x 1.19	13	1.5	<b>\$578</b>	N/A	N/A	<b>\$87</b>
	GSBTP22V	22 x 22 x 1.19	16	2	<b>\$635</b>	N/A	N/A	<b>\$97</b>
	<b>Solid surface, flat edge</b> <sup>(3) (4)</sup>							
	GSBTP16SF	16.5 x 16.5 x 1.25	14	0.6	<b>\$1447</b>	<b>\$83</b>	<b>\$206</b>	N/A
	GSBTP20SF	20 x 20 x 1.25	21	1	<b>\$1736</b>	<b>\$123</b>	<b>\$206</b>	N/A
	GSBTP22SF	22 x 22 x 1.25	26	1	<b>\$1829</b>	<b>\$147</b>	<b>\$206</b>	N/A
	<b>Solid surface, knife edge</b> <sup>(3) (4)</sup>							
	GSBTP16SK	16.5 x 16.5 x 1.25	14	0.6	<b>\$1789</b>	<b>\$100</b>	<b>\$206</b>	N/A
	GSBTP20SK	20 x 20 x 1.25	21	1	<b>\$2088</b>	<b>\$130</b>	<b>\$206</b>	N/A
	GSBTP22SK	22 x 22 x 1.25	26	1	<b>\$2188</b>	<b>\$176</b>	<b>\$206</b>	N/A
<p><b>Only applicable bases to use with above tops: GRB14H25 round base or GSB13H25 square base with centered column.</b> Tops feature metal inserts for ease of assembly to base. One base required.</p>								

SQUARE LAPTOP TABLES FOR OFFSET BASE	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	GRADE 2	R3 ADD	KS ADD
 <p>Square Tops, for Offset Base</p>	<b>High pressure laminate, flat edge</b> <sup>(4)</sup>							
	GSBOTP20 (HP)	20 x 20 x 1	11	0.5	<b>\$295</b>	N/A	<b>\$20.60</b>	N/A
	<b>High pressure laminate, knife edge</b>							
	GSBOTP20LK	20 x 20 x 1.19	13	1.5	<b>\$450</b>	N/A	N/A	N/A
	<b>Veneer</b> <sup>(2)</sup>							
	GSBOTP20V	20 x 20 x 1.19	13	1.5	<b>\$578</b>	N/A	N/A	<b>\$87</b>
	<b>Only applicable bases to use with above tops: GSOB13H25 square base with OFFSET column.</b> Tops feature metal inserts for ease of assembly to base. One base required.							

RECTANGULAR LAPTOP TABLES FOR OFFSET BASE	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	GRADE 2	R3 ADD	KS ADD
 <p>Rectangular Tops, for Offset Base</p>	<b>High pressure laminate, flat edge</b> <sup>(4)</sup>							
	GSBOT1620 (HP)	16 x 20 x 1	9	0.4	<b>\$301</b>	N/A	<b>\$21</b>	N/A
	GSBOT1622 (HP)	16 x 22 x 1	11	0.5	<b>\$301</b>	N/A	<b>\$21</b>	N/A
	<b>High pressure laminate, knife edge</b>							
	GSBOT1620LK	20 x 16 x 1.19	11	1.5	<b>\$461</b>	N/A	N/A	N/A
	GSBOT1622LK	22 x 16 x 1.19	13	2	<b>\$506</b>	N/A	N/A	N/A
	<b>Veneer</b> <sup>(2)</sup>							
	GSBOT1620V	20 x 16 x 1.19	11	1.5	<b>\$568</b>	N/A	N/A	<b>\$87</b>
	GSBOT1622V	22 x 16 x 1.19	13	2	<b>\$624</b>	N/A	N/A	<b>\$92</b>
	<b>Only applicable bases to use with above tops: GSOB13H25 square base with OFFSET column.</b> Tops feature metal inserts for ease of assembly to base. One base required.							

#### Required specifications




Top finish  
Edge finish <sup>(1)</sup>

#### Optional specifications

Knife edge <sup>(2)</sup>  
Grade 2 solid surface <sup>(3)</sup>  
3" radiused corners <sup>(4)</sup>

#### Applicable bases

GRB14H25 - round  
GSB13H25 - square

LAPTOP TABLE BASES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	BCH / CHM	ACO / SBR
 14" Round Centered Base  12.5" Square Centered Base  12.5" Square Offset Base		W x D x H					
	GRB14H25	14 x - x 24.6	27	3.26	\$633	\$87	\$172
	GSB13H25	12.5 x 12.5 x 24.6	26	3.26	\$653	\$87	\$186
	GSOB13H25	12.5 x 12.5 x 24.6	26	3.26	\$653	\$87	\$186
1.5" diameter column. Weighted base for balance includes top plate, 0.5" adjustable glides to level on uneven surfaces. Screws included with base for attaching to appropriate top(s). Available in paint and plated finishes as listed on page 18. Upcharge applies on plated finishes.							



## ROUND TOPS, 24" - 36"W

MODEL # DIMENSIONS WT/LB. CUBIC FT. LIST PRICE GRADE 2 R3 ADD KS ADD

W x D x H

## High pressure laminate, flat edge

GRBTP24 (HP)	24 x - x 1	16	1	<b>\$297</b>	N/A	N/A	N/A
GRBTP30 (HP)	30 x - x 1	25	1.5	<b>\$347</b>	N/A	N/A	N/A
GRBTP36 (HP)	36 x - x 1	36	2	<b>\$439</b>	N/A	N/A	N/A

## High pressure laminate, knife edge

GRBTP24LK	24 x - x 1.19	19	2	<b>\$845</b>	N/A	N/A	N/A
GRBTP30LK	30 x - x 1.19	30	3	<b>\$1038</b>	N/A	N/A	N/A
GRBTP36LK	36 x - x 1.19	43	4	<b>\$1228</b>	N/A	N/A	N/A

Veneer <sup>(2)</sup>

GRBTP24V	24 x - x 1.19	19	2	<b>\$1008</b>	N/A	N/A	<b>\$77</b>
GRBTP30V	30 x - x 1.19	30	3	<b>\$1202</b>	N/A	N/A	<b>\$77</b>
GRBTP36V	36 x - x 1.19	43	4	<b>\$1407</b>	N/A	N/A	<b>\$77</b>

Solid surface, flat edge <sup>(3)</sup>

GRBTP24SF	24 x - x 1.25	24	1.2	<b>\$2130</b>	<b>\$171</b>	N/A	N/A
GRBTP30SF	29.8 x - x 1.25	37	1.8	<b>\$2323</b>	<b>\$235</b>	N/A	N/A
GRBTP36SF	36 x - x 1.25	53	2.5	<b>\$2970</b>	<b>\$353</b>	N/A	N/A

Solid surface, knife edge <sup>(3)</sup>

GRBTP24SK	24 x - x 1.25	24	1.2	<b>\$2188</b>	<b>\$183</b>	N/A	N/A
GRBTP30SK	29.8 x - x 1.25	37	1.8	<b>\$2411</b>	<b>\$253</b>	N/A	N/A
GRBTP36SK	36 x - x 1.25	53	2.5	<b>\$3147</b>	<b>\$376</b>	N/A	N/A



Round Tops

**Applicable bases to use with above tops: GRB22Hxx round base or GSB19Hxx square base (15", 21", 26", 28" 35" or 40.5"H).** Tops feature metal inserts for ease of assembly to base. One base required.

## SQUARE TOPS, 24" - 36"W

High pressure laminate, flat edge <sup>(4)</sup>

GSBTP24 (HP)	24 x 24 x 1	20	1	<b>\$297</b>	N/A	<b>\$20.60</b>	N/A
GSBTP30 (HP)	30 x 30 x 1	30	1.5	<b>\$347</b>	N/A	<b>\$23.90</b>	N/A
GSBTP36 (HP)	36 x 36 x 1	44	2	<b>\$439</b>	N/A	<b>\$30.30</b>	N/A

## High pressure laminate, knife edge

GSBTP24LK	24 x 24 x 1.19	24	2	<b>\$768</b>	N/A	N/A	N/A
GSBTP30LK	30 x 30 x 1.19	36	3	<b>\$834</b>	N/A	N/A	N/A
GSBTP36LK	36 x 36 x 1.19	53	4	<b>\$895</b>	N/A	N/A	N/A

Veneer <sup>(2)</sup>


GSBTP24V	24 x 24 x 1.19	24	2	<b>\$1038</b>	N/A	N/A	<b>\$72</b>
GSBTP30V	30 x 30 x 1.19	36	3	<b>\$1100</b>	N/A	N/A	<b>\$72</b>
GSBTP36V	36 x 36 x 1.19	53	4	<b>\$1166</b>	N/A	N/A	<b>\$72</b>

Solid surface, flat edge <sup>(3) (4)</sup>

GSBTP24SF	24 x 24 x 1.25	30	1.2	<b>\$1882</b>	<b>\$176</b>	<b>\$206</b>	N/A
GSBTP30SF	29.8 x 29.8 x 1.25	47	1.8	<b>\$2323</b>	<b>\$235</b>	<b>\$206</b>	N/A
GSBTP36SF	36 x 36 x 1.25	68	2.5	<b>\$3024</b>	<b>\$288</b>	<b>\$206</b>	N/A

Solid surface, knife edge <sup>(3) (4)</sup>

GSBTP24SK	24 x 24 x 1.25	30	1.2	<b>\$1942</b>	<b>\$188</b>	<b>\$206</b>	N/A
GSBTP30SK	29.8 x 29.8 x 1.25	47	1.8	<b>\$2912</b>	<b>\$265</b>	<b>\$206</b>	N/A
GSBTP36SK	36 x 36 x 1.25	68	2.5	<b>\$3606</b>	<b>\$329</b>	<b>\$206</b>	N/A



Square Tops

**Applicable bases to use with above tops: GRB22Hxx round base or GSB19Hxx square base (15", 21", 26", 28" 35" or 40.5"H).** Tops feature metal inserts for ease of assembly to base. One base required.

## Required specifications

Top finish  
Edge finish <sup>(1)</sup>

## Optional specifications

Knife edge <sup>(2)</sup>  
Grade 2 solid surface <sup>(3)</sup>  
3" radiused corners <sup>(4)</sup>  
Q2 cut-out for single port module

## Applicable bases

Round bases: GRB22H15, GRB22H21,  
GRB22H26, GRB22, GRB22H35, GRB22H41  
Square bases: GSB19H15, GSB19H21,  
GSB19H26, GSB19, GSB19H35, GSB19H41

## Accessories

Single port modules




ROUND TOPS, 42" - 48"W		MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	GRADE 2	R3 ADD	KS ADD
		W x D x H							
		<b>High pressure laminate, flat edge</b>							
		GRBTP42 (HP)	42 x - x 1	44	2.5	<b>\$598</b>	N/A	N/A	N/A
		GRBTP48 (HP)	48 x - x 1	56	3	<b>\$640</b>	N/A	N/A	N/A
		<b>High pressure laminate, knife edge</b>							
		GRBTP42LK	42 x - x 1.19	53	5	<b>\$1432</b>	N/A	N/A	N/A
		GRBTP48LK	48 x - x 1.19	67	6.5	<b>\$1637</b>	N/A	N/A	N/A
		<b>Veneer <sup>(2)</sup></b>							
		GRBTP42V	42 x - x 1.19	53	5	<b>\$1718</b>	N/A	N/A	<b>\$72</b>
		GRBTP48V	48 x - x 1.19	67	6.5	<b>\$1965</b>	N/A	N/A	<b>\$81</b>
		<b>Solid surface, flat edge <sup>(3)</sup></b>							
		GRBTP42SF	42 x - x 1.25	73	3.4	<b>\$4029</b>	<b>\$453</b>	N/A	N/A
		GRBTP48SF	48 x - x 1.25	95	4.3	<b>\$4588</b>	<b>\$576</b>	N/A	N/A
		<b>Solid surface, knife edge <sup>(3)</sup></b>							
		GRBTP42SK	42 x - x 1.25	73	3.4	<b>\$4242</b>	<b>\$506</b>	N/A	N/A
		GRBTP48SK	48 x - x 1.25	95	4.3	<b>\$5117</b>	<b>\$641</b>	N/A	N/A




Round Tops

**Applicable bases to use with above tops: GRB28 round base or GSB23 square base (28"H).** Tops feature metal inserts for ease of assembly to base. One base required.

SQUARE/RECTANGULAR TOPS, 42"W									
		<b>High pressure laminate, flat edge <sup>(4)</sup></b>							
		GSBTP3042 (HP)	42 x 30 x 1	36	1.55	<b>\$561</b>	N/A	<b>\$39.20</b>	N/A
		GSBTP3642 (HP)	42 x 36 x 1	43	1.86	<b>\$603</b>	N/A	<b>\$42.10</b>	N/A
		GSBTP42 (HP)	42 x 42 x 1	58	2.5	<b>\$598</b>	N/A	<b>\$42.40</b>	N/A
		<b>High pressure laminate, knife edge</b>							
		GSBTP3042LK	42 x 30 x 1.19	43	4	<b>\$1013</b>	N/A	N/A	N/A
		GSBTP3642LK	42 x 36 x 1.19	52	4.5	<b>\$1075</b>	N/A	N/A	N/A
		GSBTP42LK	42 x 42 x 1.19	70	5	<b>\$1120</b>	N/A	N/A	N/A
		<b>Veneer <sup>(2)</sup></b>							
		GSBTP3042V	42 x 30 x 1.19	43	4	<b>\$1274</b>	N/A	N/A	<b>\$56</b>
		GSBTP3642V	42 x 36 x 1.19	52	4.5	<b>\$1330</b>	N/A	N/A	<b>\$66</b>
		GSBTP42V	42 x 42 x 1.19	70	5	<b>\$1560</b>	N/A	N/A	<b>\$72</b>
		<b>Solid surface, flat edge <sup>(3)(4)</sup></b>							
		GSBTP3042SF	29.8 x 42 x 1.25	66	2.9	<b>\$2736</b>	<b>\$300</b>	<b>\$206</b>	N/A
		GSBTP3642SF	36 x 42 x 1.25	79	2.9	<b>\$3511</b>	<b>\$400</b>	<b>\$206</b>	N/A
		GSBTP42SF	42 x 42 x 1.25	92	3.4	<b>\$3659</b>	<b>\$436</b>	<b>\$206</b>	N/A
		<b>Solid surface, knife edge <sup>(3)(4)</sup></b>							
		GSBTP3042SK	29.8 x 42 x 1.25	66	2.9	<b>\$3205</b>	<b>\$353</b>	<b>\$206</b>	N/A
		GSBTP3642SK	36 x 42 x 1.25	79	2.9	<b>\$4052</b>	<b>\$476</b>	<b>\$206</b>	N/A
		GSBTP42SK	42 x 42 x 1.25	92	3.4	<b>\$4242</b>	<b>\$529</b>	<b>\$206</b>	N/A



Rectangular Tops



Square Tops

**Applicable bases to use with above tops: GRB28 round base or GSB23 square base (28"H).** Tops feature metal inserts for ease of assembly to base. One base required.

**Required specifications**

Top finish  
Edge finish <sup>(1)</sup>

**Optional specifications**

Knife edge <sup>(2)</sup>  
Grade 2 solid surface <sup>(3)</sup>  
3" radiused corners <sup>(4)</sup>

**Applicable bases**

GRB28 - round  
GSB23 - square

BASES FOR TOPS 42" - 48"W	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	BCH / CHM	ACO / SBR
---------------------------	---------	------------	--------	-----------	------------	-----------	-----------


W x D x H

BASES VALID FOR TOPS ON PAGE 27:


GRB28	28 x - x 27.5	100	15.63	\$1250	\$147	\$372
seated height						

GSB23	22.5 x 22.5 x 27.5	82	9.33	\$1146	\$136	\$235
seated height						

Base comes fully assembled and features 0.5" adjustable glides to level on uneven surfaces. Screws included with base for attaching to appropriate top(s). Available in paint and plated finishes as listed on page 18. Upcharge applies on plated finishes.




28" Dia Round Base





23" Square Base

Required Specifications	Optional Specifications
Finish	Plated finish

ROUND TOPS, 54" - 60"W	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	GRADE 2	R3 ADD	KS ADD
	W x D x H							
	<b>High pressure laminate, flat edge</b>							
	GRBTP54 (HP)	54 x - x 1	73	4.5	<b>\$874</b>	N/A	N/A	N/A
	GRBTP60 (HP)	60 x - x 1	92	5	<b>\$909</b>	N/A	N/A	N/A
	<b>High pressure laminate, knife edge</b>							
	GRBTP54LK	54 x - x 1.19	88	8	<b>\$1847</b>	N/A	N/A	N/A
	GRBTP60LK	60 x - x 1.19	110	10	<b>\$2276</b>	N/A	N/A	N/A
	<b>Veneer <sup>(2)</sup></b>							
	GRBTP54V	54 x - x 1.19	88	8	<b>\$2507</b>	N/A	N/A	<b>\$97</b>
	GRBTP60V	60 x - x 1.19	110	10	<b>\$3094</b>	N/A	N/A	<b>\$102</b>
	<b>Solid surface, flat edge <sup>(3)</sup></b>							
	GRBTP54SF	54 x - x 1.25	120	5.4	<b>\$4971</b>	<b>\$706</b>	N/A	N/A
	GRBTP60SF	60 x - x 1.25	148	6.7	<b>\$6530</b>	<b>\$882</b>	N/A	N/A
	<b>Solid surface, knife edge <sup>(3)</sup></b>							
	GRBTP54SK	54 x - x 1.25	120	5.4	<b>\$5876</b>	<b>\$888</b>	N/A	N/A
	GRBTP60SK	60 x - x 1.25	148	6.7	<b>\$7189</b>	<b>\$1077</b>	N/A	N/A

Round Tops

**Applicable bases to use with above tops: GRB34 round base or GSB28 square base (28"H).** Tops feature metal inserts for ease of assembly to base. One base required.

BASES FOR TOPS 54" - 60"W	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	BCH / CHM	ACO / SBR
 <p><b>34" Dia Round Base</b></p>  <p><b>28" Square Base</b></p>	W x D x H						
	<b>BASES VALID FOR TOPS ABOVE:</b>						
	<b>Order the quantity of bases as indicated by each top size.</b>						
	GRB34	34 x - x 27.5	135	20.56	<b>\$1538</b>	<b>\$147</b>	<b>\$449</b>
	seated height						
	GSB28	28.5 x 28.5 x 27.5	125	15.63	<b>\$1432</b>	<b>\$136</b>	<b>\$242</b>
	seated height						
	Base comes fully assembled and features 0.5" adjustable glides to level on uneven surfaces. Screws included with base for attaching to appropriate top(s). Available in paint and plated finishes as listed on page 18. Upcharge applies on plated finishes.						

**Required specifications**

Top finish  
Edge finish <sup>(1)</sup>  
Base finish

**Optional specifications**

Knife edge <sup>(2)</sup>  
Grade 2 solid surface <sup>(3)</sup>  
Base plated finish

**Applicable bases**

GRB34 - round  
GSB28 - square

## RECTANGULAR TOPS, 60" - 96"W

MODEL # DIMENSIONS WT/LB. CUBIC FT. LIST PRICE GRADE 2 R3 ADD KS ADD

W x D x H

### High pressure laminate, flat edge <sup>(4)</sup>

GRT5NTP (HP)	60 x 30 x 1	46	2.5	\$587	N/A	\$41.40	N/A
GRT5NHTP (HP)	66 x 30 x 1	56	2.44	\$627	N/A	\$44.30	N/A
GRT5TP (HP)	60 x 36 x 1	70	6.6	\$660	N/A	\$47.20	N/A
GRT5HTP (HP)	66 x 36 x 1	79	7.21	\$676	N/A	\$48.10	N/A
GRT6TP (HP)	72 x 36 x 1	72	8	\$676	N/A	\$48.10	N/A
GRT7TP (HP)	84 x 36 x 1	85	8.75	\$832	N/A	\$59.10	N/A
GRT8TP (HP)	96 x 36 x 1	94	9	\$923	N/A	\$64.80	N/A

### High pressure laminate, knife edge

GRT5NTPLK	60 x 30 x 1.19	55	5	\$1218	N/A	N/A	N/A
GRT5NHTPLK	66 x 30 x 1.19	67	5.5	\$1330	N/A	N/A	N/A
GRT5TPLK	60 x 36 x 1.19	84	6	\$1448	N/A	N/A	N/A
GRT5HTPLK	66 x 36 x 1.19	95	6.5	\$1581	N/A	N/A	N/A
GRT6TPLK	72 x 36 x 1.19	86	7	\$1719	N/A	N/A	N/A
GRT7TPLK	84 x 36 x 1.19	102	8	\$1990	N/A	N/A	N/A
GRT8TPLK	96 x 36 x 1.19	113	9	\$2266	N/A	N/A	N/A

### Veneer <sup>(2)</sup>

GRT5NTPV	60 x 30 x 1.19	55	5	\$1663	N/A	N/A	\$77
GRT5NHTPV	66 x 30 x 1.19	67	5.5	\$1770	N/A	N/A	\$77
GRT5TPV	60 x 36 x 1.19	84	6	\$1898	N/A	N/A	\$97
GRT5HTPV	66 x 36 x 1.19	95	6.5	\$2072	N/A	N/A	\$128
GRT6TPV	72 x 36 x 1.19	86	7	\$2251	N/A	N/A	\$143
GRT7TPV	84 x 36 x 1.19	102	8	\$2614	N/A	N/A	\$164
GRT8TPV	96 x 36 x 1.19	113	9	\$2982	N/A	N/A	\$179


### Solid surface, flat edge <sup>(3) (4)</sup>

GRT5NTPSF	60 x 29.8 x 1.25	94	3.4	\$4106	\$436	\$206	N/A
GRT5NHTPSF	66 x 29.8 x 1.25	104	3.8	\$4406	\$506	\$206	N/A
GRT5TPSF	60 x 36 x 1.25	113	4.1	\$5465	\$647	\$206	N/A
GRT5HTPSF	66 x 36 x 1.25	124	4.5	\$5641	\$647	\$206	N/A
GRT6TPSF	71.8 x 36 x 1.25	135	4.9	\$6229	\$706	\$206	N/A
GRT7TPSF	84 x 36 x 1.25	158	5.7	\$6776	\$853	\$206	N/A
GRT8TPSF	96 x 36 x 1.25	180	6.5	\$7271	\$894	\$206	N/A

### Solid surface, knife edge <sup>(3) (4)</sup>

GRT5NTPSK	60 x 29.8 x 1.25	94	3.4	\$4494	\$494	\$206	N/A
GRT5NHTPSK	66 x 29.8 x 1.25	104	3.8	\$4853	\$576	\$206	N/A
GRT5TPSK	60 x 36 x 1.25	113	4.1	\$6053	\$729	\$206	N/A
GRT5HTPSK	66 x 36 x 1.25	124	4.5	\$6206	\$741	\$206	N/A
GRT6TPSK	71.8 x 36 x 1.25	135	4.9	\$6876	\$812	\$206	N/A
GRT7TPSK	84 x 36 x 1.25	158	5.7	\$7429	\$970	\$206	N/A
GRT8TPSK	96 x 36 x 1.25	180	6.5	\$7911	\$1023	\$206	N/A

**Applicable bases to use with above tops - two bases required: GRB22H26, GRB22, GRB22H35, GRB22H41 round bases or GSB19H26, GSB19, GSB19H35, GSB19H41 square bases.** Tops feature metal inserts for ease of assembly to base.



Rectangular Tops

#### Required specifications

Top finish  
Edge finish <sup>(1)</sup>

#### Optional specifications

Knife edge <sup>(2)</sup>  
Grade 2 solid surface <sup>(3)</sup>  
3" radiused corners <sup>(4)</sup>  
Grommet position or power block cut-out

#### Applicable bases (two required)

Round bases:  
GRB22H26, GRB22, GRB22H35, GRB22H41  
Square bases:  
GSB19H26, GSB19, GSB19H35, GSB19H41

#### Accessories

Power block

RACETRACK TOPS, 60" - 96"W	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	KS ADD
----------------------------	---------	------------	--------	-----------	------------	--------

## W x D x H

**High pressure laminate, flat edge**


GRC5NTP (HP)	60 x 30 x 1	46	2.5	<b>\$600</b>	N/A
GRC5NHTP (HP)	66 x 30 x 1	56	2.44	<b>\$644</b>	N/A
GRC5TP (HP)	60 x 36 x 1	70	6.6	<b>\$678</b>	N/A
GRC5HTP (HP)	66 x 36 x 1	79	7.21	<b>\$687</b>	N/A
GRC6TP (HP)	72 x 36 x 1	72	7.5	<b>\$687</b>	N/A
GRC7TP (HP)	84 x 36 x 1	85	8.75	<b>\$844</b>	N/A
GRC8TP (HP)	96 x 36 x 1	94	9	<b>\$934</b>	N/A

**High pressure laminate, knife edge**

GRC5NTPLK	60 x 30 x 1.19	55	5	<b>\$1673</b>	N/A
GRC5NHTPLK	66 x 30 x 1.19	67	5.5	<b>\$1826</b>	N/A
GRC5TPLK	60 x 36 x 1.19	84	6	<b>\$1826</b>	N/A
GRC5HTPLK	66 x 36 x 1.19	95	6.5	<b>\$1980</b>	N/A
GRC6TPLK	72 x 36 x 1.19	86	7	<b>\$2144</b>	N/A
GRC7TPLK	84 x 36 x 1.19	102	8	<b>\$2451</b>	N/A
GRC8TPLK	96 x 36 x 1.19	113	9	<b>\$2758</b>	N/A

**Veneer <sup>(2)</sup>**

GRC5NTPV	60 x 30 x 1.19	55	5	<b>\$1882</b>	<b>\$271</b>
GRC5NHTPV	66 x 30 x 1.19	67	5.5	<b>\$2026</b>	<b>\$292</b>
GRC5TPV	60 x 36 x 1.19	84	6	<b>\$2175</b>	<b>\$312</b>
GRC5HTPV	66 x 36 x 1.19	95	6.5	<b>\$2374</b>	<b>\$343</b>
GRC6TPV	72 x 36 x 1.19	86	7	<b>\$2578</b>	<b>\$373</b>
GRC7TPV	84 x 36 x 1.19	102	8	<b>\$2998</b>	<b>\$435</b>
GRC8TPV	96 x 36 x 1.19	113	9	<b>\$3417</b>	<b>\$496</b>



Racetrack Tops

**Applicable bases to use with above tops - two bases required: GRB22H26, GRB22, GRB22H35, GRB22H41 round bases or GSB19H26, GSB19, GSB19H35, GSB19H41 square bases.** Tops feature metal inserts for ease of assembly to base.

**Required specifications**

Top finish  
Edge finish <sup>(1)</sup>

**Optional specifications**

Knife edge <sup>(2)</sup>  
Grommet position or power block cut-out

**Applicable bases (two required)**


Round bases:  
GRB22H26, GRB22, GRB22H35, GRB22H41  
Square bases:  
GSB19H26, GSB19, GSB19H35, GSB19H41

**Accessories**

Power block




# S SWAP™ TABLES

BOAT SHAPE TOPS, 60" - 96"W	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	KS ADD
	W x D x H					
	<b>High pressure laminate, flat edge</b>					
	GBT5NTP (HP)	60 x 30 x 1	46	2.5	<b>\$600</b>	N/A
	GBT5NHTP (HP)	66 x 30 x 1	56	2.44	<b>\$644</b>	N/A
	GBT5TP (HP)	60 x 36 x 1	70	6.6	<b>\$678</b>	N/A
	GBT5HTP (HP)	66 x 36 x 1	79	7.21	<b>\$687</b>	N/A
	GBT6TP (HP)	72 x 36 x 1	72	7.5	<b>\$687</b>	N/A
	GBT7TP (HP)	84 x 36 x 1	85	8.75	<b>\$844</b>	N/A
	GBT8TP (HP)	96 x 36 x 1	94	9	<b>\$934</b>	N/A
	<b>High pressure laminate, knife edge</b>					
	GBT5NTPLK	60 x 30 x 1.19	55	5	<b>\$1673</b>	N/A
	GBT5NHTPLK	66 x 30 x 1.19	67	5.5	<b>\$1826</b>	N/A
	GBT5TPLK	60 x 36 x 1.19	84	6	<b>\$1826</b>	N/A
	GBT5HTPLK	66 x 36 x 1.19	95	6.5	<b>\$1980</b>	N/A
	GBT6TPLK	72 x 36 x 1.19	86	7	<b>\$2144</b>	N/A
	GBT7TPLK	84 x 36 x 1.19	102	8	<b>\$2451</b>	N/A
	GBT8TPLK	96 x 36 x 1.19	113	9	<b>\$2758</b>	N/A
	<b>Veneer <sup>(2)</sup></b>					
	GBT5NTPV	60 x 30 x 1.19	55	5	<b>\$1882</b>	<b>\$271</b>
	GBT5NHTPV	66 x 30 x 1.19	67	5.5	<b>\$2026</b>	<b>\$292</b>
	GBT5TPV	60 x 36 x 1.19	84	6	<b>\$2175</b>	<b>\$312</b>
	GBT5HTPV	66 x 36 x 1.19	95	6.5	<b>\$2374</b>	<b>\$343</b>
	GBT6TPV	72 x 36 x 1.19	86	7	<b>\$2578</b>	<b>\$373</b>
	GBT7TPV	84 x 36 x 1.19	102	8	<b>\$2998</b>	<b>\$435</b>
	GBT8TPV	96 x 36 x 1.19	113	9	<b>\$3417</b>	<b>\$496</b>


Boat Shape Tops

**Applicable bases to use with above tops - two bases required: GRB22H26, GRB22, GRB22H35, GRB22H41 round bases or GSB19H26, GSB19, GSB19H35, GSB19H41 square bases.** Tops feature metal inserts for ease of assembly to base.

- GBTxNTP/GBTxNHTP: 30"D across center and 24"D at ends.
- GBTxTP/GBTxHTP: 36"D across center and 28"D at ends.

BASES FOR TOPS 60" - 96"W	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	BCH / CHM	ACO / SBR
	<b>Order the quantity of bases as indicated by each top size.</b>						
	GRB22H26	22 x - x 26	55	8.63	<b>\$793</b>	<b>\$147</b>	<b>\$221</b>
	GRB22	22 x - x 27.5	55	9.33	<b>\$793</b>	<b>\$147</b>	<b>\$221</b>
	GRB22H35	22 x - x 35	57.1	12	<b>\$831</b>	<b>\$164</b>	<b>\$253</b>
	GRB22H41	22 x - x 40.5	58.3	14	<b>\$844</b>	<b>\$171</b>	<b>\$259</b>
	<b>GRB22H26 - lounge height   GRB22 - seated height   GRB22H35 - counter height   GRB22H41 - bar height</b>						
	GSB19H26	18.5 x 18.5 x 26	50	5.94	<b>\$857</b>	<b>\$136</b>	<b>\$212</b>
	GSB19	18.5 x 18.5 x 27.5	50	6.06	<b>\$857</b>	<b>\$136</b>	<b>\$212</b>
	GSB19H35	18.5 x 18.5 x 35	51.8	7.52	<b>\$906</b>	<b>\$151</b>	<b>\$262</b>
	GSB19H41	18.5 x 18.5 x 40.5	53.2	8.77	<b>\$937</b>	<b>\$166</b>	<b>\$267</b>

22" Dia Round Bases



18.5" Square Bases

**GSB19H26 - lounge height   GSB19 - seated height   GSB19H35 - counter height   GSB19H41 - bar height**

Base comes fully assembled and features 0.5" adjustable glides to level on uneven surfaces. Screws included with base for attaching to appropriate top(s). Available in paint and plated finishes as listed on page 18. Upcharge applies on plated finishes.

Unless otherwise specified, GRB22H26, GSB19H26, GRB22H35, GSB19H35, GRB22H41 and GSB19H41 may only be used on tables widths of 72" or less.

## Required specifications

Top finish  
Edge finish <sup>(1)</sup>

## Optional specifications


Knife edge <sup>(2)</sup>  
Grommet position or power block cut-out


## Applicable bases (two required)

Round bases:  
GRB22H26, GRB22, GRB22H35, GRB22H41  
Square bases:  
GSB19H26, GSB19, GSB19H35, GSB19H41

## Accessories

Power block

RECTANGULAR TOPS, 96" - 144"W	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	R3 ADD	KS ADD
	W x D x H						
	<b>High pressure laminate, flat edge (1 piece top - 2 bases required) <sup>(4)</sup></b>						
	GRT8MTP (HP)	96 x 42 x 1	128	11.84	<b>\$1725</b>	<b>\$122.10</b>	N/A
	GRT8WTP (HP)	96 x 48 x 1	190	14	<b>\$1733</b>	<b>\$122.10</b>	N/A
	<b>High pressure laminate, flat edge (2 piece tops - 3 bases required) <sup>(4)</sup></b>						
	GRT10WTP (HP)	120 x 48 x 1	220	17	<b>\$2173</b>	<b>\$153.70</b>	N/A
	GRT12WTP (HP)	144 x 48 x 1	262	21	<b>\$2530</b>	<b>\$179.10</b>	N/A
	<b>High pressure laminate, knife edge (1 piece top - 2 bases required)</b>						
	GRT8MTPLK	96 x 42 x 1.19	154	11	<b>\$3069</b>	N/A	N/A
	GRT8WTPLK	96 x 48 x 1.19	228	12	<b>\$3432</b>	N/A	N/A
	<b>High pressure laminate, knife edge (2 piece tops - 3 bases required)</b>						
	GRT10WTPLK	120 x 48 x 1.19	264	15	<b>\$4630</b>	N/A	N/A
	GRT12WTPLK	144 x 48 x 1.19	314	18	<b>\$5524</b>	N/A	N/A
	<b>Veneer (1 piece top - 2 bases required) <sup>(2)</sup></b>						
	GRT8MTPV	96 x 42 x 1.19	154	11	<b>\$3903</b>	N/A	<b>\$378</b>
	GRT8WTPV	96 x 48 x 1.19	228	12	<b>\$4389</b>	N/A	<b>\$430</b>
	<b>Veneer (2 piece tops - 3 bases required) <sup>(2)</sup></b>						
	GRT10WTPV	120 x 48 x 1.19	264	15	<b>\$5821</b>	N/A	<b>\$573</b>
	GRT12WTPV	144 x 48 x 1.19	314	18	<b>\$6952</b>	N/A	<b>\$685</b>
<b>Applicable bases to use with above tops: GRB28 round base or GSB23 square base (28"H).</b> <b>Two bases required for 96"W tops or three bases required for 120" and 144"W tops.</b> Tops feature metal inserts for ease of assembly to base.							

RACETRACK TOPS, 96" - 144"W	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	R3 ADD	KS ADD
	<b>High pressure laminate, flat edge (1 piece top - 2 bases required)</b>						
	GRC8MTP (HP)	96 x 42 x 1	128	11.84	<b>\$1744</b>	N/A	N/A
	GRC8WTP (HP)	96 x 48 x 1	190	14	<b>\$1752</b>	N/A	N/A
	<b>High pressure laminate, flat edge (2 piece tops - 3 bases required)</b>						
	GRC10WTP (HP)	120 x 48 x 1	220	17	<b>\$2196</b>	N/A	N/A
	GRC12WTP (HP)	144 x 48 x 1	262	21	<b>\$2557</b>	N/A	N/A
	<b>High pressure laminate, knife edge (1 piece top - 2 bases required)</b>						
	GRC8MTPLK	96 x 42 x 1.19	154	11	<b>\$3658</b>	N/A	N/A
	GRC8WTPLK	96 x 48 x 1.19	228	12	<b>\$4169</b>	N/A	N/A
	<b>High pressure laminate, knife edge (2 piece tops - 3 bases required)</b>						
	GRC10WTPLK	120 x 48 x 1.19	264	15	<b>\$5192</b>	N/A	N/A
	GRC12WTPLK	144 x 48 x 1.19	314	18	<b>\$6215</b>	N/A	N/A
	<b>Veneer (1 piece top - 2 bases required) <sup>(2)</sup></b>						
	GRC8MTPV	96 x 42 x 1.19	154	11	<b>\$4630</b>	N/A	<b>\$455</b>
	GRC8WTPV	96 x 48 x 1.19	228	12	<b>\$5141</b>	N/A	<b>\$506</b>
	<b>Veneer (2 piece tops - 3 bases required) <sup>(2)</sup></b>						
	GRC10WTPV	120 x 48 x 1.19	264	15	<b>\$6727</b>	N/A	<b>\$666</b>
	GRC12WTPV	144 x 48 x 1.19	314	18	<b>\$7954</b>	N/A	<b>\$788</b>
<b>Applicable bases to use with above tops: GRB28 round base or GSB23 square base (28"H).</b> <b>Two bases required for 96"W tops or three bases required for 120" and 144"W tops.</b> Tops feature metal inserts for ease of assembly to base.							

**Required specifications**

Top finish  
Edge finish <sup>(1)</sup>
**Optional specifications**

Knife edge <sup>(2)</sup>  
3" radius corners <sup>(4)</sup>  
Grommet position or power block cut-out


**Applicable bases (two or three required)**


GRB28 - round  
GSB23 - square

**Accessories**

Power block



RECTANGULAR TOPS FOR DUAL COLUMN BASE		MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	R3 ADD	KS ADD
		W x D x H						
 <p>Rectangular Tops</p>		<b>High pressure laminate, flat edge</b> <sup>(4)</sup>						
		GRTD5TP (HP)	60 x 36 x 1	60	6.6	\$660	\$47.20	N/A
		GRTD5HTP (HP)	66 x 36 x 1	69	7.21	\$676	\$48.10	N/A
		GRTD6TP (HP)	72 x 36 x 1	75	7.82	\$676	\$48.10	N/A
		GRTD5MTP (HP)	60 x 42 x 1	73	7.62	\$906	\$63.30	N/A
		GRTD5HMTP (HP)	66 x 42 x 1	81	8.32	\$969	\$67.50	N/A
		GRTD6MTP (HP)	72 x 42 x 1	89	9.02	\$994	\$69.40	N/A
		<b>High pressure laminate, knife edge</b>						
		GRTD5TPLK	60 x 36 x 1.19	72	6	\$1448	N/A	N/A
		GRTD5HTPLK	66 x 36 x 1.19	83	6.5	\$1581	N/A	N/A
		GRTD6TPLK	72 x 36 x 1.19	90	7	\$1719	N/A	N/A
		GRTD5MTPLK	60 x 42 x 1.19	88	7	\$1668	N/A	N/A
		GRTD5HMTPLK	66 x 42 x 1.19	97	7.5	\$1832	N/A	N/A
		GRTD6MTPLK	72 x 42 x 1.19	107	8	\$1990	N/A	N/A
		<b>Veneer</b> <sup>(2)</sup>						
		GRTD5TPV	60 x 36 x 1.19	72	6	\$1898	N/A	\$184
		GRTD5HTPV	66 x 36 x 1.19	83	6.5	\$2072	N/A	\$199
		GRTD6TPV	72 x 36 x 1.19	90	7	\$2251	N/A	\$215
		GRTD5MTPV	60 x 42 x 1.19	88	7	\$2195	N/A	\$210
		GRTD5HMTPV	66 x 42 x 1.19	97	7.5	\$2405	N/A	\$230
		GRTD6MTPV	72 x 42 x 1.19	107	8	\$2614	N/A	\$256
		<p>Tops feature metal inserts for ease of assembly to base. One dual column base (GDCB36H28) required.</p> <p>Limited cut-out options available for power modules, include E2 or FOG2 only. Power modules corresponding to applicable cut-out codes ordered separately.</p>						

RACETRACK TOPS FOR DUAL COLUMN BASE		MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	R3 ADD	KS ADD
		W x D x H						
 <p>Racetrack Tops</p>		<b>High pressure laminate, flat edge</b>						
		GRCD5TP (HP)	60 x 36 x 1	60	6.6	\$678	N/A	N/A
		GRCD5HTP (HP)	66 x 36 x 1	69	7.21	\$687	N/A	N/A
		GRCD6TP (HP)	72 x 36 x 1	75	7.82	\$687	N/A	N/A
		GRCD5MTP (HP)	60 x 42 x 1	73	7.62	\$906	N/A	N/A
		GRCD5HMTP (HP)	66 x 42 x 1	81	8.32	\$969	N/A	N/A
		GRCD6MTP (HP)	72 x 42 x 1	89	9.02	\$994	N/A	N/A
		<b>High pressure laminate, knife edge</b>						
		GRCD5TPLK	60 x 36 x 1.19	72	6	\$1995	N/A	N/A
		GRCD5HTPLK	66 x 36 x 1.19	83	6.5	\$2123	N/A	N/A
		GRCD6TPLK	72 x 36 x 1.19	90	7	\$2251	N/A	N/A
		GRCD5MTPLK	60 x 42 x 1.19	88	7	\$2379	N/A	N/A
		GRCD5HMTPLK	66 x 42 x 1.19	97	7.5	\$2507	N/A	N/A
		GRCD6MTPLK	72 x 42 x 1.19	107	8	\$2635	N/A	N/A
		<b>Veneer</b> <sup>(2)</sup>						
		GRCD5TPV	60 x 36 x 1.19	72	6	\$2379	N/A	\$230
		GRCD5HTPV	66 x 36 x 1.19	83	6.5	\$2507	N/A	\$241
		GRCD6TPV	72 x 36 x 1.19	90	7	\$2635	N/A	\$256
		GRCD5MTPV	60 x 42 x 1.19	88	7	\$2762	N/A	\$271
		GRCD5HMTPV	66 x 42 x 1.19	97	7.5	\$2891	N/A	\$282
		GRCD6MTPV	72 x 42 x 1.19	107	8	\$3018	N/A	\$292
		<p>Tops feature metal inserts for ease of assembly to base. One dual column base (GDCB36H28) required.</p> <p>Limited cut-out options available for power modules, include E2 or FOG2 only. Power modules corresponding to applicable cut-out codes ordered separately.</p>						

#### Required specifications

Top finish  
Edge finish <sup>(1)</sup>

#### Optional specifications

Knife edge <sup>(2)</sup>  
3" radius corners <sup>(4)</sup>  
Grommet position or power block cut-out

#### Applicable bases

GDCB36H28

#### Accessories

Power block

# S SWAP™ TABLES

BOAT SHAPE TOPS FOR DUAL COLUMN BASE	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	KS ADD
--------------------------------------	---------	------------	--------	-----------	------------	--------

W x D x H

## High pressure laminate, flat edge


GBTD5TP (HP)	60 x 36 x 1	60	6.6	<b>\$678</b>	N/A
GBTD5HTP (HP)	66 x 36 x 1	69	7.21	<b>\$687</b>	N/A
GBTD6TP (HP)	72 x 36 x 1	75	7.82	<b>\$687</b>	N/A
GBTD5MTP (HP)	60 x 42 x 1	73	7.62	<b>\$906</b>	N/A
GBTD5HMT (HP)	66 x 42 x 1	81	8.32	<b>\$969</b>	N/A
GBTD6MTP (HP)	72 x 42 x 1	89	9.02	<b>\$994</b>	N/A

## High pressure laminate, knife edge

GBTD5TPLK	60 x 36 x 1.19	72	6	<b>\$1995</b>	N/A
GBTD5HTPLK	66 x 36 x 1.19	83	6.5	<b>\$2123</b>	N/A
GBTD6TPLK	72 x 36 x 1.19	90	7	<b>\$2251</b>	N/A
GBTD5MTPLK	60 x 42 x 1.19	88	7	<b>\$2379</b>	N/A
GBTD5HMTPLK	66 x 42 x 1.19	97	7.5	<b>\$2507</b>	N/A
GBTD6MTPLK	72 x 42 x 1.19	107	8	<b>\$2635</b>	N/A

## Veneer <sup>(2)</sup>

GBTD5TPV	60 x 36 x 1.19	72	6	<b>\$2379</b>	<b>\$230</b>
GBTD5HTPV	66 x 36 x 1.19	83	6.5	<b>\$2507</b>	<b>\$241</b>
GBTD6TPV	72 x 36 x 1.19	90	7	<b>\$2635</b>	<b>\$256</b>
GBTD5MTPV	60 x 42 x 1.19	88	7	<b>\$2762</b>	<b>\$271</b>
GBTD5HMTPV	66 x 42 x 1.19	97	7.5	<b>\$2891</b>	<b>\$282</b>
GBTD6MTPV	72 x 42 x 1.19	107	8	<b>\$3018</b>	<b>\$292</b>



Boat Shape Tops

Tops feature metal inserts for ease of assembly to base. One dual column base (**GDCB36H28**) required. Limited cut-out options available for power modules, include E2 or FOG2 only. Power modules corresponding to applicable cut-out codes ordered separately.

- GBTDxTP/GBTDxHTP: 36"D at center and 28"D at ends
- GBTDxMTP/GBTDxHMT: 42"D at center and 33"D at ends.


DUAL COLUMN BASE FOR GxTDxxx TOPS	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	BCH / CHM	ACO / SBR
-----------------------------------	---------	------------	--------	-----------	------------	-----------	-----------

W x D x H

## BASE VALID FOR TOPS ON PAGES 35-36:

GDCB36H28	19 x 36 x 28	116.23	12.16	<b>\$2103</b>	<b>\$582</b>	<b>\$768</b>
-----------	--------------	--------	-------	---------------	--------------	--------------

seated height



28"H Dual Column Base

Base ships knocked-down; assembly required. Features 0.5" adjustable glides to level on uneven surfaces. Screws included with base for attaching to appropriate top(s). Available in paint and plated finishes as listed on page 18. Upcharge applies on plated finishes.

### Required specifications

Top finish  
Edge finish <sup>(1)</sup>  
Base finish

### Optional specifications

Knife edge <sup>(2)</sup>  
Grommet position or power block cut-out  
Base plated finish

### Applicable bases

GDCB36H28

### Accessories

Power block



## HUDDLE TABLES OVERVIEW

Bring teams together to huddle, share and collaborate.

Three heights available - seated desk height: 29", counter height: 36", bar height: 41.5" with D top, wedge, rectangular or soft ellipse shaped tops.

Laminate kits (consisting of laminate top and U-base) are sold separately from metal bases for huddle tables. Tops include metal inserts for ease of assembly to metal base. All tops are standard with an edge scoop to help manage cables from wall mounted flat screen monitors and/or edge mounting power module (PS305057/PS305002 as an example). Support channels are included with tops over 60" wide.

Metal bases ship fully assembled and include 0.5" adjustable glides and metal screws for attaching to the top. Be sure to specify bases specific to huddle tables GRHB22Hxx or GSB19Hxx.

D-TOP HUDDLE TABLES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
		<b>W x D x H</b>			
	GDH426029 (HP)	42 x 60 x 29	99.82	5.18	<b>\$1574</b>
	GDH427229 (HP)	42 x 72 x 29	111.5	5.79	<b>\$1759</b>
	GDH428429 (HP)	42 x 84 x 29	123.1	11.98	<b>\$2093</b>
	GDH429629 (HP)	42 x 96 x 29	134.74	13.31	<b>\$2250</b>
	GDH486029 (HP)	48 x 60 x 29	112.6	5.89	<b>\$1827</b>
	GDH487229 (HP)	48 x 72 x 29	126	6.58	<b>\$2069</b>
	GDH488429 (HP)	48 x 84 x 29	139.24	13.5	<b>\$2207</b>
	GDH489629 (HP)	48 x 96 x 29	152.56	15	<b>\$2392</b>
	<p>Laminate U-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. <b>Cut-out locations available in positions 1 or 2 only (except for model GDH364829 - cut-out position available in position 1 only).</b></p> <ul style="list-style-type: none"> <li>• Metal bases sold separately. Compatible with <b>GRHB22H28</b> or <b>GSHB19H28</b> only, requires one base.</li> </ul>				
	GDH426036 (HP)	42 x 60 x 36	109.82	5.61	<b>\$1605</b>
	GDH427236 (HP)	42 x 72 x 36	121.5	6.22	<b>\$1791</b>
	GDH428436 (HP)	42 x 84 x 36	133.1	12.4	<b>\$2123</b>
	GDH429636 (HP)	42 x 96 x 36	144.74	13.75	<b>\$2281</b>
	GDH486036 (HP)	48 x 60 x 36	123.6	6.38	<b>\$1862</b>
	GDH487236 (HP)	48 x 72 x 36	137	7.08	<b>\$2104</b>
	GDH488436 (HP)	48 x 84 x 36	150.24	14	<b>\$2242</b>
	GDH489636 (HP)	48 x 96 x 36	163.56	15.5	<b>\$2428</b>
	<p>Laminate U-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of U-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. <b>Cut-out locations available in positions 1 or 2 only (except for model GDH364836 - cut-out position available in position 1 only).</b></p> <ul style="list-style-type: none"> <li>• Metal bases sold separately. Compatible with <b>GRHB22H35</b> or <b>GSHB19H35</b> only, requires one base.</li> </ul>				

## Required Specifications

Top finish  
Base finish


## Optional Specifications

Grommet position or power block cut-out

## Accessories

Power block

D-TOP HUDDLE TABLES



41.5"H D-Top Huddle

MODEL # DIMENSIONS WT/LB. CUBIC FT. LIST PRICE

	W x D x H			
GDH426041 (HP)	42 x 60 x 41.5	117.32	5.92	\$1665
GDH427241 (HP)	42 x 72 x 41.5	129	6.53	\$1849
GDH428441 (HP)	42 x 84 x 41.5	140.6	12.72	\$2183
GDH429641 (HP)	42 x 96 x 41.5	152.24	14.06	\$2341
GDH486041 (HP)	48 x 60 x 41.5	130.1	6.74	\$1552
GDH487241 (HP)	48 x 72 x 41.5	143.5	7.43	\$2169
GDH488441 (HP)	48 x 84 x 41.5	156.74	14.53	\$2308
GDH489641 (HP)	48 x 96 x 41.5	170.06	15.85	\$2492

Laminate U-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of U-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. **Cut-out locations available in positions 1 or 2 only (except for model GDH364841 - cut-out position available in position 1 only).**

- Metal bases sold separately. Compatible with **GRHB22H41** or **GSHB19H41** only, requires one base.

Required Specifications




Top finish  
Base finish

Optional Specifications

Grommet position or power block cut-out

Accessories

Power block

WEDGE HUDDLE TABLES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
 <p><b>29"H Wedge Huddle</b></p>	W x D x H				
	GWH486029 (HP)	48 x 60 x 29	112.6	5.89	<b>\$1822</b>
	GWH487229 (HP)	48 x 72 x 29	126	6.58	<b>\$2069</b>
	GWH488429 (HP)	48 x 84 x 29	139.24	13.5	<b>\$2207</b>
	GWH489629 (HP)	48 x 96 x 29	152.56	15	<b>\$2392</b>
 <p><b>36"H Wedge Huddle</b></p>	Laminate U-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of U-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. <b>Cut-out locations available in positions 1 or 2 only.</b>				
	<ul style="list-style-type: none"> <li>• Metal bases sold separately. Compatible with <b>GRHB22H28</b> or <b>GSHB19H28</b> only, requires one base.</li> </ul>				
	GWH486036 (HP)	48 x 60 x 36	123.6	6.38	<b>\$1857</b>
	GWH487236 (HP)	48 x 72 x 36	137	7.08	<b>\$2104</b>
 <p><b>41.5"H Wedge Huddle</b></p>	Laminate U-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of U-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. <b>Cut-out locations available in positions 1 or 2 only.</b>				
	<ul style="list-style-type: none"> <li>• Metal bases sold separately. Compatible with <b>GRHB22H35</b> or <b>GSHB19H35</b> only, requires one base.</li> </ul>				
	GWH486041 (HP)	48 x 60 x 41.5	130.1	6.74	<b>\$1922</b>
	GWH487241 (HP)	48 x 72 x 41.5	143.5	7.43	<b>\$2169</b>
	GWH488441 (HP)	48 x 84 x 41.5	156.74	14.35	<b>\$2308</b>
	GWH489641 (HP)	48 x 96 x 41.5	170.06	15.85	<b>\$2492</b>
	Laminate U-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of U-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. <b>Cut-out locations available in positions 1 or 2 only.</b>				
	<ul style="list-style-type: none"> <li>• Metal bases sold separately. Compatible with <b>GRHB22H41</b> or <b>GSHB19H41</b> only, requires one base.</li> </ul>				

#### Required Specifications

Top finish  
Base finish

#### Optional Specifications

Grommet position or power block cut-out


#### Accessories

Power block




# S SWAP™ TABLES


## RECTANGULAR HUDDLE TABLES



**29"H Rectangular Huddle**



**36"H Rectangular Huddle**



**41.5"H Rectangular Huddle**

### MODEL # DIMENSIONS WT/LB. CUBIC FT. LIST PRICE

#### W x D x H

GRH426029 (HP)	42 x 60 x 29	99.82	5.18	<b>\$1574</b>
GRH427229 (HP)	42 x 72 x 29	111.5	5.79	<b>\$1759</b>
GRH428429 (HP)	42 x 84 x 29	123.1	11.98	<b>\$2093</b>
GRH429629 (HP)	42 x 96 x 29	134.74	13.31	<b>\$2250</b>
GRH486029 (HP)	48 x 60 x 29	112.6	5.89	<b>\$1827</b>
GRH487229 (HP)	48 x 72 x 29	126	6.58	<b>\$2069</b>
GRH488429 (HP)	48 x 84 x 29	139.24	13.5	<b>\$2207</b>
GRH489629 (HP)	48 x 96 x 29	152.56	15	<b>\$2392</b>

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. **Cut-out locations available in positions 1 or 2 only (except for model GRH364829 - cut-out position available in position 1 only).**

- Metal bases sold separately. Compatible with **GRHB22H28** or **GSHB19H28** only, requires one base.

GRH426036 (HP)	42 x 60 x 36	109.82	5.61	<b>\$1605</b>
GRH427236 (HP)	42 x 72 x 36	121.5	6.22	<b>\$1791</b>
GRH428436 (HP)	42 x 84 x 36	133.1	12.41	<b>\$2123</b>
GRH429636 (HP)	42 x 96 x 36	144.74	13.75	<b>\$2281</b>
GRH486036 (HP)	48 x 60 x 36	123.6	6.38	<b>\$1862</b>
GRH487236 (HP)	48 x 72 x 36	137	7.08	<b>\$2104</b>
GRH488436 (HP)	48 x 84 x 36	150.24	14	<b>\$2242</b>
GRH489636 (HP)	48 x 96 x 36	163.56	15.5	<b>\$2428</b>

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. **Cut-out locations available in positions 1 or 2 only (except for model GRH364836 - cut-out position available in position 1 only).**

- Metal bases sold separately. Compatible with **GRHB22H35** or **GSHB19H35** only, requires one base.

GRH426041 (HP)	42 x 60 x 41.5	117.32	5.92	<b>\$1665</b>
GRH427241 (HP)	42 x 72 x 41.5	129	6.53	<b>\$1849</b>
GRH428441 (HP)	42 x 84 x 41.5	140.6	12.72	<b>\$2183</b>
GRH429641 (HP)	42 x 96 x 41.5	152.24	14.06	<b>\$2341</b>
GRH486041 (HP)	48 x 60 x 41.5	130.1	6.74	<b>\$1926</b>
GRH487241 (HP)	48 x 72 x 41.5	143.5	7.43	<b>\$2169</b>
GRH488441 (HP)	48 x 84 x 41.5	156.74	14.35	<b>\$2308</b>
GRH489641 (HP)	48 x 96 x 41.5	170.06	15.85	<b>\$2492</b>

Laminate U-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of U-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. **Cut-out locations available in positions 1 or 2 only (except for model GRH364841 - cut-out position available in position 1 only).**

- Metal bases sold separately. Compatible with **GRHB22H41** or **GSHB19H41** only, requires one base.

#### Required Specifications




Top finish  
Base finish

#### Optional Specifications

Grommet position or power block cut-out

#### Accessories

Power block

SOFT ELLIPSE HUDDLE TABLES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
 <p><b>29"H Soft Ellipse Huddle</b></p>		<b>W x D x H</b>			
	GSEH426029 (HP)	42 x 60 x 29	99.82	5.18	<b>\$1574</b>
	GSEH427229 (HP)	42 x 72 x 29	111.5	5.79	<b>\$1759</b>
	GSEH428429 (HP)	42 x 84 x 29	123.1	11.98	<b>\$2093</b>
	GSEH429629 (HP)	42 x 96 x 29	134.7	13.31	<b>\$2250</b>
	GSEH486029 (HP)	48 x 60 x 29	112.6	5.89	<b>\$1827</b>
	GSEH487229 (HP)	48 x 72 x 29	126	6.58	<b>\$2069</b>
	GSEH488429 (HP)	48 x 84 x 29	139.2	13.5	<b>\$2207</b>
	GSEH489629 (HP)	48 x 96 x 29	152.6	15	<b>\$2392</b>
	<p>Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. <b>Cut-out locations available in positions 1 or 2 only (except for model GSEH364829 - cut-out position available in position 1 only).</b></p> <ul style="list-style-type: none"> <li>• Metal bases sold separately. Compatible with <b>GRHB22H28</b> or <b>GSHB19H28</b> only, requires one base.</li> </ul>				
 <p><b>36"H Soft Ellipse Huddle</b></p>					
	GSEH426036 (HP)	42 x 60 x 36	109.8	5.61	<b>\$1605</b>
	GSEH427236 (HP)	42 x 72 x 36	121.5	6.22	<b>\$1791</b>
	GSEH428436 (HP)	42 x 84 x 36	133.1	12.41	<b>\$2123</b>
	GSEH429636 (HP)	42 x 96 x 36	144.74	13.75	<b>\$2281</b>
	GSEH486036 (HP)	48 x 60 x 36	123.6	6.38	<b>\$1862</b>
	GSEH487236 (HP)	48 x 72 x 36	137	7.08	<b>\$2104</b>
	GSEH488436 (HP)	48 x 84 x 36	150.24	14	<b>\$2242</b>
	GSEH489636 (HP)	48 x 96 x 36	163.56	15.5	<b>\$2428</b>
	<p>Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. <b>Cut-out locations available in positions 1 or 2 only (except for model GSEH364836 - cut-out position available in position 1 only).</b></p> <ul style="list-style-type: none"> <li>• Metal bases sold separately. Compatible with <b>GRHB22H35</b> or <b>GSHB19H35</b> only, requires one base.</li> </ul>				
 <p><b>41.5"H Soft Ellipse Huddle</b></p>					
	GSEH426041 (HP)	42 x 60 x 41.5	117.32	5.92	<b>\$1665</b>
	GSEH427241 (HP)	42 x 72 x 41.5	129	6.53	<b>\$1849</b>
	GSEH428441 (HP)	42 x 84 x 41.5	140.6	12.72	<b>\$2183</b>
	GSEH429641 (HP)	42 x 96 x 41.5	152.24	14.06	<b>\$2341</b>
	GSEH486041 (HP)	48 x 60 x 41.5	130.1	6.74	<b>\$1926</b>
	GSEH487241 (HP)	48 x 72 x 41.5	143.5	7.43	<b>\$2169</b>
	GSEH488441 (HP)	48 x 84 x 41.5	156.74	14.35	<b>\$2308</b>
	GSEH489641 (HP)	48 x 96 x 41.5	170.06	15.85	<b>\$2492</b>
	<p>Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. <b>Cut-out locations available in positions 1 or 2 only (except for model GSEH364841 - cut-out position available in position 1 only).</b></p> <ul style="list-style-type: none"> <li>• Metal bases sold separately. Compatible with <b>GRHB22H41</b> or <b>GSHB19H41</b> only, requires one base.</li> </ul>				

**Required Specifications**

Top finish  
Base finish


**Optional Specifications**

Grommet position or power block cut-out


**Accessories**

Power block

HUDDLE BASES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	BCH / CHM	ACO / SBR
--------------	---------	------------	--------	-----------	------------	-----------	-----------



22" Round Huddle Base



18.5" Square Huddle Base

W x D x H						
SELECT BASE COMPATIBLE WITH TOP HEIGHT:						
GRHB22H28	22 x - x 28	60	10	\$898	\$147	\$249
GRHB22H35	22 x - x 35	62	12.7	\$933	\$164	\$268
GRHB22H41	22 x - x 40.5	63	14.2	\$949	\$171	\$270

GRHB22H35 - counter height      GRHB22H28 - seated height      GRHB22H41 - bar height

Metal base ships fully assembled. Features 0.5" adjustable glides to level on uneven surfaces. Screws included with base for attaching to appropriate huddle table laminate pieces. See page 18 for available finishes.  
Be sure to double check huddle table laminate units and metal bases are the same corresponding heights.  
• Plated finishes are available at an upcharge.

GSHB19H28	18.5 x 18.5 x 28	55	6.94	\$966	\$136	\$250
GSHB19H35	18.5 x 18.5 x 35	57	8.8	\$1022	\$151	\$287
GSHB19H41	18.5 x 18.5 x 40.5	58	9.84	\$1056	\$166	\$287

GSHB19H35 - counter height      GSHB19H28 - seated height      GSHB19H41 - bar height

Metal base ships fully assembled. Features 0.5" adjustable glides to level on uneven surfaces. Screws included with base for attaching to appropriate huddle table laminate pieces. See page 18 for available finishes.  
Be sure to double check huddle table laminate units and metal bases are the same corresponding heights.  
• Plated finishes are available at an upcharge.

Required Specifications	Optional Specifications
Finish	

# tables training



Bungee

44



Junction


56




Bungee is a series of freestanding tables and accessories designed for classrooms, training rooms, boardrooms and any other multi-functional space that may require frequent configurations. Tables are sold complete with legs and Bungee cords so they may quickly and easily be connected together without searching for tools or worrying about loose parts.

Bungee tables feature optional rounded corners with a unique Bubble molding that is engineered to compress under the tension of the Bungee cords. The compressed molding creates a seal that serves to locate and align interconnected tables while also providing a soft and forgiving edge. Four additional edge options are available.


Choose from a variety of top shapes and laminate finishes to create your individual style. In addition, most tables offer a choice of tapered legs or spider legs in a Black or Tungsten finish with adjustable levelers or optional casters. Optional modesty panels, grommets, wire management and power blocks further enhance your workspace.



Flip-top tables can be nested and easily stored by activating the single hand release mechanism from the left or right side.



Optional locking casters are available in Black or Tungsten finish (standard on flip-top models).



Bungee cords are utilized to quickly and easily reconfigure tables.

## Features and Benefits

- Bungee tables are complete with top, legs and Bungee cords.
- Bungee cords provide a fast and easy method of reconfiguring tables without requiring tools.
- Tops are 1" thick and are offered in a variety of shapes and sizes.
- Legs are offered in tapered or spider design in a Black or Tungsten finish.
- Levelers on legs are standard.
- Laminate modesty panels and filler modesty inserts help conceal wires and enhance visual appeal.
- Wire management tracks neatly contain wires, using two separate channels for data and voice wires.
- Optional grommets or power blocks offer technological flexibility.

## GENERAL INFORMATION

- Bungee is a series of freestanding tables and accessories designed for classrooms, training rooms, boardrooms and any other multifunctional space that requires frequent reconfigurations.
- Bungee tables come complete with a work top, a set of legs and built-in Bungee cord connectors.
- Bungee cords allow the movement and reconfiguration of tables without a risk of damage or losing loose parts.
- High pressure tops are standard in all Bungee laminate finishes.
- Unique “bubble molding” edging is specially engineered to create a secure seal to align interconnected tables. Alternate edge options are also available.
- Bungee products have been tested and comply with all mechanical tests.
- For environmental certifications, please visit [globalfurnituregroup.com](http://globalfurnituregroup.com).

## CONSTRUCTION

- Tops are 1" thick. Modesty panels are  $\frac{11}{16}$ " thick.
- All components are made of 45 lb. commercial density particle board, covered on both sides with high performance laminate.
- Tops 54" and over feature a built-in support bar.

## BUNGEE CORDS

- Bungee cords are patented elastic devices designed to provide a rapid, no-tool method of attaching tables of the same depth.
- The elastic nature of cords allows two connected tables to be moved around without risk of damage to the table top or connecting hardware.
- Bungee cords are included with all freestanding tables and carry a Lifetime Warranty.

## EDGE DETAIL

- Unique “bubble molding” is engineered to compress under the tension of the Bungee cords, creating a seal that serves to locate and align interconnected tables.
- Bubble molding finish matches surface laminate with Silver (**BS**) or Black (**BB**) accent trim.
- For matching 2mm flat edge, specify (**A3**).

## LEGS

- Tables feature two styles of legs - tapered leg and spider leg. Available in Black (**TBL**) or Tungsten (**TTU**) finish.
- Levelers are standard. Optional locking casters are available at no upcharge, specify Black (**TBC**) or Tungsten (**TTC**) finish.  
(Casters must match base finish.) Adjust 3mm - 10mm in height.





tapered leg



spider leg


## MODESTY PANELS

- Panels are 13" high, recessed 0.75" from the back and inset 7" from the sides.
- Panels feature a built-in flexible wire pass-through.
- Available in all Bungee laminate finishes.




## FILLER MODESTY PANELS

- Used to fill the space between two modesty panels when two tables are linked together. Helps conceal wires and enhance visual appeal.
- Available in Silver finish (**SI**) or Black finish (**BK**), please specify.




## WIRE MANAGEMENT

- Wire management tracks are mounted to the underside of the worksurface. Available in 5" and 22" track lengths.
- 5" track includes one wire clamp; 22" track includes two wire clamps.
- Data and voice wires can be routed separately using two separate channels on each clamp.
- Available in Black only.



5" wire management track



22" wire management track

# B BUNGEE™ TABLES - HOW TO SPECIFY

## 1. SPECIFY MODEL NUMBER

## 2. SPECIFY FINISH

### Laminate Finishes:

<b>ACJ</b>	Absolute Acajou	<b>FCL</b>	First Class
<b>ASN</b>	Asian Night	<b>NBL</b>	Noce Biondo
<b>AWC</b>	Avant Cherry	<b>NGL</b>	Noce Grigio
<b>AWH</b>	Avant Honey	<b>NEL</b>	Noce Leggero
<b>BLK</b>	Black	<b>NML</b>	Noce Medio
<b>BZD</b>	Blizzard	<b>QTM</b>	Quartered Mahogany
<b>BRC</b>	Brushed Cobalt	<b>SBY</b>	Sheer Beauty
<b>CMB</b>	Clear Maple	<b>SDT</b>	Stonedust
<b>CGY</b>	Custom Grey	<b>SOG</b>	Storm Grey
<b>DES</b>	Dark Espresso	<b>WHE</b>	Walnut Heights
<b>DWT</b>	Designer White	<b>WHC</b>	White Chocolate
<b>FAS</b>	Fashionista	<b>WCR</b>	Winter Cherry

### Edge:

<b>BB</b>	Bubble edge with Black trim
<b>BS</b>	Bubble edge with Silver trim
<b>A3</b>	Matching 2mm flat edge

### Legs:

<b>TBL</b>	Black
<b>TTU</b>	Tungsten

### Casters:

<b>TBC</b>	Black
<b>TTC</b>	Tungsten

### Handles:

<b>HS</b>	Silver finish
<b>HT</b>	Black finish

### Modesty Panel Edge:

<b>SI</b>	Silver
<b>BK</b>	Black Nickel

### Feet


<b>TBL</b>	Black	<b>TTU</b>	Tungsten
------------	-------	------------	----------

## 3. SPECIFY OPTIONS


### GROMMETS

- Optional grommets available in standard worksurface locations (left, center or right) for **rectangular tops** (48" wide and up). Order as: **FOG1, FOG2 or FOG3**. Add \$91.
- Optional grommets are available in **center position only** for **rectangular tops** (36" and 42" wide), **trapezoid tables** and **ALL flip-top and transformer tables**. Order as **FOG2**. Add \$91 per table.
- FOG2** when selected will apply to all 4 or 6 tables in transformer table kits accordingly.
- Grommet hole dimensions are 3.25" wide x 1.875" deep.
- Grommets may be placed at non-standard locations. Order as: **CSG**. Add \$132. A drawing must be supplied with vertical and horizontal dimensions to the center of the cut-out (as in drawing above). Please refer to the **custom grommet location form** in the back reference section.


### Grommet hole dimensions




### Grommet



### Rectangular Tops




For 36", 42" and 48" wide units




For 60" and 72" wide units

### Trapezoid Tables and all Flip-Top Tables



grommet location  
**FOG2**. Add \$91.

### Transformer Tables



grommet location  
**FOG2**. Add \$91 x number of tables in kit

### MODPOWER DAISY-CHAIN SOLUTION

- Add flexible power and USB charging to Bungee **rectangular tables**. Connect up to four units with a single corded infeed with NEMA plug.
- ModPower units are sold separately, refer to Productivity Solutions page 88.
- Begin run with a starter unit which includes a corded infeed. Add additional middle or end units as required. Middle and end units are equipped with connecting cables.
- On-surface modules clamp on or screw mount to the table tops.
- In-surface modules require table top cut-outs for mounting. Specify cut-out option:
  - MPS** for a single cut-out to accommodate one ModPower in-surface unit (cut-out will be centered on the approach side) for **42" to 72" wide fixed top** rectangular tables and **48" to 72" wide flip-top** rectangular tables. Add \$91. Note: MPS not available for 36" wide fixed top tables or 42" wide flip-top tables.
  - MPD** for two cut-outs in the left and right positions, 18.25" from ends to center of unit on approach side for **60", 66" and 72" wide rectangular tables**. Add \$183.


### SPECIFICATIONS

- Specifications marked with an \* are applicable to only those products which have the \* symbol beside the product name.




## CONNECTING CONDITIONS


- Bungee cords allow for fast and easy reconfiguring of tables whenever needed. Due to the elastic nature of the Bungee cord, two tables connected with Bungee cords can be moved around without risk of damage to the table top or the connecting hardware.
- Connecting tables is simple and intuitive. Tools are not required and there are no loose parts that may be misplaced.
- Bungee cords connect tables of the same depth in all directions.
- Rectangular tables 48" and longer connect in both straight and "L" configurations. Rectangular tables 36" and 42" connect in straight configurations only.




rectangular tables




round wedge tables




trapezoid tables




teardrop tables



half moon tables




flat round tables




square tables





keystone tables



wedge tables






## FLIP-TOP TABLE NESTING DIAGRAM








## B BUNGEE™ TABLES

### RECTANGULAR TABLES



**Rectangular Table - Tapered Legs**



**Rectangular Table - Spider Legs**

### MODEL # DIMENSIONS WT/LB. CUBIC FT. LIST PRICE

#### W x D x H

B2436REF (HP)	36 x 24 x 28.7	65	5.75	<b>\$931</b>
B2442REF (HP)	42 x 24 x 28.7	69	6	<b>\$1015</b>
B2448REF (HP)	48 x 24 x 28.7	72	6.5	<b>\$1039</b>
B2460REF (HP)	60 x 24 x 28.7	82	7.25	<b>\$1277</b>
B2472REF (HP)	72 x 24 x 28.7	91	8	<b>\$1547</b>
B3036REF (HP)	36 x 30 x 28.7	70	7.25	<b>\$1074</b>
B3042REF (HP)	42 x 30 x 28.7	78	7.5	<b>\$1141</b>
B3048REF (HP)	48 x 30 x 28.7	81	7.5	<b>\$1199</b>
B3060REF (HP)	60 x 30 x 28.7	92	8.25	<b>\$1324</b>
B3072REF (HP)	72 x 30 x 28.7	102	9	<b>\$1560</b>
B3642REF (HP)	42 x 36 x 28.7	83	7.5	<b>\$1209</b>
B3648REF (HP)	48 x 36 x 28.7	91	8	<b>\$1304</b>
B3660REF (HP)	60 x 36 x 28.7	103	9	<b>\$1419</b>
B3672REF (HP)	72 x 36 x 28.7	116	10	<b>\$1686</b>

Freestanding table includes four tapered legs with levelers and Bungee cords. When **(BB)** or **(BS)** edge option is specified, surface corners are radiused; when **(A3)** edge option is specified, surface corners are square. Each table can be "Bungee-tied" to other tables of the same depth. Shipped easy to assemble in 2 cartons. Modesty panels available, see page 52.

- **Tables 48" and longer connect in both straight and "L" configurations.**
- **Tables 36" and 42" connect in straight configurations only.**
- Available with optional locking casters, specify Black **(TBC)** or Tungsten **(TTC)**.

B2436RES (HP)	36 x 24 x 28.7	62	7.25	<b>\$1026</b>
B2442RES (HP)	42 x 24 x 28.7	67	7.5	<b>\$1107</b>
B2448RES (HP)	48 x 24 x 28.7	71	10	<b>\$1138</b>
B2460RES (HP)	60 x 24 x 28.7	80	10.75	<b>\$1372</b>
B2472RES (HP)	72 x 24 x 28.7	89	11.25	<b>\$1646</b>
B3036RES (HP)	36 x 30 x 28.7	72	10.25	<b>\$1198</b>
B3042RES (HP)	42 x 30 x 28.7	80	10.5	<b>\$1261</b>
B3048RES (HP)	48 x 30 x 28.7	83	10.5	<b>\$1324</b>
B3060RES (HP)	60 x 30 x 28.7	94	11.25	<b>\$1449</b>
B3072RES (HP)	72 x 30 x 28.7	104	12	<b>\$1672</b>

Freestanding table includes two spider legs with levelers and Bungee cords. When **(BB)** or **(BS)** edge option is specified, surface corners are radiused; when **(A3)** edge option is specified, surface corners are square. Each table can be "Bungee-tied" to other tables of the same depth. Shipped easy to assemble in 2 cartons. Modesty panels available, see page 52.

- **Tables 48" and longer connect in both straight and "L" configurations.**
- **Tables 36" and 42" connect in straight configurations only.**
- Available with optional locking casters, specify Black **(TBC)** or Tungsten **(TTC)**.

#### Required specifications





Top finish  
Edge detail  
Leg finish

#### Optional specifications

Casters  
Grommet  
Power block cut-out

#### Accessories

Power block

TRAPEZOID TABLES		MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
		W x D x H				
		B2460TRF (HP)	60 x 24 x 28.7	71	7.5	\$1209
		B2466TRF (HP)	66 x 24 x 28.7	74	8	\$1408
		B2472TRF (HP)	72 x 24 x 28.7	78	8.25	\$1479
		B3060TRF (HP)	60 x 30 x 28.7	78	8.5	\$1312
		B3066TRF (HP)	66 x 30 x 28.7	81	9.5	\$1492
		B3072TRF (HP)	72 x 30 x 28.7	85	9.5	\$1547
		<p>Freestanding table includes four tapered legs with levelers and Bungee cords. Bubble edge options <b>(BB)</b> or <b>(BS)</b> only apply (edge option <b>(A3)</b> is not applicable on trapezoid tables). Each table can be “Bungee-tied” to other tables of the same depth. Shipped easy to assemble in 2 cartons. Modesty panels available, see page 52.</p> <ul style="list-style-type: none"><li>Available with optional locking casters, specify Black <b>(TBC)</b> or Tungsten <b>(TTC)</b>.</li></ul>				
						
		B2460TRS (HP)	60 x 24 x 28.7	69	9.25	\$1304
		B2466TRS (HP)	66 x 24 x 28.7	72	9.75	\$1532
		B2472TRS (HP)	72 x 24 x 28.7	76	10	\$1574
		B3060TRS (HP)	60 x 30 x 28.7	79	11.5	\$1424
		B3066TRS (HP)	66 x 30 x 28.7	83	12.5	\$1605
		B3072TRS (HP)	72 x 30 x 28.7	87	12.5	\$1661
		<p>Freestanding table includes two spider legs with levelers and Bungee cords. Bubble edge options <b>(BB)</b> or <b>(BS)</b> only apply (edge option <b>(A3)</b> is not applicable on trapezoid tables). Each table can be “Bungee-tied” to other tables of the same depth. Shipped easy to assemble in 2 cartons. Modesty panels available, see page 52.</p> <ul style="list-style-type: none"><li>Available with optional locking casters, specify Black <b>(TBC)</b> or Tungsten <b>(TTC)</b>.</li></ul>				
KEYSTONE TABLES						
						
		B30KSF (HP)	62 x 30 x 28.7	69	7.6	\$1375
		B24KSF (HP)	51 x 24 x 28.7	60	6.5	\$1171
<p>Freestanding table includes four tapered legs with levelers and Bungee cords. When <b>(BB)</b> or <b>(BS)</b> edge option is specified, surface corners are radiused; when <b>(A3)</b> edge option is specified, surface corners are square. Each table can be “Bungee-tied” to other tables of 24” and 30” depth. Shipped easy to assemble in 2 cartons. Modesty panels or filler panels are NOT available.</p>						
						
		B30KSS (HP)	62 x 30 x 28.7	77	7.6	\$1541
		B24KSS (HP)	51 x 24 x 28.7	66	6.5	\$1310
<p>Freestanding table includes two spider legs with levelers and Bungee cords. When <b>(BB)</b> or <b>(BS)</b> edge option is specified, surface corners are radiused; when <b>(A3)</b> edge option is specified, surface corners are square. Each table can be “Bungee-tied” to other tables of 24” and 30” depth. Shipped easy to assemble in 2 cartons. Modesty panels or filler panels are NOT available.</p>						

**Required specifications**

Top finish  
Edge detail  
Leg finish

**Optional specifications**


Grommet (only trapezoid tables)  
Casters (only trapezoid tables)  
Power block cut-out (only trapezoid tables)

**Accessories**


Power block (only trapezoid tables)

## B BUNGEE™ TABLES


### WEDGE TABLES



**Wedge Table - Tapered Legs**



**Wedge Table - Tapered Legs**



**Wedge Table - Spider Legs**

### MODEL # DIMENSIONS WT/LB. CUBIC FT. LIST PRICE

#### W x D x H


MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
B24WEF (HP)	63 x 24 x 28.7	54	6.6	<b>\$1208</b>
B30WEF (HP)	70 x 30 x 28.7	70	7.2	<b>\$1476</b>
B30WES (HP)	70 x 30 x 28.7	73	7.2	<b>\$1463</b>
B24WES (HP)	63 x 24 x 28.7	62	6.6	<b>\$1324</b>

Freestanding table includes four tapered legs with levelers and Bungee cords. When **(BB)** or **(BS)** edge option is specified, surface corners are radiused; when **(A3)** edge option is specified, surface corners are square. Each table can be "Bungee-tied" to other tables of the same depth. Shipped easy to assemble in 2 cartons. Modesty panels available, see page 52.


Freestanding table includes five tapered legs with levelers and Bungee cords. When **(BB)** or **(BS)** edge option is specified, surface corners are radiused; when **(A3)** edge option is specified, surface corners are square. Each table can be "Bungee-tied" to other tables of the same depth. Shipped easy to assemble in 2 cartons. Modesty panels available, see page 52.

Freestanding table includes two spider legs with levelers and Bungee cords. When **(BB)** or **(BS)** edge option is specified, surface corners are radiused; when **(A3)** edge option is specified, surface corners are square. Each table can be "Bungee-tied" to other tables of the same depth. Shipped easy to assemble in 2 cartons. Modesty panels available, see page 52.

### HALF MOON TABLES



**Half Moon Table - Tapered Legs**



**Half Moon Table - Tapered Legs**

MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
B2448HMF (HP)	48 x 24 x 28.7	110	7.75	<b>\$966</b>
B3060HMF (HP)	60 x 30 x 28.7	81	8.5	<b>\$1175</b>

Freestanding table includes four tapered legs with levelers and Bungee cords. When **(BB)** or **(BS)** edge option is specified, surface corners are radiused; when **(A3)** edge option is specified, surface corners are square. Each table can be "Bungee-tied" to other tables of the same depth. Shipped easy to assemble in 2 cartons.

Modesty panels or filler panels are NOT available.

- Available with optional locking casters, specify Black **(TBC)** or Tungsten **(TTC)**.

Freestanding table includes five tapered legs with levelers and Bungee cords. When **(BB)** or **(BS)** edge option is specified, surface corners are radiused; when **(A3)** edge option is specified, surface corners are square. Each table can be "Bungee-tied" to other tables of the same depth. Shipped easy to assemble in 2 cartons.

Modesty panels or filler panels are NOT available.

- Available with optional locking casters, specify Black **(TBC)** or Tungsten **(TTC)**.

#### Required specifications


Top finish  
Edge detail  
Leg finish


#### Optional specifications

Casters (only half moon tables)  
Grommet (only half moon tables)

#### Accessories

Power block (only position 2)


HALF MOON TABLES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
W x D x H					
	B2448HMS (HP)	48 x 24 x 28.7	67	9.25	\$1070
	B3060HMS (HP)	60 x 30 x 28.7	83	11.5	\$1295
Freestanding table includes two spider legs with levelers and Bungee cords. When <b>(BB)</b> or <b>(BS)</b> edge option is specified, surface corners are radiused; when <b>(A3)</b> edge option is specified, surface corners are square. Each table can be "Bungee-tied" to other tables of the same depth. Shipped easy to assemble in 2 cartons. Modesty panels or filler panels are NOT available.					
• Available with optional locking casters, specify Black <b>(TBC)</b> or Tungsten <b>(TTC)</b> .					

SQUARE TABLES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
	B3636SQF (HP)	36 x 36 x 28.7	78	8	\$1077
Freestanding table includes four tapered legs with levelers and Bungee cords. When <b>(BB)</b> or <b>(BS)</b> edge option is specified, surface corners are radiused; when <b>(A3)</b> edge option is specified, surface corners are square. Each table can be "Bungee-tied" to other tables of the same depth. Shipped easy to assemble in 2 cartons. Note: Square tables will NOT accept laminate modesty panels.					
• Available with optional locking casters, specify (Black <b>(TBC)</b> or Tungsten <b>(TTC)</b> ).					

Required specifications	Optional specifications
Top finish	Casters
Edge detail	Grommet*
Leg finish	

B BUNGEE™ TABLES


MODESTY PANELS - SQUARE	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD
-------------------------	---------	------------	--------	-----------	------------	--------



Modesty Panel - Square

	W x D x H					
BX36QMP	21 x 0.69 x 9.6	6	0.9	<b>\$97</b>	N/A	
BX42QMP	27 x 0.69 x 9.6	7	1.1	<b>\$101</b>	N/A	
BX48QMP	33 x 0.69 x 9.6	9	1.2	<b>\$109</b>	N/A	
BX60QMP	45 x 0.69 x 9.6	12	1.6	<b>\$117</b>	N/A	
BX66QMP	51 x 0.69 x 9.6	13	1.8	<b>\$123</b>	N/A	
BX72QMP	57 x 0.69 x 9.6	14	2	<b>\$127</b>	N/A	


For use on **rectangular** tables. Includes hinged mounting bracket.  
Available in standard line finishes. Edging only available in Silver (**SI**) or Black (**BK**). Please specify.  
• *Modesty panel model number indicates the width of table to be used on.*



Modesty Panel - Square

BXM60QMP	27 x 0.69 x 9.6	7	1.1	<b>\$101</b>	N/A	
BXM66QMP	33 x 0.69 x 9.6	9	1.2	<b>\$109</b>	N/A	
BXM72QMP	39 x 0.69 x 9.6	10	1.4	<b>\$113</b>	N/A	
BXL60QMP	21 x 0.69 x 9.6	6	0.9	<b>\$98</b>	N/A	
BXL66QMP	27 x 0.69 x 9.6	7	1.1	<b>\$101</b>	N/A	
BXL72QMP	33 x 0.69 x 9.6	9	1.2	<b>\$109</b>	N/A	

For use on **trapezoid** tables. Includes hinged mounting bracket. Intended for use on the short side of the table; may be used on long side but leaves a larger gap.  
Available in standard line finishes. Edging only available in Silver (**SI**) or Black (**BK**). Please specify.  
• *Modesty panel model number indicates the width of table to be used on.*  
• **Specify BXM models for 24"D tables and BXL models for 30"D tables.**




Modesty Panel - Square

BXWQMP	27 x 0.69 x 9.6	7	1.1	<b>\$101</b>	N/A	
--------	-----------------	---	-----	--------------	-----	--

For use on **wedge** tables. Includes hinged mounting bracket. Intended for use on the short side of the table.  
Available in standard line finishes. Edging only available in Silver (**SI**) or Black (**BK**). Please specify.


FILLER MODESTY PANELS						
-----------------------	--	--	--	--	--	--



Filler Modesty Panel - Straight

BSFMS	21 x 0.25 x 9	1	0.3	<b>\$98</b>	N/A	
-------	---------------	---	-----	-------------	-----	--

Used to fill the space between two **square** modesty panels where tables are linked in a straight configuration.  
Available in Silver (**SI**) or Black (**BK**). Please specify.



Filler Modesty Panel - Straight to Wedge

BSWFM	19.6 x 9 x 0.25	2	0.1	<b>\$127</b>	N/A	
-------	-----------------	---	-----	--------------	-----	--



Used to fill the space between a straight modesty panel and wedge table.  
Use for regular wedge table - tapered legs and flip-top wedge - spider legs.

Required specifications  
Finish



WIRE MANAGEMENT	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
	W x D x H				
	BWMS5	5 x 2 x 3.5	1	0.1	\$6
	BWMD22	22 x 2 x 3.5	1.5	0.1	\$15
<p>Wire Management - 5" / 22" Track</p> <p>Retrofittable track mounts to the underside of worksurface. Includes wire clamp that can route data and voice wires separately. Black only. There are no specifications for Wire Management.</p> <ul style="list-style-type: none"><li>• For a 5" track, order model <b>BWMS5</b> - includes one wire clamp.</li><li>• For a 22" track, order model <b>BWMD22</b> - includes two wire clamps.</li></ul>					

## B BUNGEE™ TABLES


### SPIDER LEG TABLES - FLIP-TOP




**Flip-Top Rectangular Table - Spider Legs\***



**Flip-Top Trapezoid Table - Spider Legs\***



**Flip-Top Keystone Table - Spider Legs**



**Flip-Top Wedge Table - Spider Legs\***

### MODEL # DIMENSIONS WT/LB. CUBIC FT. LIST PRICE

#### W x D x H

BX2442RES (HP)	42 x 24 x 29.2	66	20.75	<b>\$1606</b>
BX2448RES (HP)	48 x 24 x 29.2	72	23.5	<b>\$1622</b>
BX2460RES (HP)	60 x 24 x 29.2	84	29	<b>\$1694</b>
BX2466RES (HP)	66 x 24 x 29.2	97	31.75	<b>\$1761</b>
BX2472RES (HP)	72 x 24 x 29.2	102	34.75	<b>\$1796</b>

BX3042RES (HP)	42 x 30 x 29.2	73	25.5	<b>\$1663</b>
BX3048RES (HP)	48 x 30 x 29.2	79	28.75	<b>\$1682</b>
BX3060RES (HP)	60 x 30 x 29.2	94	35.75	<b>\$1774</b>
BX3066RES (HP)	66 x 30 x 29.2	106	39.25	<b>\$1859</b>
BX3072RES (HP)	72 x 30 x 29.2	112	42.5	<b>\$1893</b>

Table features a flip-top worksurface for ease of storage. When **(BB)** or **(BS)** edge option is specified, surface corners are radiused; when **(A3)** edge option is specified, surface corners are square. Single hand release mechanism can be activated from left or right side of the table. Tables can be nested when folded. Each table can be "Bungee-tied" to other tables of the same depth. Shipped in 1 carton. Folding modesty panels available, see page 55.

- **Tables 48" and longer connect in both straight and "L" configurations.**
- Standard with locking casters, specify Black **(TBC)** or Tungsten **(TTC)**.

BX2460TRS (HP)	60 x 24 x 29.2	69	29	<b>\$1594</b>
BX2466TRS (HP)	66 x 24 x 29.2	74	31.75	<b>\$1659</b>
BX2472TRS (HP)	72 x 24 x 29.2	80	34.75	<b>\$1680</b>

BX3060TRS (HP)	60 x 30 x 29.2	72	35.75	<b>\$1668</b>
BX3066TRS (HP)	66 x 30 x 29.2	78	39.25	<b>\$1751</b>
BX3072TRS (HP)	72 x 30 x 29.2	84	42.5	<b>\$1769</b>

Table features a flip-top worksurface for ease of storage. Bubble edge options **(BB)** or **(BS)** only apply (edge option **(A3)** is not applicable on trapezoid tables). Single hand release mechanism can be activated from left or right side of the table. Tables can be nested when folded. Each table can be "Bungee-tied" to other tables of the same depth. Shipped in 1 carton. Folding modesty panels available, see page 55.

- Standard with locking casters, specify Black **(TBC)** or Tungsten **(TTC)**.

BX24KSS (HP)	51 x 24 x 29.2	69	24.75	<b>\$1568</b>
BX30KSS (HP)	62 x 30 x 29.2	79	36.75	<b>\$1747</b>

Table features a flip-top worksurface for ease of storage. When **(BB)** or **(BS)** edge option is specified, surface corners are radiused; when **(A3)** edge option is specified, surface corners are square. Single hand release mechanism can be activated from left or right side of the table. Tables can be nested when folded. Each table can be "Bungee-tied" to other tables of the same depth. Shipped in 1 carton. Modesty panels or filler panels are NOT available.

- Standard with locking casters, specify Black **(TBC)** or Tungsten **(TTC)**.

BX24WES (HP)	63 x 24 x 29.2	76	33	<b>\$2031</b>
BX30WES (HP)	70 x 30 x 29.2	84	33	<b>\$2057</b>




Table features a flip-top worksurface for ease of storage. When **(BB)** or **(BS)** edge option is specified, surface corners are radiused; when **(A3)** edge option is specified, surface corners are square. Single hand release mechanism can be activated from left or right side of the table. Tables can be nested when folded. Each table can be "Bungee-tied" to other tables of the same depth. Shipped in 1 carton. Folding modesty panels available, see page 55.

- Standard with locking casters, specify Black **(TBC)** or Tungsten **(TTC)**.

#### Required specifications

Top finish\*  
Edge detail\*  
Leg finish\*


#### Optional specifications

Grommet\*  
Power block cut-out\*

#### Accessories

Power block\*

MODESTY PANELS - FLIP-TOP - SQUARE	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD
------------------------------------	---------	------------	--------	-----------	------------	--------




Modesty Panel - Square

	W x D x H				
BX36QMP	21 x 0.69 x 9.6	6	0.9	\$97	
BX42QMP	27 x 0.69 x 9.6	7	1.1	\$101	
BX48QMP	33 x 0.69 x 9.6	9	1.2	\$109	
BX60QMP	45 x 0.69 x 9.6	12	1.6	\$117	
BX66QMP	51 x 0.69 x 9.6	13	1.8	\$123	
BX72QMP	57 x 0.69 x 9.6	14	2	\$127	

For use on **flip-top rectangular tables**. Includes hinged mounting bracket.  
Available in standard line finishes. Edging only available in Silver **(SI)** or Black **(BK)**. Please specify.

- Modesty panel model number indicates the width of table to be used on.




Modesty Panel - Square

BXM60QMP	27 x 0.69 x 9.6	7	1.1	\$101	
BXM66QMP	33 x 0.69 x 9.6	9	1.2	\$109	
BXM72QMP	39 x 0.69 x 9.6	10	1.4	\$113	
BXL60QMP	21 x 0.69 x 9.6	6	0.9	\$98	
BXL66QMP	27 x 0.69 x 9.6	7	1.1	\$101	
BXL72QMP	33 x 0.69 x 9.6	9	1.2	\$109	

For use on **flip-top trapezoid tables**. Includes hinged mounting bracket. Intended for use on the short side of the table; may be used on long side but leaves a larger gap.  
Available in standard line finishes. Edging only available in Silver **(SI)** or Black **(BK)**. Please specify.

- Modesty panel model number indicates the width of table to be used on.



Modesty Panel - Square

BXWQMP	27 x 0.69 x 9.6	7	1.1	\$101	
--------	-----------------	---	-----	-------	--

For use on **flip-top wedge tables**. Includes hinged mounting bracket. Intended for use on the short side of the table.  
Available in standard line finishes. Edging only available in Silver **(SI)** or Black **(BK)**. Please specify.

- Modesty panel model number indicates the width of table to be used on.

**Required specifications**  
Modesty panel finish  
Edge finish





Designed by Zoey Chu, Junction provides an affordable solution for your table applications. Choose from a variety of table top designs: rectangular, half round, trapezoid and keystone to create a unique table for your boardroom, classroom or presentation room application.

A freestanding or shared leg configuration with the unique “Y” leg allows you to either create a permanent table or one that can be reconfigured quickly and easily. A straight leg is available for use with half round and keystone tops.

Shared leg configurations allow more legroom and can also decrease cost because they use fewer components. Freestanding configurations provide more flexibility for changing environments.

#### Features and Benefits

- Tops are 1” thick and constructed of 45 lb. density particle board.
- 2mm matching edge is standard.
- Optional radius corners (**RM**) available at no upcharge.
- Optional modesty panel with integrated wire trough available.
- Casters available with or without manual locks provide mobility.
- Black grommets for convenient wire management can be ordered factory installed.
- Optional, easy-to-use thumbscrews allow installation without tools.
- Junction tops are available in Global laminate finishes with two leg options.



Y leg design.



Modesty panel.



Shared leg configuration provides more legroom and decreases the overall costs.

## GENERAL INFORMATION

- Junction is a series of multi-purpose tables for classroom, training room and boardroom applications.
- Unique design by Zooey Chu.
- Half round, trapezoid and keystone tops are available to create a variety of package configurations.
- Rectangular tops are available in 24" and 30" depths.
- Optional modesty panels with integrated wire troughs are available.
- Optional large electrical manager provides a safe environment for equipment wires.
- Shipped easy to assemble. Each component is packaged individually; legs are shipped 1 per carton.
- For environmental certifications, please visit [globalfurnituregroup.com](http://globalfurnituregroup.com).

## WORKSURFACES

- Tops are 1" thick, made of 45 lb. density particle board.
- Laminate finishes are high pressure.

## CONSTRUCTION

- Rectangular tops 54" in length and longer include a steel support channel for structural rigidity.
- Tops are predrilled with threaded steel inserts.
- Adjustable levelers offer up to 1" adjustability.

## EDGE DETAIL

- Global's preferred matching edge is standard.
- Optional radius corners (**RM**) are available on rectangular tops at no upcharge.

## LEGS

- Unique Y design.
- Straight leg available for assembly with half round tops and keystone tops.
- Heavy duty steel construction.
- Coated with environmentally friendly recycled paint that provides a durable finish.
- Black plastic leveling glides offer  $\frac{5}{8}$ " adjustability.
- Available in Black (**TBL**), Cloud (**TIV**), Designer White (**TDW**), Fog (**TFO**), Frost (**TFR**), Kalua (**TKA**), Latte (**TLA**), Mocha (**TMO**), Nevada (**TNE**), Sand (**TSN**), Shadow (**TSH**), Toast (**TOA**) or Tungsten (**TTU**) finish.
- Y legs: 21.5" leg span - 24"D top, 24.5" leg span - 30"D top.

## CASTERS

- Optional casters are available.
- 1.5" dual wheel casters with or without manual lock. Full 360° swivel.
- Can be used in any combination with or without standard glides.
- Suggested for carpeted surfaces.
- Available in Black only.
- Sold in packages of two.

## GANGING

- Ganging plates are available for ganging workstations together.
- Ganging plates are Black epoxy coated steel plates with two thumbscrews.
- Provides maximum stability and torque reduction.

## WIRE MANAGEMENT

- Available for managing additional larger wires and power connectors.
- 3.5" high x 4.25" deep Black PVC channel attaches to the underside of top.

## SPECIFICATIONS

- Specifications marked with an \* are applicable to only those products which have the\* symbol beside the product name.

## 1. SPECIFY MODEL NUMBER

## 2. SPECIFY FINISH

### Laminate Finishes:

<b>ACJ</b>	Absolute Acajou	<b>FCL</b>	First Class
<b>ASN</b>	Asian Night	<b>NBL</b>	Noce Biondo
<b>AWC</b>	Avant Cherry	<b>NGL</b>	Noce Grigio
<b>AWH</b>	Avant Honey	<b>NEL</b>	Noce Leggero
<b>BLK</b>	Black	<b>NML</b>	Noce Medio
<b>BZD</b>	Blizzard	<b>QTM</b>	Quartered Mahogany
<b>BRC</b>	Brushed Cobalt	<b>SBY</b>	Sheer Beauty
<b>CMB</b>	Clear Maple	<b>SDT</b>	Stonedust
<b>CGY</b>	Custom Grey	<b>SOG</b>	Storm Grey
<b>DES</b>	Dark Espresso	<b>WHE</b>	Walnut Heights
<b>DWT</b>	Designer White	<b>WHC</b>	White Chocolate
<b>FAS</b>	Fashionista	<b>WCR</b>	Winter Cherry

### Legs:

<b>TBL</b>	Black	<b>TMO</b>	Mocha
<b>TIV</b>	Cloud	<b>TNE</b>	Nevada
<b>TDW</b>	Designer White	<b>TSN</b>	Sand
<b>TFO</b>	Fog	<b>TSH</b>	Shadow
<b>TFR</b>	Frost	<b>TOA</b>	Toast
<b>TKA</b>	Kalua	<b>TTU</b>	Tungsten
<b>TLA</b>	Latte		


## 3. SPECIFY OPTIONS

### MODESTY PANELS

- 11.25" high panel attaches to the underside of worksurface top.
- Standard with integrated wire trough.
- Available in Black PVC.





### GROMMETS

- Grommets are available in **rectangular and trapezoid** tops (left, center or right). See below for available locations. Order as: **FOG1, FOG2** or **FOG3**. Add **\$91**. For **keystone** worksurface locations, order as **FOG2**. Add **\$91**.
- Grommet hole dimensions are 3.25" wide x 1.875" deep.







- Grommets may be placed at non-standard locations. Order as: **CSG**. Add **\$132**. A drawing must be supplied with vertical and horizontal dimensions to the center of the cut-out (as in drawing above). Please refer to the **custom grommet location form** in the back reference section.

### EXAMPLES OF GROMMET AND POWER BLOCK POSITIONS



### MODPOWER DAISY CHAIN SOLUTION

- Add flexible power and USB charging to Junction **rectangular tables** only. Connect up to four units with a single corded infeed with NEMA plug.
- ModPower units are sold separately, refer to Productivity Solutions page 88.
- Begin run with a starter unit which includes a corded infeed. Add additional middle or end units as required. Middle and end units are equipped with connecting cables.
- On-surface modules clamp on or screw mount to the table tops.
- In-surface modules require table top cut-outs for mounting (cannot be used with modesties). Specify cut-out option:
  - **MPS** for a single cut-out to accommodate one ModPower in-surface unit (cut-out will be centered on the approach side) for **30" to 72" wide rectangular tables**. Add **\$91**.
  - **MPD** for two cut-outs in the left and right positions, 15" from ends to center of unit on approach side for 60", 66" and 72" wide rectangular tables. Add **\$183**.

RECTANGULAR TOPS		MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
 <p><b>Rectangular Top*</b></p>		W x D x H				
		JNR2442 (HP)	42 x 24 x 1	31	1.25	<b>\$315</b>
		JNR2448 (HP)	48 x 24 x 1	35	1.4	<b>\$340.50</b>
		JNRU2454 (HP)	54 x 24 x 1	42	1.52	<b>\$475.50</b>
		JNRU2460 (HP)	60 x 24 x 1	47	1.67	<b>\$505.50</b>
		JNRU2466 (HP)	66 x 24 x 1	52	1.82	<b>\$547.50</b>
		JNRU2472 (HP)	72 x 24 x 1	57	2	<b>\$585</b>
		JNR3042 (HP)	42 x 30 x 1	38	1.51	<b>\$372</b>
		JNR3048 (HP)	48 x 30 x 1	44	1.7	<b>\$405</b>
		JNRU3054 (HP)	54 x 30 x 1	52	1.9	<b>\$543</b>
		JNRU3060 (HP)	60 x 30 x 1	59	2.1	<b>\$579</b>
		JNRU3066 (HP)	66 x 30 x 1	64	2.26	<b>\$622.50</b>
		JNRU3072 (HP)	72 x 30 x 1	70	2.5	<b>\$663</b>
		Predrilled with threaded steel inserts for freestanding and linking installations. <b>Tops 54" and longer are standard with a 16 gauge steel support channel.</b>				
HALF ROUND TOPS		MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
 <p><b>Half Round Top</b></p>		JNHFS2448 (HP)	48 x 24 x 1	34	1.4	<b>\$375</b>
		JNHFS2454 (HP)	54 x 27 x 1	38.25	1.52	<b>\$472.50</b>
		JNHFS3060 (HP)	60 x 30 x 1	53	1.67	<b>\$502.50</b>
		JNHFS3066 (HP)	66 x 33 x 1	58.3	1.82	<b>\$646.50</b>
		Predrilled with threaded steel inserts for freestanding and linking installations. Four legs are required for freestanding configurations.				
		<ul style="list-style-type: none"> <li>• <b>JNHFS2448/JNHFS2454</b> for use with 24" deep joining edge.</li> <li>• <b>JNHFS3060/JNHFS3066</b> for use with 30" deep joining edge.</li> </ul>				
TRAPEZOID TOPS		MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
 <p><b>Trapezoid Top</b></p>		JNTT2448 (HP)	48 x 20.5 x 1	33	1.4	<b>\$358.50</b>
		JNTT2460 (HP)	60 x 20.5 x 1	41.25	1.67	<b>\$435</b>
		JNTT3060 (HP)	60 x 25.75 x 1	50.5	2.1	<b>\$471</b>
		JNTT3072 (HP)	72 x 25.75 x 1	61	2.5	<b>\$537</b>
		Predrilled with threaded steel inserts for freestanding and linking installations.				
		<ul style="list-style-type: none"> <li>• <b>JNTT2448/JNTT2460</b> for use with 24" deep joining edge.</li> <li>• <b>JNTT3060/JNTT3072</b> for use with 30" deep joining edge.</li> </ul>				
KEYSTONE TOPS		MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
 <p><b>Keystone Top*</b></p>		JN5S2424 (HP)	42 x 24 x 1	35	1.4	<b>\$405</b>
		JN5S3030 (HP)	54 x 30 x 1	53	2.1	<b>\$517.50</b>
		Predrilled with threaded steel inserts for freestanding and linking installations. Three legs are required for freestanding configurations.				
		<ul style="list-style-type: none"> <li>• <b>JN5S2424</b> for use with 24" deep joining edge.</li> <li>• <b>JN5S3030</b> for use with 30" deep joining edge.</li> </ul>				

**Required specifications**  
Finish

**Optional specifications**  
Grommet\*

**Accessories**  
Power block\*

MODESTY PANELS


MODEL #

DIMENSIONS

WT/LB.

CUBIC FT.

LIST PRICE



Modesty Panel

	W x D x H				
JNMP42	29.19 x 6.92 x 11.25	3.7	1.5		\$186
JNMP48	35.19 x 6.92 x 11.25	4.5	1.75		\$210
JNMP54	41.19 x 6.92 x 11.25	5	2		\$234
JNMP60	47.19 x 6.92 x 11.25	5.9	2.25		\$260
JNMP66	53.19 x 6.92 x 11.25	6.6	2.5		\$274
JNMP72	59.19 x 6.92 x 11.25	7.4	2.75		\$300

For use with **JNR rectangular tops**. 11.25" high, Black plastic, attractive ribbed design. Includes integrated wire trough. Connects to predrilled holes in table top.

WIRE MANAGEMENT



Wire Manager

JNEC5S	12.5 x 4.14 x 3.63	1	0.1		\$46
--------	--------------------	---	-----	--	------




For use with **JN5S keystone**. For managing additional wires and power connectors. 3.5" high Black PVC channel connects to predrilled holes in table top.






Wire Manager

JNEC42	41.75 x 4.14 x 3.63	2.52	0.33		\$117
JNEC48	47.75 x 4.14 x 3.63	2.88	0.38		\$139
JNEC54	53.75 x 4.14 x 3.63	3.24	0.43		\$153
JNEC60	59.75 x 4.14 x 3.63	3.6	0.48		\$172
JNEC66	65.75 x 4.14 x 3.63	3.96	0.53		\$172
JNEC72	71.75 x 4.14 x 3.63	4.32	0.58		\$234

For use with **JNR rectangular tops**. For managing additional wires and power connectors. 3.5" high Black PVC channel connects to predrilled holes in the table top.

LEGS	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
 <p><b>"Y" Leg</b></p>	<b>W x D x H</b>				
	JNLEG24	2 x 21.5 x 27.3	10	2.5	<b>\$170</b>
	<p>Leg span is 21.5". Leveling glides are standard. <b>For assembly with 24" deep tops.</b></p> <ul style="list-style-type: none"> <li>List price is per each leg.</li> <li>See page 58 for available finishes.</li> </ul>				
 <p><b>"Y" Leg</b></p>	JNLEG30	2 x 24.5 x 27.3	11	2.85	<b>\$187</b>
	<p>Leg span is 24.5". Leveling glides are standard. <b>For assembly with 30" deep tops.</b></p> <ul style="list-style-type: none"> <li>List price is per each leg.</li> <li>See page 58 for available finishes.</li> </ul>				
 <p><b>Straight Leg</b></p>	JNLEG	2 x 1 x 27.3	6	1.3	<b>\$155</b>
	<p>Leveling glides are standard. <b>For assembly with half round and keystone tops.</b> Mounting plate is 11" deep by 5" wide.</p> <ul style="list-style-type: none"> <li>List price is per each leg.</li> <li>See page 58 for available finishes.</li> </ul>				

**Required specifications**  
Finish (not JNECTxxxx)

CASTERS		MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
		W x D x H				
		JNCP	- x - x 1.5	-	-	\$30
<b>Casters</b>		<p><b>Set of 2</b> - 1.5" dual wheel casters, one locking. Suggested for carpeted surfaces. Casters are fully interchangeable with glides. Black only.</p> <ul style="list-style-type: none"><li>• For use with Junction units only.</li><li>• Casters DO NOT affect table height.</li></ul>				
ACCESSORIES						
		JNTS	1.25 x 1.25 x 1.5	-	-	\$17
		<p>Triangular thumbscrew with 0.75" steel thread. Set of 4. Can be used in place of factory supplied screws to allow installation of "Y" legs to tops without tools. Black only.</p>				
		JNGFP	2.5 x 5 x 1.13	0.2	0.1	\$28
		<p>Black epoxy coated steel plates with 2 thumbscrews included. Used to connect table tops together for additional stability or for connecting freestanding tops together. Holes with steel inserts are located in the corner of the tops to accommodate this plate. Sold individually.</p>				
<b>Ganging Flush Plate</b>						


# tables

## reception and occasional



Citi

64



Occasional tables

65



River+

67



Sirena

69




Soda

70



Wind

71





CITI TABLES


Notes:

- Citi tables complement the contemporary timeless decor of many offices.
- Legs are **standard** in Tungsten (**TTU**) and also available in Black (**TBL**) finish at no upcharge. A Chrome (**CHM**) finish is available. **Add \$68.**
- Table tops are available in either tempered glass or laminate.
- Citi tables are offered in the following finishes to coordinate with Global casegoods and wood seating:

<b>ACJ</b>	Absolute Acajou	<b>FCL</b>	First Class
<b>ASN</b>	Asian Night	<b>NBL</b>	Noce Biondo
<b>AWC</b>	Avant Cherry	<b>NGL</b>	Noce Grigio
<b>AWH</b>	Avant Honey	<b>NEL</b>	Noce Leggero
<b>BLK</b>	Black	<b>NML</b>	Noce Medio
<b>BZD</b>	Blizzard	<b>QTM</b>	Quartered Mahogany
<b>BRC</b>	Brushed Cobalt	<b>SBY</b>	Sheer Beauty
<b>CMB</b>	Clear Maple	<b>SDT</b>	Stonedust
<b>CGY</b>	Custom Grey	<b>SOG</b>	Storm Grey
<b>DES</b>	Dark Espresso	<b>WHE</b>	Walnut Heights
<b>DWT</b>	Designer White	<b>WHC</b>	White Chocolate
<b>FAS</b>	Fashionista	<b>WCR</b>	Winter Cherry

CITI TABLES


MODEL #      DIMENSIONS      WT/LB.      CUBIC FT.      LIST PRICE



End Table

W x D x H				
7885 (laminate top)	20 x 24 x 20	45	6	\$715
7886 (glass top)	20 x 24 x 20	52	6	\$934


Metal tubular legs. Laminate or tempered glass tops available. Shipped assembled in 1 carton.



Coffee Table - Rectangular

7887 (laminate top)	40 x 20 x 15	50	6.5	<b>\$747</b>
7888 (glass top)	40 x 20 x 15	65	6.5	

Metal tubular legs. Laminate or tempered glass tops available. Shipped assembled in 1 carton.



Coffee Table - Square

7889	33 x 33 x 15	80	8.75	<b>\$1283</b>
(glass top)				

Metal tubular legs. Tempered glass top. Shipped assembled in 1 carton.

Required specifications

Top finish  
Leg finish




## CYLINDER AND CUBE OCCASIONAL TABLES

## Notes:

- High pressure laminate exterior with adjustable plastic glides.
- Premium cylinder tables have a flexible plywood core construction ideal for institutional and high traffic environments.
- Ideal for reception areas - colors coordinate with all Global desks, conference tables and accessories.
- Shipped assembled in 1 carton.
- WT/LB. are shipping weights.
- Available to either match or coordinate with most Global laminate desk series. Available finishes:

**ACJ** Absolute Acajou  
**ASN** Asian Night  
**AWC** Avant Cherry  
**AWH** Avant Honey  
**BLK** Black  
**BZD** Blizzard  
**BRC** Brushed Cobalt  
**CMB** Clear Maple  
**CGY** Custom Grey  
**DES** Dark Espresso  
**DWT** Designer White  
**FAS** Fashionista

**FCL** First Class  
**NBL** Noce Biondo  
**NGL** Noce Grigio  
**NEL** Noce Leggero  
**NML** Noce Medio  
**QTM** Quartered Mahogany  
**SBY** Sheer Beauty  
**SDT** Stonedust  
**SGG** Storm Grey  
**WHE** Walnut Heights  
**WHC** White Chocolate  
**WCR** Winter Cherry


CYLINDER AND CUBE OCCASIONAL TABLES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
 <p><b>Premium Cylinder Tables</b></p>	W x D x H				
	CPFD1816	18 x - x 16	23	6.5	<b>\$832</b>
	CPFD1821	18 x - x 21	26.5	8	<b>\$856</b>
	CPFD2416	24 x - x 16	32.5	11	<b>\$865</b>
	CPFD2421	24 x - x 21	35	12.5	<b>\$886</b>
	CPFD3016	30 x - x 16	45.5	15.5	<b>\$1024</b>
	CPFD3021	30 x - x 21	48	17	<b>\$1079</b>
<sup>11</sup> / <sub>32</sub> " thick flexible plywood covered in high pressure laminate. Adjustable plastic glides. <b>Flush base.</b>					
 <p><b>Premium Plinth Cylinder Tables</b></p>	CPPD1816	18 x - x 16	27.5	6.5	<b>\$877</b>
	CPPD1821	18 x - x 21	31	8	<b>\$898</b>
	CPPD2416	24 x - x 16	38.7	11	<b>\$908</b>
	CPPD2421	24 x - x 21	41.2	12.5	<b>\$931</b>
	CPPD3016	30 x - x 16	54.5	15.5	<b>\$1038</b>
	CPPD3021	30 x - x 21	57	17	<b>\$1138</b>
	<sup>11</sup> / <sub>32</sub> " thick flexible plywood covered in high pressure laminate. Adjustable plastic glides. <b>Recessed base.</b>				
 <p><b>Cube Table</b></p>	CU1816	18 x 18 x 16	26	3.3	<b>\$502</b>
	CU1821	18 x 18 x 21	30	4	<b>\$544</b>
	CU2416	24 x 24 x 16	38	6	<b>\$526</b>
	CU2421	24 x 24 x 21	43.5	7	<b>\$569</b>
	CU3016	30 x 30 x 16	50.8	6.5	<b>\$553</b>
	CU3021	30 x 30 x 21	57.5	8	<b>\$595</b>
	0.75" thick plywood covered in high pressure laminate. Adjustable plastic glides. <b>Flush base.</b>				

## Required specifications


Finish

0 OCCASIONAL TABLES


CYLINDER AND CUBE OCCASIONAL TABLES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
-------------------------------------	---------	------------	--------	-----------	------------

	W x D x H				
	CUP1816	18 x 18 x 16	28	3	\$545
	CUP1821	18 x 18 x 21	33.5	4	\$586
	CUP2416	24 x 24 x 16	41.5	6	\$573
	CUP2421	24 x 24 x 21	48	7	\$615
	CUP3016	30 x 30 x 16	53.8	6.5	\$638
	CUP3021	30 x 30 x 21	62.3	8	\$695
	0.75" thick plywood covered in high pressure laminate. Adjustable plastic glides. <b>Recessed base.</b>				

Plinth Cube Table

	CY1816	18 x - x 16	21	3.3	\$465
	CY1821	18 x - x 21	27	4.3	\$512
	CY2416	24 x - x 16	33	6	\$485
	CY2421	24 x - x 21	39	7	\$526
	CY3016	30 x - x 16	44.5	8	\$573
	CY3021	30 x - x 21	52.7	11	\$616
	0.375" thick foundation board covered in high pressure laminate. Adjustable plastic glides. <b>Flush base.</b>				

Cylinder Table

	CYP1816	18 x - x 16	26.5	3.3	\$502
	CYP1821	18 x - x 21	32	4.3	\$545
	CYP2416	24 x - x 16	40	6	\$522
	CYP2421	24 x - x 21	46	7	\$564
	CYP3016	30 x - x 16	52.3	8	\$614
	CYP3021	30 x - x 21	60.5	11	\$654
	0.375" thick foundation board covered in high pressure laminate. Adjustable plastic glides. <b>Recessed base.</b>				

Plinth Cylinder Table

Required specifications  
Finish

RIVER+ TABLES

Notes:

- River+ tables are made with high pressure laminate and are offered in following finishes to coordinate with Global casegoods and wood seating:

ACJ

Absolute Acajou

ASN

Asian Night

AWC

Avant Cherry

AWH

Avant Honey

BLK

Black

BZD

Blizzard

BRC

Brushed Cobalt

CMB

Clear Maple

CGY

Custom Grey

DES

Dark Espresso

DWT

Designer White

FAS

Fashionista

FCL

First Class

NBL

Noce Biondo

NGL

Noce Grigio

NEL

Noce Leggero

NML

Noce Medio

QTM

Quartered Mahogany

SBY

Sheer Beauty

SDT

Stonedust

SOG

Storm Grey

WHE

Walnut Heights

WHC

White Chocolate

WCR

Winter Cherry
- Legs are straight as standard in Chrome (**CHM**) with Black non-marking height adjustable glides.
- Legs are also available in the following finishes: Black (**TBL**), Cloud (**TIV**), Designer White (**TDW**), Fog (**TFO**), Frost (**TFR**), Kalua (**TKA**), Latte (**TLA**), Mocha (**TMO**), Nevada (**TNE**), Sand (**TSN**), Shadow (**TSH**), Toast (**TOA**) and Tungsten (**TTU**). No upcharge. Please specify.
- The unique tapered legs are made of welded steel, with each leg bolted directly to the unit frame. All units have the same standard leg height of 6.5". The leg height makes it easier to clean under the product. Legs are also available in 3" and 8" heights. All heights are available with fixed-to-floor option. Please specify:

(S6) Standard height (6.5") w/adjustable glides. No upcharge.

(S3) Low (3") w/adjustable glides. No upcharge.

(S8) High (8") w/adjustable glides. No upcharge.


(F6) Standard height (6.5"), fixed to floor. Add \$90.


(F3) Low (3"), fixed to floor. Add \$90.

(F8) High (8"), fixed to floor. Add \$90.
- Products can be weighted to reduce the ease of movement. For additional weight options, please specify (**CW**) - see each model for available additional weight and upcharge.
- Tables can be specified with power/USB units, which include one power outlets, one double USB terminals and a Black 120" 3-prong power cord in predetermined locations - **E1**, **E2**, **F3** or **T1** as shown in the electrical illustrations below. Electrical units must be factory installed. Add \$881 per unit.
- Power/USB units are available with either Jet Black (**J**) face plate with Black power/USB receptacles or with a White (**W**) face plate with White power/USB receptacles.
- Tamperproof fasteners (**TP**) are available. Please specify. Add \$119.
- Refer to the Seating price list, under lounge seating for the full range of River+ products available.

ELECTRICAL PLACEMENT







Coffee Tables



RIVER+ TABLES	MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
<div></div> <div>24" Square Laminate Coffee Table</div>		W x D x H			
	R27855	24 x 24 x 17	40	10.7	\$1329
Freestanding unit only. For additional weight, please specify ( <b>CW</b> ). Add \$533 for 36 lbs. Power/USB units can be specified in position F3 or T1 only. Add \$881.					

Required specifications	Optional specifications
Top finish	Power/USB finish
Leg finish/height	Power/USB location
	Tamperproof

R RIVER+ TABLES

RIVER+ TABLES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
 <b>30" Square Laminate Coffee Table</b>   <b>36" Square Laminate Coffee Table</b>   <b>42" Square Laminate Coffee Table</b>   <b>Rectangular Laminate Coffee Table</b>   <b>36" Dia. Round Laminate Coffee Table</b>   <b>42" Dia. Round Laminate Coffee Table</b>	W x D x H				
	R27856	30 x 30 x 17	53	15.3	<b>\$1392</b>
	Freestanding unit only. For additional weight, please specify (CW). <b>Add \$400</b> for 27 lbs. Power/USB units can be specified in position F3 or T1 only. <b>Add \$881.</b>				
	R27857	36 x 36 x 17	75	20.6	<b>\$1541</b>
	Freestanding unit only. No additional weight is required. Power/USB units can be specified in position F3 or T1 only. <b>Add \$881.</b>				
	R27858	42 x 42 x 17	115	26.7	<b>\$1706</b>
	Freestanding unit only. No additional weight is required. Power/USB units can be specified in position F3 or T1 only. <b>Add \$881.</b>				
	R27859	40 x 20 x 17	55	14.2	<b>\$1400</b>
	Freestanding unit only. For additional weight, please specify (CW). <b>Add \$267</b> for 18 lbs. Power/USB units can be specified in position E1, E2 or T1 only. <b>Add \$881.</b>				
	R27860	36 x 36 x 17	63	15.3	<b>\$1729</b>
	Freestanding unit only. For additional weight, please specify (CW). <b>Add \$267</b> for 18 lbs. Power/USB units can be specified in position T1 only. <b>Add \$881.</b>				
	R27861	42 x 42 x 17	85	20.6	<b>\$1889</b>
	Freestanding unit only. No additional weight is required. Power/USB units can be specified in position T1 only. <b>Add \$881.</b>				

<b>Required specifications</b>	<b>Optional specifications</b>
Top finish	Power/USB finish
Leg finish/height	Power/USB location
	Tamperproof


## SIRENA TABLES

## Notes:

- Modern tables for reception areas, meeting rooms, and private office use.
- Sirena tables are offered in the following finishes to coordinate with Global casegoods and wood seating:

<b>ACJ</b>	Absolute Acajou	<b>FCL</b>	First Class
<b>ASN</b>	Asian Night	<b>NBL</b>	Noce Biondo
<b>AWC</b>	Avant Cherry	<b>NGL</b>	Noce Grigio
<b>AWH</b>	Avant Honey	<b>NEL</b>	Noce Leggero
<b>BLK</b>	Black	<b>NML</b>	Noce Medio
<b>BZD</b>	Blizzard	<b>QTM</b>	Quartered Mahogany
<b>CMB</b>	Clear Maple	<b>SBY</b>	Sheer Beauty
<b>CGY</b>	Custom Grey	<b>SDT</b>	Stonedust
<b>DES</b>	Dark Espresso	<b>WHE</b>	Walnut Heights
<b>DWT</b>	Designer White	<b>WHC</b>	White Chocolate
<b>FAS</b>	Fashionista	<b>WCR</b>	Winter Cherry

- Laminate tops are 1" thick to coordinate with Global casegoods and wood seating.
- Table legs are available in Black (**TBL**) or Tungsten (**TTU**) at no upcharge. Not available in Chrome.
- Legs are 1.5" steel tubing, tapered toward the bottom of the leg to 0.875", equipped with self-leveling pivoting steel glide.

SIRENA TABLES	MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
 <p><b>Coffee Table</b></p>		<b>W x D x H</b>			
	3400	48 x 22 x 14.5	44	17.25	<b>\$1214</b>
	(laminated top)				
	Rectangle coffee table.				

**Required specifications**

Top finish

Leg finish



S SODA TABLES

SODA TABLES

Notes:

- 1" thick thermally fused laminate top surface with 2mm matching edgeband.
- Tables are standard with a Chrome frame with clear polycarbonate glides and are suitable for carpet, rubber or concrete flooring.
- Meets applicable ANSI/BIFMA standards.
- Soda tables are offered in the following finishes to coordinate with Global casegoods and wood seating:

<b>ACJ</b>	Absolute Acajou	<b>NBL</b>	Noce Biondo
<b>ASN</b>	Asian Night	<b>NGL</b>	Noce Grigio
<b>AWC</b>	Avant Cherry	<b>NEL</b>	Noce Leggero
<b>AWH</b>	Avant Honey	<b>NML</b>	Noce Medio
<b>CMB</b>	Clear Maple	<b>WHC</b>	White Chocolate
<b>DES</b>	Dark Espresso	<b>WCR</b>	Winter Cherry
<b>DWT</b>	Designer White		

SODA TABLES	MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
 30" Round Table		W x D x H			
	MVL13016	30 x 30 x 15.25	40	13	\$445
Shipped assembled in 1 carton.					
 30" Square Table	MVL13023	30 x 30 x 15.25	45	13	\$445
Shipped assembled in 1 carton.					






WIND TABLES

Notes:

- Wind tables complement the modern decor of many offices.
- Legs are standard in Chrome (**CHM**). Also available in Black (**TBL**), Shadow (**TSH**) or Tungsten (**TTU**) finish at no upcharge.
- 1" laminate tops are offered in the following finishes to coordinate with Global casegoods and wood seating:

<b>ACJ</b>	Absolute Acajou	<b>FCL</b>	First Class
<b>ASN</b>	Asian Night	<b>NBL</b>	Noce Biondo
<b>AWC</b>	Avant Cherry	<b>NGL</b>	Noce Grigio
<b>AWH</b>	Avant Honey	<b>NEL</b>	Noce Leggero
<b>BLK</b>	Black	<b>NML</b>	Noce Medio
<b>BZD</b>	Blizzard	<b>QTM</b>	Quartered Mahogany
<b>BRC</b>	Brushed Cobalt	<b>SBY</b>	Sheer Beauty
<b>CMB</b>	Clear Maple	<b>SDT</b>	Stonedust
<b>CGY</b>	Custom Grey	<b>SGG</b>	Storm Grey
<b>DES</b>	Dark Espresso	<b>WHE</b>	Walnut Heights
<b>DWT</b>	Designer White	<b>WHC</b>	White Chocolate
<b>FAS</b>	Fashionista	<b>WCR</b>	Winter Cherry



- High pressure laminate (**HPL**) tops are available at a 20% upcharge for models 3366, 3367, 3368, 3870 and 3871. Please specify HPL in addition to the finish. HPL not available for models 3878, 3879 and 3880.

WIND TABLES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
 <b>End Table</b>   <b>Rectangular Coffee Table</b>   <b>Square Coffee Table</b>   <b>Round Table</b>   <b>Round Coffee Table</b>	W x D x H				
	3366 (laminate top)	24 x 24 x 17	24	11.5	<b>\$661</b>
	Steel tubular base. Tops are available with a laminate finish. Shipped assembled in 1 carton.				
	3367 (laminate top)	48 x 20 x 15	39	16	<b>\$886</b>
	Steel tubular base. Tops are available with a laminate finish. Shipped assembled in 1 carton.				
	3368 (laminate top)	36 x 36 x 15	50	22	<b>\$1214</b>
	Steel tubular base. Tops are available with a laminate finish. Shipped assembled in 1 carton.				
	3870 (laminate top)	24 x 24 x 17	30	11.5	<b>\$721</b>
	Steel tubular base. Tops are available with a laminate finish. Shipped assembled in 1 carton.				
	3871 (laminate top)	36 x 36 x 15	50	22	<b>\$1115</b>
	Steel tubular base. Tops are available with a laminate finish. Shipped assembled in 1 carton.				

<b>Required specifications</b>	<b>Optional specifications</b>
Top finish	Edge detail Leg finish



W WIND TABLES

WIND TABLES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
<div></div> <div>Freestanding Rectangular End Table</div>	W x D x H				
	3878	20 x 25 x 16	30	11.5	\$1112
<div></div> <div>Freestanding Corner Table</div>					
	3879	25 x 25 x 16	32	11.5	\$1241

Required specifications	Optional specifications
Top finish	Edge detail
	Leg finish



Productivity Solutions 74



Newland 92



Productivity Solutions by Global is a comprehensive series of ergonomically sound products, naturally connecting people with technology to enhance comfort and productivity. Designed to fit you and your technology and fully integrate with Global products to create complete office solutions that meet the needs of today's diverse workplaces.

Designed with human capabilities and comfort in mind, Productivity Solutions by Global provide a good fit for today's workers and meet or exceed ergonomics standards, guidelines and ANSI/BIFMA standards for performance, durability and safety.

FIT = move + match + support

#### Features and Benefits

- Electric height adjustable table with 18.51" height range.
- Manual height adjustable table has counterbalanced spring mechanism.
- Five keyboard support mechanisms.
- Four keyboard trays.
- New monitor arm options.
- Wire management and power/data options.
- For environmental certifications, please visit [globalfurnituregroup.com](http://globalfurnituregroup.com).



Monitor arm



Power/data module



Lift-N-lock keyboard mechanism



Manual height adjustable desk

## MANUAL HEIGHT ADJUSTABLE TABLES

- Manually operated height adjustable tables with counterbalanced spring mechanism.
- Exceptional ergonomic alternative to traditional deskling.
- Sit-stand design promotes increased circulation, improving performance and comfort.
- Can be used alone or in conjunction with Global deskling products.
- Tops and bases sold separately.

**Please note:** Global desk tops are 1”.

### TOP FINISHES

<b>ACJ</b>	Absolute Acajou	<b>FCL</b>	First Class
<b>ASN</b>	Asian Night	<b>NBL</b>	Noce Biondo
<b>AWC</b>	Avant Cherry	<b>NGL</b>	Noce Grigio
<b>AWH</b>	Avant Honey	<b>NEL</b>	Noce Leggero
<b>BLK</b>	Black	<b>NML</b>	Noce Medio
<b>BZD</b>	Blizzard	<b>QTM</b>	Quartered Mahogany
<b>BRC</b>	Brushed Cobalt	<b>SBY</b>	Sheer Beauty
<b>CMB</b>	Clear Maple	<b>SDT</b>	Stonedust
<b>CGY</b>	Custom Grey	<b>SOG</b>	Storm Grey
<b>DES</b>	Dark Espresso	<b>WHE</b>	Walnut Heights
<b>DWT</b>	Designer White	<b>WHC</b>	White Chocolate
<b>FAS</b>	Fashionista	<b>WCR</b>	Winter Cherry

### CONSTRUCTION

- 1” thick tops constructed of 45 lb. density particle board with high performance laminate and Global’s preferred matching edging.

### DIMENSIONS

- When designing workstations, leave 1” clearance on either side to prevent finger pinch.

### EDGE

- 2mm edge in matching color.

### BASE

- Heavy duty steel formed legs with radius detail are available in Black only.
- Easy to reach tension control supports loads up to 100 lbs.
- Environmentally friendly, recyclable epoxy powder coating provides a durable finish. Black only.
- Black plastic leveling glides offer 0.5” adjustability.

### MECHANISM


- Counterbalanced height adjustable base supports weights up to 100 lbs.
- Height range from floor to underside of modesty shroud is 17” when surface height is 26”.
- 7 year warranty.



### SHIPPING

- Easy to assemble with Phillips or Robertson screwdriver.

### GROMMETS

- Additional grommets available in standard worksurface locations (left, center or right).
- Order as: **FOG1**, **FOG2** or **FOG3**. **Add \$91**.
- Grommet hole dimensions are 3.25” wide x 1.875” deep.






MANUAL HEIGHT ADJUSTABLE TABLES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
 <p><b>Rectangular Table</b></p>  <p><b>2.5” Locking Wheel Casters</b></p>	<b>W x D x H</b>				
	Tops				
	HTM2446T (HP)	46 x 24 x 1	32	1.5	<b>\$278</b>
	HTM2458T (HP)	58 x 24 x 1	40	2	<b>\$348</b>
	HTM3046T (HP)	46 x 30 x 1	40	2	<b>\$337</b>
	HTM3058T (HP)	58 x 30 x 1	50	2.5	<b>\$425</b>
	Base				
	KEZLIFT	35.93 x 24 x 25.53	88	5.4	<b>\$1708</b> N/A
	Tops (HTMXXXXT) sold separately from base (KEZLIFT). Paddle activated height adjustable base. Height adjustable from 26” to 46”. Keyboard tray and mechanism not necessary. Easy to assemble.				
	KEZLCSTR	2 x 2 x 2.5	3	0.17	<b>\$20</b> N/A
	Pack of four locking casters. Interchangeable on site with levelers on KEZLIFT base. Suitable for hard floors.				

**Required specifications**  
Finish

**Optional specifications**  
Grommet




## PET FELT PRIVACY SCREEN AND MODESTY PANELS

- PET Felt privacy screens and modesty panels add seated privacy to open plan deskings or tables.
- 9mm thick PET Felt offered in 9 finishes: Black (**BLK**), Brick (**BRI**), Denim (**DEN**), Harvest (**HVT**), Graphite (**GPH**), Mist (**MTS**), Pewter (**PWT**), Shamrock (**SHR**) and White (**WHT**).
- Made from 100% PET (polyester) fiber with a high content of post-recycled material (50%), free of added chemicals, binders and adhesives.
- Lightweight material is tackable, impact and tear resistant, bacteria resistant, moisture resistant, and installation friendly.
- Variation in fiber mix and color are inherent to the character of the product.
- Requires a free clear edge of 1.5"D x length of privacy screen or modesty panel for mounting.
- Privacy screen upmount brackets adapt to 1" thick TFL or 1<sup>1</sup>/<sub>16</sub>" thick HPL tops and do not mar the top surface.

PET FELT PRIVACY SCREEN	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
		<b>W x D x H</b>			
	PT9PP3013-1	30 x 0.36 x 12.5	2.1	0.6	<b>\$184</b>
	PT9PP3613-1	36 x 0.36 x 12.5	2.4	0.7	<b>\$195</b>
	PT9PP4213-1	42 x 0.36 x 12.5	2.6	0.8	<b>\$261</b>
	PT9PP4813-1	48 x 0.36 x 12.5	3.3	0.9	<b>\$272</b>
	PT9PP5413-1	54 x 0.36 x 12.5	3.6	1	<b>\$340</b>
	PT9PP6013-1	60 x 0.36 x 12.5	3.8	1.1	<b>\$350</b>
	PT9PP6613-1	66 x 0.36 x 12.5	4.5	1.3	<b>\$416</b>
	PT9PP7213-1	72 x 0.36 x 12.5	4.8	1.4	<b>\$426</b>
	PT9PP7813-1	78 x 0.36 x 12.5	5	1.5	<b>\$437</b>
PET Felt Privacy Screen available in nine finishes, please specify finish. 2, 3 or 4 clamps are included depending on width. Clamps available in satin anodized finish only. <ul style="list-style-type: none"> <li>• Up to 42"w - 2 clamps per</li> <li>• 48"-60"w - 3 clamps per</li> <li>• 66"-78"w - 4 clamps per</li> </ul>					
					
	PT9PP3013-4	30 x 0.36 x 12.5	7.6	0.6	<b>\$701</b>
	PT9PP3613-4	36 x 0.36 x 12.5	8.6	0.7	<b>\$741</b>
	PT9PP4213-4	42 x 0.36 x 12.5	9.5	0.8	<b>\$1001</b>
	PT9PP4813-4	48 x 0.36 x 12.5	11.9	1	<b>\$1041</b>
	PT9PP5413-4	54 x 0.36 x 12.5	12.8	1.1	<b>\$1305</b>
	PT9PP6013-4	60 x 0.36 x 12.5	13.8	1.2	<b>\$1340</b>
	PT9PP6613-4	66 x 0.36 x 12.5	16.2	1.3	<b>\$1600</b>
	PT9PP7213-4	72 x 0.36 x 12.5	17.1	1.4	<b>\$1636</b>
	PT9PP7813-4	78 x 0.36 x 12.5	18	1.5	<b>\$1669</b>
Pack of four PET Felt Privacy Screens available in nine finishes, please specify finish. 2, 3 or 4 clamps are included depending on width. Clamps available in satin anodized finish only. <ul style="list-style-type: none"> <li>• Up to 42"w - 2 clamps per</li> <li>• 48"-60"w - 3 clamps per</li> <li>• 66"-78"w - 4 clamps per</li> </ul>					
					
	PT9PP3013-12	30 x 0.36 x 12.5	21.6	1.9	<b>\$2060</b>
	PT9PP3613-12	36 x 0.36 x 12.5	24.3	2.3	<b>\$2171</b>
	PT9PP4213-12	42 x 0.36 x 12.5	26.9	2.6	<b>\$2945</b>
	PT9PP4813-12	48 x 0.36 x 12.5	33.8	3	<b>\$3052</b>
	PT9PP5413-12	54 x 0.36 x 12.5	36.4	3.4	<b>\$3837</b>
	PT9PP6013-12	60 x 0.36 x 12.5	39	3.7	<b>\$3933</b>
	PT9PP6613-12	66 x 0.36 x 12.5	45.9	4.2	<b>\$4706</b>
	PT9PP7213-12	72 x 0.36 x 12.5	48.5	4.5	<b>\$4801</b>
	PT9PP7813-12	78 x 0.36 x 12.5	51.1	4.9	<b>\$4897</b>
Pack of twelve PET Felt Privacy Screens available in nine finishes, please specify finish. 2, 3 or 4 clamps are included depending on width. Clamps available in satin anodized finish only. <ul style="list-style-type: none"> <li>• Up to 42"w - 2 clamps per</li> <li>• 48"-60"w - 3 clamps per</li> <li>• 66"-78"w - 4 clamps per</li> </ul>					

### Required specifications

Finish

PET FELT MODESTY PANEL	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
 <p><b>PET Felt Modesty Panel - 1 pk.</b></p>		<b>W x D x H</b>			
	PT9MP3013-1	30 x 0.36 x 12.5	2.1	0.6	<b>\$160</b>
	PT9MP3613-1	36 x 0.36 x 12.5	2.4	0.7	<b>\$172</b>
	PT9MP4213-1	42 x 0.36 x 12.5	2.6	0.8	<b>\$227</b>
	PT9MP4813-1	48 x 0.36 x 12.5	3.3	0.9	<b>\$238</b>
	PT9MP5413-1	54 x 0.36 x 12.5	3.6	1.03	<b>\$305</b>
	PT9MP6013-1	60 x 0.36 x 12.5	3.8	1.1	<b>\$315</b>
	PT9MP6613-1	66 x 0.36 x 12.5	4.5	1.3	<b>\$371</b>
	PT9MP7213-1	72 x 0.36 x 12.5	4.8	1.4	<b>\$381</b>
	PT9MP7813-1	78 x 0.36 x 12.5	5	1.5	<b>\$390</b>
 <p><b>PET Felt Modesty Panel - 4 pk.</b></p>					
	PT9MP3013-4	30 x 0.36 x 12.5	7.6	0.6	<b>\$611</b>
	PT9MP3613-4	36 x 0.36 x 12.5	8.6	0.7	<b>\$651</b>
	PT9MP4213-4	42 x 0.36 x 12.5	9.5	0.8	<b>\$866</b>
	PT9MP4813-4	48 x 0.36 x 12.5	11.9	1	<b>\$906</b>
	PT9MP5413-4	54 x 0.36 x 12.5	12.8	1.1	<b>\$1169</b>
	PT9MP6013-4	60 x 0.36 x 12.5	13.8	1.2	<b>\$1205</b>
	PT9MP6613-4	66 x 0.36 x 12.5	16.2	1.3	<b>\$1420</b>
	PT9MP7213-4	72 x 0.36 x 12.5	17.1	1.4	<b>\$1455</b>
	PT9MP7813-4	78 x 0.36 x 12.5	18	1.5	<b>\$1490</b>
 <p><b>PET Felt Modesty Panel - 12 pk.</b></p>					
	PT9MP3013-12	30 x 0.36 x 12.5	21.6	1.9	<b>\$1790</b>
	PT9MP3613-12	36 x 0.36 x 12.5	24.3	2.3	<b>\$1902</b>
	PT9MP4213-12	42 x 0.36 x 12.5	26.9	2.6	<b>\$2538</b>
	PT9MP4813-12	48 x 0.36 x 12.5	33.8	3	<b>\$2646</b>
	PT9MP5413-12	54 x 0.36 x 12.5	36.4	3.4	<b>\$3432</b>
	PT9MP6013-12	60 x 0.36 x 12.5	39	3.7	<b>\$3527</b>
	PT9MP6613-12	66 x 0.36 x 12.5	45.9	4.2	<b>\$4164</b>
	PT9MP7213-12	72 x 0.36 x 12.5	48.5	4.5	<b>\$4260</b>
	PT9MP7813-12	78 x 0.36 x 12.5	51.1	4.9	<b>\$4356</b>

PET Felt Modesty Panel available in nine finishes, please specify finish. 2, 3 or 4 clamps are included depending on width. Clamps available in satin anodized finish only. **Specify a nominal size 6" shorter than worksurface size.**

- Up to 42"w - 2 clamps per
- 48"-60"w - 3 clamps per
- 66"-78"w - 4 clamps per

Pack of four PET Felt Modesty Panels available in nine finishes, please specify finish. 2, 3 or 4 clamps are included depending on width. Clamps available in satin anodized finish only. **Specify a nominal size 6" shorter than worksurface size.**

- Up to 42"w - 2 clamps per
- 48"-60"w - 3 clamps per
- 66"-78"w - 4 clamps per

Pack of twelve PET Felt Modesty Panels available in nine finishes, please specify finish. 2, 3 or 4 clamps are included depending on width. Clamps available in satin anodized finish only. **Specify a nominal size 6" shorter than worksurface size.**

- Up to 42"w - 2 clamps per
- 48"-60"w - 3 clamps per
- 66"-78"w - 4 clamps per

## Required specifications

Finish

## MONITOR ARMS

- Free up valuable space on surfaces.
- Attach to any standard 1" to 1.5" thick surface with flush edge by a desk clamp or through a grommet. Mounting hardware included.
- Clamps on worksurfaces 0.5" to 2.625" thick.
- For use in grommets up to 3.5" wide.
- Built-in cable management.
- Quick connect option is standard with hole patterns to meet Video Electronics Standards Association (VESA) standards (75mm x 75mm or 100mm x 100mm).
- Monitor arm components are 100% recycled aluminum die cast material, providing stability and durability.
- Available finishe: Silver (**SIL**) standard (except where noted otherwise).

### MONITOR ARMS

#### MODEL #


#### DIMENSIONS

#### WT/LB.

#### CUBIC FT.

#### LIST PRICE

#### W x D x H



**G7 Single Monitor Arm**

PSMA1


- x 5.5 x 21

6.6

0.4

**\$418**

For use with a monitor weighing 4.4 to 19.8 lbs. Adjustable counterbalance provides free floating fingertip control. Maximum of 20.5" extension from rear of desk to back of monitor, folds to 4.5". Monitor can rotate for portrait or landscape viewing with -90° to 45° tilt adjustment. 180° lockout function. Maximum monitor width of 34". Some assembly required. Tungsten finish only. Also accommodates mini slide arm PSMS.



**G7 Double Monitor Arm**

PSMA2

- x 5.5 x 21


12.8

1

**\$734**

For use with monitors weighing 4.4 to 19.8 lbs. Adjustable counterbalance provides free floating fingertip control. Maximum of 20.5" extension from rear of desk to back of monitor, folds to 4.5". Monitor can rotate for portrait or landscape viewing with -90° to 45° tilt adjustment. 180° lockout function. Maximum monitor width of 34" (per arm). Some assembly required. Tungsten finish only. Also accommodates mini slide arm PSMS.

*\*Must be specified with quantity two (2) PSMS mini slides for monitor arms, not included.*



**G7 Mini Slide for Monitor Arm**

PSMS

11 x 6 x 4.5


3.3

0.3

**\$145**

The mini slide is for use with PSMA1 and PSMA2 monitor arms only. Provides 9" of lateral adjustment for the monitor and allows for better positioning of monitors when used side by side. Some assembly required. Tungsten finish only.

- If for PSMA1, order one (1)
- If for PSMA2, order two (2)



**Single Screen Double Extension Arm  
- Light Duty**

M7750LD

5.5 x 4.5-22.7 x 24.4

7.5

1.12

**\$512**

For use with monitors weighing 5 to 20 lbs. Adjustable counterbalance provides free floating fingertip control. Maximum of 26.7" extension from rear of desk to back of monitor; folds to 4.5". Monitor can rotate 180° for portrait or landscape viewing with -90° to 45° tilt adjustment. Integral monitor weight adjustment gauge. Aluminum die cast construction. VESA plate edge clamp and grommet mount included. Silver finish. Some assembly required.



- Also available in **Black finish** #M7750LDB or **White finish** #M7750LDW.

#### Required specifications

Finish





KEYBOARD TRAYS	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
 <b>27" HDPE Tray</b>		W x D x H			
	KT27M02	27.5 x 11.5 x 0.38	6	0.4	\$263
 Tray with Height Adjustable Mouse Support - Black					
	KTMT03	23 x 11.5 x 2.8	5.8	0.6	\$284


Allows mouse to be easily positioned at the same height as, and to the left or right of the keyboard. Palm rest is easily removable. Includes anti-slip strips. High density polyethylene (HDPE) surface material. Self-skinned urethane (SSU) palm rest. Compatible with all Global keyboard mechanisms.

- *Specify mechanism separately, see pages 81-81.*

Low profile tray with highly adjustable mouse support that allows the user to position the mouse surface according to their needs and preferences. Mouse support features include: height adjustment, swivel and tilt. User can easily mount on left or right side of keyboard tray, easily swivel and adjust the height position to maintain neutral postures, and independently adjust the mouse surface tilt so mouse stays on the support when the keyboard tray is tilted. Compatible with all Global keyboard mechanisms. Palm rest is easily removable. Includes mouse fence with cable manager and anti-slip strips. Keyboard tray is 23"W x 11.5"D and mouse support is 11" in diameter. Tray support material a compact phenolic panel, mouse tray in ABS plastic. Plug-in gel-feel foam palm rest.

- *Specify mechanism separately, see pages 81-81.*

KEYBOARD TRAYS / MECHANISMS	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
-----------------------------	---------	------------	--------	-----------	------------




**Lift-N-Lock Keyboard Support Mechanism**

	W x D x H			
KSM02-21	9 x 23.8 x 9.7	9.7	0.7	<b>\$266</b>
KSM02-18	7.4 x 19.7 x 8.2	8	0.6	<b>\$266</b>
KSM02-12	5 x 13.1 x 5.4	5.4	0.4	<b>\$266</b>

Knobless height adjustment and independent tilt adjustment. Locks automatically into position with release of tray. Positive tilt lockout available by special order with extended lead time. Compatible with all Global keyboard mechanisms. Good for single users who frequently change positions and for multiple users. Swivels 360°.

- KSM02-21 requires 21.75" of depth clearance under the surface for installation.
- KSM02-18 requires 18" of depth clearance under the surface for installation.
- KSM02-12 requires 12" of depth clearance under the surface for installation.
- Specify keyboard tray separately, see page 80.



**Slim Fit Keyboard Support Mechanism**

## Black


KSFK-21	7.5 x 23.8 x 4.75	5.4	0.6	<b>\$266</b>
KSFK-18	7.5 x 19.7 x 4.75	5.4	0.5	<b>\$266</b>
KSFK-12	7.5 x 13.1 x 4.75	5.4	0.5	<b>\$266</b>

## Warm White

KSFK-21-W	7.5 x 23.8 x 4.75	5.4	0.7	<b>\$274</b>
-----------	-------------------	-----	-----	--------------

Super slim profile accommodates leg clearance requirements of more users. Knobless height adjustment and independent tilt adjustment. Positive tilt lockout available by special order with extended lead time. Height and depth indicators together in dashboard. Compatible with all Global keyboard mechanisms. Good for single users who frequently change positions and for multiple users. Swivels 360°.

- KSFK-21 requires 21.75" of depth clearance under the surface for installation.
- KSFK-18 requires 18" of depth clearance under the surface for installation.
- KSFK-12 requires 12" of depth clearance under the surface for installation.
- Specify keyboard tray separately, see page 80.








**Lift-N-Lock Sit-Stand Mechanism**

KSM03-21	9 x 23.8 x 9.7	11.8	0.9	<b>\$428</b>
KSM03-18	7.4 x 19.7 x 8	9.7	0.7	<b>\$428</b>
KSM03-12	5 x 13.1 x 5.3	6.5	0.5	<b>\$428</b>

Ergonomic support for both seated and standing positions. Curved neck allows user closer access to the desk. Positive tilt lockout available by special order with extended lead time. Compatible with all Global keyboard mechanisms. Recommended for single users who alternate between sitting and standing. Swivels 360°.


- KSM03-21 requires 21.75" of depth clearance under the surface for installation.
- KSM03-18 requires 18" of depth clearance under the surface for installation.
- KSM03-12 requires 12" of depth clearance under the surface for installation.
- Specify keyboard tray separately, see page 80.

KEYBOARD SUPPORT PACKAGES

<p>Packages consist of a keyboard tray with mouse support, keyboard mechanism and a 21.75" glide track which requires 21.75" of depth clearance under the surface for installation.</p> <p>Contact Customer Service for 18" and 12" glide track package pricing.</p>		
	KT27M02	KTMT03
	KP0202 \$529	KP0203 \$550
	KPSF02 \$529	KPSF03 \$550
	KP0302 \$691	KP0303 \$712

CPU HOLDERS


MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
	W x D x H			



CPU Holder on Casters

PCPU-HC	5.5-9 x 15 x 9.25	8	0.45	\$149
---------	-------------------	---	------	-------








Adjusts 5.5" - 9." in width. Front locking casters. Assembly hardware included. Height without CPU is 9.25". Depth without CPU is 15". Black only.







CPU Holder on Glide Track

PCPU-GT	3.5 x 9.3 x 13.5	12.6	1.4	\$281
---------	------------------	------	-----	-------

Accepts tower CPUs with widths from 3.5" to 9.3" and heights from 12.5" to 22.5". 17" glide track and 360° swivel for easy access to rear of CPU. Steel and engineered resin construction.

POWER / DATA	MODEL #	DIMENSIONS W x D x H	WT/LB.	CUBIC FT.	LIST PRICE
 <b>Cable Snake</b>	PCSN01	3 x 2 x 31.25	2.1	0.2	<b>\$115</b>
	Flexible cable management. Provides access to power/data from floor to underside of worksurface where it attaches. Two pathways within cable snake. Length under desk is 31.25". Silver plastic only.				
 <b>Cable Snake Extension</b>	PCSN01E	3 x 2 x 18	2.1	0.2	<b>\$92</b>
	Extension kit to use with cable snake PCSN01. Additional 8 links extend cable snake up to 49" in length. Ideal for height adjustable tables. Silver plastic only.				
 <b>DPC Slim Desktop 2 Power/USB-A and -C</b>	PSDPC22W	4.88 x 2.25 x 2.25	2.5	0.5	<b>\$449</b>
	Desktop power center with two 15A tamper resistant power receptacles, one USB-A port and one USB-C port (provides 3.1A). 10' cord with molded plug. Includes three mounting options: a screw-in mounting plate for forward facing outlets; under surface mount bracket; or a clamp mounting kit for 0.5"-1.5" thick surfaces. Gloss White body with Grey face.				
 <b>DPC Slim Desktop 3 Power/USB-A and -C</b>	PSDPC32W	6 x 2.25 x 2.25	2.6	0.5	<b>\$586</b>
	Desktop power center with three 15A tamper resistant power receptacles, one USB-A port and one USB-C port (provides 3.1A). 10' cord with molded plug. Includes three mounting options: a screw-in mounting plate for forward facing outlets; under surface mount bracket; or a clamp mounting kit for 0.5"-1.5" thick surfaces. Gloss White body with Grey face.				
 <b>Clamp Mount 2 Power/USB-A and -C</b>	PS3525057	5.5 x 3.2 x 3	3	0.2	<b>\$695</b>
	PS3525002	5.5 x 3.2 x 3	3	0.2	<b>\$695</b>
 <b>Under Mount 2 Power/USB-A and -C</b>	Ashley Duo clamp mount module with two 15 amp 120 volt AC receptables; 2.4 amp USB-A port and 60 watt USB-C power delivery port. 10' cord with molded plug. UL listed. Clamp accommodates worksurfaces 0.5" to 1.5" thick; fastened with thumb screws. PS3525057 - White module with Silver bracket. PS3525002 - Black module with Silver bracket.				
	PS3526057	5.5 x 2.8 x 1.8	3.2	0.2	<b>\$695</b>
 <b>Under Mount 2 Power/USB-A and -C</b>	PS3526002	5.5 x 2.8 x 1.8	3.2	0.2	<b>\$695</b>
	Ashley Duo under mount module with two 15 amp 120 volt AC receptables; 2.4 amp USB-A port and 60 watt USB-C power delivery port. 10' cord with molded plug. UL listed. Mountable under most worksurfaces. PS3526057 - White module with Silver bracket. PS3526002 - Black module with Silver bracket.				

POWER / DATA	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
		<b>W x D x H</b>			
	PS305057	5.5 x 3.2 x 3	3.01	0.05	<b>\$537</b>
	PS305002	5.5 x 3.2 x 3	3.01	0.05	<b>\$537</b>
					
	PS305157	5.5 x 2.8 x 1.8	3.2	0.05	<b>\$468</b>
	PS305102	5.5 x 2.8 x 1.8	3.2	0.05	<b>\$468</b>
					
	PTISL96GB	18 x 18 x 25.5	28	6.5	<b>\$3573</b>
	PTISL96GW	18 x 18 x 25.5	28	6.5	<b>\$3573</b>
					
	PTISL96SP	18 x 18 x 25.5	28	6.5	<b>\$3573</b>
	PPVST3WF	12 x 12 x 28.25	10	4.3	<b>\$2113</b>

**Clamp Mount 2 Power/2 USB-A**

Ashley Duo clamp mount power module with two 15 amp 120 volt AC receptables and two 2.1 amp USB-A ports. Includes 10' power cord with molded plug. Edge clamp accommodates worksurfaces 0.5" to 1.5" thick; fastened with thumb screws.  
 PS305057 - White module with Silver bracket. PS305002 - Black module with Silver bracket.

**Under Mount 2 Power/2 USB-A**




Ashley Duo under mount power module with two 15 amp 120 volt AC receptables and two 2.1 amp USB-A ports. Includes 10' power cord with molded plug. Mountable under most worksurfaces. Installation template provided.  
 PS305157 - White module with Silver bracket. PS305102 - Black module with Silver bracket.









**Isle Power Tower**






Includes three (3) standard duplexes each with two (2) 110V power outlets; and three (3) USB-A + USB-C duplexes each with two (2) 110V power outlets, one (1) 55W USB-C power delivery port and one (1) 1.5A, 5V USB-A port. Total of twelve (12) 110V power outlets, three (3) USB-A and three (3) USB-C ports. 9' cord with molded plug.  
 Available in Gloss Black (**GB**), Gloss White (**GW**) and Silver Pearl (**SP**) as indicated by last letter of model number.

**Vesta Portable Power Tower**

Includes three 110V power outlets (one on top, two on base), two USB-A and one USB-C charging ports. 10' cord with plug. Matte White finish with Fog inserts.

POWER / DATA	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
 <p><b>Single Sided Recessed Power Block - USB-A + USB-C</b></p>		<b>W x D x H</b>			
	PRTMCS421B	10.78 x 4.22 x 4.86	4.5	0.51	<b>\$759</b>
	PRTMCS421T	10.78 x 4.22 x 4.86	4.5	0.51	<b>\$759</b>
	PRTMCS421W	10.78 x 4.22 x 4.86	4.5	0.51	<b>\$759</b>
<p>Single sided recessed power block with <b>one power/USB-A/USB-C duplex and one data knockout on top; one power duplex on bottom.</b> USB -A port charges max 2.4 amps at 5V and USB-C port charges max 3 amps at 5V. 10' power cord with straight plug. Specify telecom options separately, see page 86. Available in Black (<b>B</b>), Tungsten (<b>T</b>) or White (<b>W</b>) as indicated by last letter of model number. Duplexes always Grey (duplex with USB ports is glossy finish). Corresponding cut-out options are R1, R2, R3 or RS.</p> <ul style="list-style-type: none"> <li>• <i>Cannot be daisy-chained.</i></li> </ul>					
 <p><b>Double Sided Recessed Power Block - USB-A + USB-C</b></p>	PRTMCD622B	10.78 x 6.22 x 4.86	6.1	0.51	<b>\$831</b>
	PRTMCD622T	10.78 x 6.22 x 4.86	6.1	0.51	<b>\$831</b>
	PRTMCD622W	10.78 x 6.22 x 4.86	6.1	0.51	<b>\$831</b>
<p>Double sided recessed power block with <b>one regular power duplex, one power/USB-A/USB-C duplex and two data knockouts on top; one power duplex on bottom.</b> USB -A port charges max 2.4 amps at 5V and USB-C port charges max 3 amps at 5V. 10' power cord with straight plug. Specify telecom options separately, see page 86. Available in Black (<b>B</b>), Tungsten (<b>T</b>) or White (<b>W</b>) as indicated by last letter of model number. Duplexes always Grey (duplex with USB ports is glossy finish). Corresponding cut-out options are T1, T2, T3 or TS.</p> <ul style="list-style-type: none"> <li>• <i>Cannot be daisy-chained.</i></li> </ul>					
 <p><b>Double Sided Recessed Power Block - USB-A + USB-C</b></p>	PRTMCD642B	10.78 x 6.22 x 4.86	6.3	0.51	<b>\$1001</b>
	PRTMCD642T	10.78 x 6.22 x 4.86	6.3	0.51	<b>\$1001</b>
	PRTMCD642W	10.78 x 6.22 x 4.86	6.3	0.51	<b>\$1001</b>
<p>Double sided recessed power block with <b>two power/USB-A/USB-C duplexes and two data knockouts on top; one power duplex on bottom.</b> USB -A port charges max 2.4 amps at 5V and USB-C port charges max 3 amps at 5V. 10' power cord with straight plug. Specify telecom options separately, see page 86. Available in Black (<b>B</b>), Tungsten (<b>T</b>) or White (<b>W</b>) as indicated by last letter of model number. Duplexes always Grey (duplex with USB ports is glossy finish). Corresponding cut-out options are T1, T2, T3 or TS.</p> <ul style="list-style-type: none"> <li>• <i>Cannot be daisy-chained.</i></li> </ul>					


POWER / DATA	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
	W x D x H				
	PTEL01	3.25 x 2 x -	0.01	0.05	\$319
Telecom Plate - 2 x 6	Includes 2 x RJ45 cat 6 data jacks. Black telecom plate. To be hardwired by data contractor.				
	PTEL12	3.25 x 2 x -	1	0.1	\$319
	Includes 2 x RJ45 cat 6 data jacks. Grey telecom plate. To be hardwired by data contractor.				
	PTEL02	3.25 x 2 x -	0.01	0.05	\$314
	Includes 1 x RJ11 cat 3 phone jack and 2 x RJ45 cat 6 data jacks. Black telecom plate. To be hardwired by data contractor.				
	PTEL03	3.25 x 2 x -	0.01	0.05	\$578
	Includes 4 x RJ45 cat 6 data jacks. Black telecom plate. To be hardwired by data contractor.				
	PTEL13	3.25 x 2 x -	0.01	0.03	\$578
	Includes 4 x RJ45 cat 6 data jacks. Grey telecom plate. To be hardwired by data contractor.				
	PTEL04	3.25 x 2 x -	0.01	0.05	\$400
	Includes 1 x RJ45 cat 6 data jack, mini stereo and 15 pin HD VGA with female to male connector cable. Black telecom plate. To be hardwired by data contractor.				
	PTEL05	3.25 x 2 x -	0.01	0.05	\$745
	Includes mini stereo, 15 pin HD VGA with female to male connector cable and HDMI with female to female connector cable. Black telecom plate.				
	PTEL14	3.25 x 2 x -	1	0.1	\$745
	Includes mini stereo, 15 pin HD VGA with female to male connector cable and HDMI with female to female connector cable. Grey telecom plate.				

POWER / DATA	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
<div><p><b>Telecom Plate - 1 USB-C and 1 USB-A</b></p></div> <div><p><b>Powered USB Transformer</b></p></div> <div><p><b>Telecom Plate - 2 USB-A</b></p></div> <div><p><b>Telecom Plate - 2 RJ45 and 1 HDMI</b></p></div> <div><p><b>Telecom Plate - 1 HDMI and 1 USB-A</b></p></div>	W x D x H				
	PTEL08	3.25 x 2 x -	1	0.1	<b>\$277</b>
	Includes one USB-C port with 20" male pigtail and one USB-A port with 72" pigtail. Requires powered USB transformer (model PUSBTRSF), to be ordered separately. Grey telecom plate.				
	PUSBTRSF	3.25 x 2 x -	1	0.03	<b>\$183</b>
	Provides power for PTEL08 - 25w, 100-240 VAC, 5-9VDC one USB-C and two USB-A female ports.				
	PTEL09	3.25 x 2 x -	1	0.1	<b>\$372</b>
	Includes two USB-A ports each with 72" patchcord. Grey telecom plate.				
	PTEL10	3.25 x 2 x -	1	0.1	<b>\$765</b>
	Includes two RJ45 Cat 6 data jacks and one HDMI with 36" male pigtail; female/female gender changer. Grey telecom plate.				
	PTEL11	3.25 x 2 x -	1	0.1	<b>\$609</b>
	Includes one HDMI female/female with 36" patchcord and one USB-A with 72" patchcord. Grey telecom plate.				



## POWER SOLUTIONS FOR FLEXIBLE SPACES

- Perfect for training areas, meeting rooms, in-office workstations and more; Code compliant that allows users to optimize any space providing convenient power access.
- Connect up to four units from a single infeed, delivering AC power and USB charging to the table tops.
- Two styles are available: in-surface modules or on-surface modules.
- Starter modules include 10' corded infeed with 3-prong NEMA plug.
- Touch safe easy to use connectors from module to module with added latch to prevent unintended separation.
- Each module features three tamper-resistant receptacles, USB-A and USB-C charging ports.
- Overall maximum length joined together not to exceed 48.5 feet per infeed.
- UL listed to **UL962A SD**, the standard for furniture power distribution units on portable/movable workspace tables.
- Certified to CSA standard **C22.2 No. 203-16**.
- When ordering in-surface modules be sure to select corresponding cut-out options when specifying tables. Specify **MPS** for a single centered cut-out on the approach side of the table or **MPD** for two cut-outs in the left and right hand positions. Upcharge will apply per cut-out.  
Cut-outs are available on the following series: **2gether tables, Bungee rectangular fixed and flip-top tables, Bungee SL tables, ConnecTables, Adventure study carrels and Zook rectangular and flip-top tables**. Surface must be a minimum of 1/2" to a maximum of 1 1/2" thick for proper mounting of the units.
- On-surface modules come with a clamp mount that will accommodate any material from 1/2" to 1 1/2" thick; additional brackets are also included for alternate screw in mounting options that can accommodate vertical or horizontal positions.
- In-surface cut-out dimensions: 7.15" x 2.25".



## MODPOWER DAISY-CHAIN SOLUTION



**ModPower In-Surface Starter Unit**

	W x D x H			
PMDSF10MG	7.63 x 2.75 x 2.63	3.44	1	<b>\$597</b>
PMDSF10WH	7.63 x 2.75 x 2.63	3.44	1	<b>\$597</b>

Includes infeed, one 10' cord with NEMA plug and one 3' connector cord. Unit is equipped with three 15A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Four cable management cord clips included. Specify corresponding cut-out code when ordering table: single centered cut-out (**MPS**) or two cut-outs in left and right positions (**MPD**). Available in Magnesium (**MG**) or White (**WH**) finish as indicated by last characters of model number.



**ModPower In-Surface Middle Unit**

PMDCF3MG	7.63 x 2.75 x 2.63	2.44	2.44	<b>\$562</b>
PMDCF3WH	7.63 x 2.75 x 2.63	2.44	1	<b>\$562</b>






Includes two 3' connector cords. Unit is equipped with three 15A rated 12A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Four cable management cord clips included. Specify corresponding cut-out code when ordering table: single centered cut-out (**MPS**) or two cut-outs in left and right positions (**MPD**). Available in Magnesium (**MG**) or White (**WH**) finish as indicated by last characters of model number.




**ModPower In-Surface End Unit**

PMDEF3MG	7.63 x 2.75 x 2.63	1.85	1	<b>\$494</b>
PMDEF3WH	7.63 x 2.75 x 2.63	1.85	1	<b>\$494</b>

Includes one 3' connector cord. Unit is equipped with three 15A rated 12A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Two cable management cord clips included. Specify corresponding cut-out code when ordering table: single centered cut-out (**MPS**) or two cut-outs in left and right positions (**MPD**). Available in Magnesium (**MG**) or White (**WH**) finish as indicated by last characters of model number.

MODPOWER MODULES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
 <p><b>ModPower On Surface Starter Unit</b></p>		<b>W x D x H</b>			
	PMDSA10MG	6.13 x 1.75 x 2.5	4.33	1	<b>\$631</b>
	PMDSA10WH	6.13 x 1.75 x 2.5	4.33	1	<b>\$631</b>
 <p><b>ModPower On Surface Middle Unit</b></p>					
	PMDCA3MG	6.13 x 1.75 x 2.5	3.3	1	<b>\$597</b>
	PMDCA3WH	6.13 x 1.75 x 2.5	3.33	1	<b>\$597</b>
 <p><b>ModPower On Surface End Unit</b></p>					
	PMDEA3MG	6.13 x 1.75 x 2.5	2.75	1	<b>\$528</b>
	PMDEA3WH	6.13 x 1.75 x 2.5	2.75	1	<b>\$528</b>
 <p><b>ModPower Cable Management Clips</b></p>					
	PMDCLIPS	2.6 x 2.5 x 0.6	0.3	0.2	<b>\$102</b>
	Package of 10 clips.				
 <p><b>ModPower Interconnecting Jumper</b></p>					
	PMDJ36BK	36 x - x -	1.38	0.9	<b>\$329</b>
	Interconnection jumper cord to add an additional 3' of cord length between in-surface and on-surface ModPower units. 3' cord with male and female connector. Package of 2 jumpers.				

OFFICE ACCESSORIES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
--------------------	---------	------------	--------	-----------	------------

		W x D x H			
	PEWM5.5	66 x 2 x 2	0.6	0.1	<b>\$136</b>
	PEWM5	60 x 2 x 2	0.6	0.1	<b>\$114</b>
	PEWM4.5	54 x 2 x 2	0.5	0.1	<b>\$103</b>
	PEWM4	48 x 2 x 2	0.5	0.1	<b>\$89</b>
	PEWM3.5	42 x 2 x 2	0.4	0.1	<b>\$80</b>
	PEWM3	36 x 2 x 2	0.4	0.1	<b>\$70</b>
	PEWM2.5	30 x 2 x 2	0.3	0.1	<b>\$55</b>
	PEWM2	24 x 2 x 2	0.3	0.1	<b>\$46</b>
	PEWM1.5	18 x 2 x 2	0.2	0.1	<b>\$34</b>
	PEWM1	12 x 2 x 2	0.2	0.1	<b>\$25</b>

Wire Manager


Plastic tray flexes to receive and hold electrical and data wires. Quickly attaches with two strips of double-sided tape. Black only.



Vertical Wire Manager

PEVWM	22 x 2 x 2	0.3	0.1	<b>\$46</b>
-------	------------	-----	-----	-------------


From underside of worksurface to bottom panel. Capable of holding electrical and data wires in a vertical position. Black only. Attaches with two strips of double-sided tape.



Corner Keyboard Plate\*

PEEOCKS	18 x 18 x 1.12	6	0.3	<b>\$79</b>
---------	----------------	---	-----	-------------

Converts two 1" thick worksurfaces at 90° into a keyboard support corner. Finished in Black (**BLK**) or Tungsten (**TUN**) epoxy coating.



Pencil Drawer

PEEPD	22.5 x 15 x 1.5	2	0.7	<b>\$145</b>
-------	-----------------	---	-----	--------------

Black ABS plastic. Provides space for writing instruments and small items at the workspace. Attaches to underside of any 24"D and 30"D worksurface with included roller slides. There are no specifications for Pencil Drawer.



- May be used with all Casegoods.

**Required specifications**  
Finish\*

CENTER DRAWERS

- NOTES:
- Center drawers must be dealer or end user installed. Drawers do not fill entire center space opening.
  - Approximate kneespace widths are:

30" x 60" DP	25.5"	30" x 66" DP	31.5"
30" x 72" DP	37.5"	30" x 66"/20" x 40" L	22.5"
30" x 66"/24" x 48" L	24.5"	36" x 72"/24" x 48" L	30.5"


CENTER DRAWERS	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
 <b>Center Drawer*</b>		W x D x H			
	CD28	28 x 18 x 3	5	1	\$248
 <b>Flat Bracket</b>					
	M393	4.5 x 3.12 x 0.25	1	1	\$16





Required specifications  
Finish\*

QUICK ASSEMBLY ELECTRIC HEIGHT ADJUSTABLE BASE

GENERAL INFORMATION

- Quick assembly electric height adjustable bases with leg columns preassembled to telescopic cross bar assembly including electric motors. Unfold leg columns, attach feet and worksurface support to base; fasten assembly to top; plug in connections and start to use.
- 3-stage base. Range of adjustability with 1" thick top is 22.6" to 48.2"H.
- Easy to use up-down controller with digital read-out and four memory programmable positions.
- Dual motor with 265 lbs. lift capacity.
- Anti-collision sensor.
- Standby power consumption 0.1W. Active power consumption 220W.
- Operates at 1.2" per second.
- 8' long power cord.
- Meets applicable ANSI/BIFMA x5.5 standards.
- ETL/CETL and Greenguard Certified

ELECTRIC HAT COMPONENTS		MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
		W x D x H				
		MLIR30B	42.5 x 22.8 x 21.6-47.2	77.2	2.9	\$1049
<b>Quick Assembly Electric HAT - 3-Stage, 2-Leg Base Only</b>		Quick assembly 2-leg, 3-stage electric height adjustable table base. Beam and leg columns with motors are preassembled. Unfold leg columns and lock into place. Width adjustable for 46"W to 76"W tops. Specify base finish: Black (BLK) or Tungsten (TUN). Shipped partially assembled in 1 carton.				
		Base can be used with all FreeFit surfaces of 23"D and 29"D, from 46"W to 70"W.				

MOBILE PEDESTALS		MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
	Box/File Mobile Pedestal	W x D x H				
		NLMP23BF	16 x 22.7 x 22.1	74	6.5	\$774
		Mobile pedestal with one box and one file drawer. Front lock - both drawers locking. File drawer ccommodates front-to-back letter size or side-to-side legal size hanging files. Pedestal top features 1" overhang with built-in grip for ease of mobility. Includes counterweight to prevent tipping. Pencil tray included. Front locking casters. Shipped assembled in 1 carton.				
	Box/Box/File Mobile Pedestal	NLMP23BBF	16 x 22.7 x 28	93	8.25	\$925
		Mobile pedestal with two box drawers and one file drawer. Front lock - all drawers locking. File drawer accommodates front-to-back letter size or side-to-side legal size files. Pedestal top features 1" overhang with built-in grip for ease of mobility. Includes counterweight to prevent tipping. Front locking casters. Pencil tray included. Sits flush with user edge under 30"D table desks with or without modesty panel or 24"D returns without modesty panel. Does not sit flush under 24"D table desk. Shipped assembled in 1 carton.				
PEDESTALS						
	Hanging Box/File Pedestal	NL23HBF	16 x 23 x 18	54	5.25	\$517
		One box drawer and one file drawer. Front lock - both drawers locking. Non-handed, open back. Pencil tray included. For use with bow or rectangular desks, returns or credenzas with laminate side gables and full modesty panel. Top is open. File drawer accommodates front-to-back letter size or side-to-side legal size files. Shipped assembled in 1 carton.				
OTG ACCESSORIES						
	Desktop Short Partition	MLDTP3224	31.5 x 15.5 x 23.5	7	0.5	\$256
		Lightweight freestanding desktop partition. Move wherever you need to provide a focus space. 9mm thick PET Felt, no hardware connections. Folds flat for storage when not in use. Ships in two pieces with a puzzle-like joint. Easy to assemble.				

# finishes

## Care and Cleaning

### Hard Surfaces

**Laminate & painted metal finishes:** Wipe the surface with a clean soft damp cloth; if needed, a mild soap solution (i.e. Ivory dishwashing liquid) can be used. To prevent streaks, dry the surface with a clean dry soft cloth moving in a circular motion.



**Desks, Workstations, Tables and Accessories - Laminate**

Absolute Acajou (ACJ)	Asian Night (ASN)	Avant Cherry (AWC)	Avant Honey (AWH)	Black (BLK)	Blizzard (BZD)
Brushed Cobalt (BRC)	Clear Maple (CMB)	Custom Grey (CGY)	Dark Espresso (DES)	Designer White (DWT)	Fashionista (FAS)
First Class (FCL)	Noce Biondo (NBL)	Noce Grigio (NGL)	Noce Leggero (NEL)	Noce Medio (NML)	Quartered Mahogany (QTM)
Sheer Beauty (SBY)	Stonedust SDT)	Storm Grey (SOG)	Walnut Heights (WHE)	White Chocolate (WHC)	Winter Cherry (WCR) *

**Solid Wood and Laminate Coordinating Colors****Solid Wood Colors**

Absolute (AAM)  
 Black (BKM)  
 Cherry (ACM)  
 Espresso Cafe (ECM)  
 Fruitwood (TFM)  
 Gray (HGM)  
 Honey (AHM)  
 Mahogany (TMM)  
 Maple (AVM)  
 Medium Walnut (MWM)  
 Night (ASM)  
 Noce Biondo (NBM)  
 Noce Grigio (NGM)  
 Noce Leggero (NEM)  
 Noce Medio (NMM)  
 Walnut (TWM)  
 WC Cream (WTM)  
 White (WHM)  
 Winter Cherry (WCM)

**Laminate Colors**

Absolute Acajou (ACJ)  
 Black (BLK)  
 Avant Cherry (AWC)  
 Dark Espresso (DES)  
 -  
 -  
 Avant Honey (AWH)  
 Quartered Mahogany (QTM)  
 Clear Maple (CMB)  
 -  
 Asian Night (ASN)  
 Noce Biondo (NBL)  
 Noce Grigio (NGL)  
 Noce Leggero (NEL)  
 Noce Medio (NML)  
 -  
 White Chocolate (WHC)  
 Designer White (DWT)  
 Winter Cherry (WCR)

**Metal Leg Finishes** *(check series for applicable finishes)*

Antique Copper (ACO)	Black (TBL)	Brushed Chrome (BCH)	Buzz Blue (TBZ)	Cactus (TCC)	Carrot (TCR)
Cloud (TIV)	Chrome (CHM)	Designer White (TDW)	Dijon (TDJ)	Eggplant (TEG)	Fog (TFO)
Frost (TFR)	Ink (TIN)	Kalua (TKA)	Latte (TLA)	Mocha (TMO)	Nevada (TNE)
Sand (TSN)	Satin Brass (SBR)	Scarlet (TSR)	Shadow (TSH)	Toast (TOA)	Tungsten (TTU)



LAMINATE FINISH CHART

FINISH CODE	ACJ	ASN	AWC	AWH	BLK	BZD	BRC	CMB	CGY	DES	DWT	FAS	FCL	NBL	NGL	NEL	NML	QTM	SBY	SDT	SOG	WHE	WHC	WCR
LAMINATE DESKING																								
TABLES - CAFÉ, MEETING & CONFERENCE																								
Swap	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Zira boardroom	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
TABLES - TRAINING																								
Bungee	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Junction	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
TABLES - RECEPTION & OCCASIONAL																								
Citi	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Occasional Tables	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Sirena Tables	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•
Wind Tables	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
PRODUCTIVITY SOLUTIONS																								
Height Adjustable Tables	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

This illustrated list price book has been designed to facilitate fast reference and easy use. Products are categorized into “seating”, “desks”, “files”, “panels” or “tables” and are listed numerically within their categories. The line drawings match actual photographs (where possible) to aid in instant recognition of the total range within a series.

Sales of Global Furniture Group (“Global”) products are made only on Global’s standard Terms and Conditions of sale which are contained in this list price book. The “Purchaser” in these Terms and Conditions shall refer to Dealers and those who originally purchase directly from Global for use or re-sale. These standard Terms and Conditions may be modified or supplemented only by a separately written document signed by Global’s authorized personnel at its head office in Toronto, Ontario, Canada. Any term or condition contained in any purchase order or other form used by the Purchaser to order goods (including standard, printed language) which is different from, in addition to, or in any way inconsistent with Global’s standard Terms and Conditions shall be of no force or effect whatsoever.

All illustrations, specifications and prices in this list price book are based on the latest product information available at time of publication. Global reserves the right to make changes at any time and without prior notice to prices, colors, materials, specifications and models offered.

### Description

Each product shown or described in this list price book is standard Global product. Available options are noted at the beginning of each series. Available options may require additional delivery time and cost, and may affect the warranty given. Sizes and weights shown are approximate and are subject to slight changes from time to time.

### Prices and Payment

The prices shown in this list price book as well as those quoted by Global, are in Canadian dollars for orders shipped to destinations in Canada.

If shipping date requested is more than 90 days from date of order, Global shall reserve the right to use published list prices effective at time of shipment.

Orders are invoiced at time of shipment. Terms of payment are net 30 days from date of invoice unless otherwise stated. The Purchaser agrees that Global shall reserve the right to enforce a charge amounting to 1.5% per month (18% per year) on invoices outstanding more than 30 days.

If the Purchaser’s most recent annual net volume is less than \$5,000, Global may suggest payment be made in advance.

All orders are subject to the Purchaser complying with Global’s prevailing credit policy.

Any products sold by Global shall remain the property of Global until fully paid.

Prices are suggested list prices only and are subject to change without notice. Global will, however, attempt to keep the Purchasers up-to-date on all developments including price changes.

### Taxes

All prices shown in this list price book are exclusive of sales, use, excise, HST and other applicable taxes and duties which may be the Purchaser’s responsibility as per the invoice issued by Global. If the Purchaser claims an exemption from such taxes, it shall be the Purchaser’s responsibility to furnish Global with an appropriate exemption certificate at time of order.

### Ordering Information

Global requires that all orders be submitted in writing and will be acknowledged on Global’s acknowledgement forms governing the transaction.

The details appearing on this acknowledgement will describe the items to be shipped and the approximate shipping date. It is the Purchaser’s responsibility to determine that the information in the acknowledgment is correct. In the event of an error, the Purchaser must notify their Global Customer Service representative immediately by telephone followed by written confirmation. Shipping dates are assigned to orders based on the items having the longest manufacturing lead time (unless instructed to partial ship).

At time of order, please provide the following information:

1. Account number (if possible)
2. PO number
3. “Bill to” and/or “Ship to” and name and address
4. Complete model number and selected options including textiles/finishes
5. Special instructions and tag information
6. Shipping instructions, please indicate:
  - a. pick up
  - b. Global trailer program
  - c. common carrier, provide name of carrier, your account number
7. Special quote (SQ) # or MTM # (if applicable)
8. Customer’s Own Material (COM), Global Purchased Material (GPM), Customer’s Own Leather (COL), see below.
9. For specials and custom quoted product, please indicate the custom quote # on your PO. If changes are made to the quote a new quote must be issued prior to submitting the order. It is the Purchaser’s responsibility to determine that the information on the quote is correct. Global will not be responsible for wrong product due to errors in the quote.

The above points will be checked by Global for accuracy. Global will process orders using the codes provided by the Purchaser. Price discrepancy is the responsibility of the Purchaser. The Purchaser must notify Global prior to invoicing.

The Purchaser is responsible for providing correct information at time of order. If no option(s) are selected the system will default to standard feature(s). Orders with missing/incorrect information (finish, etc.) will be put on hold until all information is complete. Orders will be scheduled for manufacturing upon receipt of complete information.

### Changes and Cancellations

After the date of Global’s acknowledgment of the Purchaser’s order, the order may not be changed or cancelled by the Purchaser without the written consent of Global. Orders for products upholstered in “special order textiles” (GPM) cannot be cancelled once material has been purchased. Special order items, COM and textile-covered items already in production are not subject to change or cancellation under any circumstances. Textile-covered items are considered to be in production once the textile is scheduled for cutting. Other standard items already in production are subject to a minimum 35% cancellation charge.

### Errors and Omissions

All quotations, acknowledgements and invoices are subject to corrections for any errors and omissions.

### Casters

The list price book specifies the caster which comes standard with each chair model. Most chairs are equipped with C1 or C65 casters which are best used on carpeted surfaces. If it is intended to use the product on hard surfaces such as ceramics, concrete, linoleum or hardwood, it is recommended to use different casters. It is the responsibility of the customer to determine the standard caster for a particular product and whether such caster is appropriate for the given application. The Arm and Caster section illustrates the caster options offered by Global and their suggested uses.

### FINISHES

#### Seating Finishes - Painted

Where painted frames are not a standard color, a special quote is required.

#### Seating Finishes - Wood Stains

A one time setup fee of \$250 net will be applied per order for custom wood staining/color matching requests. This payment will be valid for 5 years from the date it is set up. After 5 years, the \$250 setup fee will apply again. Restrictions may apply. The customer must provide a 3” x 3” color chip/sample.

For application of customer’s own wood stain, there will be an upcharge of 10% list price, per unit (in addition to the option upcharge, when applicable). For orders with custom stain unit quantities of 30 or more, the upcharge may be reduced or eliminated. A [Special Product Request](#) must be submitted for a quotation.

#### Custom Wood Staining

Custom wood staining procedure for wood seating is as follows. Customer provides a sample of the desired wood finish. That sample is sent to Specials department. Several finished samples will be sent back. The customer/end user will sign off on the samples (keeping one for their records) and return the rest of the samples. Global will not necessarily match the wood species but rather will generate a color that will coordinate with the sample when it is applied to the wood species used in the seating frame.

#### File Finishes

There is no upcharge on any standard file finish. Any non-standard file finish must be approved by Global prior to acceptance of order and may be subject to an upcharge.

9300 Series, 9300 Plus Series et G Series Pedestals can be ordered in non-standard finishes with a 10% upcharge on orders up to and including 10 units. There is no upcharge on orders of 11 units or more.

Please note:

- You can only combine 9300 Series and 9300 Plus Series to meet the 11 unit minimum.

An upcharge of 10% will apply to Metallic, Mica, Tungsten and any non-standard White finishes regardless of the number of units ordered.

#### Wood Veneer Finishes

Because the distinctive characteristics and the nature of wood products cause variations, exact matches are not always possible. Global will not be held responsible if the finishes cannot be matched.

**Customer's Own Material (COM)**

Use of COM must be approved by Global prior to acceptance of order. Please submit the Authorization Request Form. Photocopy and use this form as often as necessary. The customer must provide a 12" x 12" textile sample and advise how the textile is to be applied and quantity of textile being sent. **Textile yardage requirement will be advised by the factory, and additional yardage may be required if pattern requires matching.** Upon approval from Global, send textile to the COM Department at: 596 Supertest Road, Toronto ON, M3J 2M5. Send to the address provided on shipping document upon approval from Global. If COM is difficult to apply or if product is required to be modified, extra charges will apply. Global reserves the right to cancel an order at any time if COM is inadequate for any reason. COM must be shipped freight and duties paid if applicable to our factory. Such shipment must be fully identified with the Purchaser's order number, and the item for which the material is intended. Performance of COM when applied to product is the sole responsibility of the Purchaser. Global's standard product warranty shall not apply to COM.

COM price is the lowest published price/grade for the series. The published yardage requirement for COM orders is approximate and shown beside each item in the list price book. The yardage shown there is based on the textile requirements for cutting and sewing a single chair in a plain patterned textile. For textiles with a pattern repeat or for COM orders involving 10 or more chairs, please consult with Customer Service for recalculation of the yardage requirements as this may significantly change the textile requirement.

**Textile Grading**

All products are priced according to their standard textile grade. Lower grade textiles may be available but at the same price as standard textile grade. See Textiles and Finishes section for graded textiles.

Combining two grades of textiles may result in a revised grade. Please refer to "Two Grades Combination Chart" in the Textiles and Finishes section. For more than two textiles a special quotation is required.

**Global Purchased Material, Customer Specified (GPM)**

Global may purchase material specified by the customer. Use of GPM must be approved by Global prior to acceptance of order. If it is difficult to apply or if product is required to be modified, extra charges will apply. Global reserves the right to cancel an order at any time if GPM is inadequate for any reason. Performance of GPM when applied to product is the sole responsibility of the textile vendor. Global's standard warranty will not apply to GPM materials.

**Customer's Own Leather (COL)**

Not all seating can be upholstered in leather. Please consult series notes for availability. COL price is the lowest published grade for the series (leather or fabric).

**Upholstery Coverings**

Slight variations in color may occur between dye lots. Although Global attempts to minimize these variances, they do occur and must be accepted as normal and will not be considered defects.

**Leather is a Natural Product**

Natural variations occur in the color, grain and texture of leather. As a result, a degree of variation should be expected. As leather is used it develops a patina. Its color changes slightly, it will get marked and it will stretch and pull, these are the hallmarks of genuine leather and are not considered defects.

**Yardage**

Required yardage (yd) is based on unmatched materials with widths of 54" for seating, 63" for panels.

**Arms**

A wide selection of arms are available for some series. See Arm Chart in the Seating list price book.

**Weight**

In the Seating list price book, weight is provided for both unit weight and carton weight. In the Desking + Tables and Metal Filing + Storage list price books, carton weight is provided.

**Delays**

Global's order acknowledgment will state a shipping date which is Global's best estimate at the time the order is acknowledged. However, Global shall not incur any obligation or liability to the Purchaser for failure to ship by specified date unless Global has agreed to an unequivocal shipping date in a separately signed written document executed by its authorized personnel at its head office. In addition, Global will not be liable for any loss or damage resulting from any delay or failure in shipment or other failure to perform all or any part of the agreement between the parties with respect to the goods shown on the face of the order acknowledgement where such delay, failure, loss or damage is the proximate result of any act of any governmental authority or political subdivision thereof, revolution, riot, civil disorder or disturbance, delay or default in transportation, strike disputes among or between labor unions or other labor disputes, delay or inability in obtaining materials and facilities, fire, flood, act of God or any cause not within the reasonable control of Global.

**Free on Board (FOB)**

FOB point is Global's Factory, Toronto, Ontario, Canada.

**Courier Type Shipments**

This symbol is used to indicate that the adjacent product can be sent by courier type shipments, such as Federal Express, Purolator, CanPar and UPS.

**Shipping**

The Purchaser must select, at time of order, one of two methods of freight payment. Global will make no end-user shipments unless special arrangements have been made.

1. FOB point of shipment, freight collect - pick up and common carrier.
2. FOB point of shipment, freight prepaid and invoiced to the Purchaser - Global Trailer Program.

All deliveries are dock to dock.

**Service**

Service requests are normally the responsibility of Global's authorized Dealers. Where this cannot be accomplished on a local level, service problems should be referred to Global's Customer Service Department.

Global/Express (Canada)

Tel: (905) 660-5101 or 1-800-567-8901

Fax: (905) 660-4759 or 1-800-375-5134

Global International

Tel: (416) 661-3660

Fax: (416) 661-661-0983 or 1-877-585-5579

**Returns**

No returns of goods will be accepted without written consent and shipping instruction from Global. A minimum re-stocking charge of 35% is made on all authorized returns for credit or refund, provided goods are received by Global in the condition in which they left the factory. This may increase depending on the type of product. Global's Return Goods Authorization (RGA) numbers must appear prominently on all authorized returns. Global will not be responsible

for return freight costs. No credit will be given if goods cannot be reused as new. Special order items, non-stock items and COM products are in no event subject to return. All returns must be approved and authorized in writing by Global Customer Service. Global reserves the right to refuse delivery of any unauthorized returns.

**Claims**

All goods are sold FOB plant or Global Distribution Center. Global is not responsible for damage which occurs in transit (or in storage). The carrier signs for all goods received in apparently good order. It is the Purchaser's responsibility to examine goods upon receipt and to file any claims with the carrier for losses or damage to the product occurring during transit, including concealed damage.

Any claims made against Global for apparent defects, errors or shortages must be made by the Purchaser, in writing, within 15 working days after any delivery. Failure by the Purchaser to make any claim against Global within 15 days shall constitute acceptance of the goods and a waiver of any apparent defects, errors or shortages.

**Suspension**

In the event that the Purchaser defaults in the payment of any sum due to Global, or in the event the Purchaser's financial condition becomes unsatisfactory to Global, Global shall have the right to defer or discontinue shipment of any goods until such time as the default is cured or the Purchaser provides assurance of payment to Global.

**Copyright**

All catalogs, photographs, drawings, list price books and other printed materials are protected by copyright. All rights reserved.

**Trademarks**

All trademarks are owned by Global Furniture Group other than OBUSFORME™ which is owned by OBUSFORME LTD CO., a division of Homematics Inc., MOR-CARE which is owned by MORBERN INC, Perma-Mesh which is the property of J.B. Research Inc. SCHUKRA™ which is owned by SCHUKRA MANUFACTURING INC. OBUSFORME® and the distinctive backrest design are registered trademarks of OBUSFORME LTD CO.

**Designs and Patents**

Many of the products produced by Global are protected by design registrations, design patents and/or patents. Design and specifications are subject to change, discontinuance or additions without notice.

For a full listing of issued trademarks, please visit [globalfurnituregroup.com](http://globalfurnituregroup.com).

**Cubic Measure**

The stated volume is an approximate cubic foot measure that may be used to calculate freight costs. The figure shown is the total shipping volume of a unit (e.g. if a part is sent in 2 cartons the volume indicated reflects both cartons together) and is subject to change without notice. It is most economical to purchase the specified number per carton.

**Combined Shipments**

Global will make every effort to combine shipments and orders on written request. However, Global cannot be held responsible where such requests are not complied with.

**Offer of Sale**

Possession of this list price book or any other literature shall not imply the company's willingness to sell to the holder and shall not be construed as a direct offer of sale.

*If a conflict arises between: (i) prices found in software support packages furnished to the customer by Global or by any other source on behalf of Global; and (ii) Global's current pricing found on Global's website, then the most current shall prevail.*

**Testing Qualifications**

Many Global products pass or exceed the most stringent industry testing standards.

**Disclaimer**

Metric dimensions are provided for seating products for reference only. In the event that there is a discrepancy between imperial measurements and metric measurements, imperial measurements shall prevail. Prices shown are current manufacturer's suggested list prices at time of printing. Updated pricing is available on Global's website. All applicable taxes are extra. Descriptions, specifications and prices are subject to change without notice. Errors and omissions are subject to correction.

**Fire Codes**

Flame resistant components are most often requested to be tested to comply with California Technical Bulletin 11, often referred to as CAL117. The foam used in Global chairs meets the requirements of California TB117 and all of the upholstery fabrics Global offers meet this requirement. In addition, most Global seating models can be certified to California TB133. This available certification can be done when selected seating models are upholstered in specific textiles. The list of certifiable seating models and available textiles changes from time to time. Please contact Customer Service for a list of certifiable models and upholstery materials. There are other fire codes that are not commonly specified. Global Upholstery Ltd. can usually provide test results for any North American code. Please contact Customer Service. Please see chart below for CAL TB 133 upcharges and for complete CAL TB 133 information refer to the Global Dealer Centre.

**WARNING - SEATING PRODUCTS****TO PREVENT PRODUCT FAILURE AND POSSIBLE INJURY:**

Ensure that the appropriate selection is made for the intended use of the chair including user's weight. Some chairs are not recommended for users above a certain weight. Frequently inspect the chair for visible cracks and tighten all screws, bolts and adjustable knobs. If the chair is damaged or unstable, immediately remove it from service.

Any information or suggestions concerning applications, specifications or compliances with codes and standards is provided solely for your convenient reference and without any representation as to accuracy or suitability. Global disclaims any legal responsibility. The user must verify and test the suitability of any information or products for his specific application. Global reserves the right to change the Terms and Conditions in the list price book without notice.

**This list price book is effective as of January 1, 2023.**

For periodic updates, please check the PDF at [globalfurnituregroup.com](http://globalfurnituregroup.com). After login, select Resources then Price Lists. From here you will have the option to select either the Seating, Desking + Tables or Metal Filing + Storage price list books. Global warrants that all commercial products are free from defects in material and workmanship, for the life of the product, to the original Purchaser.

Global warrants that all commercial products are free from defects in material and workmanship, for the life of the product, to the original Purchaser.

Global will repair or replace, at Global's option, as the sole remedy for any defect covered by the warranty. The warranty applies to products manufactured after March 22, 2016.

Global makes no warranty that any of its products are suitable for any particular purpose and makes no other warranties, express or implied, other than those set out here. As codes and standards vary from one jurisdiction to another, references to compliance are solely for convenience and without any representation as to accuracy or suitability. Users must verify the suitability of such information or product for their specific application. In no event shall Global be liable in either tort or contract for any loss or direct, special, incidental, consequential, or exemplary damages.

**Files, Desks, Modular Furniture, Tables, Panels & Accessories**

Global warrants all components of metal storage and filing, laminate and wood veneer desks, laminate and wood veneer tables, metal leg components and panels for the lifetime of the product to the original Purchaser.

The warranty applies to single shift, standard commercial usage, defined as a standard eight (8) hour day, forty (40) hour week. Load restrictions apply, refer to individual product descriptions.

Exceptions to the warranty for files/desks/tables and panels are as follows:

- Electrical devices, panel and tackboard textiles, adjustable keyboard mechanisms, non-electrical table mechanisms, monitor arms, lecterns, coat trees and task lights - five (5) years
- Laminate folding tables - one (1) year
- Motorized electrical components - two (2) years
- Keyless lock options - two (2) years

**Files, Desks, Modular Furniture, Tables, Panels & Accessories Warranty Summary**

Product Type	Components Warranty For Original Purchaser	Exceptions
Metal storage and filing	lifetime	keyless lock options - 2 years
Laminate/wood veneer desks and modular furniture	lifetime	tackboard textiles, electrical devices, task lights - 5 years
Boardroom, conference and training tables	lifetime	electrical devices - 5 years moving parts - 5 years
Panels	lifetime	panel textiles, electrical devices, task lights - 5 years
Coat racks and lecterns	5 years	none
Folding tables (laminate & molded)	1 year	none
Height adjustable tables	5 years	motorized parts (on electrical tables) - 2 years

**Global's warranty does not apply (for any product category) to the following:**

- Nominal or normal amount of wear and tear that can occur over time
- Failures which result from negligence, abuse, accident or misuse
- Failure to apply, install or maintain products according to Global's written instructions and warnings
- Modifications, attachments or repair methods not approved by Global
- Damage caused by a carrier in transit, or delivery/installation contractors
- The matching of colors, grains or textures (wood, leather, etc.) of natural materials
- Products exposed to extreme hot or cold temperatures or excessively dry or humid environments
- Color fastness or the matching of color of textiles, dye lots of textile can vary
- Damage by markings or staining; damage by sharp objects or imprinting from instruments
- Damage to textiles or laminate and wood surfaces/edges from exposure to sunlight (including UV rays)
- Products not purchased directly from authorized Global resellers
- Products used for rental purposes
- Purchased parts are warranted for one (1) year
- Failure to follow specific cleaning and disinfecting instructions posted on [globalfurnituregroup.com](http://globalfurnituregroup.com)

Global's warranty does not cover the costs of transportation or labor. Repair or replacement will be at Global's discretion.

**Textiles and Finishes**

Global textiles and finishes are updated periodically to meet the demand and trends of the market. As a result, some textiles and finishes may be discontinued by Global or the manufacturer. In the event that a textile or finish is discontinued, Global will make every reasonable effort to provide an alternative product(s) of comparable function.

3366.....	71	BX2448RES (HP).....	54	GBT8MTP (HP).....	34	GRBTP36SF.....	25	GRH427241 (HP).....	40	GRTD5TPLK.....	35
3367.....	71	BX2460RES (HP).....	54	GBT8MTPLK.....	34	GRBTP36SK.....	25	GRH428429 (HP).....	40	GRTD5TPV.....	35
3368.....	71	BX2460TRS (HP).....	54	GBT8MTPV.....	34	GRBTP36V.....	25	GRH428436 (HP).....	40	GRTD6MTP (HP).....	35
3400.....	69	BX2466RES (HP).....	54	GBT8TP (HP).....	32	GRBTP42 (HP).....	27	GRH428441 (HP).....	40	GRTD6MTPLK.....	35
3870.....	71	BX2466TRS (HP).....	54	GBT8TPLK.....	32	GRBTP42LK.....	27	GRH429629 (HP).....	40	GRTD6MTPV.....	35
3871.....	71	BX2472RES (HP).....	54	GBT8TPV.....	32	GRBTP42SF.....	27	GRH429636 (HP).....	40	GRTD6TP (HP).....	35
3878.....	72	BX2472TRS (HP).....	54	GBT8WTP (HP).....	34	GRBTP42SK.....	27	GRH429641 (HP).....	40	GRTD6TPLK.....	35
3879.....	72	BX3042RES (HP).....	54	GBT8WTPLK.....	34	GRBTP42V.....	27	GRH486029 (HP).....	40	GRTD6TPV.....	35
7885.....	64	BX3048RES (HP).....	54	GBT8WTPV.....	34	GRBTP48 (HP).....	27	GRH486036 (HP).....	40	GSB13H25.....	24
7886.....	64	BX3060RES (HP).....	54	GBT10WTP (HP).....	34	GRBTP48LK.....	27	GRH486041 (HP).....	40	GSB19.....	26, 32
7887.....	64	BX3060TRS (HP).....	54	GBT10WTPLK.....	34	GRBTP48SF.....	27	GRH487229 (HP).....	40	GSB19H15.....	26
7888.....	64	BX3066RES (HP).....	54	GBT10WTPV.....	34	GRBTP48SK.....	27	GRH487236 (HP).....	40	GSB19H21.....	26
7889.....	64	BX3066TRS (HP).....	54	GBT12WTP (HP).....	34	GRBTP48V.....	27	GRH487241 (HP).....	40	GSB19H25.....	26, 32
B.....		BX3072RES (HP).....	54	GBT12WTPLK.....	34	GRBTP54 (HP).....	29	GRH488429 (HP).....	40	GSB19H35.....	26, 32
B24KSF (HP).....	49	BX3072TRS (HP).....	54	GBT12WTPV.....	34	GRBTP54LK.....	29	GRH488436 (HP).....	40	GSB19H41.....	26, 32
B24KSS (HP).....	49	BXL60QMP.....	52, 55	GBTD5HMTPLK (HP).....	36	GRBTP54SF.....	29	GRH488441 (HP).....	40	GSB23.....	28, 34
B24WEF (HP).....	50	BXL66QMP.....	52, 55	GBTD5HMTPLK.....	36	GRBTP54SK.....	29	GRH489629 (HP).....	40	GSB28.....	29
B24WES (HP).....	50	BXL72QMP.....	52, 55	GBTD5HMTPV.....	36	GRBTP54V.....	29	GRH489636 (HP).....	40	GSBOT1620 (HP).....	23
B30KSF (HP).....	49	BXM60QMP.....	52, 55	GBTD5HTP (HP).....	36	GRBTP60 (HP).....	29	GRH489641 (HP).....	40	GSBOT1620LK.....	23
B30KSS (HP).....	49	BXM66QMP.....	52, 55	GBTD5HTPLK.....	36	GRBTP60LK.....	29	GRHB22H28.....	42	GSBOT1620V.....	23
B30WVF (HP).....	50	BXM72QMP.....	52, 55	GBTD5HTPV.....	36	GRBTP60SF.....	29	GRHB22H35.....	42	GSBOT1622 (HP).....	23
B30WES (HP).....	50	BXWQMP.....	52, 55	GBTD5MTP (HP).....	36	GRBTP60SK.....	29	GRHB22H41.....	42	GSBOT1622LK.....	23
B2436REF (HP).....	48		C	GBTD5MTPLK.....	36	GRBTP60V.....	29	GRT5HTP (HP).....	30	GSBOT1622V.....	23
B2436RES (HP).....	48	CD28.....	91	GBTD5MTPV.....	36	GRC5HTP (HP).....	31	GRT5HTPLK.....	30	GSBOTP20 (HP).....	23
B2442REF (HP).....	48	CPFD1816.....	65	GBTD5TP (HP).....	36	GRC5HTPLK.....	31	GRT5HTPSF.....	30	GSBOTP20LK.....	23
B2442RES (HP).....	48	CPFD1821.....	65	GBTD5TPLK.....	36	GRC5HTPV.....	31	GRT5HTPSK.....	30	GSBOTP20V.....	23
B2448HMF (HP).....	50	CPFD2416.....	65	GBTD5TPV.....	36	GRC5NHTP (HP).....	31	GRT5HTPV.....	30	GSBTP16SF.....	23
B2448HMS (HP).....	51	CPFD2421.....	65	GBTD6MTP (HP).....	36	GRC5NHTPLK.....	31	GRT5NHTP (HP).....	30	GSBTP16SK.....	23
B2448REF (HP).....	48	CPFD3016.....	65	GBTD6MTPLK.....	36	GRC5NHTPV.....	31	GRT5NHTPLK.....	30	GSBTP20 (HP).....	23
B2448RES (HP).....	48	CPFD3021.....	65	GBTD6MTPV.....	36	GRC5NTP (HP).....	31	GRT5NHTPSF.....	30	GSBTP20LK.....	23
B2460REF (HP).....	48	CPFD1816.....	65	GBTD6TP (HP).....	36	GRC5NTPLK.....	31	GRT5NHTPSK.....	30	GSBTP20SF.....	23
B2460RES (HP).....	48	CPPD1821.....	65	GBTD6TPLK.....	36	GRC5NTPV.....	31	GRT5NHTPV.....	30	GSBTP20SK.....	23
B2460TRF (HP).....	49	CPPD2416.....	65	GBTD6TPV.....	36	GRC5TP (HP).....	31	GRT5NTP (HP).....	30	GSBTP20V.....	23
B2460TRS (HP).....	49	CPPD2421.....	65	GDCB36H28.....	36	GRC5TPLK.....	31	GRT5NTPLK.....	30	GSBTP22 (HP).....	23
B2466TRF (HP).....	49	CPPD3016.....	65	GDH426029 (HP).....	37	GRC5TPV.....	31	GRT5NTPSF.....	30	GSBTP22LK.....	23
B2466TRS (HP).....	49	CPPD3021.....	65	GDH426036 (HP).....	37	GRC6TP (HP).....	31	GRT5NTPSK.....	30	GSBTP22SF.....	23
B2472REF (HP).....	48	CU1816.....	65	GDH426041 (HP).....	38	GRC6TPLK.....	31	GRT5NTPV.....	30	GSBTP22SK.....	23
B2472RES (HP).....	48	CU1821.....	65	GDH427229 (HP).....	37	GRC6TPV.....	31	GRT5TP (HP).....	30	GSBTP22V.....	23
B2472TRF (HP).....	49	CU2416.....	65	GDH427236 (HP).....	37	GRC7TP (HP).....	31	GRT5TPLK.....	30	GSBTP24 (HP).....	25
B2472TRS (HP).....	49	CU2421.....	65	GDH427241 (HP).....	38	GRC7TPLK.....	31	GRT5TPSF.....	30	GSBTP24LK.....	25
B3036REF (HP).....	48	CU3016.....	65	GDH428429 (HP).....	37	GRC7TPV.....	31	GRT5TPSK.....	30	GSBTP24SF.....	25
B3036RES (HP).....	48	CU3021.....	65	GDH428436 (HP).....	37	GRC8MTP (HP).....	33	GRT5TPV.....	30	GSBTP24SK.....	25
B3042REF (HP).....	48	CUP1816.....	66	GDH428441 (HP).....	38	GRC8MTPLK.....	33	GRT6TP (HP).....	30	GSBTP24V.....	25
B3042RES (HP).....	48	CUP1821.....	66	GDH429629 (HP).....	37	GRC8MTPV.....	33	GRT6TPLK.....	30	GSBTP30 (HP).....	25
B3048REF (HP).....	48	CUP2416.....	66	GDH429636 (HP).....	37	GRC8TP (HP).....	31	GRT6TPSF.....	30	GSBTP30LK.....	25
B3048RES (HP).....	48	CUP2421.....	66	GDH429641 (HP).....	38	GRC8TPLK.....	31	GRT6TPSK.....	30	GSBTP30SF.....	25
B3060HMF (HP).....	50	CUP3016.....	66	GDH486029 (HP).....	37	GRC8TPV.....	31	GRT6TPV.....	30	GSBTP30SK.....	25
B3060HMS (HP).....	51	CUP3021.....	66	GDH486036 (HP).....	37	GRC8WTP (HP).....	33	GRT7TP (HP).....	30	GSBTP30V.....	25
B3060REF (HP).....	48	CY1816.....	66	GDH486041 (HP).....	38	GRC8WTPLK.....	33	GRT7TPLK.....	30	GSBTP36 (HP).....	25
B3060RES (HP).....	48	CY1821.....	66	GDH487229 (HP).....	37	GRC8WTPV.....	33	GRT7TPSF.....	30	GSBTP36LK.....	25
B3060TRF (HP).....	49	CY2416.....	66	GDH487236 (HP).....	37	GRC10WTP (HP).....	33	GRT7TPSK.....	30	GSBTP36SF.....	25
B3060TRS (HP).....	49	CY2421.....	66	GDH487241 (HP).....	38	GRC10WTPLK.....	33	GRT7TPV.....	30	GSBTP36SK.....	25
B3066TRF (HP).....	49	CY3016.....	66	GDH488429 (HP).....	37	GRC10WTPV.....	33	GRT8MTP (HP).....	33	GSBTP36V.....	25
B3066TRS (HP).....	49	CY3021.....	66	GDH488436 (HP).....	37	GRC12WTP (HP).....	33	GRT8MTPLK.....	33	GSBTP42 (HP).....	27
B3072REF (HP).....	48	CYP1816.....	66	GDH488441 (HP).....	38	GRC12WTPLK.....	33	GRT8MTPV.....	33	GSBTP42LK.....	27
B3072RES (HP).....	48	CYP1821.....	66	GDH489629 (HP).....	37	GRC12WTPV.....	33	GRT8TP (HP).....	30	GSBTP42SF.....	27
B3072TRF (HP).....	49	CYP2416.....	66	GDH489636 (HP).....	37	GRCDSHMTPLK (HP).....	35	GRT8TPLK.....	30	GSBTP42SK.....	27
B3072TRS (HP).....	49	CYP2421.....	66	GDH489641 (HP).....	38	GRCDSHMTPLK.....	35	GRT8TPSF.....	30	GSBTP42V.....	27
B3636SQF (HP).....	51	CYP3016.....	66	GRB14H25.....	24	GRCDSHMTPV.....	35	GRT8TPSK.....	30	GSBTP2430 (HP).....	26
B3642REF (HP).....	48	CYP3021.....	66	GRB22.....	26, 32	GRCDSHTP (HP).....	35	GRT8TPV.....	30	GSBTP2430LK.....	26
B3648REF (HP).....	48		G	GRB22H15.....	26	GRCDSHTPLK.....	35	GRT8WTP (HP).....	33	GSBTP2430SF.....	26
B3660REF (HP).....	48			GRB22H21.....	26	GRCDSHTPV.....	35	GRT8WTPLK.....	33	GSBTP2430SK.....	26
B3672HMF (HP).....	50			GRB22H26.....	26, 32	GRCDSMTP (HP).....	35	GRT8WTPV.....	33	GSBTP2430V.....	26
B3672REF (HP).....	48			GRB22H35.....	26, 32	GRCDSMTPLK.....	35	GRT10WTP (HP).....	33	GSBTP2436 (HP).....	26
BSFMS.....	52			GRB22H41.....	26, 32	GRCDSMTPV.....	35	GRT10WTPLK.....	33	GSBTP2436LK.....	26
BSWFM.....	52			GRB28.....	28, 34	GRCDS5TP (HP).....	35	GRT10WTPV.....	33	GSBTP2436SF.....	26
BWMD22.....	53			GRB34.....	29	GRCDS5TPLK.....	35	GRT12WTP (HP).....	33	GSBTP2436SK.....	26
BWMS5.....	53			GRBTP24 (HP).....	25	GRCDS5TPV.....	35	GRT12WTPLK.....	33	GSBTP2436V.....	26
BX24KSS (HP).....	54			GRBTP24LK.....	25	GRCDSMTP (HP).....	35	GRT12WTPV.....	33	GSBTP3036 (HP).....	26
BX24WES (HP).....	54			GRBTP24SF.....	25	GRCDSMTPLK.....	35	GRTD5HMTPLK (HP).....	35	GSBTP3036LK.....	26
BX30KSS (HP).....	54			GRBTP24SK.....	25	GRCDSMTPV.....	35	GRTD5HMTPLK.....	35	GSBTP3036SF.....	26
BX30WES (HP).....	54			GRBTP24V.....	25	GRCDS6TP (HP).....	35	GRTD5HMTPV.....	35	GSBTP3036SK.....	26
BX36QMP.....	52, 55			GRBTP30 (HP).....	25	GRCDS6TPLK.....	35	GRTD5HTP (HP).....	35	GSBTP3036V.....	26
BX42QMP.....	52, 55			GRBTP30LK.....	25	GRCDS6TPV.....	35	GRTD5HTPLK.....	35	GSBTP3042 (HP).....	27
BX48QMP.....	52, 55			GRBTP30SF.....	25	GRH426029 (HP).....	40	GRTD5HTPV.....	35	GSBTP3042LK.....	27
BX60QMP.....	52, 55			GRBTP30SK.....	25	GRH426036 (HP).....	40	GRTD5MTP (HP).....	35	GSBTP3042SF.....	27
BX66QMP.....	52, 55			GRBTP30V.....	25	GRH426041 (HP).....	40	GRTD5MTPLK.....	35	GSBTP3042SK.....	27
BX72QMP.....	52, 55			GRBTP36 (HP).....	25	GRH427229 (HP).....	40	GRTD5MTPV.....	35	GSBTP3042V.....	27
BX2442RES (HP).....	54			GRBTP36LK.....	25	GRH427236 (HP).....	40	GRTD5TP (HP).....	35	GSBTP3642 (HP).....	27



GSBTP3642LK.....	27	JNRU2460 (HP).....	59	PRTMCD622B.....	85	PTL04.....	86	Z6084RMIL (HP).....	11	Z60264REE (HP).....	9
GSBTP3642SF.....	27	JNRU2466 (HP).....	59	PRTMCD622T.....	85	PTL05.....	86	Z6084RMIM (HP).....	12	Z60264RTE (HP).....	8
GSBTP3642SK.....	27	JNRU2472 (HP).....	59	PRTMCD622W.....	85	PTL08.....	87	Z6084WMIH (HP).....	13	Z60264WE (HP).....	10
GSBTP3642V.....	27	JNRU3054 (HP).....	59	PRTMCD642B.....	85	PTL09.....	87	Z6084WMIL (HP).....	11	Z60288BE (HP).....	7
GSEH426029 (HP).....	41	JNRU3060 (HP).....	59	PRTMCD642T.....	85	PTL10.....	87	Z6084WMIM (HP).....	12	Z60288BW (HP).....	10
GSEH426036 (HP).....	41	JNRU3066 (HP).....	59	PRTMCD642W.....	85	PTL11.....	87	Z6096BE (HP).....	6	Z60288REE (HP).....	9
GSEH426041 (HP).....	41	JNTU3072 (HP).....	59	PRTMCS421B.....	85	PTL12.....	86	Z6096DMIH (HP).....	12	Z60288RTE (HP).....	8
GSEH427229 (HP).....	41	JNTS.....	62	PRTMCS421T.....	85	PTL13.....	86	Z6096DMIL (HP).....	10	Z60288WE (HP).....	10
GSEH427236 (HP).....	41	JNTT2448 (HP).....	59	PRTMCS421W.....	85	PTL14.....	86	Z6096DMIM (HP).....	11	Z361829BD.....	15
GSEH427241 (HP).....	41	JNTT2460 (HP).....	59	PS305002.....	84	PTISL96GB.....	84	Z6096RMIH (HP).....	13	Z361829B0.....	15
GSEH428429 (HP).....	41	JNTT3060 (HP).....	59	PS305057.....	84	PTISL96GW.....	84	Z6096RMIL (HP).....	11	Z361872VB.....	15
GSEH428436 (HP).....	41	JNTT3072 (HP).....	59	PS305102.....	84	PTISL96SP.....	84	Z6096RMIM (HP).....	12	Z367229BT (HP).....	13
GSEH428441 (HP).....	41	K.....		PS305157.....	84	PUSBTRSF.....	87	Z6096WMIH (HP).....	13	Z367236BT (HP).....	14
GSEH429629 (HP).....	41	KEZLCSTR.....	75	PS3525002.....	83	R.....		Z6096WMIL (HP).....	11	Z367242BT (HP).....	14
GSEH429636 (HP).....	41	KEZLIFT.....	75	PS3525057.....	83	R27855.....	67	Z6096WMIM (HP).....	12	Z368429BT (HP).....	13
GSEH429641 (HP).....	41	KP0202.....	82	PS3526002.....	83	R27856.....	68	Z48120BE (HP).....	6	Z368436BT (HP).....	14
GSEH486029 (HP).....	41	KP0203.....	82	PS3526057.....	83	R27857.....	68	Z48120BW (HP).....	9	Z368442BT (HP).....	14
GSEH486036 (HP).....	41	KP0302.....	82	PSDPC22W.....	83	R27858.....	68	Z48120REE (HP).....	8	Z369629BT (HP).....	13
GSEH486041 (HP).....	41	KP0303.....	82	PSDPC32W.....	83	R27859.....	68	Z48120RTE (HP).....	7	Z369636BT (HP).....	14
GSEH487229 (HP).....	41	KPSF02.....	82	PSMA1.....	78	R27860.....	68	Z48144BE (HP).....	6	Z369642BT (HP).....	14
GSEH487236 (HP).....	41	KPSF03.....	82	PSMA2.....	78	R27861.....	68	Z48144BW (HP).....	9	Z481829BD.....	15
GSEH487241 (HP).....	41	KSKF-12.....	81	PSMS.....	78	Z.....		Z48144REE (HP).....	8	Z481829B0.....	15
GSEH488429 (HP).....	41	KSKF-18.....	81	PT9MP3013-1.....	77	Z48BEC.....	13	Z48144RTE (HP).....	7	Z487229BT (HP).....	14
GSEH488436 (HP).....	41	KSKF-21.....	81	PT9MP3013-4.....	77	Z60BEC.....	13	Z48168BE (HP).....	6	Z487236BT (HP).....	14
GSEH488441 (HP).....	41	KSKF-21-W.....	81	PT9MP3013-12.....	77	Z3636SQ (HP).....	6	Z48168BW (HP).....	9	Z487242BT (HP).....	14
GSEH489629 (HP).....	41	KSM02-12.....	81	PT9MP3613-1.....	77	Z4242SQ (HP).....	6	Z48168REE (HP).....	8	Z488429BT (HP).....	14
GSEH489636 (HP).....	41	KSM02-18.....	81	PT9MP3613-4.....	77	Z4848SQ (HP).....	6	Z48168RTE (HP).....	7	Z488436BT (HP).....	14
GSEH489641 (HP).....	41	KSM02-21.....	81	PT9MP3613-12.....	77	Z4860DMIH (HP).....	12	Z48192BE (HP).....	7	Z488442BT (HP).....	14
GSHB19H28.....	42	KSM03-12.....	81	PT9MP4213-1.....	77	Z4860DMIL (HP).....	10	Z48192BW (HP).....	9	Z489629BT (HP).....	14
GSHB19H35.....	42	KSM03-18.....	81	PT9MP4213-4.....	77	Z4860DMIM (HP).....	11	Z48192REE (HP).....	9	Z489636BT (HP).....	14
GSHB19H41.....	42	KSM03-21.....	81	PT9MP4213-12.....	77	Z4860RMIH (HP).....	13	Z48192RTE (HP).....	8	Z489642BT (HP).....	14
GSOB13H25.....	24	KT27M02.....	80	PT9MP4813-1.....	77	Z4860RMIL (HP).....	11	Z48216BE (HP).....	7	Z601829BU.....	15
GWH486029 (HP).....	39	KTMT03.....	80	PT9MP4813-4.....	77	Z4860RMIM (HP).....	12	Z48216BW (HP).....	9	Z721829BU.....	15
GWH486036 (HP).....	39	M.....		PT9MP4813-12.....	77	Z4872DMIH (HP).....	12	Z48216REE (HP).....	9		
GWH486041 (HP).....	39	M393.....	91	PT9MP5413-1.....	77	Z4872DMIL (HP).....	10	Z48216RTE (HP).....	8		
GWH487229 (HP).....	39	M775OLD.....	78	PT9MP5413-4.....	77	Z4872DMIM (HP).....	11	Z48240BE (HP).....	7		
GWH487236 (HP).....	39	M7755MD.....	79	PT9MP5413-12.....	77	Z4872RMIH (HP).....	13	Z48240BW (HP).....	9		
GWH487241 (HP).....	39	MLDTP3224.....	93	PT9MP6013-1.....	77	Z4872RMIL (HP).....	11	Z48240REE (HP).....	9		
GWH488429 (HP).....	39	MLIR30B.....	92	PT9MP6013-4.....	77	Z4872RMIM (HP).....	12	Z48240RTE (HP).....	8		
GWH488436 (HP).....	39	MON1SDEH.....	79	PT9MP6013-12.....	77	Z4884DMIH (HP).....	12	Z48264BE (HP).....	7		
GWH488441 (HP).....	39	MVL13016.....	70	PT9MP6613-1.....	77	Z4884DMIL (HP).....	10	Z48264BW (HP).....	9		
GWH489629 (HP).....	39	MVL13023.....	70	PT9MP6613-4.....	77	Z4884DMIM (HP).....	11	Z48264REE (HP).....	9		
GWH489636 (HP).....	39	N.....		PT9MP6613-12.....	77	Z4884RMIH (HP).....	13	Z48264RTE (HP).....	8		
GWH489641 (HP).....	39	NL23HBF.....	93	PT9MP7213-1.....	77	Z4884RMIL (HP).....	11	Z48288BE (HP).....	7		
H.....		NLMP23BBF.....	93	PT9MP7213-4.....	77	Z4884RMIM (HP).....	12	Z48288BW (HP).....	9		
HTM2446T (HP).....	75	NLMP23BF.....	93	PT9MP7213-12.....	77	Z4896BE (HP).....	6	Z48288REE (HP).....	9		
HTM2458T (HP).....	75	P.....		PT9MP7813-1.....	77	Z4896BW (HP).....	9	Z48288RTE (HP).....	8		
HTM3046T (HP).....	75	PCPU-GT.....	82	PT9MP7813-4.....	77	Z4896DMIH (HP).....	12	Z60120BE (HP).....	7		
HTM3058T (HP).....	75	PCPU-HC.....	82	PT9MP7813-12.....	77	Z4896DMIL (HP).....	10	Z60120BW (HP).....	9		
J.....		PCSN01.....	83	PT9PP3013-1.....	76	Z4896DMIM (HP).....	11	Z60120REE (HP).....	8		
JN5S2424 (HP).....	59	PCSN01E.....	83	PT9PP3013-4.....	76	Z4896REE (HP).....	8	Z60120RTE (HP).....	8		
JN5S3030 (HP).....	59	PEEOCKS.....	90	PT9PP3013-12.....	76	Z4896RMIH (HP).....	13	Z60120WE (HP).....	10		
JNCP.....	62	PEEPD.....	90	PT9PP3613-1.....	76	Z4896RMIL (HP).....	11	Z60144BE (HP).....	7		
JNEC5S.....	60	PEVVM.....	90	PT9PP3613-4.....	76	Z4896RMIM (HP).....	12	Z60144BW (HP).....	9		
JNEC42.....	60	PEWM1.....	90	PT9PP3613-12.....	76	Z4896RTE (HP).....	7	Z60144REE (HP).....	8		
JNEC48.....	60	PEWM1.5.....	90	PT9PP4213-1.....	76	Z5454SQ (HP).....	6	Z60144RTE (HP).....	8		
JNEC54.....	60	PEWM2.....	90	PT9PP4213-4.....	76	Z6060DMIH (HP).....	12	Z60144WE (HP).....	10		
JNEC60.....	60	PEWM2.5.....	90	PT9PP4213-12.....	76	Z6060DMIL (HP).....	10	Z60168BE (HP).....	7		
JNEC66.....	60	PEWM3.....	90	PT9PP4813-1.....	76	Z6060DMIM (HP).....	11	Z60168BW (HP).....	9		
JNEC72.....	60	PEWM3.5.....	90	PT9PP4813-4.....	76	Z6060RMIH (HP).....	13	Z60168REE (HP).....	8		
JNGFP.....	62	PEWM4.....	90	PT9PP4813-12.....	76	Z6060RMIL (HP).....	11	Z60168RTE (HP).....	8		
JNHFS2448 (HP).....	59	PEWM4.5.....	90	PT9PP5413-1.....	76	Z6060RMIM (HP).....	12	Z60168WE (HP).....	10		
JNHFS2454 (HP).....	59	PEWM5.....	90	PT9PP5413-4.....	76	Z6060SQ (HP).....	6	Z60192BE (HP).....	7		
JNHFS3060 (HP).....	59	PEWM5.5.....	90	PT9PP5413-12.....	76	Z6060WMIH (HP).....	13	Z60192BW (HP).....	10		
JNHFS3066 (HP).....	59	PMDCA3MG.....	89	PT9PP6013-1.....	76	Z6060WMIL (HP).....	11	Z60192REE (HP).....	9		
JNLEG.....	61	PMDCA3WH.....	89	PT9PP6013-4.....	76	Z6060WMIM (HP).....	12	Z60192RTE (HP).....	8		
JNLEG24.....	61	PMDCF3MG.....	88	PT9PP6013-12.....	76	Z6072DMIH (HP).....	12	Z60192WE (HP).....	10		
JNLEG30.....	61	PMDCF3VH.....	88	PT9PP6613-1.....	76	Z6072DMIL (HP).....	10	Z60216BE (HP).....	7		
JNMP42.....	60	PMDCCLIPS.....	89	PT9PP6613-4.....	76	Z6072DMIM (HP).....	11	Z60216BW (HP).....	10		
JNMP48.....	60	PMDEA3MG.....	89	PT9PP6613-12.....	76	Z6072RMIH (HP).....	13	Z60216REE (HP).....	9		
JNMP54.....	60	PMDEA3WH.....	89	PT9PP7213-1.....	76	Z6072RMIL (HP).....	11	Z60216RTE (HP).....	8		
JNMP60.....	60	PMDEF3MG.....	88	PT9PP7213-4.....	76	Z6072RMIM (HP).....	12	Z60216WE (HP).....	10		
JNMP66.....	60	PMDEF3VH.....	88	PT9PP7213-12.....	76	Z6072WMIH (HP).....	13	Z60240BE (HP).....	7		
JNMP72.....	60	PMDJ36BK.....	89	PT9PP7813-1.....	76	Z6072WMIL (HP).....	11	Z60240BW (HP).....	10		
JNR2442 (HP).....	59	PMDSA10MG.....	89	PT9PP7813-4.....	76	Z6072WMIM (HP).....	12	Z60240REE (HP).....	9		
JNR2448 (HP).....	59	PMDSA10WH.....	89	PT9PP7813-12.....	76	Z6084DMIH (HP).....	12	Z60240RTE (HP).....	8		
JNR3042 (HP).....	59	PMDSF10MG.....	88	PTL01.....	86	Z6084DMIL (HP).....	10	Z60240WE (HP).....	10		
JNR3048 (HP).....	59	PMDSF10WH.....	88	PTL02.....	86	Z6084DMIM (HP).....	11	Z60264BE (HP).....	7		
JNRU2454 (HP).....	59	PPVST3WF.....	84	PTL03.....	86	Z6084RMIH (HP).....	13	Z60264BW (HP).....	10		

---

## Global offices in Canada

### Head Office

560 Supertest Road  
Toronto, Ontario  
M3J 2M6  
T (416) 650-6500

### Toronto Sales Office

1350 Flint Road  
Toronto, Ontario  
M3J 2J7  
T (416) 661-3660

---

## Showrooms

### Calgary

237 8 Avenue SE, Suite 302  
Calgary, Alberta  
T2G 5C3  
T (403) 250-7770

### The Blueprint Montreal

1010 Sainte-Catherine Street W, Mezz 2  
Montreal, Quebec  
H3B 1E7  
T (514) 866-4331

### Ottawa

251 Laurier Avenue West, Suite 400  
Ottawa, Ontario  
K1P 5J6  
T (613) 234-2881  
*Please call ahead to book an appointment.*

### Edmonton

10158 103 Street NW, Suite 201  
Edmonton, Alberta  
T5J 0X6  
T (780) 444-8922

### Toronto

1350 Flint Road  
Toronto, Ontario  
M3J 2J7  
T (416) 661-3660

### Vancouver

675 West Hastings Street, Suite 1000  
Vancouver, British Columbia  
V6B 1N2  
T (604) 432-1701

### Halifax

1061 Marginal Road, Suite 120  
Halifax, Nova Scotia  
B3H 4P7  
T (902) 422-7434

### The Blueprint Toronto

(MetroCentre)  
200 Wellington Street West, Suite 1602  
Toronto, Ontario  
M5V 3C7

### Winnipeg

111 Lombard Avenue, Suite 220  
Winnipeg, Manitoba  
R3B 0T4  
T (204) 925-3350



globalfurnituregroup.com