



NEX > Price Book > Canada > February 2024



**Canadian Federal Government
Supply Arrangement (SA)
E60PQ-140003/033/PQ
Furniture for Work Spaces**

**Quad - Options - CITE
Stad - Nex - Co.Lok - Quorum**

TABLE OF CONTENTS

SPECIFICATIONS	2
NEX COLLECTION	2
HEIGHT MANAGEMENT AND STACKING COMPATIBILITY	3
DESKS AND SURFACES	3-4
RETURNS	4
RETURN-SURFACES	5
WORK SURFACES WITH STRUT(S)	5-6
ELECTRIC HEIGHT ADJUSTABLE DESKS	6-7
ELECTRIC HEIGHT ADJUSTABLE DESKS WITH RETURN	7-9
CAFÉ HEIGHT TABLES, MEETING TABLES AND COMPLEMENTARY FURNITURE	10
CUSHIONS	10
STORAGE FURNITURE	11-12
MEDIA PANELS	12-13
MODULAR PRIVACY SCREENS	13
ACCESSORIES	14
APPLICATION OF TWO-TONE AND HIGH-GLOSS FINISHES	14-15
STANDARD SPECIALS	15
SPECIFICATIONS OF OPTIONS AND FINISHES	15

NEX PRICE LIST	16
WORK SURFACES	16
DESKS WITH MEETING SPACE	17
WORK SURFACES WITH MEETING SPACE	18
COLLABORATIVE SURFACES	19
WORK SURFACES WITH STRUT(S)	20
RETURN-SURFACES	21
RETURNS	21
ELECTRIC HEIGHT ADJUSTABLE DESKS AND RETURNS	22
CAFÉ HEIGHT TABLES	25
MEETING TABLES	26
COMPLEMENTARY FURNITURE	27
STORAGE MODULES – 21" H.	28
STORAGE MODULES – 27" H.	30
STORAGE FURNITURE	32
BOOKCASE HUTCHES	34
MEDIA PANELS	36
WALL-MOUNTED HUTCHES	36
PEDESTALS	37
ACCESSORIES	37
SUGGESTIONS	39





Lacasse products have achieved GREENGUARD GOLD Certification.

GREENGUARD Certified products are certified to GREENGUARD standards for low chemical emissions into indoor air during product usage. For more information, visit ul.com/gg.

SPECIFICATIONS


NEX COLLECTION

NEX is a stylish collection of furniture. It offers superior value and incomparable flexibility in its layout possibilities.



HEIGHT MANAGEMENT AND STACKING COMPATIBILITY

The modular nature of the NEX collection's various components enables units of different heights to be aligned so as to ensure visual consistency between work stations. Here is an overview of the principal heights (measurements in Imperial units are nominal):




DESKS AND SURFACES

General characteristics


All desks, work surfaces and returns from the NEX collection are available with a choice of top panel 1" (25 mm) thick with smooth edgebanding or 1½" (38 mm) thick with smooth or knife edge.

Top panels have at least 1 grommet with a metal cover with a satin chrome finish (excluding the return-surfaces and the height adjustable desks). The opening of the grommet can accommodate an electrical module unless indicated otherwise (surfaces with struts).


Desks and returns 20" (500 mm) in depth are not compatible with suspended cabinet NNN_--161820F.



Grommet with metal cover




Electric module
LGC-PCQ1USB1P



Short or long laminate legs are always 1½" (38 mm) thick and some desk or surface models have a slim, mechanically height adjustable metal leg.

- Slim metal leg
- Steel with brushed chrome satin finish.
 - Translucent plastic floor bumpers.
 - 1" (25 mm) height adjustment.




SPECIFICATIONS

NEX COLLECTION (cont'd)


Desks

Desks with recessed short backs

- Built with recessed back, 6" (150 mm) in height.




2 long legs – laminate




1 long leg – laminate
1 long leg – metal

Desks with recessed full-height modesty panels

- Compatible with pedestals NNN_ _-161820F or NNN_ _-MP161820F.
- Modesty panel can have a laminate or High-Gloss Black or High-Gloss White finish.






2 long legs – laminate



1 long leg – laminate

Desks with short backs are compatible with 21" H (561 mm) storage modules.




Modesty panel

Work surfaces


Surfaces with short backs may be placed on top of 1 or 2 21" H (561 mm) storage modules from the NEX collection. They are mounted using double-sided tape.

Surfaces with short backs


- Built with recessed back, 6" (150 mm) in height.



1 long leg – laminate
1 short leg – laminate




2 short legs – laminate




1 short leg – laminate
1 long leg – metal

Collaborative surfaces with centered short backs

- Built with two centered backs, 6" (150 mm) in height.




1 short leg – laminate
1 long leg – metal




1 short leg – laminate
1 long leg – laminate


There are multiple possibilities for layout and positioning. Here are a few examples:




1 storage module
positioned perpendicularly




1 storage module
placed underneath



1 storage module positioned
toward the outside



1 storage module positioned
during installation




2 storage modules
positioned perpendicularly

RETURNS


General characteristics

Returns are always connected to another surface. They are available with a short or long laminate leg and a short back, 6" (150 mm) in height with a 3" (75 mm) recess. Returns with a short leg must be installed on a 21" H (561 mm) storage module and are attached with double-sided tape. Multiple connections are possible.

Returns – short leg




Returns – long leg




Return with a short leg

Return with a long leg



21" H (561 mm) storage module




RETURN-SURFACES



Return-surfaces can be used to create meeting surfaces that are perpendicular to a given surface. They are always connected to another surface with mounting brackets (included). Modular modesty panels with steel ties have been designed for use with them. Refer to page 15.

Return-surfaces


Possible configurations:




Flush plates
1 long leg - metal




Unauthorized configurations:




The short leg must always be placed on top of the storage module.



The storage module depth must be equal or greater than that of the surface.




The junction between a surface and a return must lie along a low storage module.




Stackables must be placed above solid structures such as desk legs or storage modules.


Non-recommended configurations:



It is recommended that a storage module be positioned beneath a surface and with a recess of approximately 2" (51 mm) when the surface and its legs have knife edgebanding.



Stacking certain pieces of furniture may render their drawers partially or completely inaccessible beneath the surface. It is preferable to choose a different storage configuration.



A careful selection of furniture depths helps avoid a situation where the storage module exceeds the surface depth.

WORK SURFACES WITH STRUT(S)

General characteristics


Elevated surfaces have 1" or 1½" (25 or 38 mm) thick, factory-installed laminate struts that come in a matching finish. These surfaces must be installed on 27" H (690 mm) storage modules with double-sided tape.

Rectangular surfaces




2 struts - laminate

Rectangular tables






1 strut - laminate
1 long leg - metal

Returns



1 strut - laminate
Flush plates

Examples of work stations:




2½" (68 mm) gap
between the top of the
surface and the top of the
storage module

SPECIFICATIONS


WORK SURFACES WITH STRUT(S) (cont'd)

Positioning of struts

A strut may be positioned anywhere along one or two 27" H (690 mm) storage module(s). It is important to make sure that all of its surface is in contact with the storage module(s).



Non-recommended configurations:



- Shelves must be placed on top of solid structures.
- No raised surface above a storage module with a door.

ELECTRIC HEIGHT ADJUSTABLE DESKS

NEX electric height adjustable desks are very easy to use. They favor an active mode of work (sitting/standing) and can be adapted to users of different heights.

General characteristics



- 1- The laminate back is removable and enables access to the power cable.
- 2- The front panel of the integrated module may have a laminate or high-gloss black or high-gloss white finish.
- 3- The open compartment above the integrated module can accommodate small personal items. The base of the open compartment is covered with textured, ½" (13 mm) thick grey felt. An optional cutout for a round wireless charger, LGC-CHARGE, for the open compartment is available as a Standard Special (see p. 15).
- 4- Optional grommets for the surface available as a Standard Special (see p. 15).
- 5- The metal back is available in a choice of Black or White accent color.
- 6- Cantilevered meeting space with a 17" (425 mm) span, except for the 66" L (1650 mm) surface, which has an 11" (275 mm) meeting space.
- 7- A 6" (152 mm) vertical clearance beneath the integrated module makes it possible to accommodate a floor monument.

Electric height adjustment

- Control keypad is installed beneath the work surface.
- Operating speed: 1¼" (32 mm) height adjustment per second.
- Sound level: 48 dB.
- Lift capacity of 2 columns: 264 lbs (120 kg).
- Recommended functional load capacity: 100 lbs (45 kg).
- Failure to respect the loads can cause the table/desk to malfunction.
- 120" (3048 mm) cable with plug for wall outlet. 6' (1829 mm) of connector cable available outside the desk.
- Meet CSA and UL standards.




Digital control keypad with memory



Height adjustment range:

1½" (38 mm) TOP	
Minimal position	26" (661 mm)
Maximum position	43½" (1105 mm)

Clearance for knees




36" D (900 mm) = 21½" (538 mm) clearance
32" D (800 mm) = 20½" (513 mm) clearance

ELECTRIC HEIGHT ADJUSTABLE DESKS (cont'd)

Choice of integrated modules

Electric height adjustable desks with file module


- Open compartment on top can accommodate small personal items.
- File drawer with suspension bar and lock.
- 4" L x 12" H (100 x 297 mm) hidden storage space to the right of the drawer.




File storage module with small hidden space to the right of the file drawer

Electric height adjustable desks with fixed module

- Open compartment on top can accommodate small personal items.
- Closed /fixed storage space with removable front panel to access cables.
- 20" D (519 mm) storage module may be positioned facing the fixed module.




Closed /fixed module with removable front panel




20" D (519 mm) storage module positioned in front of fixed module

Layout recommendations


For certain types of layout with a storage module positioned on top of a low storage module attached to the height adjustable desk, it is important to leave a minimum 8" D (200 mm) spacing in order to avoid impacts during lifting or lowering of the surface.




Possible configuration:



Unauthorized configurations:



It is not possible to attach top storage modules to the integrated module of height adjustable desks.





It is not possible to attach a 27" H (690 mm) storage module or a cabinet taller than 21" H (561 mm) to height adjustable desks.

ELECTRIC HEIGHT ADJUSTABLE DESKS WITH RETURN

NEX electric height adjustable desks with return are very easy to use, favor an active mode of work (sitting / standing) and can be adapted to users of different heights.

General characteristics

- 1- The laminate back is removable and enables access to the power cable.
- 2- The front panel of the integrated module may have a laminate or high-gloss black or high-gloss white finish.
- 3- Optional grommets on the surface available as a Standard Special (see p. 15).
- 4- Metal backs are available in a choice of Black or White accent color.
- 5- Cantilevered meeting place with a 10" (250 mm) span.
- 6- Full-width clearance for knees.
- 7- A 6" (152 mm) vertical x 6" (150 mm) deep clearance beneath the desk accommodates a floor monument.
- 8- 1" (25 mm) clearance around the surface.



SPECIFICATIONS

ELECTRIC HEIGHT ADJUSTABLE DESKS WITH RETURN (cont'd)


Electric height adjustment

- Control keypad is installed beneath the work surface.
- Operating speed: 1¼" (32 mm) height adjustment per second.
- Sound level: 48 dB.
- Lift capacity of 2 columns: 264 lbs (120 kg).
- Lift capacity of 3 columns: 330 lbs (150 kg).
- Recommended functional load capacity: 100 lbs (45 kg).
- Failure to respect the loads can cause the table/desk to malfunction.
- 120" (3048 mm) cable with plug for wall outlet. 6' (1829 mm) of connector cable available outside the desk.
- Meet CSA and UL standards.

Height adjustment range:

1½" (38 mm) TOP	
Minimal position	26" (661 mm)
Maximum position	43½" (1105 mm)


Clearance for knees



36" D (900 mm) = 21½" (538 mm) clearance
32" D (800 mm) = 20½" (512 mm) clearance




Digital control keypad with memory




Electric height adjustment desks with return and storage module with file drawer

- Open compartment on top of storage module can accommodate small personal items.
- File drawer with suspension bar and lock.
- Access to cables.



File drawer






Electric height adjustable desks with return and fixed module

- Module with "push-to-open/close" door (without handle) 20" D (519 mm) enabling access to cables, including a small, 6" (150 mm) or 10" (250 mm) storage space.
- A 20" D (519 mm) storage module may be positioned facing the fixed module.
- Return-surfaces are 2" (50 mm) narrower than the integrated module. An 18" D (450 mm) return will therefore have a 20" D (519 mm) integrated module, while a 22" D (550 mm) return will have a 24" D (619 mm) integrated module.

It is possible to place a 20" D (457 mm) / 24" D (619 mm) storage module with the file module.


Return-surface with integrated module
20" D (519 mm)

Return-surface with integrated module
24" D (619 mm)




ELECTRIC HEIGHT ADJUSTABLE DESKS WITH RETURN (cont'd)

Electric height adjustable desks with return are sold combined with return-surfaces and integrated modules. Here is a description of the combinations available:




Layout recommendations


Calculate the space available underneath the return-surface. Height adjustable table, return-surfaces with integrated file module.




Height adjustable table, surface-returns with fixed module.



Possible configurations:



Unauthorized configurations:



SPECIFICATIONS

CAFÉ HEIGHT TABLES, MEETING TABLES AND COMPLEMENTARY FURNITURE

General characteristics

All meeting tables, café height tables, occasional tables and benches from the NEX collection are available with a choice of top panel 1" (25 mm) thick with smooth edgebanding or 1½" (38 mm) thick with smooth or knife edge.

Table and bench legs are in 1½" (38 mm) thick laminate. Modesty panels and table backs can have a laminate or high-gloss black or high-gloss white finish.


- Optional grommets or electric module at center of surface or table available as a Standard Special (see p. 15).

Tables

42" H (1067 mm) café height tables


- 18" H (457 mm) modesty panel.
- Clearance for knees varies with table depth:
Tables 36" D (900 mm) = 12¼" (309 mm) clearance on either side.
Tables 30" D (750 mm) = 11¼" (281 mm) clearance on either side.
Tables 24" D (600 mm) = 20" (500 mm) clearance on either side.

Café height tables 24" D (600 mm)




Modesty panel
with 3" (75 mm) recess

Café height tables 30" D (750 mm)



Centered modesty panels

Café height tables 36" D (900 mm)




Centered modesty panels

29½" H (752 mm) meeting tables

- Full-height modesty panel, 1½" (38 mm) shorter with respect to the legs.
- Clearance for knees varies with table depth:
Tables 48" D (1200 mm) = 22" (550 mm) clearance on either side.
Tables 42" D (1050 mm) = 19" (475 mm) clearance on either side.
Tables 36" D (900 mm) = 16" (400 mm) clearance on either side.

Meeting tables 36/42/48" D (900/1050/1200 mm)




Centered modesty panels

Complementary furniture


Console tables

- Full-height modesty panel, 1½" (38 mm) shorter than the legs.
- Console tables are 29½" (752 mm) in height.
- Clearance on either side of modesty panels: 7" (175 mm).




Benches

Benches are used alone or with 29½" H (752 mm) tables. They can accommodate cushions and a grommet on the side (available as Standard Specials, see p.15).



Coffee tables and magazine tables


- Full-height back, 1½" (38 mm) shorter with respect to the legs.
- Coffee tables are 18" (457 mm) in height.
- Magazine tables are 14" (356 mm) in height.



CUSHIONS


Cushions from the NEX collection add a touch of comfort and refinement to a work station. Cushions for 21" H (561 mm) storage modules and for benches are 1⅞" (35 mm) thick and attached using Velcro. They are available in a wide selection of upholstery; please consult www.grounelacasse.com.

Cushions for 21" H (561 mm) storage modules



Cushions for benches


- To completely cover the surface of the bench, 3 cushions are needed.




STORAGE FURNITURE

General characteristics

The different storage modules from the NEX collection can be used alone, as supports for surfaces or as occasional seats. The front panels and the doors cover the outer sides, the top and the bottom. The integrated back ensures sturdiness and provides a perfect finish. Drawers have a pencil tray, and file drawers have a suspension bar.

**Handle options**

For the front panels of drawers of most of the storage modules, it is possible to specify the orientation of the handle curve: left, right or both (double). An asymmetrical handle lends furniture a touch of sophistication. To achieve the desired design effect, carefully select the handle orientation during specification.

**Front panel options**


Front panels are available with a laminate or high-gloss black or high-gloss white finish.

Doors


The doors of storage modules have 105° soft-close hinges.

21" (561 mm) and 27" H (690 mm) storage modules**21" H (561 mm) storage modules**

- 21" H (561 mm) storage modules are available in different depths. They can be used as supports for surfaces with short legs.
- Modules with an open bookcase have no back.

Several configurations available:**CPU storage module**

Top and lateral grommets enable wire management inside the storage space.

**Locks**

Key lock with silver accent. Identical cylinders available as an option: contact Customer Service. The lock locks all drawers or doors. No lock on the top drawer of 27" H (690 mm) storage modules and on shelves.

Metal shelf option

Cabinets and bookcases are available with optional metal shelves (front shelves):


- Thin, ½" (12 mm) thick shelf, 15" (375 mm) deep.
 - Made of sturdy, 16-gauge steel.
 - 2 colors available: Black (K) or White (W).
- Cabinets with a 20" D (500 mm) open bookcase have a double back and 15" D (375 mm) metal shelves only.

Drawers and file drawers

- Telescopic, 16" (406 mm) full-extension slides with ball-bearing suspensions. Load capacity: 75 lb (34 kg) with soft close.
- 16" W (409 mm) storage modules, with soft-close drawers. Slow-close slides.
- For modules wider than 16" (409 mm), only the drawer has slow-close slides.

Lateral file drawers


- Double telescopic, 16" (406 mm) extension slides with ball-bearing suspensions. Load capacity: 150 lb (68 kg).

**Levelers**

- Standard on all furniture, levelers enable a height adjustment of 1¼" (32 mm). With the exception of two-sided bookcases, whose levelers enable a height adjustment of ¾" (19 mm).

27" H (690 mm) storage modules


- 27" H (690 mm) storage modules are available in 20" and 24" D (519 and 619 mm) models only. They can be used as supports for raised surfaces. (Module depth must be equal or greater than that of the surface.)
- Modules with an open bookcase have no back.

Several configurations available:

SPECIFICATIONS

STORAGE FURNITURE (cont'd)

Cabinets and bookcases



Hutches


Bookcase hutches

- Placed on top of storage modules, their installation requires double-sided tape.
 - Can accommodate a bulletin board on the back.
 - Doors have slow-close 105° hinges.
 - Optional metal shelves for single- or double-sided open bookcases (front shelves).
- Bookcases 20" (500 mm) deep have a double back and 15" (375 mm) deep metal shelves only.


Hutches

- Placed on top of storage modules, their installation requires double-sided tape.
- Free space can accommodate a tackboard.
- Full-width cable access.
- Sliding doors do not have a slow-close effect.


Bookcases with doors




Bookcases with sliding door




Bookcases




Double-sided bookcases



44" H (1098 mm) shelves with sliding door



36" H (907 mm) shelves with sliding door




Clearance:
12¾" (325 mm)

Wall-mounted shelves


- Wall-mounting hardware included.
- Compatible with standard wall-mounted tackboards from the current Lacasse general price book.

Bookcase hutches with doors




Soft-close doors

Wall-mounted hutches with lift-up door



Assisted-opening,
soft-close doors

Wall-mounted hutches with sliding door





Sliding doors are not
soft-closing.

MEDIA PANELS

General characteristics

Media panels enable the integration of a flat screen into a work station and the set-up of collaborative spaces and work rooms. Media panels are 7" (185 mm) deep and are placed on top of 21" or 27" H (561 or 690 mm) storage modules or 29½" H (752 mm) tables. They are delivered pre-assembled and are installed using double-sided tape and metal fasteners (included). The fasteners are attached beneath a storage module or the laminate leg of a table.




MEDIA PANELS (cont'd)

Flat-screen support and cable management


The front panel is designed to accommodate a support for a non-articulated flat screen. The installation area for such a support is solidified and its width varies according to the dimensions of the media panel. Check the width corresponding to the dimensions of the media panel selected before choosing your flat-screen support.

Wires pass through from top to bottom, left to right and front to back thanks to numerous grommets. Depending on the configuration and components of the work station and according to the electronic devices used, additional holes may need to be drilled for the passing of wires (on top or at back of the storage module) during installation.


Solidified installation area for accommodating a support for a flat screen



(W) Width of the fastening strip:
Media panel 48" W (1200 mm) = 24" W (610 mm)
Media panel 42" W (1050 mm) = 18" W (460 mm)
Media panel 36" W (900 mm) = 12" W (310 mm)
(H) Vertical clearance:
The height of the media panel minus the height of the furniture accommodating it.





Possible configurations:




The media panel is installed on top of a 21" or 27" H (561 or 690 mm) storage module of the same width or wider. Modules with drawers do not allow the passage of wires.

Unauthorized configurations:




The media panel is installed on a 29½" H (752 mm) table or work surface of the same size and only on the laminate leg.



A 21" or 27" H (561 or 690 mm) storage module with media panel can accommodate a surface placed on it directly or raised with a strut.

MODULAR PRIVACY SCREENS

Modular privacy screens are 24" or 30" (600 or 750 mm) in height and are installed on surfaces, desks and returns. They must be installed on the side opposite to the user and cannot be installed on the sides of legs. Available in frosted acrylic or in fabric.



SPECIFICATIONS

ACCESSORIES

Modular modesty panels

Modesty panels are 14" (350 mm) in height and are installed beneath all surfaces with a short back, beneath surfaces raised with one or more struts, and beneath the return-surface of height adjustable desks with returns.


They must be installed on the side opposite to the user and cannot be installed on the sides of legs. A modesty panel may be positioned anywhere, but must always be smaller in size than the desk or surface that accommodates it. Available in laminate or high-gloss black or high-gloss white finish.

MOD modesty panels



- Compatible with desks and returns with a 6" H (150 mm) back.




Possible configurations:




With an N5NNN-RT2472A5 desk, specify modesty panel NNNNN-MOD1469 (full width) or NNNNN-MOD1445 (smaller size).




With an N5NRN-RS2472B5 desk and an N1NRW-UL206021BE storage module, specify modesty panel NNNNN-MOD1449.




With an N5NRN-RS2472PA5 desk, specify modesty panel NNNNN-MOD1457. The slim metal leg always has a 13" (340 mm) recess.




With an N5NRN-R2048A5 return and an N5NNN-RT3072A5 surface, specify modesty panel NNNNN-MOD1449. The modesty panel may be shorter or longer than the return (it is extended underneath the surface).



With an N5KNN-RS3084PD6 desk and an N1NDN-BE207227LUF storage module, specify modesty panel NNNNN-MODS1445 (or a smaller size).



With an N5NLN-RTL7810220FG desk, specify modesty panel NNNNN-MODS1433. To calculate the space available, refer to the section on height adjustable desks with returns, on page 9.



Laminate or High-Gloss Black
or High-Gloss White

MODS modesty panels

- Compatible with elevated surfaces and the returns of height adjustable desks.
- Silver accent fasteners.



Complementary accessories

- Clamp and grommet mount flat screen supports that are compatible with the Nex collection are available in the current Lacasse general price book. The clip fastener is not compatible with surfaces that have knife edgebanding.
- Keyboard support LGC-SKD26 is not compatible with surfaces 20" (500 mm) deep.
- Keyboard supports LGC-BBAKD26 and LGC-GBAKD26 are not compatible with surfaces 20" (500 mm), 24" (600 mm) and 30" (752 mm) deep.

- The short and long accessory supports LGC-SUPAC_ and LGC-SUPAL_ are not compatible with surfaces and desks that have knife edgebanding.

Several electric and communication accessories compatible with the NEX collection are available. Consult the Accessoires section of the current Lacasse general price list.







APPLICATION OF TWO-TONE AND HIGH-GLOSS FINISHES

Two-tone laminate application: Shaded area corresponds to the first code to be specified. Second laminate code will be applied to the rest of the product.

Surfaces: First finish specified will be applied to the tops and the legs. Second finish specified will be applied to the back. For height adjustable surfaces, the first finish will be applied on the top of the surface, and the second on the base.


Storage modules: First finish specified will be applied to the frame, and the second to the front panel.

Two-tone application and direction of wood grain:



APPLICATION OF TWO-TONE AND HIGH-GLOSS FINISHES (cont'd)

Application of high-gloss black and high-gloss white finish for desks, modesty panels and storage modules.



Examples of codes:

CORRECT N1NRN-UL206021BE CCL/SNO

CORRECT N1NRW-UL206021BE CCL (The W indicates that the front panels will have a High-Gloss White finish.)

WRONG N1NRW-UL206021BE CCL/SNO (The W indicates that the front panels will have a High-Gloss White finish. It is therefore not possible to specify a Snow (SNO) color as a second finish.)

STANDARD SPECIALS

Groupe Lacasse allows certain modifications to be made to standard furniture without the need for filing a request with the Specials department, among them, the addition, modification or removal of a grommet and the addition of a wireless charger (LGC-CHARGE).

Other standard special modifications are available. Consult the current Lacasse general price list.

Addition, modification or removal of a grommet

- Add the letter "S" before the product code.
- Add the code for the desired position to the product description (refer to table).
- Insert the modification code (A, M, R) at the start of the product code.
A: Addition; M: Modification; R: Removal.

Add surcharge for grommet modification. *

Addition of a metal grommet in standard position:	\$122.00
Addition of a grommet from another collection in non-standard position:	\$81.00
Modification of an existing grommet's position:	\$0.00
Removal or replacement of an existing grommet:	\$0.00
Addition of a cut-out for the wireless charger module (module not included):	\$0.00


*For electric height adjustable desks as well as for benches, grommets and electric modules are added at predetermined positions, according to the build of the furniture piece.

SPECIFICATION OF OPTIONS AND FINISHES

EDGEBANDING

Automatically applied to the top and to the sides.

N Edge



1" and 1½"
(25 and 38 mm)

N edgebanding matches the finish specified for the surface.


K Knife edge



1½"
(38 mm)

K knife-edge available (in coordinated colors) **ONLY** when a wood grain or SNO or NCN finish is specified for the surface.

HIGH-GLOSS FINISHES




B – High-Gloss Black

W – High-Gloss White


The application of a High-Gloss White or High-Gloss Black finish for desks, modesty panels and storage modules is the same as the application of the second tone.

METAL COMPONENTS


Polished Chrome finish



Grommet cover




Modular screen support




Slim metal leg

HANDLES


Anodized aluminum



L – Left




D – Double




R – Right

ACCESSORIES



LGC-PCQ1USB1P



LGC-CHARGE





The opening of the grommet can accommodate an electric module with metallic silver accent.

FABRIC


Various fabric choices are available. Refer to the current Lacasse upholstery selection guide at www.grouperlacasse.com.

CODIFICATION

Series	Thickness	Edgebanding	Handles	Options			Product	Options
				High-gloss accent	Dash			
N	1 Thermofused laminate 1" (25 mm)	N Smooth edge	L Left	B High-Gloss Black	-			K Back / Shelves in black metal
	2 High-pressure laminate 1" (25 mm)	K Knife edge	R Right	W High-Gloss White				W Back / Shelves in white metal
	5 Thermofused laminate 1½" (38 mm)		D Double					
	6 High-pressure laminate 1½" (38 mm)							


	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
DESKS					
	Rectangular desks, full modesty panel, 2 long legs – 36" D				
	<i>9" (225 mm) recessed full-height modesty panel. 2 grommets. Can accommodate 1 or 2 pedestals NNN _ -161820F or NNN _ -MP161820F.</i>				
	72 x 36 x 29½	1800 x 900 x 752	N_NN -RT3672A	1,193	1,530
	66 x 36 x 29½	1650 x 900 x 752	N_NN -RT3666A	1,127	1,411
	60 x 36 x 29½	1500 x 900 x 752	N_NN -RT3660A	1,065	1,298
	Rectangular desks, full modesty panel, 2 long legs – 30" D				
	<i>6" (150 mm) recessed full-height modesty panel. 2 grommets. Can accommodate 1 or 2 pedestals NNN _ -161820F or NNN _ -MP161820F.</i>				
	72 x 30 x 29½	1800 x 750 x 752	N_NN -RT3072A	1,138	1,452
	66 x 30 x 29½	1650 x 750 x 752	N_NN -RT3066A	1,096	1,371
	60 x 30 x 29½	1500 x 750 x 752	N_NN -RT3060A	1,054	1,289
	Rectangular desks, short back, 2 long legs – 36" D				
	<i>9" (225 mm) recessed short back. 2 grommets. Can accommodate 1 or 2 storage modules and 1 modular modesty panel.</i>				
	78 x 36 x 29½	1950 x 900 x 752	N_NNN-RT3678A5	1,249	1,612
	72 x 36 x 29½	1800 x 900 x 752	N_NNN-RT3672A5	1,225	1,557
	66 x 36 x 29½	1650 x 900 x 752	N_NNN-RT3666A5	1,193	1,499
	Rectangular desks, short back, 2 long legs – 30" D				
	<i>6" (150 mm) recessed short back. 2 grommets. Can accommodate 1 or 2 storage modules and 1 modular modesty panel.</i>				
	78 x 30 x 29½	1950 x 750 x 752	N_NNN-RT3078A5	1,161	1,467
	72 x 30 x 29½	1800 x 750 x 752	N_NNN-RT3072A5	1,138	1,419
	66 x 30 x 29½	1650 x 750 x 752	N_NNN-RT3066A5	1,114	1,371

Rectangular desks, short back, 2 long legs – 24" D



W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Rectangular desks, short back, 2 long legs – 24" D				
<i>3" (75 mm) recessed short back. 2 grommets. Can accommodate 1 or 2 storage modules and 1 modular modesty panel.</i>				
72 x 24 x 29½	1800 x 600 x 752	N_NNN-RT2472A5	1,054	1,274
66 x 24 x 29½	1650 x 600 x 752	N_NNN-RT2466A5	1,033	1,232
60 x 24 x 29½	1500 x 600 x 752	N_NNN-RT2460A5	1,015	1,193
54 x 24 x 29½	1350 x 600 x 752	N_NNN-RT2454A5	993	1,161
48 x 24 x 29½	1200 x 600 x 752	N_NNN-RT2448A5	967	1,119
Specify the surface type (1, 2).				
72 x 24 x 29½	1800 x 600 x 752	N_NNN-RT2472A5	1,114	1,329
66 x 24 x 29½	1650 x 600 x 752	N_NNN-RT2466A5	1,088	1,282
60 x 24 x 29½	1500 x 600 x 752	N_NNN-RT2460A5	1,054	1,242
54 x 24 x 29½	1350 x 600 x 752	N_NNN-RT2454A5	1,033	1,201
48 x 24 x 29½	1200 x 600 x 752	N_NNN-RT2448A5	1,008	1,152
Specify the surface type (5, 6).				
72 x 24 x 29½	1800 x 600 x 752	N_KNN-RT2472A5	1,445	1,660
66 x 24 x 29½	1650 x 600 x 752	N_KNN-RT2466A5	1,419	1,621
60 x 24 x 29½	1500 x 600 x 752	N_KNN-RT2460A5	1,395	1,572
54 x 24 x 29½	1350 x 600 x 752	N_KNN-RT2454A5	1,371	1,530
48 x 24 x 29½	1200 x 600 x 752	N_KNN-RT2448A5	1,335	1,482
Knife edge (K). Specify the surface type (5, 6).				


Rectangular desks, short back, 2 long legs – 20" D



W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Rectangular desks, short back, 2 long legs – 20" D				
<i>3" (75 mm) recessed short back. 2 grommets. Can accommodate 1 modular modesty panel.</i>				
72 x 20 x 29½	1800 x 500 x 752	N_NNN-RT2072A5	1,008	1,182
66 x 20 x 29½	1650 x 500 x 752	N_NNN-RT2066A5	984	1,144
60 x 20 x 29½	1500 x 500 x 752	N_NNN-RT2060A5	967	1,114
54 x 20 x 29½	1350 x 500 x 752	N_NNN-RT2054A5	942	1,080
48 x 20 x 29½	1200 x 500 x 752	N_NNN-RT2048A5	918	1,041
Specify the surface type (1, 2).				
72 x 20 x 29½	1800 x 500 x 752	N_NNN-RT2072A5	1,041	1,225
66 x 20 x 29½	1650 x 500 x 752	N_NNN-RT2066A5	1,015	1,182
60 x 20 x 29½	1500 x 500 x 752	N_NNN-RT2060A5	993	1,144
54 x 20 x 29½	1350 x 500 x 752	N_NNN-RT2054A5	973	1,114
48 x 20 x 29½	1200 x 500 x 752	N_NNN-RT2048A5	951	1,071
Specify the surface type (5, 6).				
72 x 20 x 29½	1800 x 500 x 752	N_KNN-RT2072A5	1,379	1,557
66 x 20 x 29½	1650 x 500 x 752	N_KNN-RT2066A5	1,355	1,518
60 x 20 x 29½	1500 x 500 x 752	N_KNN-RT2060A5	1,329	1,482
54 x 20 x 29½	1350 x 500 x 752	N_KNN-RT2054A5	1,306	1,445
48 x 20 x 29½	1200 x 500 x 752	N_KNN-RT2048A5	1,282	1,402
Knife edge (K). Specify the surface type (5, 6).				

WORK SURFACES

Rectangular surfaces, short back, 1 long and 1 short leg – 36" D



W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Rectangular surfaces, short back, 1 long and 1 short leg – 36" D				
<i>9" (225 mm) recessed short back. 2 grommets. Must use 1 storage module 21" H (561 mm) as support. Can accommodate 1 modular modesty panel.</i>				
84 x 36 x 29½	2100 x 900 x 752	N_N_N-RS3684B5	1,289	1,676
78 x 36 x 29½	1950 x 900 x 752	N_N_N-RS3678B5	1,127	1,490
72 x 36 x 29½	1800 x 900 x 752	N_N_N-RS3672B5	1,102	1,434
66 x 36 x 29½	1650 x 900 x 752	N_N_N-RS3666B5	1,080	1,379
60 x 36 x 29½	1500 x 900 x 752	N_N_N-RS3660B5	1,047	1,329
Specify the surface type (1, 2). Specify left (L) or right (R).				
84 x 36 x 29½	2100 x 900 x 752	N_N_N-RS3684B5	1,402	1,780
78 x 36 x 29½	1950 x 900 x 752	N_N_N-RS3678B5	1,232	1,585
72 x 36 x 29½	1800 x 900 x 752	N_N_N-RS3672B5	1,201	1,525
66 x 36 x 29½	1650 x 900 x 752	N_N_N-RS3666B5	1,161	1,467
60 x 36 x 29½	1500 x 900 x 752	N_N_N-RS3660B5	1,127	1,402
Specify the surface type (5, 6). Specify left (L) or right (R).				
84 x 36 x 29½	2100 x 900 x 752	N_K_N-RS3684B5	1,838	2,217
78 x 36 x 29½	1950 x 900 x 752	N_K_N-RS3678B5	1,564	1,918
72 x 36 x 29½	1800 x 900 x 752	N_K_N-RS3672B5	1,530	1,863
66 x 36 x 29½	1650 x 900 x 752	N_K_N-RS3666B5	1,499	1,798
60 x 36 x 29½	1500 x 900 x 752	N_K_N-RS3660B5	1,459	1,732
Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R).				

Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Rectangular surfaces, 6" (150 mm) recessed short back. 2 grommets. Must use 1 storage module 21" H (561 mm) as support. Can accommodate 1 modular modesty panel.					
	84 x 30 x 29½	2100 x 750 x 752	N_N_N-RS3084B5	1,219	1,538
	78 x 30 x 29½	1950 x 750 x 752	N_N_N-RS3078B5	1,054	1,364
	72 x 30 x 29½	1800 x 750 x 752	N_N_N-RS3072B5	1,033	1,317
	66 x 30 x 29½	1650 x 750 x 752	N_N_N-RS3066B5	1,008	1,264
	60 x 30 x 29½	1500 x 750 x 752	N_N_N-RS3060B5	984	1,219
Specify the surface type (1, 2). Specify left (L) or right (R).					
	84 x 30 x 29½	2100 x 750 x 752	N_N_N-RS3084B5	1,308	1,628
	78 x 30 x 29½	1950 x 750 x 752	N_N_N-RS3078B5	1,138	1,434
	72 x 30 x 29½	1800 x 750 x 752	N_N_N-RS3072B5	1,114	1,384
	66 x 30 x 29½	1650 x 750 x 752	N_N_N-RS3066B5	1,080	1,329
	60 x 30 x 29½	1500 x 750 x 752	N_N_N-RS3060B5	1,047	1,274
Specify the surface type (5, 6). Specify left (L) or right (R).					
	84 x 30 x 29½	2100 x 750 x 752	N_K_N-RS3084B5	1,738	2,062
	78 x 30 x 29½	1950 x 750 x 752	N_K_N-RS3078B5	1,475	1,772
	72 x 30 x 29½	1800 x 750 x 752	N_K_N-RS3072B5	1,445	1,716
	66 x 30 x 29½	1650 x 750 x 752	N_K_N-RS3066B5	1,411	1,660
	60 x 30 x 29½	1500 x 750 x 752	N_K_N-RS3060B5	1,384	1,612
Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R).					

Rectangular surfaces, 3" (75 mm) recessed short back. 2 grommets. Must use 1 storage module 21" H (561 mm) as support. Can accommodate 1 modular modesty panel.					
	72 x 24 x 29½	1800 x 600 x 752	N_N_N-RS2472B5	967	1,182
	66 x 24 x 29½	1650 x 600 x 752	N_N_N-RS2466B5	942	1,144
	60 x 24 x 29½	1500 x 600 x 752	N_N_N-RS2460B5	926	1,114
	54 x 24 x 29½	1350 x 600 x 752	N_N_N-RS2454B5	902	1,071
	48 x 24 x 29½	1200 x 600 x 752	N_N_N-RS2448B5	877	1,033
Specify the surface type (1, 2). Specify left (L) or right (R).					
	72 x 24 x 29½	1800 x 600 x 752	N_N_N-RS2472B5	1,021	1,242
	66 x 24 x 29½	1650 x 600 x 752	N_N_N-RS2466B5	993	1,193
	60 x 24 x 29½	1500 x 600 x 752	N_N_N-RS2460B5	967	1,152
	54 x 24 x 29½	1350 x 600 x 752	N_N_N-RS2454B5	942	1,102
	48 x 24 x 29½	1200 x 600 x 752	N_N_N-RS2448B5	918	1,065
Specify the surface type (5, 6). Specify left (L) or right (R).					
	72 x 24 x 29½	1800 x 600 x 752	N_K_N-RS2472B5	1,355	1,572
	66 x 24 x 29½	1650 x 600 x 752	N_K_N-RS2466B5	1,329	1,530
	60 x 24 x 29½	1500 x 600 x 752	N_K_N-RS2460B5	1,306	1,482
	54 x 24 x 29½	1350 x 600 x 752	N_K_N-RS2454B5	1,274	1,445
	48 x 24 x 29½	1200 x 600 x 752	N_K_N-RS2448B5	1,249	1,395
Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R).					

Rectangular surfaces, 9" (225 mm) recessed short back. 2 grommets. Must use 2 storage modules 21" H (561 mm) as support. Can accommodate 1 modular modesty panel.					
	84 x 36 x 7½	2100 x 900 x 191	N_NNN-RS3684C5	1,169	1,564
	78 x 36 x 7½	1950 x 900 x 191	N_NNN-RS3678C5	1,008	1,371
	72 x 36 x 7½	1800 x 900 x 191	N_NNN-RS3672C5	984	1,317
	66 x 36 x 7½	1650 x 900 x 191	N_NNN-RS3666C5	960	1,264
	60 x 36 x 7½	1500 x 900 x 191	N_NNN-RS3660C5	926	1,211
Specify the surface type (1, 2).					
	84 x 36 x 7½	2100 x 900 x 191	N_NNN-RS3684C5	1,282	1,660
	78 x 36 x 7½	1950 x 900 x 191	N_NNN-RS3678C5	1,114	1,467
	72 x 36 x 7½	1800 x 900 x 191	N_NNN-RS3672C5	1,071	1,402
	66 x 36 x 7½	1650 x 900 x 191	N_NNN-RS3666C5	1,041	1,335
	60 x 36 x 7½	1500 x 900 x 191	N_NNN-RS3660C5	1,008	1,282
Specify the surface type (5, 6).					
	84 x 36 x 7½	2100 x 900 x 191	N_KNN-RS3684C5	1,716	2,095
	78 x 36 x 7½	1950 x 900 x 191	N_KNN-RS3678C5	1,445	1,798
	72 x 36 x 7½	1800 x 900 x 191	N_KNN-RS3672C5	1,411	1,738
	66 x 36 x 7½	1650 x 900 x 191	N_KNN-RS3666C5	1,379	1,676
	60 x 36 x 7½	1500 x 900 x 191	N_KNN-RS3660C5	1,335	1,612
Knife edge (K). Specify the surface type (5, 6).					


	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Rectangular surfaces, 6" (150 mm) recessed short back. 2 grommets. Must use 2 storage modules 21" H (561 mm) as support. Can accommodate 1 modular modesty panel.					
	84 x 30 x 7½	2100 x 750 x 191	N_NNN-RS3084C5	1,114	1,445
	78 x 30 x 7½	1950 x 750 x 191	N_NNN-RS3078C5	951	1,256
	72 x 30 x 7½	1800 x 750 x 191	N_NNN-RS3072C5	935	1,211
	66 x 30 x 7½	1650 x 750 x 191	N_NNN-RS3066C5	912	1,161
	60 x 30 x 7½	1500 x 750 x 191	N_NNN-RS3060C5	885	1,114
Specify the surface type (1, 2).					
	84 x 30 x 7½	2100 x 750 x 191	N_NNN-RS3084C5	1,201	1,518
	78 x 30 x 7½	1950 x 750 x 191	N_NNN-RS3078C5	1,033	1,329
	72 x 30 x 7½	1800 x 750 x 191	N_NNN-RS3072C5	998	1,274
	66 x 30 x 7½	1650 x 750 x 191	N_NNN-RS3066C5	973	1,225
	60 x 30 x 7½	1500 x 750 x 191	N_NNN-RS3060C5	942	1,169
Specify the surface type (5, 6).					
	84 x 30 x 7½	2100 x 750 x 191	N_KNN-RS3084C5	1,635	1,950
	78 x 30 x 7½	1950 x 750 x 191	N_KNN-RS3078C5	1,371	1,660
	72 x 30 x 7½	1800 x 750 x 191	N_KNN-RS3072C5	1,335	1,612
	66 x 30 x 7½	1650 x 750 x 191	N_KNN-RS3066C5	1,306	1,557
	60 x 30 x 7½	1500 x 750 x 191	N_KNN-RS3060C5	1,274	1,506
Knife edge (K). Specify the surface type (5, 6).					

Rectangular surfaces, 3" (75 mm) recessed short back. 2 grommets. Must use 2 storage modules 21" H (561 mm) as support. Can accommodate 1 modular modesty panel.					
	72 x 24 x 7½	1800 x 600 x 191	N_NNN-RS2472C5	877	1,102
	66 x 24 x 7½	1650 x 600 x 191	N_NNN-RS2466C5	856	1,065
	60 x 24 x 7½	1500 x 600 x 191	N_NNN-RS2460C5	839	1,021
	54 x 24 x 7½	1350 x 600 x 191	N_NNN-RS2454C5	823	984
	48 x 24 x 7½	1200 x 600 x 191	N_NNN-RS2448C5	798	951
Specify the surface type (1, 2).					
	72 x 24 x 7½	1800 x 600 x 191	N_NNN-RS2472C5	935	1,152
	66 x 24 x 7½	1650 x 600 x 191	N_NNN-RS2466C5	902	1,102
	60 x 24 x 7½	1500 x 600 x 191	N_NNN-RS2460C5	877	1,065
	54 x 24 x 7½	1350 x 600 x 191	N_NNN-RS2454C5	856	1,015
	48 x 24 x 7½	1200 x 600 x 191	N_NNN-RS2448C5	831	973
Specify the surface type (5, 6).					
	72 x 24 x 7½	1800 x 600 x 191	N_KNN-RS2472C5	1,264	1,482
	66 x 24 x 7½	1650 x 600 x 191	N_KNN-RS2466C5	1,242	1,445
	60 x 24 x 7½	1500 x 600 x 191	N_KNN-RS2460C5	1,211	1,395
	54 x 24 x 7½	1350 x 600 x 191	N_KNN-RS2454C5	1,182	1,355
	48 x 24 x 7½	1200 x 600 x 191	N_KNN-RS2448C5	1,161	1,306
Knife edge (K). Specify the surface type (5, 6).					

DESKS WITH MEETING SPACE

Rectangular desks, 9" (225 mm) recessed full-height modesty panel. Meeting space. 1 grommet. Must be secured to another surface. Can accommodate 1 pedestal					
1 long and 1 narrow leg, meeting space – 36" D					
			NNN_ -161820F or NNN_ -MP161820F		
	78 x 36 x 29½	1950 x 900 x 752	N_N_-RTM3678	1,088	1,445
	72 x 36 x 29½	1800 x 900 x 752	N_N_-RTM3672	1,054	1,384
	66 x 36 x 29½	1650 x 900 x 752	N_N_-RTM3666	1,021	1,329
	60 x 36 x 29½	1500 x 900 x 752	N_N_-RTM3660	993	1,274
Specify the surface type (1, 2). Specify left (L) or right (R). Specify the modesty panel finish (B, W, N).					
	78 x 36 x 29½	1950 x 900 x 752	N_N_-RTM3678	1,219	1,578
	72 x 36 x 29½	1800 x 900 x 752	N_N_-RTM3672	1,176	1,506
	66 x 36 x 29½	1650 x 900 x 752	N_N_-RTM3666	1,138	1,434
	60 x 36 x 29½	1500 x 900 x 752	N_N_-RTM3660	1,096	1,371
Specify the surface type (5, 6). Specify left (L) or right (R). Specify the modesty panel finish (B, W, N).					
	78 x 36 x 29½	1950 x 900 x 752	N_K_-RTM3678	1,838	2,191
	72 x 36 x 29½	1800 x 900 x 752	N_K_-RTM3672	1,766	2,087
	66 x 36 x 29½	1650 x 900 x 752	N_K_-RTM3666	1,690	1,988
	60 x 36 x 29½	1500 x 900 x 752	N_K_-RTM3660	1,621	1,892
Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R). Specify the modesty panel finish (B, W, N).					

Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Rectangular desks, full modesty panel, 1 long and 1 narrow leg, meeting space – 30" D 	6" (150 mm) recessed full-height modesty panel. Meeting space. 1 grommet. Must be secured to another surface. Can accommodate 1 pedestal				
	NNN_-161820F or NNN_-MP161820F				
	78 x 30 x 29½	1950 x 750 x 752	N_N_-RTM3078	1,033	1,322
	72 x 30 x 29½	1800 x 750 x 752	N_N_-RTM3072	998	1,274
	66 x 30 x 29½	1650 x 750 x 752	N_N_-RTM3066	967	1,225


Specify the surface type (1, 2). Specify left (L) or right (R). Specify the modesty panel finish (B, W, N).

78 x 30 x 29½	1950 x 750 x 752	N_N_-RTM3078	1,127	1,426
72 x 30 x 29½	1800 x 750 x 752	N_N_-RTM3072	1,096	1,371
66 x 30 x 29½	1650 x 750 x 752	N_N_-RTM3066	1,065	1,317
60 x 30 x 29½	1500 x 750 x 752	N_N_-RTM3060	1,021	1,249

Specify the surface type (5, 6). Specify left (L) or right (R). Specify the modesty panel finish (B, W, N).

78 x 30 x 29½	1950 x 750 x 752	N_K_-RTM3078	1,749	2,057
72 x 30 x 29½	1800 x 750 x 752	N_K_-RTM3072	1,684	1,959
66 x 30 x 29½	1650 x 750 x 752	N_K_-RTM3066	1,621	1,869
60 x 30 x 29½	1500 x 750 x 752	N_K_-RTM3060	1,557	1,780

Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R). Specify the modesty panel finish (B, W, N).


Rectangular desks, short back, 1 long and 1 slim metal leg, meeting space – 36" D 	9" (225 mm) recessed short back. Meeting space. 1 grommet. 1 slim metal leg. Can accommodate 1 storage module and 1 modular modesty panel. Must be secured to another surface.				
	NN_N-RT3678PA5				
	78 x 36 x 29½	1950 x 900 x 752	N_N_-RT3678PA5	1,806	2,161
	72 x 36 x 29½	1800 x 900 x 752	N_N_-RT3672PA5	1,772	2,111
	66 x 36 x 29½	1650 x 900 x 752	N_N_-RT3666PA5	1,749	2,057

60 x 36 x 29½	1500 x 900 x 752	N_N_-RT3660PA5	1,725	2,001
Specify the surface type (1, 2). Specify left (L) or right (R).				
78 x 36 x 29½	1950 x 900 x 752	N_N_-RT3678PA5	1,910	2,264
72 x 36 x 29½	1800 x 900 x 752	N_N_-RT3672PA5	1,877	2,199
66 x 36 x 29½	1650 x 900 x 752	N_N_-RT3666PA5	1,838	2,144
60 x 36 x 29½	1500 x 900 x 752	N_N_-RT3660PA5	1,806	2,081

Specify the surface type (5, 6). Specify left (L) or right (R).				
78 x 36 x 29½	1950 x 900 x 752	N_K_-RT3678PA5	2,167	2,531
72 x 36 x 29½	1800 x 900 x 752	N_K_-RT3672PA5	2,135	2,466
66 x 36 x 29½	1650 x 900 x 752	N_K_-RT3666PA5	2,106	2,401
60 x 36 x 29½	1500 x 900 x 752	N_K_-RT3660PA5	2,062	2,337

Specify the surface type (5, 6). Specify left (L) or right (R).				
78 x 36 x 29½	1950 x 900 x 752	N_K_-RT3678PA5	2,167	2,531
72 x 36 x 29½	1800 x 900 x 752	N_K_-RT3672PA5	2,135	2,466
66 x 36 x 29½	1650 x 900 x 752	N_K_-RT3666PA5	2,106	2,401
60 x 36 x 29½	1500 x 900 x 752	N_K_-RT3660PA5	2,062	2,337


Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R).

Rectangular desks, short back, 1 long and 1 slim metal leg, meeting space – 30" D 	6" (150 mm) recessed short back. Meeting space. 1 grommet. 1 slim metal leg. Can accommodate 1 storage module and 1 modular modesty panel. Must be secured to another surface.				
	NN_N-RT3078PA5				
	78 x 30 x 29½	1950 x 750 x 752	N_N_-RT3078PA5	1,738	2,038
	72 x 30 x 29½	1800 x 750 x 752	N_N_-RT3072PA5	1,716	1,988
	66 x 30 x 29½	1650 x 750 x 752	N_N_-RT3066PA5	1,690	1,942

60 x 30 x 29½	1500 x 750 x 752	N_N_-RT3060PA5	1,669	1,892
Specify the surface type (1, 2). Specify left (L) or right (R).				
78 x 30 x 29½	1950 x 750 x 752	N_N_-RT3078PA5	1,821	2,129
72 x 30 x 29½	1800 x 750 x 752	N_N_-RT3072PA5	1,798	2,071
66 x 30 x 29½	1650 x 750 x 752	N_N_-RT3066PA5	1,766	2,022
60 x 30 x 29½	1500 x 750 x 752	N_N_-RT3060PA5	1,732	1,974

Specify the surface type (5, 6). Specify left (L) or right (R).				
78 x 30 x 29½	1950 x 750 x 752	N_K_-RT3078PA5	2,087	2,387
72 x 30 x 29½	1800 x 750 x 752	N_K_-RT3072PA5	2,057	2,337
66 x 30 x 29½	1650 x 750 x 752	N_K_-RT3066PA5	2,022	2,291
60 x 30 x 29½	1500 x 750 x 752	N_K_-RT3060PA5	2,001	2,241

Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R).

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Rectangular desks, short back, 1 long and 1 slim metal leg, meeting space – 24" D 	3" (75 mm) recessed short back. Meeting space. 1 grommet. 1 slim metal leg. Must be secured to another surface. Can accommodate 1 modular modesty panel.				
	NN_N-RT2478PA5				
	78 x 24 x 29½	1950 x 600 x 752	N_N_-RT2478PA5	1,669	1,910
	72 x 24 x 29½	1800 x 600 x 752	N_N_-RT2472PA5	1,654	1,869
	66 x 24 x 29½	1650 x 600 x 752	N_N_-RT2466PA5	1,628	1,838


60 x 24 x 29½	1500 x 600 x 752	N_N_-RT2460PA5	1,612	1,798
Specify the surface type (1, 2). Specify left (L) or right (R).				
78 x 24 x 29½	1950 x 600 x 752	N_N_-RT2478PA5	1,732	1,974
72 x 24 x 29½	1800 x 600 x 752	N_N_-RT2472PA5	1,709	1,926
66 x 24 x 29½	1650 x 600 x 752	N_N_-RT2466PA5	1,684	1,882
60 x 24 x 29½	1500 x 600 x 752	N_N_-RT2460PA5	1,660	1,847

Specify the surface type (5, 6). Specify left (L) or right (R).				
78 x 24 x 29½	1950 x 600 x 752	N_K_-RT2478PA5	2,001	2,231
72 x 24 x 29½	1800 x 600 x 752	N_K_-RT2472PA5	1,974	2,191
66 x 24 x 29½	1650 x 600 x 752	N_K_-RT2466PA5	1,950	2,150
60 x 24 x 29½	1500 x 600 x 752	N_K_-RT2460PA5	1,926	2,106

Specify the surface type (5, 6). Specify left (L) or right (R).				
78 x 24 x 29½	1950 x 600 x 752	N_K_-RT2478PA5	2,001	2,231
72 x 24 x 29½	1800 x 600 x 752	N_K_-RT2472PA5	1,974	2,191
66 x 24 x 29½	1650 x 600 x 752	N_K_-RT2466PA5	1,950	2,150
60 x 24 x 29½	1500 x 600 x 752	N_K_-RT2460PA5	1,926	2,106

Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R).

WORK SURFACES WITH MEETING SPACE

Rectangular surfaces, short back, 1 short and 1 slim metal leg, meeting space – 36" D


84 x 36 x 29½	2100 x 900 x 752	N_N_-RS3684PB5	1,854	2,241
78 x 36 x 29½	1950 x 900 x 752	N_N_-RS3678PB5	1,690	2,057
72 x 36 x 29½	1800 x 900 x 752	N_N_-RS3672PB5	1,669	2,001
66 x 36 x 29½	1650 x 900 x 752	N_N_-RS3666PB5	1,635	1,942
60 x 36 x 29½	1500 x 900 x 752	N_N_-RS3660PB5	1,612	1,892


Specify the surface type (1, 2). Specify left (L) or right (R).

84 x 36 x 29½	2100 x 900 x 752	N_N_-RS3684PB5	1,983	2,351
78 x 36 x 29½	1950 x 900 x 752	N_N_-RS3678PB5	1,806	2,161
72 x 36 x 29½	1800 x 900 x 752	N_N_-RS3672PB5	1,772	2,095
66 x 36 x 29½	1650 x 900 x 752	N_N_-RS3666PB5	1,732	2,029
60 x 36 x 29½	1500 x 900 x 752	N_N_-RS3660PB5	1,702	1,967

Specify the surface type (5, 6). Specify left (L) or right (R).

84 x 36 x 29½	2100 x 900 x 752	N_K_-RS3684PB5	2,344	2,716
78 x 36 x 29½	1950 x 900 x 752	N_K_-RS3678PB5	2,071	2,418
72 x 36 x 29½	1800 x 900 x 752	N_K_-RS3672PB5	2,029	2,351
66 x 36 x 29½	1650 x 900 x 752	N_K_-RS3666PB5	2,001	2,296
60 x 36 x 29½	1500 x 900 x 752	N_K_-RS3660PB5	1,958	2,231

Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R).

Rectangular surfaces, short back, 1 short and 1 slim metal leg, meeting space – 30" D


84 x 30 x 29½	2100 x 750 x 752	N_N_-RS3084PB5	1,806	2,129
78 x 30 x 29½	1950 x 750 x 752	N_N_-RS3078PB5	1,640	1,950
72 x 30 x 29½	1800 x 750 x 752	N_N_-RS3072PB5	1,621	1,904
66 x 30 x 29½	1650 x 750 x 752	N_N_-RS3066PB5	1,597	1,854
60 x 30 x 29½	1500 x 750 x 752	N_N_-RS3060PB5	1,572	1,806

Specify the surface type (1, 2). Specify left (L) or right (R).




84 x 30 x 29½	2100 x 750 x 752	N_N_-RS3084PB5	1,934	2,217
78 x 30 x 29½	1950 x 750 x 752	N_N_-RS3078PB5	1,760	2,029
72 x 30 x 29½	1800 x 750 x 752	N_N_-RS3072PB5	1,716	1,974
66 x 30 x 29½	1650 x 750 x 752	N_N_-RS3066PB5	1,676	1,926
60 x 30 x 29½	1500 x 750 x 752	N_N_-RS3060PB5	1,640	1,869

Specify the surface type (5, 6). Specify left (L) or right (R).




84 x 30 x 29½	2100 x 750 x 752	N_K_-RS3084PB5	2,296	2,577
78 x 30 x 29½	1950 x 750 x 752	N_K_-RS3078PB5	2,022	2,291
72 x 30 x 29½	1800 x 750 x 752	N_K_-RS3072PB5	1,983	2,241
66 x 30 x 29½	1650 x 750 x 752	N_K_-RS3066PB5	1,942	2,184
60 x 30 x 29½	1500 x 750 x 752	N_K_-RS3060PB5	1,904	2,129




Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R).




Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description.




	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Rectangular surfaces, short back, 1 short and 1 slim metal leg, meeting space – 24" D	3" (75 mm) recessed short back. Meeting space. 1 grommet. 1 slim metal leg. Must use 1 storage module 21" H (561 mm) as support. Can accommodate 1 modular modesty panel.				
	78 x 24 x 29½	1950 x 600 x 752	N_N_N-RS2478PB5	1,597	1,838
	72 x 24 x 29½	1800 x 600 x 752	N_N_N-RS2472PB5	1,572	1,798
	66 x 24 x 29½	1650 x 600 x 752	N_N_N-RS2466PB5	1,557	1,760
	60 x 24 x 29½	1500 x 600 x 752	N_N_N-RS2460PB5	1,530	1,716
	Specify the surface type (1, 2). Specify left (L) or right (R).				
 	78 x 24 x 29½	1950 x 600 x 752	N_N_N-RS2478PB5	1,660	1,892
	72 x 24 x 29½	1800 x 600 x 752	N_N_N-RS2472PB5	1,635	1,854
	66 x 24 x 29½	1650 x 600 x 752	N_N_N-RS2466PB5	1,612	1,814
	60 x 24 x 29½	1500 x 600 x 752	N_N_N-RS2460PB5	1,585	1,766
	Specify the surface type (5, 6). Specify left (L) or right (R).				
	78 x 24 x 29½	1950 x 600 x 752	N_K_N-RS2478PB5	1,918	2,161
	72 x 24 x 29½	1800 x 600 x 752	N_K_N-RS2472PB5	1,892	2,111
	66 x 24 x 29½	1650 x 600 x 752	N_K_N-RS2466PB5	1,869	2,071
	60 x 24 x 29½	1500 x 600 x 752	N_K_N-RS2460PB5	1,847	2,029
	Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R).				




COLLABORATIVE SURFACES

Collaborative surfaces, short backs, 1 long and 1 short leg – 48" D	Double short backs centered on the surface. 1 grommet. Must use 1 storage module 21" H (561 mm) as support.				
	84 x 48 x 29½	2100 x 1200 x 752	N_NNN-CS4884B5	1,595	1,969
	78 x 48 x 29½	1950 x 1200 x 752	N_NNN-CS4878B5	1,475	1,869
	72 x 48 x 29½	1800 x 1200 x 752	N_NNN-CS4872B5	1,402	1,762
	66 x 48 x 29½	1650 x 1200 x 752	N_NNN-CS4866B5	1,325	1,656
	60 x 48 x 29½	1500 x 1200 x 752	N_NNN-CS4860B5	1,247	1,555
	Specify the surface type (1, 2).				
	84 x 48 x 29½	2100 x 1200 x 752	N_NNN-CS4884B5	1,747	2,168
	78 x 48 x 29½	1950 x 1200 x 752	N_NNN-CS4878B5	1,656	2,048
	72 x 48 x 29½	1800 x 1200 x 752	N_NNN-CS4872B5	1,568	1,934
	66 x 48 x 29½	1650 x 1200 x 752	N_NNN-CS4866B5	1,475	1,812
	60 x 48 x 29½	1500 x 1200 x 752	N_NNN-CS4860B5	1,390	1,698
	Specify the surface type (5, 6).				
	84 x 48 x 29½	2100 x 1200 x 752	N_KNN-CS4884B5	2,263	2,706
	78 x 48 x 29½	1950 x 1200 x 752	N_KNN-CS4878B5	2,148	2,557
	72 x 48 x 29½	1800 x 1200 x 752	N_KNN-CS4872B5	2,035	2,404
	66 x 48 x 29½	1650 x 1200 x 752	N_KNN-CS4866B5	1,913	2,263
	60 x 48 x 29½	1500 x 1200 x 752	N_KNN-CS4860B5	1,798	2,112
	Knife edge (K). Specify the surface type (5, 6).				


Collaborative surfaces, short backs, 1 long and 1 short leg – 42" D	Double short backs centered on the surface. 1 grommet. Must use 1 storage module 21" H (561 mm) as support.				
	84 x 42 x 29½	2100 x 1050 x 752	N_NNN-CS4284B5	1,396	1,762
	78 x 42 x 29½	1950 x 1050 x 752	N_NNN-CS4278B5	1,341	1,683
	72 x 42 x 29½	1800 x 1050 x 752	N_NNN-CS4272B5	1,289	1,611
	66 x 42 x 29½	1650 x 1050 x 752	N_NNN-CS4266B5	1,239	1,531
	60 x 42 x 29½	1500 x 1050 x 752	N_NNN-CS4260B5	1,189	1,453
	Specify the surface type (1, 2).				
	84 x 42 x 29½	2100 x 1050 x 752	N_NNN-CS4284B5	1,561	1,934
	78 x 42 x 29½	1950 x 1050 x 752	N_NNN-CS4278B5	1,504	1,848
	72 x 42 x 29½	1800 x 1050 x 752	N_NNN-CS4272B5	1,439	1,762
	66 x 42 x 29½	1650 x 1050 x 752	N_NNN-CS4266B5	1,375	1,669
	60 x 42 x 29½	1500 x 1050 x 752	N_NNN-CS4260B5	1,309	1,583
	Specify the surface type (5, 6).				
	84 x 42 x 29½	2100 x 1050 x 752	N_KNN-CS4284B5	2,097	2,498
	78 x 42 x 29½	1950 x 1050 x 752	N_KNN-CS4278B5	2,012	2,366
	72 x 42 x 29½	1800 x 1050 x 752	N_KNN-CS4272B5	1,926	2,270
	66 x 42 x 29½	1650 x 1050 x 752	N_KNN-CS4266B5	1,848	2,156
	60 x 42 x 29½	1500 x 1050 x 752	N_KNN-CS4260B5	1,762	2,048
	Knife edge (K). Specify the surface type (5, 6).				

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Collaborative surfaces, short backs, 1 long and 1 short leg – 36" D	Double short backs centered on the surface. 1 grommet. Must use 1 storage module 21" H (561 mm) as support.				
	84 x 36 x 29½	2100 x 900 x 752	N_NNN-CS3684B5	1,231	1,546
	78 x 36 x 29½	1950 x 900 x 752	N_NNN-CS3678B5	1,202	1,504
	72 x 36 x 29½	1800 x 900 x 752	N_NNN-CS3672B5	1,180	1,453
	66 x 36 x 29½	1650 x 900 x 752	N_NNN-CS3666B5	1,152	1,402
	60 x 36 x 29½	1500 x 900 x 752	N_NNN-CS3660B5	1,124	1,354
	Specify the surface type (1, 2).				
	84 x 36 x 29½	2100 x 900 x 752	N_NNN-CS3684B5	1,382	1,706
	78 x 36 x 29½	1950 x 900 x 752	N_NNN-CS3678B5	1,346	1,638
	72 x 36 x 29½	1800 x 900 x 752	N_NNN-CS3672B5	1,302	1,583
	66 x 36 x 29½	1650 x 900 x 752	N_NNN-CS3666B5	1,268	1,526
	60 x 36 x 29½	1500 x 900 x 752	N_NNN-CS3660B5	1,231	1,468
	Specify the surface type (5, 6).				
	84 x 36 x 29½	2100 x 900 x 752	N_KNN-CS3684B5	1,934	2,292
	78 x 36 x 29½	1950 x 900 x 752	N_KNN-CS3678B5	1,881	2,213
	72 x 36 x 29½	1800 x 900 x 752	N_KNN-CS3672B5	1,826	2,134
	66 x 36 x 29½	1650 x 900 x 752	N_KNN-CS3666B5	1,775	2,056
	60 x 36 x 29½	1500 x 900 x 752	N_KNN-CS3660B5	1,728	1,977
	Knife edge (K). Specify the surface type (5, 6).				


Collaborative surfaces, short backs, 1 short and 1 slim metal leg, meeting space – 48" D	Double short backs centered on the surface. Meeting space. 1 grommet. 1 slim metal leg. Must use 1 storage module 21" H (561 mm) as support.				
	84 x 48 x 29½	2100 x 1200 x 752	N_NNN-CS4884PB5	2,179	2,607
	78 x 48 x 29½	1950 x 1200 x 752	N_NNN-CS4878PB5	2,112	2,521
	72 x 48 x 29½	1800 x 1200 x 752	N_NNN-CS4872PB5	2,048	2,427
	66 x 48 x 29½	1650 x 1200 x 752	N_NNN-CS4866PB5	1,984	2,335
	60 x 48 x 29½	1500 x 1200 x 752	N_NNN-CS4860PB5	1,918	2,247
	Specify the surface type (1, 2).				
	84 x 48 x 29½	2100 x 1200 x 752	N_NNN-CS4884PB5	2,349	2,785
	78 x 48 x 29½	1950 x 1200 x 752	N_NNN-CS4878PB5	2,270	2,683
	72 x 48 x 29½	1800 x 1200 x 752	N_NNN-CS4872PB5	2,198	2,577
	66 x 48 x 29½	1650 x 1200 x 752	N_NNN-CS4866PB5	2,118	2,477
	60 x 48 x 29½	1500 x 1200 x 752	N_NNN-CS4860PB5	2,048	2,376
	Specify the surface type (5, 6).				
	84 x 48 x 29½	2100 x 1200 x 752	N_KNN-CS4884PB5	2,666	3,123
	78 x 48 x 29½	1950 x 1200 x 752	N_KNN-CS4878PB5	2,577	3,009
	72 x 48 x 29½	1800 x 1200 x 752	N_KNN-CS4872PB5	2,493	2,894
	66 x 48 x 29½	1650 x 1200 x 752	N_KNN-CS4866PB5	2,404	2,778
	60 x 48 x 29½	1500 x 1200 x 752	N_KNN-CS4860PB5	2,320	2,666
	Knife edge (K). Specify the surface type (5, 6).				

Collaborative surfaces, short backs, 1 short and 1 slim metal leg, meeting space – 42" D	Double short backs centered on the surface. Meeting space. 1 grommet. 1 slim metal leg. Must use 1 storage module 21" H (561 mm) as support.				
	84 x 42 x 29½	2100 x 1050 x 752	N_NNN-CS4284PB5	2,056	2,436
	78 x 42 x 29½	1950 x 1050 x 752	N_NNN-CS4278PB5	2,005	2,371
	72 x 42 x 29½	1800 x 1050 x 752	N_NNN-CS4272PB5	1,961	2,305
	66 x 42 x 29½	1650 x 1050 x 752	N_NNN-CS4266PB5	1,918	2,235
	60 x 42 x 29½	1500 x 1050 x 752	N_NNN-CS4260PB5	1,876	2,168
	Specify the surface type (1, 2).				
	84 x 42 x 29½	2100 x 1050 x 752	N_NNN-CS4284PB5	2,205	2,598
	78 x 42 x 29½	1950 x 1050 x 752	N_NNN-CS4278PB5	2,148	2,521
	72 x 42 x 29½	1800 x 1050 x 752	N_NNN-CS4272PB5	2,097	2,441
	66 x 42 x 29½	1650 x 1050 x 752	N_NNN-CS4266PB5	2,040	2,364
	60 x 42 x 29½	1500 x 1050 x 752	N_NNN-CS4260PB5	1,984	2,284
	Specify the surface type (5, 6).				
	84 x 42 x 29½	2100 x 1050 x 752	N_KNN-CS4284PB5	2,506	2,908
	78 x 42 x 29½	1950 x 1050 x 752	N_KNN-CS4278PB5	2,441	2,823
	72 x 42 x 29½	1800 x 1050 x 752	N_KNN-CS4272PB5	2,376	2,735
	66 x 42 x 29½	1650 x 1050 x 752	N_KNN-CS4266PB5	2,320	2,650
	60 x 42 x 29½	1500 x 1050 x 752	N_KNN-CS4260PB5	2,256	2,557
	Knife edge (K). Specify the surface type (5, 6).				

Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description.

**Collaborative surfaces,
short backs, 1 short
and 1 slim metal leg,
meeting space – 36" D**



W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Double short backs centered on the surface. Meeting space. 1 grommet. 1 slim metal leg. Must use 1 storage module 21" H (561 mm) as support.</i>				
84 x 36 x 29½	2100 x 900 x 752	N_NNN-CS3684PB5	1,926	2,270
78 x 36 x 29½	1950 x 900 x 752	N_NNN-CS3678PB5	1,905	2,227
72 x 36 x 29½	1800 x 900 x 752	N_NNN-CS3672PB5	1,881	2,185
66 x 36 x 29½	1650 x 900 x 752	N_NNN-CS3666PB5	1,854	2,134
60 x 36 x 29½	1500 x 900 x 752	N_NNN-CS3660PB5	1,834	2,090
Specify the surface type (1, 2).				
84 x 36 x 29½	2100 x 900 x 752	N_NNN-CS3684PB5	2,061	2,404
78 x 36 x 29½	1950 x 900 x 752	N_NNN-CS3678PB5	2,026	2,356
72 x 36 x 29½	1800 x 900 x 752	N_NNN-CS3672PB5	1,990	2,298
66 x 36 x 29½	1650 x 900 x 752	N_NNN-CS3666PB5	1,961	2,247
60 x 36 x 29½	1500 x 900 x 752	N_NNN-CS3660PB5	1,926	2,191
Specify the surface type (5, 6).				
84 x 36 x 29½	2100 x 900 x 752	N_KNN-CS3684PB5	2,386	2,751
78 x 36 x 29½	1950 x 900 x 752	N_KNN-CS3678PB5	2,349	2,693
72 x 36 x 29½	1800 x 900 x 752	N_KNN-CS3672PB5	2,305	2,628
66 x 36 x 29½	1650 x 900 x 752	N_KNN-CS3666PB5	2,270	2,571
60 x 36 x 29½	1500 x 900 x 752	N_KNN-CS3660PB5	2,227	2,506
Knife edge (K). Specify the surface type (5, 6).				

WORK SURFACES WITH STRUT(S)
**Rectangular surfaces,
2 struts – 36" D**



<i>Surface with struts. 2 grommets. Must use storage modules 27" H (690 mm) as support. Can accommodate 1 modular modesty panel.</i>				
84 x 36 x 2½	2100 x 900 x 63,5	N_NNN-RS3684D6	896	1,196
78 x 36 x 2½	1950 x 900 x 63,5	N_NNN-RS3678D6	865	1,152
72 x 36 x 2½	1800 x 900 x 63,5	N_NNN-RS3672D6	846	1,102
66 x 36 x 2½	1650 x 900 x 63,5	N_NNN-RS3666D6	815	1,060
60 x 36 x 2½	1500 x 900 x 63,5	N_NNN-RS3660D6	796	1,010
Specify the surface type (1, 2).				
84 x 36 x 2½	2100 x 900 x 63,5	N_NNN-RS3684D6	1,051	1,354
78 x 36 x 2½	1950 x 900 x 63,5	N_NNN-RS3678D6	1,016	1,296
72 x 36 x 2½	1800 x 900 x 63,5	N_NNN-RS3672D6	982	1,247
66 x 36 x 2½	1650 x 900 x 63,5	N_NNN-RS3666D6	944	1,189
60 x 36 x 2½	1500 x 900 x 63,5	N_NNN-RS3660D6	910	1,132
Specify the surface type (5, 6).				
84 x 36 x 2½	2100 x 900 x 63,5	N_KNN-RS3684D6	1,231	1,539
78 x 36 x 2½	1950 x 900 x 63,5	N_KNN-RS3678D6	1,196	1,482
72 x 36 x 2½	1800 x 900 x 63,5	N_KNN-RS3672D6	1,160	1,426
66 x 36 x 2½	1650 x 900 x 63,5	N_KNN-RS3666D6	1,124	1,375
60 x 36 x 2½	1500 x 900 x 63,5	N_KNN-RS3660D6	1,086	1,319
Knife edge (K). Specify the surface type (5, 6).				

**Rectangular surfaces,
2 struts – 30" D**



<i>Surface with struts. 2 grommets. Must use storage modules 27" H (690 mm) as support. Can accommodate 1 modular modesty panel.</i>				
84 x 30 x 2½	2100 x 750 x 63,5	N_NNN-RS3084D6	838	1,124
78 x 30 x 2½	1950 x 750 x 63,5	N_NNN-RS3078D6	815	1,081
72 x 30 x 2½	1800 x 750 x 63,5	N_NNN-RS3072D6	796	1,040
66 x 30 x 2½	1650 x 750 x 63,5	N_NNN-RS3066D6	773	995
60 x 30 x 2½	1500 x 750 x 63,5	N_NNN-RS3060D6	745	953
Specify the surface type (1, 2).				
84 x 30 x 2½	2100 x 750 x 63,5	N_NNN-RS3084D6	982	1,239
78 x 30 x 2½	1950 x 750 x 63,5	N_NNN-RS3078D6	944	1,189
72 x 30 x 2½	1800 x 750 x 63,5	N_NNN-RS3072D6	910	1,132
66 x 30 x 2½	1650 x 750 x 63,5	N_NNN-RS3066D6	881	1,081
60 x 30 x 2½	1500 x 750 x 63,5	N_NNN-RS3060D6	846	1,033
Specify the surface type (5, 6).				
84 x 30 x 2½	2100 x 750 x 63,5	N_KNN-RS3084D6	1,146	1,402
78 x 30 x 2½	1950 x 750 x 63,5	N_KNN-RS3078D6	1,111	1,354
72 x 30 x 2½	1800 x 750 x 63,5	N_KNN-RS3072D6	1,081	1,302
66 x 30 x 2½	1650 x 750 x 63,5	N_KNN-RS3066D6	1,051	1,252
60 x 30 x 2½	1500 x 750 x 63,5	N_KNN-RS3060D6	1,016	1,202
Knife edge (K). Specify the surface type (5, 6).				

**Rectangular surfaces,
2 struts – 24" D**


<i>Surface with struts. 2 grommets. Must use storage modules 27" H (690 mm) as support. Can accommodate 1 modular modesty panel.</i>				
72 x 24 x 2½	1800 x 600 x 63,5	N_NNN-RS2472D6	745	967
66 x 24 x 2½	1650 x 600 x 63,5	N_NNN-RS2466D6	723	933
60 x 24 x 2½	1500 x 600 x 63,5	N_NNN-RS2460D6	702	888
54 x 24 x 2½	1350 x 600 x 63,5	N_NNN-RS2454D6	680	846
48 x 24 x 2½	1200 x 600 x 63,5	N_NNN-RS2448D6	659	809
Specify the surface type (1, 2).				
72 x 24 x 2½	1800 x 600 x 63,5	N_NNN-RS2472D6	846	1,022
66 x 24 x 2½	1650 x 600 x 63,5	N_NNN-RS2466D6	815	982
60 x 24 x 2½	1500 x 600 x 63,5	N_NNN-RS2460D6	779	933
54 x 24 x 2½	1350 x 600 x 63,5	N_NNN-RS2454D6	753	888
48 x 24 x 2½	1200 x 600 x 63,5	N_NNN-RS2448D6	723	838
Specify the surface type (5, 6).				
72 x 24 x 2½	1800 x 600 x 63,5	N_KNN-RS2472D6	1,010	1,189
66 x 24 x 2½	1650 x 600 x 63,5	N_KNN-RS2466D6	972	1,146
60 x 24 x 2½	1500 x 600 x 63,5	N_KNN-RS2460D6	944	1,102
54 x 24 x 2½	1350 x 600 x 63,5	N_KNN-RS2454D6	916	1,051
48 x 24 x 2½	1200 x 600 x 63,5	N_KNN-RS2448D6	888	1,010
Knife edge (K). Specify the surface type (5, 6).				

**Rectangular surfaces,
1 strut, 1 slim metal
leg – 48" D**


<i>Surface with strut. Meeting space. 1 grommet. 1 slim metal leg. Must use storage module 27" H (690 mm) as support. Can accommodate 1 modular modesty panel.</i>				
84 x 48 x 29½	2100 x 1200 x 752	N_NNN-RS4884PD6	2,056	2,498
78 x 48 x 29½	1950 x 1200 x 752	N_NNN-RS4878PD6	2,035	2,448
72 x 48 x 29½	1800 x 1200 x 752	N_NNN-RS4872PD6	2,005	2,399
66 x 48 x 29½	1650 x 1200 x 752	N_NNN-RS4866PD6	1,977	2,349
60 x 48 x 29½	1500 x 1200 x 752	N_NNN-RS4860PD6	1,949	2,298
Specify the surface type (1, 2).				
84 x 48 x 29½	2100 x 1200 x 752	N_NNN-RS4884PD6	2,247	2,701
78 x 48 x 29½	1950 x 1200 x 752	N_NNN-RS4878PD6	2,213	2,635
72 x 48 x 29½	1800 x 1200 x 752	N_NNN-RS4872PD6	2,179	2,571
66 x 48 x 29½	1650 x 1200 x 752	N_NNN-RS4866PD6	2,134	2,506
60 x 48 x 29½	1500 x 1200 x 752	N_NNN-RS4860PD6	2,097	2,448
Specify the surface type (5, 6).				
84 x 48 x 29½	2100 x 1200 x 752	N_KNN-RS4884PD6	2,284	2,735
78 x 48 x 29½	1950 x 1200 x 752	N_KNN-RS4878PD6	2,247	2,678
72 x 48 x 29½	1800 x 1200 x 752	N_KNN-RS4872PD6	2,220	2,621
66 x 48 x 29½	1650 x 1200 x 752	N_KNN-RS4866PD6	2,185	2,566
60 x 48 x 29½	1500 x 1200 x 752	N_KNN-RS4860PD6	2,148	2,506
Knife edge (K). Specify the surface type (5, 6).				

**Rectangular surfaces,
1 strut, 1 slim metal
leg – 42" D**


<i>Surface with strut. Meeting space. 1 grommet. 1 slim metal leg. Must use storage module 27" H (690 mm) as support. Can accommodate 1 modular modesty panel.</i>				
84 x 42 x 29½	2100 x 1050 x 752	N_NNN-RS4284PD6	1,942	2,335
78 x 42 x 29½	1950 x 1050 x 752	N_NNN-RS4278PD6	1,913	2,284
72 x 42 x 29½	1800 x 1050 x 752	N_NNN-RS4272PD6	1,891	2,235
66 x 42 x 29½	1650 x 1050 x 752	N_NNN-RS4266PD6	1,863	2,191
60 x 42 x 29½	1500 x 1050 x 752	N_NNN-RS4260PD6	1,841	2,142
Specify the surface type (1, 2).				
84 x 42 x 29½	2100 x 1050 x 752	N_NNN-RS4284PD6	2,112	2,506
78 x 42 x 29½	1950 x 1050 x 752	N_NNN-RS4278PD6	2,078	2,448
72 x 42 x 29½	1800 x 1050 x 752	N_NNN-RS4272PD6	2,040	2,391
66 x 42 x 29½	1650 x 1050 x 752	N_NNN-RS4266PD6	2,005	2,328
60 x 42 x 29½	1500 x 1050 x 752	N_NNN-RS4260PD6	1,969	2,270
Specify the surface type (5, 6).				
84 x 42 x 29½	2100 x 1050 x 752	N_KNN-RS4284PD6	2,213	2,615
78 x 42 x 29½	1950 x 1050 x 752	N_KNN-RS4278PD6	2,179	2,557
72 x 42 x 29½	1800 x 1050 x 752	N_KNN-RS4272PD6	2,148	2,506
66 x 42 x 29½	1650 x 1050 x 752	N_KNN-RS4266PD6	2,112	2,448
60 x 42 x 29½	1500 x 1050 x 752	N_KNN-RS4260PD6	2,078	2,391
Knife edge (K). Specify the surface type (5, 6).				

Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description.

2-TONE LAMINATE APPLICATION: SHADED AREA CORRESPONDS TO THE FIRST CODE TO BE SPECIFIED.

SECOND LAMINATE CODE WILL BE APPLIED TO THE REST OF THE PRODUCT.

ASSEMBLY REQUIRED

CANADA – FEBRUARY 2024

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Rectangular surfaces, 1 strut, 1 slim metal leg – 36" D					
<i>Surface with strut. Meeting space. 1 grommet. 1 slim metal leg. Must use storage module 27" H (690 mm) as support. Can accommodate 1 modular modesty panel.</i>					
	84 x 36 x 29½	2100 x 900 x 752	N_NNN-RS3684PD6	1,818	2,162
	78 x 36 x 29½	1950 x 900 x 752	N_NNN-RS3678PD6	1,768	2,118
	72 x 36 x 29½	1800 x 900 x 752	N_NNN-RS3672PD6	1,711	2,078
	66 x 36 x 29½	1650 x 900 x 752	N_NNN-RS3666PD6	1,661	2,026
	60 x 36 x 29½	1500 x 900 x 752	N_NNN-RS3660PD6	1,611	1,984
Specify the surface type (1, 2).					
	84 x 36 x 29½	2100 x 900 x 752	N_NNN-RS3684PD6	1,969	2,320
	78 x 36 x 29½	1950 x 900 x 752	N_NNN-RS3678PD6	1,905	2,263
	72 x 36 x 29½	1800 x 900 x 752	N_NNN-RS3672PD6	1,841	2,205
	66 x 36 x 29½	1650 x 900 x 752	N_NNN-RS3666PD6	1,775	2,156
	60 x 36 x 29½	1500 x 900 x 752	N_NNN-RS3660PD6	1,717	2,097
Specify the surface type (5, 6).					
	84 x 36 x 29½	2100 x 900 x 752	N_KNN-RS3684PD6	2,142	2,493
	78 x 36 x 29½	1950 x 900 x 752	N_KNN-RS3678PD6	2,070	2,441
	72 x 36 x 29½	1800 x 900 x 752	N_KNN-RS3672PD6	2,005	2,386
	66 x 36 x 29½	1650 x 900 x 752	N_KNN-RS3666PD6	1,942	2,335
	60 x 36 x 29½	1500 x 900 x 752	N_KNN-RS3660PD6	1,881	2,278
Knife edge (K). Specify the surface type (5, 6).					

Rectangular surfaces, 1 strut, 1 slim metal leg – 30" D					
<i>Surface with strut. Meeting space. 1 grommet. 1 slim metal leg. Must use storage module 27" H (690 mm) as support. Can accommodate 1 modular modesty panel.</i>					
	84 x 30 x 29½	2100 x 750 x 752	N_NNN-RS3084PD6	1,805	2,112
	78 x 30 x 29½	1950 x 750 x 752	N_NNN-RS3078PD6	1,756	2,070
	72 x 30 x 29½	1800 x 750 x 752	N_NNN-RS3072PD6	1,706	2,026
	66 x 30 x 29½	1650 x 750 x 752	N_NNN-RS3066PD6	1,656	1,984
	60 x 30 x 29½	1500 x 750 x 752	N_NNN-RS3060PD6	1,604	1,942
Specify the surface type (1, 2).					
	84 x 30 x 29½	2100 x 750 x 752	N_NNN-RS3084PD6	1,942	2,247
	78 x 30 x 29½	1950 x 750 x 752	N_NNN-RS3078PD6	1,876	2,191
	72 x 30 x 29½	1800 x 750 x 752	N_NNN-RS3072PD6	1,809	2,142
	66 x 30 x 29½	1650 x 750 x 752	N_NNN-RS3066PD6	1,747	2,097
	60 x 30 x 29½	1500 x 750 x 752	N_NNN-RS3060PD6	1,689	2,035
Specify the surface type (5, 6).					
	84 x 30 x 29½	2100 x 750 x 752	N_KNN-RS3084PD6	2,129	2,436
	78 x 30 x 29½	1950 x 750 x 752	N_KNN-RS3078PD6	2,056	2,386
	72 x 30 x 29½	1800 x 750 x 752	N_KNN-RS3072PD6	1,990	2,328
	66 x 30 x 29½	1650 x 750 x 752	N_KNN-RS3066PD6	1,926	2,278
	60 x 30 x 29½	1500 x 750 x 752	N_KNN-RS3060PD6	1,869	2,227
Knife edge (K). Specify the surface type (5, 6).					

Rectangular surfaces, 1 strut, 1 slim metal leg – 24" D					
<i>Surface with strut. Meeting space. 1 grommet. 1 slim metal leg. Must use storage module 27" H (690 mm) as support. Can accommodate 1 modular modesty panel.</i>					
	78 x 24 x 29½	1950 x 600 x 752	N_NNN-RS2478PD6	1,656	2,020
	72 x 24 x 29½	1800 x 600 x 752	N_NNN-RS2472PD6	1,633	1,977
	66 x 24 x 29½	1650 x 600 x 752	N_NNN-RS2466PD6	1,588	1,934
	60 x 24 x 29½	1500 x 600 x 752	N_NNN-RS2460PD6	1,539	1,891
Specify the surface type (1, 2).					
	78 x 24 x 29½	1950 x 600 x 752	N_NNN-RS2478PD6	1,756	2,129
	72 x 24 x 29½	1800 x 600 x 752	N_NNN-RS2472PD6	1,726	2,078
	66 x 24 x 29½	1650 x 600 x 752	N_NNN-RS2466PD6	1,669	2,026
	60 x 24 x 29½	1500 x 600 x 752	N_NNN-RS2460PD6	1,611	1,969
Specify the surface type (5, 6).					
	78 x 24 x 29½	1950 x 600 x 752	N_KNN-RS2478PD6	1,942	2,328
	72 x 24 x 29½	1800 x 600 x 752	N_KNN-RS2472PD6	1,913	2,278
	66 x 24 x 29½	1650 x 600 x 752	N_KNN-RS2466PD6	1,854	2,227
	60 x 24 x 29½	1500 x 600 x 752	N_KNN-RS2460PD6	1,798	2,179
Knife edge (K). Specify the surface type (5, 6).					

RETURN-SURFACES

Rectangular return-surfaces, 1 slim metal leg – 36" D

<i>Must be secured to another surface. Meeting space. Can accommodate 1 modular modesty panel.</i>					
	72 x 36 x 29½	1800 x 900 x 752	N_NNN-RS3672P	1,568	1,899
	66 x 36 x 29½	1650 x 900 x 752	N_NNN-RS3666P	1,546	1,854
	60 x 36 x 29½	1500 x 900 x 752	N_NNN-RS3660P	1,531	1,812
Specify the surface type (1, 2).					
	72 x 36 x 29½	1800 x 900 x 752	N_NNN-RS3672P	1,698	2,035
	66 x 36 x 29½	1650 x 900 x 752	N_NNN-RS3666P	1,669	1,984
	60 x 36 x 29½	1500 x 900 x 752	N_NNN-RS3660P	1,638	1,934
Specify the surface type (5, 6).					
	72 x 36 x 29½	1800 x 900 x 752	N_KNN-RS3672P	1,899	2,241
	66 x 36 x 29½	1650 x 900 x 752	N_KNN-RS3666P	1,863	2,185
	60 x 36 x 29½	1500 x 900 x 752	N_KNN-RS3660P	1,834	2,134
Knife edge (K). Specify the surface type (5, 6).					

Rectangular return-surfaces, 1 slim metal leg – 30" D

<i>Must be secured to another surface. Meeting space. Can accommodate 1 modular modesty panel.</i>					
	72 x 30 x 29½	1800 x 750 x 752	N_NNN-RS3072P	1,531	1,818
	66 x 30 x 29½	1650 x 750 x 752	N_NNN-RS3066P	1,511	1,783
	60 x 30 x 29½	1500 x 750 x 752	N_NNN-RS3060P	1,496	1,747
Specify the surface type (1, 2).					
	72 x 30 x 29½	1800 x 750 x 752	N_NNN-RS3072P	1,638	1,934
	66 x 30 x 29½	1650 x 750 x 752	N_NNN-RS3066P	1,611	1,891
	60 x 30 x 29½	1500 x 750 x 752	N_NNN-RS3060P	1,588	1,841
Specify the surface type (5, 6).					
	72 x 30 x 29½	1800 x 750 x 752	N_KNN-RS3072P	1,841	2,142
	66 x 30 x 29½	1650 x 750 x 752	N_KNN-RS3066P	1,805	2,090
	60 x 30 x 29½	1500 x 750 x 752	N_KNN-RS3060P	1,775	2,040
Knife edge (K). Specify the surface type (5, 6).					

Rectangular return-surfaces, 1 slim metal leg – 24" D


<i>Must be secured to another surface. Meeting space. Can accommodate 1 modular modesty panel.</i>					
	72 x 24 x 29½	1800 x 600 x 752	N_NNN-RS2472P	1,496	1,747
	66 x 24 x 29½	1650 x 600 x 752	N_NNN-RS2466P	1,482	1,711
	60 x 24 x 29½	1500 x 600 x 752	N_NNN-RS2460P	1,462	1,675
Specify the surface type (1, 2).					
	72 x 24 x 29½	1800 x 600 x 752	N_NNN-RS2472P	1,576	1,834
	66 x 24 x 29½	1650 x 600 x 752	N_NNN-RS2466P	1,561	1,798
	60 x 24 x 29½	1500 x 600 x 752	N_NNN-RS2460P	1,539	1,756
Specify the surface type (5, 6).					
	72 x 24 x 29½	1800 x 600 x 752	N_KNN-RS2472P	1,783	2,048
	66 x 24 x 29½	1650 x 600 x 752	N_KNN-RS2466P	1,756	1,998
	60 x 24 x 29½	1500 x 600 x 752	N_KNN-RS2460P	1,726	1,949
Knife edge (K). Specify the surface type (5, 6).					


RETURNS


Rectangular returns, short back, 1 long leg – 24" D

<i>3" (75 mm) recessed short back. 1 grommet. Can accommodate 1 storage module 21" H (561 mm) and must be secured to another surface. Can accommodate 1 modular modesty panel.</i>					
	72 x 24 x 29½	1800 x 600 x 752	N_N_N-R2472A5	831	1,047
	66 x 24 x 29½	1650 x 600 x 752	N_N_N-R2466A5	805	1,008
	60 x 24 x 29½	1500 x 600 x 752	N_N_N-R2460A5	779	973
	54 x 24 x 29½	1350 x 600 x 752	N_N_N-R2454A5	766	935
	48 x 24 x 29½	1200 x 600 x 752	N_N_N-R2448A5	742	896
Specify the surface type (1, 2). Specify left (L) or right (R).					
	72 x 24 x 29½	1800 x 600 x 752	N_N_N-R2472A5	885	1,102
	66 x 24 x 29½	1650 x 600 x 752	N_N_N-R2466A5	862	1,065
	60 x 24 x 29½	1500 x 600 x 752	N_N_N-R2460A5	831	1,015
	54 x 24 x 29½	1350 x 600 x 752	N_N_N-R2454A5	805	973
	48 x 24 x 29½	1200 x 600 x 752	N_N_N-R2448A5	779	926
Specify the surface type (5, 6). Specify left (L) or right (R).					
	72 x 24 x 29½	1800 x 600 x 752	N_K_N-R2472A5	1,127	1,345
	66 x 24 x 29½	1650 x 600 x 752	N_K_N-R2466A5	1,102	1,306
	60 x 24 x 29½	1500 x 600 x 752	N_K_N-R2460A5	1,080	1,264
	54 x 24 x 29½	1350 x 600 x 752	N_K_N-R2454A5	1,047	1,219
	48 x 24 x 29½	1200 x 600 x 752	N_K_N-R2448A5	1,021	1,176
Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R).					


Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Rectangular returns, short back, 1 long leg – 20" D	3" (75 mm) recessed short back. 1 grommet. Can accommodate 1 storage module 21" H (561 mm) and must be secured to another surface. Can accommodate 1 modular modesty panel.				
	72 x 20 x 29½	1800 x 500 x 752	N_N-N-R2072A5	805	993
	66 x 20 x 29½	1650 x 500 x 752	N_N-N-R2066A5	779	951
	60 x 20 x 29½	1500 x 500 x 752	N_N-N-R2060A5	766	918
	54 x 20 x 29½	1350 x 500 x 752	N_N-N-R2054A5	742	877
	48 x 20 x 29½	1200 x 500 x 752	N_N-N-R2048A5	724	847
	Specify the surface type (1, 2). Specify left (L) or right (R).				
	72 x 20 x 29½	1800 x 500 x 752	N_N-N-R2072A5	847	1,033
	66 x 20 x 29½	1650 x 500 x 752	N_N-N-R2066A5	823	993
	60 x 20 x 29½	1500 x 500 x 752	N_N-N-R2060A5	798	951
	54 x 20 x 29½	1350 x 500 x 752	N_N-N-R2054A5	773	912
	48 x 20 x 29½	1200 x 500 x 752	N_N-N-R2048A5	752	877
	Specify the surface type (5, 6). Specify left (L) or right (R).				
	72 x 20 x 29½	1800 x 500 x 752	N_K-N-R2072A5	1,088	1,274
	66 x 20 x 29½	1650 x 500 x 752	N_K-N-R2066A5	1,065	1,232
	60 x 20 x 29½	1500 x 500 x 752	N_K-N-R2060A5	1,041	1,193
	54 x 20 x 29½	1350 x 500 x 752	N_K-N-R2054A5	1,015	1,161
	48 x 20 x 29½	1200 x 500 x 752	N_K-N-R2048A5	998	1,119
	Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R).				

Rectangular returns, short back, 1 short leg – 24" D	3" (75 mm) recessed short back. 1 grommet. Must use 1 storage module 21" H (561 mm) as support and be secured to another surface. Can accommodate 1 modular modesty panel.				
	72 x 24 x 7½	1800 x 600 x 191	N_N-N-R2472B5	731	942
	66 x 24 x 7½	1650 x 600 x 191	N_N-N-R2466B5	710	902
	60 x 24 x 7½	1500 x 600 x 191	N_N-N-R2460B5	686	870
	54 x 24 x 7½	1350 x 600 x 191	N_N-N-R2454B5	669	831
	48 x 24 x 7½	1200 x 600 x 191	N_N-N-R2448B5	645	791
	Specify the surface type (1, 2). Specify left (L) or right (R).				
	72 x 24 x 7½	1800 x 600 x 191	N_N-N-R2472B5	779	993
	66 x 24 x 7½	1650 x 600 x 191	N_N-N-R2466B5	758	951
	60 x 24 x 7½	1500 x 600 x 191	N_N-N-R2460B5	731	902
	54 x 24 x 7½	1350 x 600 x 191	N_N-N-R2454B5	710	862
	48 x 24 x 7½	1200 x 600 x 191	N_N-N-R2448B5	686	823
	Specify the surface type (5, 6). Specify left (L) or right (R).				
	72 x 24 x 7½	1800 x 600 x 191	N_K-N-R2472B5	1,021	1,232
	66 x 24 x 7½	1650 x 600 x 191	N_K-N-R2466B5	998	1,193
	60 x 24 x 7½	1500 x 600 x 191	N_K-N-R2460B5	973	1,152
	54 x 24 x 7½	1350 x 600 x 191	N_K-N-R2454B5	951	1,102
	48 x 24 x 7½	1200 x 600 x 191	N_K-N-R2448B5	926	1,065
	Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R).				


Rectangular returns, short back, 1 short leg – 20" D	3" (75 mm) recessed short back. 1 grommet. Must use 1 storage module 21" H (561 mm) as support and be secured to another surface. Can accommodate 1 modular modesty panel.				
	72 x 20 x 7½	1800 x 500 x 191	N_N-N-R2072B5	710	896
	66 x 20 x 7½	1650 x 500 x 191	N_N-N-R2066B5	694	862
	60 x 20 x 7½	1500 x 500 x 191	N_N-N-R2060B5	677	831
	54 x 20 x 7½	1350 x 500 x 191	N_N-N-R2054B5	653	791
	48 x 20 x 7½	1200 x 500 x 191	N_N-N-R2048B5	638	758
	Specify the surface type (1, 2). Specify left (L) or right (R).				
	72 x 20 x 7½	1800 x 500 x 191	N_N-N-R2072B5	758	935
	66 x 20 x 7½	1650 x 500 x 191	N_N-N-R2066B5	731	896
	60 x 20 x 7½	1500 x 500 x 191	N_N-N-R2060B5	710	862
	54 x 20 x 7½	1350 x 500 x 191	N_N-N-R2054B5	686	823
	48 x 20 x 7½	1200 x 500 x 191	N_N-N-R2048B5	661	779
	Specify the surface type (5, 6). Specify left (L) or right (R).				
	72 x 20 x 7½	1800 x 500 x 191	N_K-N-R2072B5	988	1,176
	66 x 20 x 7½	1650 x 500 x 191	N_K-N-R2066B5	973	1,138
	60 x 20 x 7½	1500 x 500 x 191	N_K-N-R2060B5	951	1,102
	54 x 20 x 7½	1350 x 500 x 191	N_K-N-R2054B5	926	1,065
	48 x 20 x 7½	1200 x 500 x 191	N_K-N-R2048B5	902	1,021
	Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R).				

Returns, 1 strut – 24" D



W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Surface with strut. 1 grommet. Must use storage module 27" H (690 mm) as support and be secured to another surface. Can accommodate 1 modular modesty panel.				
72 x 24 x 2½	1800 x 600 x 63,5	N_N-N-R2472D6	536	702
66 x 24 x 2½	1650 x 600 x 63,5	N_N-N-R2466D6	524	672
60 x 24 x 2½	1500 x 600 x 63,5	N_N-N-R2460D6	510	645
54 x 24 x 2½	1350 x 600 x 63,5	N_N-N-R2454D6	493	617
48 x 24 x 2½	1200 x 600 x 63,5	N_N-N-R2448D6	480	587
Specify the surface type (1, 2). Specify left (L) or right (R).				
72 x 24 x 2½	1800 x 600 x 63,5	N_N-N-R2472D6	638	796
66 x 24 x 2½	1650 x 600 x 63,5	N_N-N-R2466D6	617	759
60 x 24 x 2½	1500 x 600 x 63,5	N_N-N-R2460D6	593	723
54 x 24 x 2½	1350 x 600 x 63,5	N_N-N-R2454D6	571	687
48 x 24 x 2½	1200 x 600 x 63,5	N_N-N-R2448D6	553	659
Specify the surface type (5, 6). Specify left (L) or right (R).				
72 x 24 x 2½	1800 x 600 x 63,5	N_K-N-R2472D6	838	995
66 x 24 x 2½	1650 x 600 x 63,5	N_K-N-R2466D6	809	953
60 x 24 x 2½	1500 x 600 x 63,5	N_K-N-R2460D6	779	910
54 x 24 x 2½	1350 x 600 x 63,5	N_K-N-R2454D6	753	865
48 x 24 x 2½	1200 x 600 x 63,5	N_K-N-R2448D6	723	824
Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R).				


Returns, 1 strut – 20" D



W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Surface with strut. 1 grommet. Must use storage module 27" H (690 mm) as support and be secured to another surface. Can accommodate 1 modular modesty panel.				
72 x 20 x 2½	1800 x 500 x 63,5	N_N-N-R2072D6	510	645
66 x 20 x 2½	1650 x 500 x 63,5	N_N-N-R2066D6	493	617
60 x 20 x 2½	1500 x 500 x 63,5	N_N-N-R2060D6	480	593
54 x 20 x 2½	1350 x 500 x 63,5	N_N-N-R2054D6	464	566
48 x 20 x 2½	1200 x 500 x 63,5	N_N-N-R2048D6	459	544
Specify the surface type (1, 2). Specify left (L) or right (R).				
72 x 20 x 2½	1800 x 500 x 63,5	N_N-N-R2072D6	603	730
66 x 20 x 2½	1650 x 500 x 63,5	N_N-N-R2066D6	581	702
60 x 20 x 2½	1500 x 500 x 63,5	N_N-N-R2060D6	558	666
54 x 20 x 2½	1350 x 500 x 63,5	N_N-N-R2054D6	536	638
48 x 20 x 2½	1200 x 500 x 63,5	N_N-N-R2048D6	516	603
Specify the surface type (5, 6). Specify left (L) or right (R).				
72 x 20 x 2½	1800 x 500 x 63,5	N_K-N-R2072D6	789	916
66 x 20 x 2½	1650 x 500 x 63,5	N_K-N-R2066D6	759	874
60 x 20 x 2½	1500 x 500 x 63,5	N_K-N-R2060D6	737	838
54 x 20 x 2½	1350 x 500 x 63,5	N_K-N-R2054D6	710	796
48 x 20 x 2½	1200 x 500 x 63,5	N_K-N-R2048D6	680	753
Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R).				

ELECTRIC HEIGHT ADJUSTABLE DESKS AND RETURNS

Electric height adjustable desks with 21" H file storage module – 36" D



High-Gloss Black (B) or High-Gloss White (W) drawer front finish option: add \$81.

Laminate base with metal back. Meeting space. Height adjustable from 26" to 44" H (661 to 1118 mm). Open space with felt liner to store small objects. Removable inside panel for wire management. Maximum weight capacity: 100 lbs (45 kg). 10' W (3048 mm) cable with cord. 1 file drawer with soft-close. Lock. To add a grommet/electrical module, refer to Standardized Specs on page 15.


W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
92 x 36 x 26-43½	2300 x 900 x 661-1105	N_N-RT3684FG	6,545	6,987
86 x 36 x 26-43½	2150 x 900 x 661-1105	N_N-RT3678FG	6,501	6,931
80 x 36 x 26-43½	2000 x 900 x 661-1105	N_N-RT3672FG	6,460	6,868
74 x 36 x 26-43½	1850 x 900 x 661-1105	N_N-RT3666FG	6,416	6,811
Specify the surface type (5, 6). Specify left (L) or right (R). Specify the drawer front finish (B, W, N) Specify metal back color (K, W).				
92 x 36 x 26-43½	2300 x 900 x 661-1105	N_K-RT3684FG	6,744	7,198
86 x 36 x 26-43½	2150 x 900 x 661-1105	N_K-RT3678FG	6,703	7,140
80 x 36 x 26-43½	2000 x 900 x 661-1105	N_K-RT3672FG	6,661	7,076
74 x 36 x 26-43½	1850 x 900 x 661-1105	N_K-RT3666FG	6,616	7,018

Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R). Specify the drawer front finish (B, W, N) Specify metal back color (K, W).

Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Electric height adjustable desks with 21" H file storage module – 32" D					
<i>Laminate base with metal back. Meeting space. Height adjustable from 26" to 44" H (661 to 1118 mm). Open space with felt liner to store small objects. Removable inside panel for wire management. Maximum weight capacity: 100 lbs (45 kg). 10" W (3048 mm) cable with cord. 1 file drawer with soft-close. Lock. To add a grommet/electrical module, refer to Standardized specials on page 15.</i>					
L	92 x 32 x 26-43½	2300 x 800 x 661-1105	N_N_-RT3284FG	6,496	6,910
	86 x 32 x 26-43½	2150 x 800 x 661-1105	N_N_-RT3278FG	6,451	6,853
	80 x 32 x 26-43½	2000 x 800 x 661-1105	N_N_-RT3272FG	6,410	6,788
	74 x 32 x 26-43½	1850 x 800 x 661-1105	N_N_-RT3266FG	6,373	6,731
R					
<i>Specify the surface type (5, 6). Specify left (L) or right (R). Specify the drawer front finish (B, W, N) Specify metal back color (K, W).</i>					
	92 x 32 x 26-43½	2300 x 800 x 661-1105	N_K_-RT3284FG	6,594	7,118
	86 x 32 x 26-43½	2150 x 800 x 661-1105	N_K_-RT3278FG	6,652	7,060
	80 x 32 x 26-43½	2000 x 800 x 661-1105	N_K_-RT3272FG	6,609	6,997
	74 x 32 x 26-43½	1850 x 800 x 661-1105	N_K_-RT3266FG	6,568	6,940
<i>Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R). Specify the drawer front finish (B, W, N) Specify metal back color (K, W).</i>					
Electric height adjustable desks – 36" D					
<i>Laminate base with metal back. Meeting space. Height adjustable from 26" to 44" H (661 to 1118 mm). Open space with felt liner to store small objects. Removable inside panel for wire management. Maximum weight capacity: 100 lbs (45 kg). 10" W (3048 mm) cable with cord. To add a grommet/electrical module, refer to Standardized specials on page 15.</i>					
L	92 x 36 x 26-43½	2300 x 900 x 661-1105	N_N_-RT3684SG	6,359	6,794
	86 x 36 x 26-43½	2150 x 900 x 661-1105	N_N_-RT3678SG	6,316	6,739
	80 x 36 x 26-43½	2000 x 900 x 661-1105	N_N_-RT3672SG	6,282	6,681
	74 x 36 x 26-43½	1850 x 900 x 661-1105	N_N_-RT3666SG	6,236	6,625
R					
<i>Specify the surface type (5, 6). Specify left (L) or right (R). Specify the inside casing front finish (B, W, N) Specify metal back color (K, W).</i>					
	92 x 36 x 26-43½	2300 x 900 x 661-1105	N_K_-RT3684SG	6,559	7,011
	86 x 36 x 26-43½	2150 x 900 x 661-1105	N_K_-RT3678SG	6,524	6,947
	80 x 36 x 26-43½	2000 x 900 x 661-1105	N_K_-RT3672SG	6,479	6,889
	74 x 36 x 26-43½	1850 x 900 x 661-1105	N_K_-RT3666SG	6,438	6,823
<i>Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R). Specify the inside casing front finish (B, W, N) Specify metal back color (K, W).</i>					
Electric height adjustable desks – 32" D					
<i>Laminate base with metal back. Meeting space. Height adjustable from 26" to 44" H (661 to 1118 mm). Open space with felt liner to store small objects. Removable inside panel for wire management. Maximum weight capacity: 100 lbs (45 kg). 10" W (3048 mm) cable with cord. To add a grommet/electrical module, refer to Standardized specials on page 15.</i>					
L	92 x 32 x 26-43½	2300 x 800 x 661-1105	N_N_-RT3284SG	6,308	6,723
	86 x 32 x 26-43½	2150 x 800 x 661-1105	N_N_-RT3278SG	6,265	6,661
	80 x 32 x 26-43½	2000 x 800 x 661-1105	N_N_-RT3272SG	6,231	6,601
	74 x 32 x 26-43½	1850 x 800 x 661-1105	N_N_-RT3266SG	6,187	6,545
R					
<i>Specify the surface type (5, 6). Specify left (L) or right (R). Specify the inside casing front finish (B, W, N) Specify metal back color (K, W).</i>					
	92 x 32 x 26-43½	2300 x 800 x 661-1105	N_K_-RT3284SG	6,508	6,931
	86 x 32 x 26-43½	2150 x 800 x 661-1105	N_K_-RT3278SG	6,466	6,868
	80 x 32 x 26-43½	2000 x 800 x 661-1105	N_K_-RT3272SG	6,431	6,811
	74 x 32 x 26-43½	1850 x 800 x 661-1105	N_K_-RT3266SG	6,389	6,744
<i>Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R). Specify the inside casing finish (B, W, N) Specify metal back color (K, W).</i>					


L-shaped electric height adjustable desks with 24" D return and 21" H file storage module



High-Gloss Black (B) or High-Gloss White (W) return drawer front finish option: add \$122.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Laminate base with metal back. Meeting space. Height adjustable from 26" to 44" H (661 to 1118 mm). 1 return with file drawer and soft-close. Suspension bar. Lock. Open space with felt liner to store small objects. Removable inside panel for wire management. Maximum weight capacity: 100 lbs (45 kg). 10" W (3048 mm) cable with cord. To add a grommet/electrical module, refer to Standardized specials on page 15.</i>					
L	84 x 102 x 26-43½	2100 x 2550 x 661-1105	N_N_-RTL8410224FG	10,288	10,826
	84 x 96 x 26-43½	2100 x 2400 x 661-1105	N_N_-RTL849624FG	10,247	10,799
	84 x 90 x 26-43½	2100 x 2250 x 661-1105	N_N_-RTL849024FG	10,218	10,770
	84 x 84 x 26-43½	2100 x 2100 x 661-1105	N_N_-RTL848424FG	10,196	10,742
	84 x 78 x 26-43½	2100 x 1950 x 661-1105	N_N_-RTL847824FG	10,176	10,712
	84 x 72 x 26-43½	2100 x 1800 x 661-1105	N_N_-RTL847224FG	10,155	10,685
R	78 x 102 x 26-43½	1950 x 2550 x 661-1105	N_N_-RTL7810224FG	10,212	10,754
	78 x 96 x 26-43½	1950 x 2400 x 661-1105	N_N_-RTL789624FG	10,189	10,728
	78 x 90 x 26-43½	1950 x 2250 x 661-1105	N_N_-RTL789024FG	10,161	10,697
	78 x 84 x 26-43½	1950 x 2100 x 661-1105	N_N_-RTL788424FG	10,139	10,670
	78 x 78 x 26-43½	1950 x 1950 x 661-1105	N_N_-RTL787824FG	10,117	10,641
	78 x 72 x 26-43½	1950 x 1800 x 661-1105	N_N_-RTL787224FG	10,098	10,612
	72 x 102 x 26-43½	1800 x 2550 x 661-1105	N_N_-RTL7210224FG	10,155	10,676
	72 x 96 x 26-43½	1800 x 2400 x 661-1105	N_N_-RTL729624FG	10,132	10,646
	72 x 90 x 26-43½	1800 x 2250 x 661-1105	N_N_-RTL729024FG	10,105	10,618
	72 x 84 x 26-43½	1800 x 2100 x 661-1105	N_N_-RTL728424FG	10,082	10,590
	72 x 78 x 26-43½	1800 x 1950 x 661-1105	N_N_-RTL727824FG	10,061	10,568
	72 x 72 x 26-43½	1800 x 1800 x 661-1105	N_N_-RTL727224FG	10,038	10,540
	66 x 102 x 26-43½	1650 x 2550 x 661-1105	N_N_-RTL6610224FG	10,098	10,605
	66 x 96 x 26-43½	1650 x 2400 x 661-1105	N_N_-RTL669624FG	10,076	10,577
	66 x 90 x 26-43½	1650 x 2250 x 661-1105	N_N_-RTL669024FG	10,054	10,547
	66 x 84 x 26-43½	1650 x 2100 x 661-1105	N_N_-RTL668424FG	10,026	10,518
	66 x 78 x 26-43½	1650 x 1950 x 661-1105	N_N_-RTL667824FG	10,005	10,490
	66 x 72 x 26-43½	1650 x 1800 x 661-1105	N_N_-RTL667224FG	9,981	10,461
<i>Specify the surface type (5, 6). Specify left (L) or right (R). Specify the return drawer finish (B, W, N). Specify metal back color (K, W).</i>					
	84 x 102 x 26-43½	2100 x 2550 x 661-1105	N_K_-RTL8410224FG	10,656	11,233
	84 x 96 x 26-43½	2100 x 2400 x 661-1105	N_K_-RTL849624FG	10,635	11,201
	84 x 90 x 26-43½	2100 x 2250 x 661-1105	N_K_-RTL849024FG	10,612	11,171
	84 x 84 x 26-43½	2100 x 2100 x 661-1105	N_K_-RTL848424FG	10,590	11,143
	84 x 78 x 26-43½	2100 x 1950 x 661-1105	N_K_-RTL847824FG	10,562	11,114
	84 x 72 x 26-43½	2100 x 1800 x 661-1105	N_K_-RTL847224FG	10,540	11,084
	78 x 102 x 26-43½	1950 x 2550 x 661-1105	N_K_-RTL7810224FG	10,598	11,156
	78 x 96 x 26-43½	1950 x 2400 x 661-1105	N_K_-RTL789624FG	10,577	11,128
	78 x 90 x 26-43½	1950 x 2250 x 661-1105	N_K_-RTL789024FG	10,557	11,099
	78 x 84 x 26-43½	1950 x 2100 x 661-1105	N_K_-RTL788424FG	10,527	11,062
	78 x 78 x 26-43½	1950 x 1950 x 661-1105	N_K_-RTL787824FG	10,505	11,034
	78 x 72 x 26-43½	1950 x 1800 x 661-1105	N_K_-RTL787224FG	10,485	11,007
	72 x 102 x 26-43½	1800 x 2550 x 661-1105	N_K_-RTL7210224FG	10,540	11,078
	72 x 96 x 26-43½	1800 x 2400 x 661-1105	N_K_-RTL729624FG	10,518	11,048
	72 x 90 x 26-43½	1800 x 2250 x 661-1105	N_K_-RTL729024FG	10,490	11,021
	72 x 84 x 26-43½	1800 x 2100 x 661-1105	N_K_-RTL728424FG	10,469	10,991
	72 x 78 x 26-43½	1800 x 1950 x 661-1105	N_K_-RTL727824FG	10,449	10,964
	72 x 72 x 26-43½	1800 x 1800 x 661-1105	N_K_-RTL727224FG	10,419	10,927
	66 x 102 x 26-43½	1650 x 2550 x 661-1105	N_K_-RTL6610224FG	10,485	10,998
	66 x 96 x 26-43½	1650 x 2400 x 661-1105	N_K_-RTL669624FG	10,455	10,971
	66 x 90 x 26-43½	1650 x 2250 x 661-1105	N_K_-RTL669024FG	10,433	10,942
	66 x 84 x 26-43½	1650 x 2100 x 661-1105	N_K_-RTL668424FG	10,412	10,914
	66 x 78 x 26-43½	1650 x 1950 x 661-1105	N_K_-RTL667824FG	10,392	10,884
	66 x 72 x 26-43½	1650 x 1800 x 661-1105	N_K_-RTL667224FG	10,363	10,854
<i>Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R). Specify the return drawer front finish (B, W, N). Specify metal back color (K, W).</i>					

Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description.

L-shaped electric height adjustable desks with 20" D return and 21" H file storage module



High-Gloss Black (B) or High-Gloss White (W) return drawer front finish option: add \$122.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Laminate base with metal back. Meeting space. Height adjustable from 26" to 44" H (661 to 1118 mm). 1 return with file drawer and soft-close. Suspension bar. Lock. Open space with felt liner to store small objects. Removable inside panel for wire management. Maximum weight capacity: 100 lbs (45 kg). 10" W (3048 mm) cable with cord. To add a grommet/electrical module, refer to Standardized specials on page 15.</i>				
84 x 102 x 26-43½	2100 x 2550 x 661-1105	N N -RTL8410220FG	10,212	10,770
84 x 96 x 26-43½	2100 x 2400 x 661-1105	N N -RTL849620FG	10,183	10,742
84 x 90 x 26-43½	2100 x 2250 x 661-1105	N N -RTL849020FG	10,161	10,712
84 x 84 x 26-43½	2100 x 2100 x 661-1105	N N -RTL848420FG	10,138	10,685
84 x 78 x 26-43½	2100 x 1950 x 661-1105	N N -RTL847820FG	10,117	10,656
84 x 72 x 26-43½	2100 x 1800 x 661-1105	N N -RTL847220FG	10,098	10,626
78 x 102 x 26-43½	1950 x 2550 x 661-1105	N N -RTL7810220FG	10,168	10,712
78 x 96 x 26-43½	1950 x 2400 x 661-1105	N N -RTL789620FG	10,148	10,685
78 x 90 x 26-43½	1950 x 2250 x 661-1105	N N -RTL789020FG	10,125	10,656
78 x 84 x 26-43½	1950 x 2100 x 661-1105	N N -RTL788420FG	10,105	10,626
78 x 78 x 26-43½	1950 x 1950 x 661-1105	N N -RTL787820FG	10,082	10,598
78 x 72 x 26-43½	1950 x 1800 x 661-1105	N N -RTL787220FG	10,061	10,577
72 x 102 x 26-43½	1800 x 2550 x 661-1105	N N -RTL7210220FG	10,132	10,662
72 x 96 x 26-43½	1800 x 2400 x 661-1105	N N -RTL729620FG	10,111	10,635
72 x 90 x 26-43½	1800 x 2250 x 661-1105	N N -RTL729020FG	10,088	10,605
72 x 84 x 26-43½	1800 x 2100 x 661-1105	N N -RTL728420FG	10,068	10,577
72 x 78 x 26-43½	1800 x 1950 x 661-1105	N N -RTL727820FG	10,047	10,547
72 x 72 x 26-43½	1800 x 1800 x 661-1105	N N -RTL727220FG	10,017	10,518
66 x 102 x 26-43½	1650 x 2550 x 661-1105	N N -RTL6610220FG	10,098	10,605
66 x 96 x 26-43½	1650 x 2400 x 661-1105	N N -RTL669620FG	10,076	10,577
66 x 90 x 26-43½	1650 x 2250 x 661-1105	N N -RTL669020FG	10,054	10,547
66 x 84 x 26-43½	1650 x 2100 x 661-1105	N N -RTL668420FG	10,026	10,518
66 x 78 x 26-43½	1650 x 1950 x 661-1105	N N -RTL667820FG	10,005	10,490
66 x 72 x 26-43½	1650 x 1800 x 661-1105	N N -RTL667220FG	9,981	10,461

Specify the surface type (5, 6). Specify left (L) or right (R). Specify the return drawer front finish (B, W, N). Specify metal back color (K, W).

84 x 102 x 26-43½	2100 x 2550 x 661-1105	N K -RTL8410220FG	10,598	11,171
84 x 96 x 26-43½	2100 x 2400 x 661-1105	N K -RTL849620FG	10,577	11,143
84 x 90 x 26-43½	2100 x 2250 x 661-1105	N K -RTL849020FG	10,547	11,114
84 x 84 x 26-43½	2100 x 2100 x 661-1105	N K -RTL848420FG	10,527	11,084
84 x 78 x 26-43½	2100 x 1950 x 661-1105	N K -RTL847820FG	10,505	11,048
84 x 72 x 26-43½	2100 x 1800 x 661-1105	N K -RTL847220FG	10,485	11,021
78 x 102 x 26-43½	1950 x 2550 x 661-1105	N K -RTL7810220FG	10,557	11,114
78 x 96 x 26-43½	1950 x 2400 x 661-1105	N K -RTL789620FG	10,534	11,084
78 x 90 x 26-43½	1950 x 2250 x 661-1105	N K -RTL789020FG	10,511	11,057
78 x 84 x 26-43½	1950 x 2100 x 661-1105	N K -RTL788420FG	10,490	11,026
78 x 78 x 26-43½	1950 x 1950 x 661-1105	N K -RTL787820FG	10,468	10,998
78 x 72 x 26-43½	1950 x 1800 x 661-1105	N K -RTL787220FG	10,440	10,971
72 x 102 x 26-43½	1800 x 2550 x 661-1105	N K -RTL7210220FG	10,518	11,057
72 x 96 x 26-43½	1800 x 2400 x 661-1105	N K -RTL729620FG	10,498	11,026
72 x 90 x 26-43½	1800 x 2250 x 661-1105	N K -RTL729020FG	10,468	10,998
72 x 84 x 26-43½	1800 x 2100 x 661-1105	N K -RTL728420FG	10,448	10,971
72 x 78 x 26-43½	1800 x 1950 x 661-1105	N K -RTL727820FG	10,425	10,942
72 x 72 x 26-43½	1800 x 1800 x 661-1105	N K -RTL727220FG	10,404	10,914
66 x 102 x 26-43½	1650 x 2550 x 661-1105	N K -RTL6610220FG	10,475	10,998
66 x 96 x 26-43½	1650 x 2400 x 661-1105	N K -RTL669620FG	10,455	10,971
66 x 90 x 26-43½	1650 x 2250 x 661-1105	N K -RTL669020FG	10,433	10,942
66 x 84 x 26-43½	1650 x 2100 x 661-1105	N K -RTL668420FG	10,412	10,914
66 x 78 x 26-43½	1650 x 1950 x 661-1105	N K -RTL667820FG	10,392	10,884
66 x 72 x 26-43½	1650 x 1800 x 661-1105	N K -RTL667220FG	10,363	10,854

Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R). Specify the return drawer front finish (B, W, N). Specify metal back color (K, W).

L-shaped electric height adjustable desks with 24" D return


High-Gloss Black (B) or High-Gloss White (W) return inside housing front finish option: add \$122.






W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Laminate base with metal back. Meeting space. Height adjustable from 26" to 44" H (661 to 1118 mm). Removable inside panel for wire management. Maximum weight capacity: 100 lbs (45 kg). 10" W (3048 mm) cable with cord. To add a grommet/electrical module, refer to Standardized specials on page 15.</i>				
84 x 102 x 26-43½	2100 x 2550 x 661-1105	N N -RTL8410224SG	10,005	10,562
84 x 96 x 26-43½	2100 x 2400 x 661-1105	N N -RTL849624SG	9,981	10,534
84 x 90 x 26-43½	2100 x 2250 x 661-1105	N N -RTL849024SG	9,962	10,505
84 x 84 x 26-43½	2100 x 2100 x 661-1105	N N -RTL848424SG	9,939	10,475
84 x 78 x 26-43½	2100 x 1950 x 661-1105	N N -RTL847824SG	9,917	10,449
84 x 72 x 26-43½	2100 x 1800 x 661-1105	N N -RTL847224SG	9,887	10,419
78 x 102 x 26-43½	1950 x 2550 x 661-1105	N N -RTL7810224SG	9,946	10,485
78 x 96 x 26-43½	1950 x 2400 x 661-1105	N N -RTL789624SG	9,926	10,455
78 x 90 x 26-43½	1950 x 2250 x 661-1105	N N -RTL789024SG	9,903	10,425
78 x 84 x 26-43½	1950 x 2100 x 661-1105	N N -RTL788424SG	9,882	10,397
78 x 78 x 26-43½	1950 x 1950 x 661-1105	N N -RTL787824SG	9,861	10,368
78 x 72 x 26-43½	1950 x 1800 x 661-1105	N N -RTL787224SG	9,837	10,341
72 x 102 x 26-43½	1800 x 2550 x 661-1105	N N -RTL7210224SG	9,887	10,412
72 x 96 x 26-43½	1800 x 2400 x 661-1105	N N -RTL729624SG	9,869	10,383
72 x 90 x 26-43½	1800 x 2250 x 661-1105	N N -RTL729024SG	9,846	10,355
72 x 84 x 26-43½	1800 x 2100 x 661-1105	N N -RTL728424SG	9,825	10,324
72 x 78 x 26-43½	1800 x 1950 x 661-1105	N N -RTL727824SG	9,803	10,296
72 x 72 x 26-43½	1800 x 1800 x 661-1105	N N -RTL727224SG	9,781	10,268
66 x 102 x 26-43½	1650 x 2550 x 661-1105	N N -RTL6610224SG	9,832	10,331
66 x 96 x 26-43½	1650 x 2400 x 661-1105	N N -RTL669624SG	9,810	10,304
66 x 90 x 26-43½	1650 x 2250 x 661-1105	N N -RTL669024SG	9,788	10,284
66 x 84 x 26-43½	1650 x 2100 x 661-1105	N N -RTL668424SG	9,769	10,255
66 x 78 x 26-43½	1650 x 1950 x 661-1105	N N -RTL667824SG	9,745	10,225
66 x 72 x 26-43½	1650 x 1800 x 661-1105	N N -RTL667224SG	9,725	10,196

Specify the surface type (5, 6). Specify left (L) or right (R). Specify the return inside housing front finish (B, W, N). Specify metal back color (K, W).

84 x 102 x 26-43½	2100 x 2550 x 661-1105	N K -RTL8410224SG	10,397	10,964
84 x 96 x 26-43½	2100 x 2400 x 661-1105	N K -RTL849624SG	10,375	10,935
84 x 90 x 26-43½	2100 x 2250 x 661-1105	N K -RTL849024SG	10,347	10,905
84 x 84 x 26-43½	2100 x 2100 x 661-1105	N K -RTL848424SG	10,324	10,877
84 x 78 x 26-43½	2100 x 1950 x 661-1105	N K -RTL847824SG	10,304	10,841
84 x 72 x 26-43½	2100 x 1800 x 661-1105	N K -RTL847224SG	10,275	10,814
78 x 102 x 26-43½	1950 x 2550 x 661-1105	N K -RTL7810224SG	10,341	10,884
78 x 96 x 26-43½	1950 x 2400 x 661-1105	N K -RTL789624SG	10,312	10,854
78 x 90 x 26-43½	1950 x 2250 x 661-1105	N K -RTL789024SG	10,291	10,826
78 x 84 x 26-43½	1950 x 2100 x 661-1105	N K -RTL788424SG	10,268	10,799
78 x 78 x 26-43½	1950 x 1950 x 661-1105	N K -RTL787824SG	10,247	10,770
78 x 72 x 26-43½	1950 x 1800 x 661-1105	N K -RTL787224SG	10,218	10,742
72 x 102 x 26-43½	1800 x 2550 x 661-1105	N K -RTL7210224SG	10,275	10,805
72 x 96 x 26-43½	1800 x 2400 x 661-1105	N K -RTL729624SG	10,255	10,778
72 x 90 x 26-43½	1800 x 2250 x 661-1105	N K -RTL729024SG	10,233	10,747
72 x 84 x 26-43½	1800 x 2100 x 661-1105	N K -RTL728424SG	10,206	10,719
72 x 78 x 26-43½	1800 x 1950 x 661-1105	N K -RTL727824SG	10,183	10,692
72 x 72 x 26-43½	1800 x 1800 x 661-1105	N K -RTL727224SG	10,161	10,662
66 x 102 x 26-43½	1650 x 2550 x 661-1105	N K -RTL6610224SG	10,218	10,734
66 x 96 x 26-43½	1650 x 2400 x 661-1105	N K -RTL669624SG	10,196	10,697
66 x 90 x 26-43½	1650 x 2250 x 661-1105	N K -RTL669024SG	10,176	10,670
66 x 84 x 26-43½	1650 x 2100 x 661-1105	N K -RTL668424SG	10,148	10,641
66 x 78 x 26-43½	1650 x 1950 x 661-1105	N K -RTL667824SG	10,125	10,612
66 x 72 x 26-43½	1650 x 1800 x 661-1105	N K -RTL667224SG	10,105	10,584


Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R). Specify the return inside housing front finish (B, W, N). Specify metal back color (K, W).

Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate	HPL Surfaces (\$)
L-shaped electric height adjustable desks with 20" D return					
<i>Laminate base with metal back. Meeting space. Height adjustable from 26" to 44" H (661 to 1118 mm). Removable inside panel for wire management. Maximum weight capacity: 100 lbs (45 kg). 10' W (3048 mm) cable with cord. To add a grommet/electrical module, refer to Standardized specials on page 15.</i>					
	84 x 102 x 26-43½	2100 x 2550 x 661-1105	N N -RTL8410220SG	9,954	10,511
	84 x 96 x 26-43½	2100 x 2400 x 661-1105	N N -RTL849620SG	9,932	10,485
	84 x 90 x 26-43½	2100 x 2250 x 661-1105	N N -RTL849020SG	9,910	10,455
	84 x 84 x 26-43½	2100 x 2100 x 661-1105	N N -RTL848420SG	9,887	10,425
	84 x 78 x 26-43½	2100 x 1950 x 661-1105	N N -RTL847820SG	9,869	10,397
	84 x 72 x 26-43½	2100 x 1800 x 661-1105	N N -RTL847220SG	9,846	10,368
	78 x 102 x 26-43½	1950 x 2550 x 661-1105	N N -RTL7810220SG	9,903	10,440
	78 x 96 x 26-43½	1950 x 2400 x 661-1105	N N -RTL789620SG	9,882	10,412
	78 x 90 x 26-43½	1950 x 2250 x 661-1105	N N -RTL789020SG	9,861	10,383
	78 x 84 x 26-43½	1950 x 2100 x 661-1105	N N -RTL788420SG	9,837	10,355
	78 x 78 x 26-43½	1950 x 1950 x 661-1105	N N -RTL787820SG	9,816	10,324
	78 x 72 x 26-43½	1950 x 1800 x 661-1105	N N -RTL787220SG	9,796	10,304
	72 x 102 x 26-43½	1800 x 2550 x 661-1105	N N -RTL7210220SG	9,861	10,375
	72 x 96 x 26-43½	1800 x 2400 x 661-1105	N N -RTL729620SG	9,832	10,347
	72 x 90 x 26-43½	1800 x 2250 x 661-1105	N N -RTL729020SG	9,810	10,319
	72 x 84 x 26-43½	1800 x 2100 x 661-1105	N N -RTL728420SG	9,788	10,291
	72 x 78 x 26-43½	1800 x 1950 x 661-1105	N N -RTL727820SG	9,769	10,261
	72 x 72 x 26-43½	1800 x 1800 x 661-1105	N N -RTL727220SG	9,745	10,233
	66 x 102 x 26-43½	1650 x 2550 x 661-1105	N N -RTL6610220SG	9,810	10,312
	66 x 96 x 26-43½	1650 x 2400 x 661-1105	N N -RTL669620SG	9,788	10,284
	66 x 90 x 26-43½	1650 x 2250 x 661-1105	N N -RTL669020SG	9,769	10,255
	66 x 84 x 26-43½	1650 x 2100 x 661-1105	N N -RTL668420SG	9,738	10,225
	66 x 78 x 26-43½	1650 x 1950 x 661-1105	N N -RTL667820SG	9,718	10,196
	66 x 72 x 26-43½	1650 x 1800 x 661-1105	N N -RTL667220SG	9,697	10,168
Specify the surface type (5, 6). Specify left (L) or right (R). Specify the return inside housing front finish (B, W, N). Specify metal back color (K, W).					
	84 x 102 x 26-43½	2100 x 2550 x 661-1105	N K -RTL8410220SG	10,347	10,914
	84 x 96 x 26-43½	2100 x 2400 x 661-1105	N K -RTL849620SG	10,319	10,884
	84 x 90 x 26-43½	2100 x 2250 x 661-1105	N K -RTL849020SG	10,296	10,848
	84 x 84 x 26-43½	2100 x 2100 x 661-1105	N K -RTL848420SG	10,275	10,820
	84 x 78 x 26-43½	2100 x 1950 x 661-1105	N K -RTL847820SG	10,255	10,791
	84 x 72 x 26-43½	2100 x 1800 x 661-1105	N K -RTL847220SG	10,233	10,764
	78 x 102 x 26-43½	1950 x 2550 x 661-1105	N K -RTL7810220SG	10,296	10,841
	78 x 96 x 26-43½	1950 x 2400 x 661-1105	N K -RTL789620SG	10,268	10,814
	78 x 90 x 26-43½	1950 x 2250 x 661-1105	N K -RTL789020SG	10,247	10,783
	78 x 84 x 26-43½	1950 x 2100 x 661-1105	N K -RTL788420SG	10,225	10,754
	78 x 78 x 26-43½	1950 x 1950 x 661-1105	N K -RTL787820SG	10,206	10,728
	78 x 72 x 26-43½	1950 x 1800 x 661-1105	N K -RTL787220SG	10,178	10,697
	72 x 102 x 26-43½	1800 x 2550 x 661-1105	N K -RTL7210220SG	10,241	10,770
	72 x 96 x 26-43½	1800 x 2400 x 661-1105	N K -RTL729620SG	10,218	10,742
	72 x 90 x 26-43½	1800 x 2250 x 661-1105	N K -RTL729020SG	10,196	10,712
	72 x 84 x 26-43½	1800 x 2100 x 661-1105	N K -RTL728420SG	10,176	10,685
	72 x 78 x 26-43½	1800 x 1950 x 661-1105	N K -RTL727820SG	10,148	10,656
	72 x 72 x 26-43½	1800 x 1800 x 661-1105	N K -RTL727220SG	10,125	10,626
	66 x 102 x 26-43½	1650 x 2550 x 661-1105	N K -RTL6610220SG	10,189	10,705
	66 x 96 x 26-43½	1650 x 2400 x 661-1105	N K -RTL669620SG	10,168	10,676
	66 x 90 x 26-43½	1650 x 2250 x 661-1105	N K -RTL669020SG	10,148	10,646
	66 x 84 x 26-43½	1650 x 2100 x 661-1105	N K -RTL668420SG	10,125	10,618
	66 x 78 x 26-43½	1650 x 1950 x 661-1105	N K -RTL667820SG	10,098	10,590
	66 x 72 x 26-43½	1650 x 1800 x 661-1105	N K -RTL667220SG	10,078	10,557
Knife edge (K). Specify the surface type (5, 6). Specify left (L) or right (R). Specify the return inside housing front finish (B, W, N). Specify metal back color (K, W).					

CAFÉ HEIGHT TABLES

Café height tables – 36" D



High-Gloss Black (B) or High-Gloss White (W) modesty panels finish option:
96" to 72" W (2400 to 1800 mm): add \$484;
66" to 54" W (1650 to 1350 mm): add \$323.

18" H (457 mm) modesty panels, recessed 1¼" (309 mm) on both sides. To add a grommet/electrical module, refer to Standardized specials on page 15.

W x D x H (in)	W x D x H (mm)	Code	All Laminate	HPL Surfaces (\$)
96 x 36 x 42	2400 x 900 x 1067	N NN -RT369642A3	2,027	2,409
90 x 36 x 42	2250 x 900 x 1067	N NN -RT369042A3	1,976	2,356
84 x 36 x 42	2100 x 900 x 1067	N NN -RT368442A3	1,936	2,300
78 x 36 x 42	1950 x 900 x 1067	N NN -RT367842A3	1,891	2,257
72 x 36 x 42	1800 x 900 x 1067	N NN -RT367242A3	1,847	2,194
66 x 36 x 42	1650 x 900 x 1067	N NN -RT366642A3	1,802	2,143
60 x 36 x 42	1500 x 900 x 1067	N NN -RT366042A3	1,758	2,088
54 x 36 x 42	1350 x 900 x 1067	N NN -RT365442A3	1,710	2,027

Specify the surface type (1, 2). Specify the modesty panels finish (B, W, N).


W x D x H (in)	W x D x H (mm)	Code	All Laminate	HPL Surfaces (\$)
96 x 36 x 42	2400 x 900 x 1067	N NN -RT369642A3	2,346	2,797
90 x 36 x 42	2250 x 900 x 1067	N NN -RT369042A3	2,294	2,726
84 x 36 x 42	2100 x 900 x 1067	N NN -RT368442A3	2,241	2,658
78 x 36 x 42	1950 x 900 x 1067	N NN -RT367842A3	2,194	2,615
72 x 36 x 42	1800 x 900 x 1067	N NN -RT367242A3	2,143	2,544
66 x 36 x 42	1650 x 900 x 1067	N NN -RT366642A3	2,082	2,476
60 x 36 x 42	1500 x 900 x 1067	N NN -RT366042A3	2,036	2,424
54 x 36 x 42	1350 x 900 x 1067	N NN -RT365442A3	1,976	2,356

Specify the surface type (5, 6). Specify the modesty panels finish (B, W, N).

W x D x H (in)	W x D x H (mm)	Code	All Laminate	HPL Surfaces (\$)
96 x 36 x 42	2400 x 900 x 1067	N KN -RT369642A3	2,962	3,526
90 x 36 x 42	2250 x 900 x 1067	N KN -RT369042A3	2,895	3,441
84 x 36 x 42	2100 x 900 x 1067	N KN -RT368442A3	2,834	3,375
78 x 36 x 42	1950 x 900 x 1067	N KN -RT367842A3	2,774	3,296
72 x 36 x 42	1800 x 900 x 1067	N KN -RT367242A3	2,697	3,212
66 x 36 x 42	1650 x 900 x 1067	N KN -RT366642A3	2,628	3,130
60 x 36 x 42	1500 x 900 x 1067	N KN -RT366042A3	2,569	3,053
54 x 36 x 42	1350 x 900 x 1067	N KN -RT365442A3	2,498	2,970

Knife edge (K). Specify the surface type (5, 6). Specify the modesty panels finish (B, W, N).

Café height tables – 30" D



High-Gloss Black (B) or High-Gloss White (W) modesty panels finish option:
96" to 72" W (2400 to 1800 mm): add \$484;
66" to 54" W (1650 to 1350 mm): add \$323.

18" H (457 mm) modesty panels, recessed 1¼" (281 mm) on both sides. To add a grommet/electrical module, refer to Standardized specials on page 15.

W x D x H (in)	W x D x H (mm)	Code	All Laminate	HPL Surfaces (\$)
96 x 30 x 42	2400 x 750 x 1067	N NN -RT309642A3	1,891	2,257
90 x 30 x 42	2250 x 750 x 1067	N NN -RT309042A3	1,847	2,204
84 x 30 x 42	2100 x 750 x 1067	N NN -RT308442A3	1,809	2,149
78 x 30 x 42	1950 x 750 x 1067	N NN -RT307842A3	1,770	2,107
72 x 30 x 42	1800 x 750 x 1067	N NN -RT307242A3	1,725	2,053
66 x 30 x 42	1650 x 750 x 1067	N NN -RT306642A3	1,678	1,998
60 x 30 x 42	1500 x 750 x 1067	N NN -RT306042A3	1,638	1,953
54 x 30 x 42	1350 x 750 x 1067	N NN -RT305442A3	1,596	1,902

Specify the surface type (1, 2). Specify the modesty panels finish (B, W, N).

W x D x H (in)	W x D x H (mm)	Code	All Laminate	HPL Surfaces (\$)
96 x 30 x 42	2400 x 750 x 1067	N NN -RT309642A3	2,194	2,615
90 x 30 x 42	2250 x 750 x 1067	N NN -RT309042A3	2,143	2,550
84 x 30 x 42	2100 x 750 x 1067	N NN -RT308442A3	2,096	2,493
78 x 30 x 42	1950 x 750 x 1067	N NN -RT307842A3	2,053	2,439
72 x 30 x 42	1800 x 750 x 1067	N NN -RT307242A3	1,998	2,376
66 x 30 x 42	1650 x 750 x 1067	N NN -RT306642A3	1,945	2,318
60 x 30 x 42	1500 x 750 x 1067	N NN -RT306042A3	1,902	2,264
54 x 30 x 42	1350 x 750 x 1067	N NN -RT305442A3	1,847	2,204


Specify the surface type (5, 6). Specify the modesty panels finish (B, W, N).

W x D x H (in)	W x D x H (mm)	Code	All Laminate	HPL Surfaces (\$)
96 x 30 x 42	2400 x 750 x 1067	N KN -RT309642A3	2,774	3,296
90 x 30 x 42	2250 x 750 x 1067	N KN -RT309042A3	2,704	3,225
84 x 30 x 42	2100 x 750 x 1067	N KN -RT308442A3	2,644	3,153
78 x 30 x 42	1950 x 750 x 1067	N KN -RT307842A3	2,592	3,078
72 x 30 x 42	1800 x 750 x 1067	N KN -RT307242A3	2,522	2,999
66 x 30 x 42	1650 x 750 x 1067	N KN -RT306642A3	2,453	2,923
60 x 30 x 42	1500 x 750 x 1067	N KN -RT306042A3	2,400	2,856
54 x 30 x 42	1350 x 750 x 1067	N KN -RT305442A3	2,332	2,780

Knife edge (K). Specify the surface type (5, 6). Specify the modesty panels finish (B, W, N).

Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description.

Café height tables – 24" D



High-Gloss Black (B) or High-Gloss White (W) modesty panels finish option:
96" to 72" W (2400 to 1800 mm): add \$484;
66" to 54" W (1650 to 1350 mm): add \$323.

18" H (457 mm) modesty panels, recessed 3" (75 mm) D. To add a grommet/electrical module, refer to Standardized specials on page 15.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
96 x 24 x 42	2400 x 600 x 1067	N_NN -RT249642A3	1,770	2,107
90 x 24 x 42	2250 x 600 x 1067	N_NN -RT249042A3	1,732	2,059
84 x 24 x 42	2100 x 600 x 1067	N_NN -RT248442A3	1,692	2,013
78 x 24 x 42	1950 x 600 x 1067	N_NN -RT247842A3	1,658	1,968
72 x 24 x 42	1800 x 600 x 1067	N_NN -RT247242A3	1,611	1,915
66 x 24 x 42	1650 x 600 x 1067	N_NN -RT246642A3	1,574	1,869
60 x 24 x 42	1500 x 600 x 1067	N_NN -RT246042A3	1,532	1,822
54 x 24 x 42	1350 x 600 x 1067	N_NN -RT245442A3	1,488	1,777

Specify the surface type (1, 2). Specify the modesty panel finish (B, W, N).

96 x 24 x 42	2400 x 600 x 1067	N_NN -RT249642A3	2,053	2,439
90 x 24 x 42	2250 x 600 x 1067	N_NN -RT249042A3	2,007	2,387
84 x 24 x 42	2100 x 600 x 1067	N_NN -RT248442A3	1,960	2,332
78 x 24 x 42	1950 x 600 x 1067	N_NN -RT247842A3	1,915	2,280
72 x 24 x 42	1800 x 600 x 1067	N_NN -RT247242A3	1,869	2,226
66 x 24 x 42	1650 x 600 x 1067	N_NN -RT246642A3	1,822	2,165
60 x 24 x 42	1500 x 600 x 1067	N_NN -RT246042A3	1,777	2,112
54 x 24 x 42	1350 x 600 x 1067	N_NN -RT245442A3	1,725	2,059


Specify the surface type (5, 6). Specify the modesty panel finish (B, W, N).

96 x 24 x 42	2400 x 600 x 1067	N_KN -RT249642A3	2,592	3,078
90 x 24 x 42	2250 x 600 x 1067	N_KN -RT249042A3	2,534	3,010
84 x 24 x 42	2100 x 600 x 1067	N_KN -RT248442A3	2,476	2,942
78 x 24 x 42	1950 x 600 x 1067	N_KN -RT247842A3	2,417	2,881
72 x 24 x 42	1800 x 600 x 1067	N_KN -RT247242A3	2,356	2,804
66 x 24 x 42	1650 x 600 x 1067	N_KN -RT246642A3	2,294	2,735
60 x 24 x 42	1500 x 600 x 1067	N_KN -RT246042A3	2,241	2,668
54 x 24 x 42	1350 x 600 x 1067	N_KN -RT245442A3	2,182	2,597

Knife edge (K). Specify the surface type (5, 6). Specify the modesty panel finish (B, W, N).

MEETING TABLES

Meeting tables – 48" D



High-Gloss Black (B) or High-Gloss White (W) modesty panels finish option:
96" to 72" W (2400 to 1800 mm): add \$860;
66" to 48" W (1650 to 1200 mm): add \$571.

Modesty panels, recessed 22" H (550 mm) on both sides. To add a grommet/electrical module, refer to Standardized specials on page 15.

96 x 48 x 29½	2400 x 1200 x 752	N_NN -RC4896A	1,818	2,263
90 x 48 x 29½	2250 x 1200 x 752	N_NN -RC4890A	1,768	2,179
84 x 48 x 29½	2100 x 1200 x 752	N_NN -RC4884A	1,711	2,097
78 x 48 x 29½	1950 x 1200 x 752	N_NN -RC4878A	1,656	2,020
72 x 48 x 29½	1800 x 1200 x 752	N_NN -RC4872A	1,597	1,934
66 x 48 x 29½	1650 x 1200 x 752	N_NN -RC4866A	1,539	1,854
60 x 48 x 29½	1500 x 1200 x 752	N_NN -RC4860A	1,482	1,768
54 x 48 x 29½	1350 x 1200 x 752	N_NN -RC4854A	1,432	1,689
48 x 48 x 29½	1200 x 1200 x 752	N_NN -RC4848A	1,375	1,611

Specify the surface type (1, 2). Specify the modesty panels finish (B, W, N).


96 x 48 x 29½	2400 x 1200 x 752	N_NN -RC4896A	2,020	2,470
90 x 48 x 29½	2250 x 1200 x 752	N_NN -RC4890A	1,954	2,371
84 x 48 x 29½	2100 x 1200 x 752	N_NN -RC4884A	1,881	2,278
78 x 48 x 29½	1950 x 1200 x 752	N_NN -RC4878A	1,818	2,185
72 x 48 x 29½	1800 x 1200 x 752	N_NN -RC4872A	1,747	2,090
66 x 48 x 29½	1650 x 1200 x 752	N_NN -RC4866A	1,683	1,998
60 x 48 x 29½	1500 x 1200 x 752	N_NN -RC4860A	1,611	1,905
54 x 48 x 29½	1350 x 1200 x 752	N_NN -RC4854A	1,546	1,812
48 x 48 x 29½	1200 x 1200 x 752	N_NN -RC4848A	1,475	1,717

Specify the surface type (5, 6). Specify the modesty panels finish (B, W, N).

96 x 48 x 29½	2400 x 1200 x 752	N_KN -RC4896A	2,607	3,071
90 x 48 x 29½	2250 x 1200 x 752	N_KN -RC4890A	2,536	2,971
84 x 48 x 29½	2100 x 1200 x 752	N_KN -RC4884A	2,464	2,879
78 x 48 x 29½	1950 x 1200 x 752	N_KN -RC4878A	2,391	2,778
72 x 48 x 29½	1800 x 1200 x 752	N_KN -RC4872A	2,320	2,678
66 x 48 x 29½	1650 x 1200 x 752	N_KN -RC4866A	2,241	2,577
60 x 48 x 29½	1500 x 1200 x 752	N_KN -RC4860A	2,168	2,477
54 x 48 x 29½	1350 x 1200 x 752	N_KN -RC4854A	2,087	2,376
48 x 48 x 29½	1200 x 1200 x 752	N_KN -RC4848A	2,026	2,278

Knife edge (K). Specify the surface type (5, 6). Specify the modesty panels finish (B, W, N).

Meeting tables – 42" D



High-Gloss Black (B) or High-Gloss White (W) modesty panels finish option:
96" to 72" W (2400 to 1800 mm): add \$860;
66" to 48" W (1650 to 1200 mm): add \$571.

Modesty panels, recessed 19" H (475 mm) on both sides. To add a grommet/electrical module, refer to Standardized specials on page 15.

96 x 42 x 29½	2400 x 1050 x 752	N_NN -RC4296A	1,733	2,118
90 x 42 x 29½	2250 x 1050 x 752	N_NN -RC4290A	1,675	2,048
84 x 42 x 29½	2100 x 1050 x 752	N_NN -RC4284A	1,627	1,969
78 x 42 x 29½	1950 x 1050 x 752	N_NN -RC4278A	1,568	1,891
72 x 42 x 29½	1800 x 1050 x 752	N_NN -RC4272A	1,519	1,818
66 x 42 x 29½	1650 x 1050 x 752	N_NN -RC4266A	1,462	1,739
60 x 42 x 29½	1500 x 1050 x 752	N_NN -RC4260A	1,411	1,661
54 x 42 x 29½	1350 x 1050 x 752	N_NN -RC4254A	1,354	1,583
48 x 42 x 29½	1200 x 1050 x 752	N_NN -RC4248A	1,302	1,511

Specify the surface type (1, 2). Specify the modesty panels finish (B, W, N).


96 x 42 x 29½	2400 x 1050 x 752	N_NN -RC4296A	1,913	2,305
90 x 42 x 29½	2250 x 1050 x 752	N_NN -RC4290A	1,848	2,220
84 x 42 x 29½	2100 x 1050 x 752	N_NN -RC4284A	1,783	2,129
78 x 42 x 29½	1950 x 1050 x 752	N_NN -RC4278A	1,717	2,040
72 x 42 x 29½	1800 x 1050 x 752	N_NN -RC4272A	1,658	1,954
66 x 42 x 29½	1650 x 1050 x 752	N_NN -RC4266A	1,588	1,869
60 x 42 x 29½	1500 x 1050 x 752	N_NN -RC4260A	1,526	1,775
54 x 42 x 29½	1350 x 1050 x 752	N_NN -RC4254A	1,462	1,689
48 x 42 x 29½	1200 x 1050 x 752	N_NN -RC4248A	1,396	1,604

Specify the surface type (5, 6). Specify the modesty panels finish (B, W, N).

96 x 42 x 29½	2400 x 1050 x 752	N_KN -RC4296A	2,493	2,914
90 x 42 x 29½	2250 x 1050 x 752	N_KN -RC4290A	2,422	2,823
84 x 42 x 29½	2100 x 1050 x 752	N_KN -RC4284A	2,348	2,727
78 x 42 x 29½	1950 x 1050 x 752	N_KN -RC4278A	2,284	2,635
72 x 42 x 29½	1800 x 1050 x 752	N_KN -RC4272A	2,213	2,536
66 x 42 x 29½	1650 x 1050 x 752	N_KN -RC4266A	2,142	2,441
60 x 42 x 29½	1500 x 1050 x 752	N_KN -RC4260A	2,070	2,349
54 x 42 x 29½	1350 x 1050 x 752	N_KN -RC4254A	2,005	2,256
48 x 42 x 29½	1200 x 1050 x 752	N_KN -RC4248A	1,934	2,162

Knife edge (K). Specify the surface type (5, 6). Specify the modesty panels finish (B, W, N).

Meeting tables – 36" D



High-Gloss Black (B) or High-Gloss White (W) modesty panels finish option:
96" to 72" W (2400 to 1800 mm): add \$860;
66" to 48" W (1650 to 1200 mm): add \$571.

Modesty panels, recessed 16" H (400 mm) on both sides. To add a grommet/electrical module, refer to Standardized specials on page 15.

96 x 36 x 29½	2400 x 900 x 752	N_NN -RC3696A	1,648	1,984
90 x 36 x 29½	2250 x 900 x 752	N_NN -RC3690A	1,588	1,913
84 x 36 x 29½	2100 x 900 x 752	N_NN -RC3684A	1,539	1,841
78 x 36 x 29½	1950 x 900 x 752	N_NN -RC3678A	1,490	1,768
72 x 36 x 29½	1800 x 900 x 752	N_NN -RC3672A	1,432	1,698
66 x 36 x 29½	1650 x 900 x 752	N_NN -RC3666A	1,382	1,627
60 x 36 x 29½	1500 x 900 x 752	N_NN -RC3660A	1,331	1,555
54 x 36 x 29½	1350 x 900 x 752	N_NN -RC3654A	1,282	1,482
48 x 36 x 29½	1200 x 900 x 752	N_NN -RC3648A	1,225	1,411

Specify the surface type (1, 2). Specify the modesty panels finish (B, W, N).

96 x 36 x 29½	2400 x 900 x 752	N_NN -RC3696A	1,798	2,142
90 x 36 x 29½	2250 x 900 x 752	N_NN -RC3690A	1,739	2,061
84 x 36 x 29½	2100 x 900 x 752	N_NN -RC3684A	1,675	1,977
78 x 36 x 29½	1950 x 900 x 752	N_NN -RC3678A	1,611	1,899
72 x 36 x 29½	1800 x 900 x 752	N_NN -RC3672A	1,555	1,818
66 x 36 x 29½	1650 x 900 x 752	N_NN -RC3666A	1,490	1,733
60 x 36 x 29½	1500 x 900 x 752	N_NN -RC3660A	1,432	1,656
54 x 36 x 29½	1350 x 900 x 752	N_NN -RC3654A	1,368	1,576
48 x 36 x 29½	1200 x 900 x 752	N_NN -RC3648A	1,309	1,496

Specify the surface type (5, 6). Specify the modesty panels finish (B, W, N).

96 x 36 x 29½	2400 x 900 x 752	N_KN -RC3696A	2,378	2,756
90 x 36 x 29½	2250 x 900 x 752	N_KN -RC3690A	2,305	2,666
84 x 36 x 29½	2100 x 900 x 752	N_KN -RC3684A	2,241	2,577
78 x 36 x 29½	1950 x 900 x 752	N_KN -RC3678A	2,178	2,493
72 x 36 x 29½	1800 x 900 x 752	N_KN -RC3672A	2,107	2,399
66 x 36 x 29½	1650 x 900 x 752	N_KN -RC3666A	2,040	2,314
60 x 36 x 29½	1500 x 900 x 752	N_KN -RC3660A	1,977	2,220
54 x 36 x 29½	1350 x 900 x 752	N_KN -RC3654A	1,905	2,134
48 x 36 x 29½	1200 x 900 x 752	N_KN -RC3648A	1,841	2,040

Knife edge (K). Specify the surface type (5, 6). Specify the modesty panels finish (B, W, N).

Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description.

2-TONE LAMINATE APPLICATION: SHADED AREA CORRESPONDS TO THE FIRST CODE TO BE SPECIFIED.


SECOND LAMINATE CODE WILL BE APPLIED TO THE REST OF THE PRODUCT.

ASSEMBLY REQUIRED

CANADA – FEBRUARY 2024

COMPLEMENTARY FURNITURE

Console tables



High-Gloss Black (B) or High-Gloss White (W) backs finish option: 96" to 72" W (2400 to 1800 mm): add \$860; 66" to 48" W (1650 to 1200 mm): add \$571.

7" (175 mm) recessed back on both sides. To add a grommet/electrical module, refer to Standardized specials on page 15.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
96 x 18 x 29½	2400 x 450 x 752	N_NN -TC1896	1,298	1,490
90 x 18 x 29½	2250 x 450 x 752	N_NN -TC1890	1,259	1,447
84 x 18 x 29½	2100 x 450 x 752	N_NN -TC1884	1,231	1,402
78 x 18 x 29½	1950 x 450 x 752	N_NN -TC1878	1,196	1,354
72 x 18 x 29½	1800 x 450 x 752	N_NN -TC1872	1,160	1,309
66 x 18 x 29½	1650 x 450 x 752	N_NN -TC1866	1,124	1,268
60 x 18 x 29½	1500 x 450 x 752	N_NN -TC1860	1,096	1,225
54 x 18 x 29½	1350 x 450 x 752	N_NN -TC1854	1,060	1,180
48 x 18 x 29½	1200 x 450 x 752	N_NN -TC1848	1,022	1,140

Specify the surface type (1, 2). Specify the backs finish (B, W, N).

96 x 18 x 29½	2400 x 450 x 752	N_NN -TC1896	1,390	1,583
90 x 18 x 29½	2250 x 450 x 752	N_NN -TC1890	1,348	1,531
84 x 18 x 29½	2100 x 450 x 752	N_NN -TC1884	1,309	1,482
78 x 18 x 29½	1950 x 450 x 752	N_NN -TC1878	1,268	1,432
72 x 18 x 29½	1800 x 450 x 752	N_NN -TC1872	1,231	1,382
66 x 18 x 29½	1650 x 450 x 752	N_NN -TC1866	1,189	1,331
60 x 18 x 29½	1500 x 450 x 752	N_NN -TC1860	1,152	1,282
54 x 18 x 29½	1350 x 450 x 752	N_NN -TC1854	1,111	1,231
48 x 18 x 29½	1200 x 450 x 752	N_NN -TC1848	1,075	1,180

Specify the surface type (5, 6). Specify the backs finish (B, W, N).

96 x 18 x 29½	2400 x 450 x 752	N_KN -TC1896	1,905	2,118
90 x 18 x 29½	2250 x 450 x 752	N_KN -TC1890	1,869	2,070
84 x 18 x 29½	2100 x 450 x 752	N_KN -TC1884	1,826	2,020
78 x 18 x 29½	1950 x 450 x 752	N_KN -TC1878	1,783	1,961
72 x 18 x 29½	1800 x 450 x 752	N_KN -TC1872	1,739	1,913
66 x 18 x 29½	1650 x 450 x 752	N_KN -TC1866	1,706	1,863
60 x 18 x 29½	1500 x 450 x 752	N_KN -TC1860	1,661	1,812
54 x 18 x 29½	1350 x 450 x 752	N_KN -TC1854	1,620	1,756
48 x 18 x 29½	1200 x 450 x 752	N_KN -TC1848	1,576	1,706

Knife edge (K). Specify the surface type (5, 6). Specify the backs finish (B, W, N).

Magazine tables



High-Gloss Black (B) or High-Gloss White (W) backs finish option: add \$122.

To add a grommet/electrical module, refer to Standardized specials on page 15.

60 x 24 x 14	1500 x 600 x 356	N_NN -ST246014	809	924
48 x 24 x 14	1200 x 600 x 356	N_NN -ST244814	773	865

Specify the surface type (1, 2). Specify the backs finish (B, W, N).

60 x 24 x 14	1500 x 600 x 356	N_NN -ST246014	881	989
48 x 24 x 14	1200 x 600 x 356	N_NN -ST244814	831	916

Specify the surface type (5, 6). Specify the backs finish (B, W, N).

60 x 24 x 14	1500 x 600 x 356	N_KN -ST246014	1,411	1,526
48 x 24 x 14	1200 x 600 x 356	N_KN -ST244814	1,331	1,419

Knife edge (K). Specify the surface type (5, 6). Specify the backs finish (B, W, N).

Coffee tables



High-Gloss Black (B) or High-Gloss White (W) backs finish option: add \$122.

To add a grommet/electrical module, refer to Standardized specials on page 15.

30 x 30 x 18	750 x 750 x 457	N_NN -ST303018	789	860
24 x 24 x 18	600 x 600 x 457	N_NN -ST242418	730	773

Specify the surface type (1, 2). Specify the backs finish (B, W, N).


30 x 30 x 18	750 x 750 x 457	N_NN -ST303018	831	902
24 x 24 x 18	600 x 600 x 457	N_NN -ST242418	759	803

Specify the surface type (5, 6). Specify the backs finish (B, W, N).

30 x 30 x 18	750 x 750 x 457	N_KN -ST303018	960	1,033
24 x 24 x 18	600 x 600 x 457	N_KN -ST242418	874	924

Knife edge (K). Specify the surface type (5, 6). Specify the backs finish (B, W, N).

Benches



7" (175 mm) recessed back on both sides. To add a grommet/electrical module, refer to Standardized specials on page 15. 1 tone only. Can accommodate cushions.

96 x 18 x 18	2400 x 450 x 457	N_NNN-BCH189618	1,132	1,325
90 x 18 x 18	2250 x 450 x 457	N_NNN-BCH189018	1,096	1,275
84 x 18 x 18	2100 x 450 x 457	N_NNN-BCH188418	1,060	1,231
78 x 18 x 18	1950 x 450 x 457	N_NNN-BCH187818	1,033	1,189
72 x 18 x 18	1800 x 450 x 457	N_NNN-BCH187218	995	1,146
66 x 18 x 18	1650 x 450 x 457	N_NNN-BCH186618	960	1,096
60 x 18 x 18	1500 x 450 x 457	N_NNN-BCH186018	924	1,051
54 x 18 x 18	1350 x 450 x 457	N_NNN-BCH185418	888	1,010
48 x 18 x 18	1200 x 450 x 457	N_NNN-BCH184818	860	960

Specify the surface type (1, 2).

Benches (cont'd)

96 x 18 x 18	2400 x 450 x 457	N_NNN-BCH189618	1,225	1,419
90 x 18 x 18	2250 x 450 x 457	N_NNN-BCH189018	1,180	1,368
84 x 18 x 18	2100 x 450 x 457	N_NNN-BCH188418	1,146	1,319
78 x 18 x 18	1950 x 450 x 457	N_NNN-BCH187818	1,102	1,268
72 x 18 x 18	1800 x 450 x 457	N_NNN-BCH187218	1,060	1,219
66 x 18 x 18	1650 x 450 x 457	N_NNN-BCH186618	1,022	1,160
60 x 18 x 18	1500 x 450 x 457	N_NNN-BCH186018	982	1,111
54 x 18 x 18	1350 x 450 x 457	N_NNN-BCH185418	944	1,060
48 x 18 x 18	1200 x 450 x 457	N_NNN-BCH184818	902	1,010

Specify the surface type (5, 6).

96 x 18 x 18	2400 x 450 x 457	N_KNN-BCH189618	1,739	1,954
90 x 18 x 18	2250 x 450 x 457	N_KNN-BCH189018	1,706	1,905
84 x 18 x 18	2100 x 450 x 457	N_KNN-BCH188418	1,661	1,848
78 x 18 x 18	1950 x 450 x 457	N_KNN-BCH187818	1,620	1,798
72 x 18 x 18	1800 x 450 x 457	N_KNN-BCH187218	1,576	1,739
66 x 18 x 18	1650 x 450 x 457	N_KNN-BCH186618	1,531	1,689
60 x 18 x 18	1500 x 450 x 457	N_KNN-BCH186018	1,490	1,638
54 x 18 x 18	1350 x 450 x 457	N_KNN-BCH185418	1,447	1,583
48 x 18 x 18	1200 x 450 x 457	N_KNN-BCH184818	1,411	1,531

Knife edge (K). Specify the surface type (5, 6).

STORAGE MODULES – 21" H

Storage modules with drawers – 21" H



High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$81.

1 box drawer and 1 file drawer with soft-close. No soft-close mechanism on 24" (600 mm) wide file drawer. Suspension bar. Pencil tray. Lock. Can accommodate 1 cushion.

24 x 36 x 21	600 x 919 x 561	N_NN -F362421	1,676	1,766
16 x 36 x 21	409 x 919 x 561	N_NN -F361621	1,546	1,628
24 x 30 x 21	600 x 769 x 561	N_NN -F302421	1,628	1,716
16 x 30 x 21	409 x 769 x 561	N_NN -F301621	1,518	1,578
24 x 24 x 21	600 x 619 x 561	N_NN -F242421	1,585	1,654
16 x 24 x 21	409 x 619 x 561	N_NN -F241621	1,506	1,557
24 x 20 x 21	600 x 519 x 561	N_NN -F202421	1,544	1,592
16 x 20 x 21	409 x 519 x 561	N_NN -F201621	1,496	1,535

Specify the surface type (1, 2). Specify the handle curve: double (D), left (L) or right (R). Specify the fronts finish (B, W, N).

Storage modules with drawers – 21" H



High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$122.

1 box drawer with soft-close and 1 file drawer with suspension bar. Pencil tray. Lock. Can accommodate 1 cushion.

36 x 36 x 21	900 x 919 x 561	N_NN -UL363621	1,854	1,988
30 x 36 x 21	750 x 919 x 561	N_NN -UL363021	1,760	1,882
36 x 30 x 21	900 x 769 x 561	N_NN -UL303621	1,772	1,904
30 x 30 x 21	750 x 769 x 561	N_NN -UL303021	1,690	1,806
36 x 24 x 21	900 x 619 x 561	N_NN -UL243621	1,709	1,821
30 x 24 x 21	750 x 619 x 561	N_NN -UL243021	1,635	1,725
36 x 20 x 21	900 x 519 x 561	N_NN -UL203621	1,648	1,743
30 x 20 x 21	750 x 519 x 561	N_NN -UL203021	1,580	1,648

Specify the surface type (1, 2). Specify the handle curve: double (D), left (L) or right (R). Specify the fronts finish (B, W, N).

Storage modules with drawers on left, hidden space on right – 21" H



High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$160.

1 box drawer with soft-close and 1 file drawer with suspension bar. Pencil tray. Lock. 12" W (284 mm) hidden space on right. Can accommodate 1 cushion.

48 x 36 x 21	1200 x 919 x 561	N_NN -364821ULS	2,184	2,371
42 x 36 x 21	1050 x 919 x 561	N_NN -364221ULS	2,118	2,296
48 x 30 x 21	1200 x 769 x 561	N_NN -304821ULS	2,118	2,296
42 x 30 x 21	1050 x 769 x 561	N_NN -304221ULS	2,057	2,210
48 x 24 x 21	1200 x 619 x 561	N_NN -244821ULS	2,029	2,175
42 x 24 x 21	1050 x 619 x 561	N_NN -244221ULS	1,974	2,095
48 x 20 x 21	1200 x 519 x 561	N_NN -204821ULS	1,944	2,060
42 x 20 x 21	1050 x 519 x 561	N_NN -204221ULS	1,893	1,986

Specify the surface type (1, 2). Specify the handle curve: double (D), left (L) or right (R). Specify the fronts finish (B, W, N).

Storage modules with drawers on right, hidden space on left – 21" H



High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$160.

1 box drawer with soft-close and 1 file drawer with suspension bar. Pencil tray. Lock. 12" W (284 mm) hidden space on left. Can accommodate 1 cushion.

48 x 36 x 21	1200 x 919 x 561	N_NN -ULS364821	2,184	2,371
42 x 36 x 21	1050 x 919 x 561	N_NN -ULS364221	2,118	2,296
48 x 30 x 21	1200 x 769 x 561	N_NN -ULS304821	2,118	2,296
42 x 30 x 21	1050 x 769 x 561	N_NN -ULS304221	2,057	2,210
48 x 24 x 21	1200 x 619 x 561	N_NN -ULS244821	2,029	2,175
42 x 24 x 21	1050 x 619 x 561	N_NN -ULS244221	1,974	2,095
48 x 20 x 21	1200 x 519 x 561	N_NN -ULS204821	1,944	2,060
42 x 20 x 21	1050 x 519 x 561	N_NN -ULS204221	1,893	1,986

Specify the surface type (1, 2). Specify the handle curve: double (D), left (L) or right (R). Specify the fronts finish (B, W, N).

Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description.

	L x P x H (po)	L x P x H (mm)	Code	Tout mélatine (\$)	Dessus stratiifié (\$)
	Storage modules with drawers on left, open bookcase on right – 21" H				
	<i>1 box drawer and 1 file drawer with soft-close. Suspension bar. Pencil tray. Lock. Open bookcase without back on right. Can accommodate 1 cushion.</i>				
	48 x 24 x 21	1200 x 619 x 561	N N -F244821BE	1,847	1,983
	42 x 24 x 21	1050 x 619 x 561	N N -F244221BE	1,806	1,926
	36 x 24 x 21	900 x 619 x 561	N N -F243621BE	1,760	1,869
	30 x 24 x 21	750 x 619 x 561	N N -F243021BE	1,716	1,806
	48 x 20 x 21	1200 x 519 x 561	N N -F204821BE	1,786	1,910
	42 x 20 x 21	1050 x 519 x 561	N N -F204221BE	1,760	1,863
	36 x 20 x 21	900 x 519 x 561	N N -F203621BE	1,725	1,814
	30 x 20 x 21	750 x 519 x 561	N N -F203021BE	1,690	1,766
High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$81.					
Specify the surface type (1, 2). Specify the handle curve: right (R) or double (D). Specify the fronts finish (B, W, N).					

	Storage modules with drawers on right, open bookcase on left – 21" H				
	<i>1 box drawer and 1 file drawer with soft-close. Suspension bar. Pencil tray. Lock. Open bookcase without back on left. Can accommodate 1 cushion.</i>				
	48 x 24 x 21	1200 x 619 x 561	N N -BE244821F	1,847	1,983
	42 x 24 x 21	1050 x 619 x 561	N N -BE244221F	1,806	1,926
	36 x 24 x 21	900 x 619 x 561	N N -BE243621F	1,760	1,869
	30 x 24 x 21	750 x 619 x 561	N N -BE243021F	1,716	1,806
	48 x 20 x 21	1200 x 519 x 561	N N -BE204821F	1,786	1,910
	42 x 20 x 21	1050 x 519 x 561	N N -BE204221F	1,760	1,863
	36 x 20 x 21	900 x 519 x 561	N N -BE203621F	1,725	1,814
	30 x 20 x 21	750 x 519 x 561	N N -BE203021F	1,690	1,766
High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$81.					
Specify the surface type (1, 2). Specify the handle curve: left (L) or double (D). Specify the fronts finish (B, W, N).					

	Storage modules with drawers on left, CPU storage on right – 21" H				
	<i>1 box drawer and 1 file drawer with soft-close. Suspension bar. Pencil tray. Lock. Open CPU storage on right. Grommets on the surface and on the side of CPU storage. Can accommodate 1 cushion. CPU space: 7½" W (193 mm).</i>				
	24 x 36 x 21	600 x 919 x 561	N N -F362421CPU	1,654	1,760
	24 x 30 x 21	600 x 769 x 561	N N -F302421CPU	1,605	1,690
	24 x 24 x 21	600 x 619 x 561	N N -F242421CPU	1,557	1,628
	High-Gloss Black (B) or High-Gloss White (W) front finish option: add \$81.				
	Specify the surface type (1, 2). Specify the handle curve: right (R) or double (D). Specify the fronts finish (B, W, N).				

	Storage modules with drawers on right, CPU storage on left – 21" H				
	<i>1 box drawer and 1 file drawer with soft-close. Suspension bar. Pencil tray. Lock. Open CPU storage on left. Grommets on the surface and on the side of CPU storage. Can accommodate 1 cushion. CPU space: 7½" W (193 mm).</i>				
	24 x 36 x 21	600 x 919 x 561	N N -CPU362421F	1,654	1,760
	24 x 30 x 21	600 x 769 x 561	N N -CPU302421F	1,605	1,690
	24 x 24 x 21	600 x 619 x 561	N N -CPU242421F	1,557	1,628
	High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$81.				
	Specify the surface type (1, 2). Specify the handle curve: left (L) or double (D). Specify the fronts finish (B, W, N).				

	Storage modules with drawers on left, CPU storage on right – 21" H				
	<i>1 box drawer with soft-close and 1 file drawer with suspension bar. Pencil tray. Lock. Open CPU storage on right. Grommets on the surface and on the side of CPU storage. Can accommodate 1 cushion. CPU space: 12" W (300 mm).</i>				
	36 x 36 x 21	900 x 919 x 561	N N -UL363621CPU	1,780	1,959
	36 x 30 x 21	900 x 769 x 561	N N -UL303621CPU	1,725	1,863
	36 x 24 x 21	900 x 619 x 561	N N -UL243621CPU	1,669	1,772
	High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$122.				
	Specify the surface type (1, 2). Specify the handle curve: right (R) or double (D). Specify the fronts finish (B, W, N).				

	Storage modules with drawers on right, CPU storage on left – 21" H				
	<i>1 box drawer with soft-close and 1 file drawer with suspension bar. Pencil tray. Lock. Open CPU storage on left. Grommets on the surface and on the side of CPU storage. Can accommodate 1 cushion. CPU space: 12" W (300 mm).</i>				
	36 x 36 x 21	900 x 919 x 561	N N -CPU363621UL	1,780	1,959
	36 x 30 x 21	900 x 769 x 561	N N -CPU303621UL	1,725	1,863
	36 x 24 x 21	900 x 619 x 561	N N -CPU243621UL	1,669	1,772
	High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$122.				
	Specify the surface type (1, 2). Specify the handle curve: left (L) or double (D). Specify the fronts finish (B, W, N).				

	L x P x H (po)	L x P x H (mm)	Code	Tout mélatine (\$)	Dessus stratiifié (\$)
	Storage modules with doors – 21" H				
	<i>2 doors with soft-close. Lock. Can accommodate 1 cushion.</i>				
	36 x 36 x 21	900 x 919 x 561	N NN -363621B	1,669	2,199
	30 x 36 x 21	750 x 919 x 561	N NN -363021B	1,628	2,111
	36 x 30 x 21	900 x 769 x 561	N NN -303621B	1,612	1,732
	30 x 30 x 21	750 x 769 x 561	N NN -303021B	1,564	1,676
	48 x 24 x 21	1200 x 619 x 561	N NN -244821B	1,806	1,942
	42 x 24 x 21	1050 x 619 x 561	N NN -244221B	1,738	1,869
	36 x 24 x 21	900 x 619 x 561	N NN -243621B	1,557	1,660
	30 x 24 x 21	750 x 619 x 561	N NN -243021B	1,499	1,585
High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$160.					
48" to 42" W (1200 to 1050 mm): 2 adjustable shelves;					
36" to 30" W (900 to 750 mm): 1 adjustable shelf.					
Specify the surface type (1, 2). Specify the fronts finish (B, W, N).					

	Storage modules with door – 21" H				
	<i>1 door with soft-close. Lock. 1 adjustable shelf. Can accommodate 1 cushion.</i>				
	24 x 36 x 21	600 x 919 x 561	N N -362421B	1,322	1,426
	16 x 36 x 21	409 x 919 x 561	N N -361621B	1,225	1,289
	24 x 30 x 21	600 x 769 x 561	N N -302421B	1,282	1,371
	16 x 30 x 21	409 x 769 x 561	N N -301621B	1,193	1,249
	24 x 24 x 21	600 x 619 x 561	N N -242421B	1,242	1,317
	16 x 24 x 21	409 x 619 x 561	N N -241621B	1,161	1,211
	24 x 20 x 21	600 x 519 x 561	N N -202421B	1,201	1,269
	16 x 20 x 21	409 x 519 x 561	N N -201621B	1,127	1,184
High-Gloss Black (B) or High-Gloss White (W) front finish option: add \$81.					
Specify the surface type (1, 2). Specify the handle curve: left (L) or Right (R). Specify the front finish (B, W, N).					

	Storage modules with door on left, open bookcase on right – 21" H				
	<i>1 door with soft-close. Lock. 1 adjustable shelf. Open bookcase without back on right. Hinges on right. Can accommodate 1 cushion.</i>				
	48 x 24 x 21	1200 x 619 x 561	N N -B244821BE	1,419	1,557
	42 x 24 x 21	1050 x 619 x 561	N N -B244221BE	1,379	1,506
	36 x 24 x 21	900 x 619 x 561	N N -B243621BE	1,345	1,452
	30 x 24 x 21	750 x 619 x 561	N N -B243021BE	1,317	1,402
	48 x 20 x 21	1200 x 519 x 561	N N -B204821BE	1,355	1,475
	42 x 20 x 21	1050 x 519 x 561	N N -B204221BE	1,335	1,445
	36 x 20 x 21	900 x 519 x 561	N N -B203621BE	1,317	1,402
	30 x 20 x 21	750 x 519 x 561	N N -B203021BE	1,298	1,371
High-Gloss Black (B) or High-Gloss White (W) front finish option: add \$81.					
Specify the surface type (1, 2). Specify the handle curve: right (R) or double (D). Specify the front finish (B, W, N).					

	Storage modules with door on right, open bookcase on left – 21" H				
	<i>1 door with soft-close. Lock. 1 adjustable shelf. Open bookcase without back on left. Hinges on left. Can accommodate 1 cushion.</i>				
	48 x 24 x 21	1200 x 619 x 561	N N -BE244821B	1,419	1,557
	42 x 24 x 21	1050 x 619 x 561	N N -BE244221B	1,379	1,506
	36 x 24 x 21	900 x 619 x 561	N N -BE243621B	1,345	1,452
	30 x 24 x 21	750 x 619 x 561	N N -BE243021B	1,317	1,402
	48 x 20 x 21	1200 x 519 x 561	N N -BE204821B	1,355	1,475
	42 x 20 x 21	1050 x 519 x 561	N N -BE204221B	1,335	1,445
	36 x 20 x 21	900 x 519 x 561	N N -BE203621B	1,317	1,402
	30 x 20 x 21	750 x 519 x 561	N N -BE203021B	1,298	1,371
High-Gloss Black (B) or High-Gloss White (W) front finish option: add \$81.					
Specify the surface type (1, 2). Specify the handle curve: left (L) or double (D). Specify the front finish (B, W, N).					

	Storage modules with drawers on left, open bookcase on right – 21" H				
	<i>1 box drawer with soft-close and 1 file drawer with suspension bar. Pencil tray. Lock. Open bookcase without back on right. Can accommodate 1 or 2 cushions.</i>				
	72 x 20 x 21	1800 x 519 x 561	N N -UL207221BE	1,950	2,111
	60 x 20 x 21	1500 x 519 x 561	N N -UL206021BE	1,838	1,983
	High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$160.				
	Specify the surface type (1, 2). Specify the handle curve: right (R) or double (D). Specify the fronts finish (B, W, N).				

Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description.

2-TONE LAMINATE APPLICATION: SHADED AREA CORRESPONDS TO THE FIRST CODE TO BE SPECIFIED.

SECOND LAMINATE CODE WILL BE APPLIED TO THE REST OF THE PRODUCT.


— ASSEMBLY REQUIRED

CANADA – FEBRUARY 2024

	L x P x H (po)	L x P x H (mm)	Code	Tout mélamine (\$)	Dessus stratifié (\$)
--	----------------	----------------	------	--------------------------	-----------------------------

Storage modules with drawers on right, open bookcase on left – 21" H

1 box drawer with soft-close and 1 file drawer with suspension bar. Pencil tray. Lock. Open bookcase without back on left. Can accommodate 1 or 2 cushions.



High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$160.

Storage modules with drawers on left, hidden space on right, open bookcase on right – 21" H

1 box drawer with soft-close and 1 file drawer with suspension bar. Pencil tray. Lock. 12" W (284 mm) hidden space on right. Open bookcase without back on right. Can accommodate 1 or 2 cushions.

96" x 20 x 21	2400 x 519 x 561	N_N_-BE209621UL	1,950	2,111
60" x 20 x 21	1500 x 519 x 561	N_N_-BE206021UL	1,838	1,983

Specify the surface type (1, 2). Specify the handle curve: left (L) or double (D). Specify the fronts finish (B, W, N).

96"-90"



High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$160.

Storage modules with drawers on right, hidden space on left, open bookcase on left – 21" H

1 box drawer with soft-close and 1 file drawer with suspension bar. Pencil tray. Lock. 12" W (284 mm) hidden space on left. Open bookcase without back on left. Can accommodate 1 or 2 cushions.

96" x 20 x 21	2400 x 519 x 561	N_N_-BE209621ULS	2,418	2,651
90" x 20 x 21	2250 x 519 x 561	N_N_-BE209021ULS	2,393	2,620
84" x 20 x 21	2100 x 519 x 561	N_N_-BE208421ULS	2,264	2,466
78" x 20 x 21	1950 x 519 x 561	N_N_-BE207821ULS	2,231	2,425
72" x 20 x 21	1800 x 519 x 561	N_N_-BE207221ULS	2,167	2,344

Specify the surface type (1, 2). Specify the handle curve: left (L) or double (D). Specify the fronts finish (B, W, N).

84"-72"



High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$160.

Double storage modules with drawers – 21" H

2 box drawers with soft-close and 2 file drawers with suspension bars. Pencil tray. Locks. Can accommodate 1 or 2 cushions.


72" x 20 x 21	1800 x 519 x 561	N_NN_-UL207221UL	2,918	3,089
60" x 20 x 21	1500 x 519 x 561	N_NN_-UL206021UL	2,846	2,982

Specify the surface type (1, 2). Specify the fronts finish (B, W, N).

High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$242.

Double storage modules with drawers, hidden spaces on right and left – 21" H

2 box drawers with soft-close and 2 file drawers with suspension bars. Pencil tray. Locks. Left and right hidden spaces. Can accommodate 1 or 2 cushions.



High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$323.

96" W (2400 mm): hidden space of 12" W (297 mm);
90" W (2250 mm): hidden space of 9" W (222 mm);
84" W (2100 mm): hidden space of 12" W (297 mm);
78" W (1950 mm): hidden space of 9" W (222 mm);
72" W (1800 mm): hidden space of 12" W (297 mm).


96" x 20 x 21	2400 x 519 x 561	N_NN_-ULS209621ULS	3,466	3,691
90" x 20 x 21	2250 x 519 x 561	N_NN_-ULS209021ULS	3,400	3,618
84" x 20 x 21	2100 x 519 x 561	N_NN_-ULS208421ULS	3,344	3,539
78" x 20 x 21	1950 x 519 x 561	N_NN_-ULS207821ULS	3,281	3,456
72" x 20 x 21	1800 x 519 x 561	N_NN_-ULS207221ULS	3,216	3,385

Specify the surface type (1, 2). Specify the fronts finish (B, W, N).

	L x P x H (po)	L x P x H (mm)	Code	Tout mélamine (\$)	Dessus stratifié (\$)
--	----------------	----------------	------	--------------------------	-----------------------------

Storage modules with doors on left, open bookcase on right – 21" H

2 doors with soft-close. Lock. Open bookcase without back on right. Can accommodate 1 or 2 cushions.



High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$160.

Storage modules with doors on right, open bookcase on left – 21" H

2 doors with soft-close. Lock. Open bookcase without back on left. Can accommodate 1 or 2 cushions.

96" x 20 x 21	2400 x 519 x 561	N_NN_-BE209621BE	1,942	2,175
90" x 20 x 21	2250 x 519 x 561	N_NN_-BE209021BE	1,892	2,111
84" x 20 x 21	2100 x 519 x 561	N_NN_-BE208421BE	1,847	2,047
78" x 20 x 21	1950 x 519 x 561	N_NN_-BE207821BE	1,628	1,798
72" x 20 x 21	1800 x 519 x 561	N_NN_-BE207221BE	1,557	1,732
66" x 20 x 21	1650 x 519 x 561	N_NN_-BE206621BE	1,506	1,660
60" x 20 x 21	1500 x 519 x 561	N_NN_-BE206021BE	1,452	1,597

Specify the surface type (1, 2). Specify the fronts finish (B, W, N).

96"-84"



High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$160.

Double storage modules with doors – 21" H

4 doors with soft-close. Locks. Can accommodate 1 or 2 cushions.

96" x 20 x 21	2400 x 519 x 561	N_NN_-BE209621B	2,604	2,836
90" x 20 x 21	2250 x 519 x 561	N_NN_-BE209021B	2,546	2,774
84" x 20 x 21	2100 x 519 x 561	N_NN_-BE208421B	2,497	2,706
78" x 20 x 21	1950 x 519 x 561	N_NN_-BE207821B	2,449	2,644
72" x 20 x 21	1800 x 519 x 561	N_NN_-BE207221B	2,271	2,449
66" x 20 x 21	1650 x 519 x 561	N_NN_-BE206621B	2,135	2,305
60" x 20 x 21	1500 x 519 x 561	N_NN_-BE206021B	2,071	2,224

Specify the surface type (1, 2). Specify the fronts finish (B, W, N).

84"-72"



High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$323.

Storage modules with drawers on left and doors on right – 21" H

1 box drawer with soft-close and 1 file drawer with suspension bar on left. Pencil tray. Locks. 2 doors with soft-close on right. 1 adjustable shelf. Can accommodate 1 or 2 cushions.

72" x 20 x 21	1800 x 519 x 561	N_NN_-UL207221B	2,433	2,614
60" x 20 x 21	1500 x 519 x 561	N_NN_-UL206021B	2,329	2,474

Specify the surface type (1, 2). Specify the handle curve: right (R) or double (D). Specify the front finish (B, W, N).

High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$242.

Storage modules with drawers on right and doors on left – 21" H

1 box drawer with soft-close and 1 file drawer with suspension bar on right. Pencil tray. Locks. 2 doors with soft-close on left. 1 adjustable shelf. Can accommodate 1 or 2 cushions.

72" x 20 x 21	1800 x 519 x 561	N_NN_-B207221UL	2,433	2,614
60" x 20 x 21	1500 x 519 x 561	N_NN_-B206021UL	2,329	2,474

Specify the surface type (1, 2). Specify the handle curve: left (L) or double (D). Specify the fronts finish (B, W, N).


High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$242.

Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description.

2-TONE LAMINATE APPLICATION: SHADED AREA CORRESPONDS TO THE FIRST CODE TO BE SPECIFIED.


SECOND LAMINATE CODE WILL BE APPLIED TO THE REST OF THE PRODUCT.

Storage modules with drawers on left, hidden space on right, doors on right – 21" H



High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$323.

Storage modules with drawers on right, hidden space on left, doors on left – 21" H



High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$323.

STORAGE MODULES – 27" H

Storage modules with drawers – 27" H



High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$122.

Storage modules with drawers – 27" H



High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$122.

Storage modules with drawers – 27" H



High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$160.

Storage modules with drawers – 27" H



High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$160.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>1 box drawer with soft-close and 1 file drawer with suspension bar on left. Pencil tray. Locks. 12" W (299 mm) right hidden space. 2 doors with soft-close on right. Can accommodate 1 or 2 cushions. 96" to 90" W (2400 to 2250 mm): 2 adjustable shelves; 84" to 78" W (2100 to 1950 mm): 1 adjustable shelf.</i>				
96 x 20 x 21	2400 x 519 x 561	N N _ULS209621B	2,991	3,227
90 x 20 x 21	2250 x 519 x 561	N N _ULS209021B	2,943	3,166
84 x 20 x 21	2100 x 519 x 561	N N _ULS208421B	2,724	2,926
78 x 20 x 21	1950 x 519 x 561	N N _ULS207821B	2,668	2,860

Specify the surface type (1, 2). Specify the handle curve: right (R) or double (D). Specify the fronts finish (B, W, N).

<i>1 box drawer with soft-close and 1 file drawer with suspension bar on right. Pencil tray. Locks. 12" W (299 mm) left hidden space. 2 doors with soft-close on left. Can accommodate 1 or 2 cushions. 96" to 90" W (2400 to 2250 mm): 2 adjustable shelves; 84" to 78" W (2100 to 1950 mm): 1 adjustable shelf.</i>				
96 x 20 x 21	2400 x 519 x 561	N N _B209621ULS	2,991	3,227
90 x 20 x 21	2250 x 519 x 561	N N _B209021ULS	2,943	3,166
84 x 20 x 21	2100 x 519 x 561	N N _B208421ULS	2,724	2,926
78 x 20 x 21	1950 x 519 x 561	N N _B207821ULS	2,668	2,860

Specify the surface type (1, 2). Specify the handle curve: left (L) or double (D). Specify the fronts finish (B, W, N).

Storage modules with drawers on left, hidden space on right – 27" H



High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$242.

Storage modules with drawers on right, hidden space on left – 27" H



High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$242.

Storage modules with drawers on left, open bookcase on right – 27" H



High-Gloss Black (B) or High-Gloss White (W) front finish option: add \$81.

Storage modules with drawers on right, open bookcase on left – 27" H



High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$81.

Storage modules with drawers on left, open bookcase on right – 27" H



High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$81.

Storage modules with drawers on right, open bookcase on left – 27" H



High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$81.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>2 file drawers with suspension bars. Lock. 12" W (284 mm) hidden space on right.</i>				
48 x 24 x 27	1200 x 619 x 690	N N _244827LFS	2,134	2,341
42 x 24 x 27	1050 x 619 x 690	N N _244227LFS	2,078	2,270
48 x 20 x 27	1200 x 519 x 690	N N _204827LFS	2,084	2,278
42 x 20 x 27	1050 x 519 x 690	N N _204227LFS	2,026	2,205

Specify the surface type (1, 2). Specify the handle curve: double (D), left (L) or right (R). Specify the fronts finish (B, W, N).

<i>2 file drawers with suspension bars. Lock. 12" W (284 mm) hidden space on left.</i>				
48 x 24 x 27	1200 x 619 x 690	N N _LFS244827	2,134	2,341
42 x 24 x 27	1050 x 619 x 690	N N _LFS244227	2,078	2,270
48 x 20 x 27	1200 x 519 x 690	N N _LFS204827	2,084	2,278
42 x 20 x 27	1050 x 519 x 690	N N _LFS204227	2,026	2,205

Specify the surface type (1, 2). Specify the handle curve: double (D), left (L) or right (R). Specify the fronts finish (B, W, N).

<i>2 file drawers with soft-close. Suspension bar. Lock. Open bookcase without back on right. 1 adjustable shelf.</i>				
48 x 24 x 27	1200 x 619 x 690	N N _FF244827BE	1,998	2,168
42 x 24 x 27	1050 x 619 x 690	N N _FF244227BE	1,961	2,118
36 x 24 x 27	900 x 619 x 690	N N _FF243627BE	1,926	2,070
30 x 24 x 27	750 x 619 x 690	N N _FF243027BE	1,891	2,020
48 x 20 x 27	1200 x 519 x 690	N N _FF204827BE	1,913	2,061
42 x 20 x 27	1050 x 519 x 690	N N _FF204227BE	1,881	2,020
36 x 20 x 27	900 x 519 x 690	N N _FF203627BE	1,848	1,969
30 x 20 x 27	750 x 519 x 690	N N _FF203027BE	1,812	1,926

Specify the surface type (1, 2). Specify the handle curve: right (R) or double (D). Specify the fronts finish (B, W, N).

<i>2 file drawers with soft-close. Suspension bars. Lock. Open bookcase without back on left. 1 adjustable shelf.</i>				
48 x 24 x 27	1200 x 619 x 690	N N _BE244827FF	1,998	2,168
42 x 24 x 27	1050 x 619 x 690	N N _BE244227FF	1,961	2,118
36 x 24 x 27	900 x 619 x 690	N N _BE243627FF	1,926	2,070
30 x 24 x 27	750 x 619 x 690	N N _BE243027FF	1,891	2,020
48 x 20 x 27	1200 x 519 x 690	N N _BE204827FF	1,913	2,061
42 x 20 x 27	1050 x 519 x 690	N N _BE204227FF	1,881	2,020
36 x 20 x 27	900 x 519 x 690	N N _BE203627FF	1,848	1,969
30 x 20 x 27	750 x 519 x 690	N N _BE203027FF	1,812	1,926

Specify the surface type (1, 2). Specify the handle curve: left (L) or double (D). Specify the fronts finish (B, W, N).

<i>2 box drawers and 1 file drawer with soft-close. Suspension bar. Pencil tray. Lock. Open bookcase without back on right. 1 adjustable shelf.</i>				
48 x 24 x 27	1200 x 619 x 690	N N _UF244827BE	2,247	2,422
42 x 24 x 27	1050 x 619 x 690	N N _UF244227BE	2,213	2,376
36 x 24 x 27	900 x 619 x 690	N N _UF243627BE	2,185	2,335
30 x 24 x 27	750 x 619 x 690	N N _UF243027BE	2,148	2,284
48 x 20 x 27	1200 x 519 x 690	N N _UF204827BE	2,162	2,320
42 x 20 x 27	1050 x 519 x 690	N N _UF204227BE	2,134	2,278
36 x 20 x 27	900 x 519 x 690	N N _UF203627BE	2,107	2,235
30 x 20 x 27	750 x 519 x 690	N N _UF203027BE	2,070	2,191

Specify the surface type (1, 2). Specify the handle curve: right (R) or double (D). Specify the fronts finish (B, W, N).

<i>2 box drawers and 1 file drawer with soft-close. Suspension bar. Pencil tray. Lock. Open bookcase without back on left. 1 adjustable shelf.</i>				
48 x 24 x 27	1200 x 619 x 690	N N _BE244827UF	2,247	2,422
42 x 24 x 27	1050 x 619 x 690	N N _BE244227UF	2,213	2,376
36 x 24 x 27	900 x 619 x 690	N N _BE243627UF	2,185	2,335
30 x 24 x 27	750 x 619 x 690	N N _BE243027UF	2,148	2,284
48 x 20 x 27	1200 x 519 x 690	N N _BE204827UF	2,162	2,320
42 x 20 x 27	1050 x 519 x 690	N N _BE204227UF	2,134	2,278
36 x 20 x 27	900 x 519 x 690	N N _BE203627UF	2,107	2,235
30 x 20 x 27	750 x 519 x 690	N N _BE203027UF	2,070	2,191

Specify the surface type (1, 2). Specify the handle curve: left (L) or double (D). Specify the fronts finish (B, W, N).

Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description.

2-TONE LAMINATE APPLICATION: SHADED AREA CORRESPONDS TO THE FIRST CODE TO BE SPECIFIED.

SECOND LAMINATE CODE WILL BE APPLIED TO THE REST OF THE PRODUCT.

CANADA – FEBRUARY 2024

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with doors – 27" H					
<i>2 doors with soft-close. Lock. 48" to 42" W (1200 to 1050 mm): 2 adjustable shelves; 36" to 30" W (900 to 750 mm): 1 adjustable shelf.</i>					
	48 x 24 x 27	1200 x 619 x 690	N_NN_-244827B	1,881	2,048
	42 x 24 x 27	1050 x 619 x 690	N_NN_-244227B	1,756	1,905
	36 x 24 x 27	900 x 619 x 690	N_NN_-243627B	1,627	1,756
	30 x 24 x 27	750 x 619 x 690	N_NN_-243027B	1,496	1,611
	48 x 20 x 27	1200 x 519 x 690	N_NN_-204827B	1,826	1,977
	42 x 20 x 27	1050 x 519 x 690	N_NN_-204227B	1,698	1,834
	36 x 20 x 27	900 x 519 x 690	N_NN_-203627B	1,568	1,689
	30 x 20 x 27	750 x 519 x 690	N_NN_-203027B	1,447	1,546
	Specify the surface type (1, 2). Specify the fronts finish (B, W, N).				
	High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$242.				


Storage modules with door – 27" H			1 door with soft-close. Lock. 1 adjustable shelf.					
L		R		24 x 24 x 27	600 x 619 x 690	N_N_-242427B	1,247	1,341
				16 x 24 x 27	409 x 619 x 690	N_N_-241627B	1,160	1,239
				24 x 20 x 27	600 x 519 x 690	N_N_-202427B	1,202	1,289
				16 x 20 x 27	409 x 519 x 690	N_N_-201627B	1,117	1,189
				Specify the surface type (1, 2). Specify the handle curve: left (L) or right (R). Specify the front finish (B, W, N).				
High-Gloss Black (B) or High-Gloss White (W) front finish option: add \$81.								

Storage modules with door on left, open bookcase on right – 27" H					
<i>1 door with soft-close. Lock. Open bookcase without back on right. Hinges on right. 2 adjustable shelves.</i>					
	48 x 24 x 27	1200 x 619 x 690	N_N_-B244827BE	1,604	1,768
	42 x 24 x 27	1050 x 619 x 690	N_N_-B244227BE	1,576	1,717
	36 x 24 x 27	900 x 619 x 690	N_N_-B243627BE	1,539	1,675
	30 x 24 x 27	750 x 619 x 690	N_N_-B243027BE	1,511	1,633
	48 x 20 x 27	1200 x 519 x 690	N_N_-B204827BE	1,519	1,656
	42 x 20 x 27	1050 x 519 x 690	N_N_-B204227BE	1,482	1,611
	36 x 20 x 27	900 x 519 x 690	N_N_-B203627BE	1,453	1,568
	30 x 20 x 27	750 x 519 x 690	N_N_-B203027BE	1,426	1,526
	Specify the surface type (1, 2). Specify the handle curve: right (R) or double (D). Specify the front finish (B, W, N).				
	High-Gloss Black (B) or High-Gloss White (W) front finish option: add \$81.				

Storage modules with door on right, open bookcase on left – 27" H					
<i>1 door with soft-close. Lock. Open bookcase without back on left. Hinges on left. 2 adjustable shelves.</i>					
	48 x 24 x 27	1200 x 619 x 690	N_N_-BE244827B	1,604	1,768
	42 x 24 x 27	1050 x 619 x 690	N_N_-BE244227B	1,576	1,717
	36 x 24 x 27	900 x 619 x 690	N_N_-BE243627B	1,539	1,675
	30 x 24 x 27	750 x 619 x 690	N_N_-BE243027B	1,511	1,633
	48 x 20 x 27	1200 x 519 x 690	N_N_-BE204827B	1,519	1,656
	42 x 20 x 27	1050 x 519 x 690	N_N_-BE204227B	1,482	1,611
	36 x 20 x 27	900 x 519 x 690	N_N_-BE203627B	1,453	1,568
	30 x 20 x 27	750 x 519 x 690	N_N_-BE203027B	1,426	1,526
	Specify the surface type (1, 2). Specify the handle curve: left (L) or double (D). Specify the front finish (B, W, N).				
	High-Gloss Black (B) or High-Gloss White (W) front finish option: add \$81.				

Storage modules with drawers on left, open bookcase on right – 27" H					
<i>2 file drawers with suspension bars. Lock. Open bookcase without back on right. 1 adjustable shelf.</i>					
	72 x 20 x 27	1800 x 519 x 690	N_N_-LF207227BE	2,292	2,506
	60 x 20 x 27	1500 x 519 x 690	N_N_-LF206027BE	2,185	2,364
	Specify the surface type (1, 2). Specify the handle curve: right (R) or double (D). Specify the fronts finish (B, W, N).				
	High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$242.				

Storage modules with drawers on right, open bookcase on left – 27" H					
<i>2 file drawers with suspension bars. Lock. Open bookcase without back on left. 1 adjustable shelf.</i>					
	72 x 20 x 27	1800 x 519 x 690	N_N_-BE207227LF	2,292	2,506
	60 x 20 x 27	1500 x 519 x 690	N_N_-BE206027LF	2,185	2,364
	Specify the surface type (1, 2). Specify the handle curve: left (L) or double (D). Specify the fronts finish (B, W, N).				
	High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$242.				

				All Laminate (\$)	HPL Surfaces (\$)
	W x D x H (in)	W x D x H (mm)	Code		
Storage modules with drawers on left, open bookcase on right – 27" H	<i>2 box drawers with soft-close and 1 file drawer. Suspension bar. Pencil tray. Lock. Open bookcase without back on right. 1 adjustable shelf.</i>				
	72 x 20 x 27	1800 x 519 x 690	N_N_-LUF207227BE	2,593	2,808
	60 x 20 x 27	1500 x 519 x 690	N_N_-LUF206027BE	2,470	2,666
	Specify the surface type (1, 2). Specify the handle curve: right (R) or double (D). Specify the fronts finish (B, W, N).				
	High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$242.				

	Storage modules with drawers on right, open bookcase on left – 27" H					
	<i>2 box drawers with soft-close and 1 file drawer. Suspension bar. Pencil tray. Lock. Open bookcase without back on left. 1 adjustable shelf.</i>					
	72 x 20 x 27	1800 x 519 x 690	N N_-BE207227LUF	2,593	2,808	
	60 x 20 x 27	1500 x 519 x 690	N N_-BE206027LUF	2,470	2,666	
Specify the surface type (1, 2). Specify the handle curve: left (L) or double (D). Specify the fronts finish (B, W, N).						

Storage modules with drawers on left, hidden space on right, open bookcase on right – 27" H					
<i>2 file drawers with suspension bar. Lock. 12" W (284 mm) hidden space on right. Open bookcase without back on right. 2 adjustable shelves; 96" to 90" W (2400 to 2250 mm): 2 adjustable shelves; 84" to 72" W (2100 to 1800 mm): 1 adjustable shelf.</i>					
	96" x 20 x 27	2400 x 519 x 690	N_N_-LFS209627BE	2,994	3,265
	90" x 20 x 27	2250 x 519 x 690	N_N_-LFS209027BE	2,900	3,157
	84" x 20 x 27	2100 x 519 x 690	N_N_-LFS208427BE	2,801	3,051
	78" x 20 x 27	1950 x 519 x 690	N_N_-LFS207827BE	2,706	2,944
	72" x 20 x 27	1800 x 519 x 690	N_N_-LFS207227BE	2,615	2,835
	Specify the surface type (1, 2). Specify the handle curve: right (R) or double (D). Specify the fronts finish (B, W, N).				
	High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$242.				
	96"-90" 84"-72"				

Storage modules with drawers on right, hidden space on left, open bookcase on left – 27" H					
<i>2 file drawers with suspension bar. Lock. 12" W (284 mm) hidden space on left. Open bookcase without back on left. 2 adjustable shelves; 96" to 90" W (2400 to 2250 mm): 2 adjustable shelves; 84" to 72" W (2100 to 1800 mm): 1 adjustable shelf.</i>					
	96" x 20 x 27	2400 x 519 x 690	N_N_-BE209627LFS	2,994	3,265
	90" x 20 x 27	2250 x 519 x 690	N_N_-BE209027LFS	2,900	3,157
	84" x 20 x 27	2100 x 519 x 690	N_N_-BE208427LFS	2,801	3,051
	78" x 20 x 27	1950 x 519 x 690	N_N_-BE207827LFS	2,706	2,944
	72" x 20 x 27	1800 x 519 x 690	N_N_-BE207227LFS	2,615	2,835
	Specify the surface type (1, 2). Specify the handle curve: left (L) or double (D). Specify the fronts finish (B, W, N).				
	High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$242.				
	96"-90" 84"-72"				

84"-72"

High-Gloss Black (B) or
High-Gloss White (W)
fronts finish option:
add \$242.

**Double storage
modules with drawers
– 27" H**

High-Gloss Black (B) or
High-Gloss White (W)
fronts finish option:
add \$386.

**Specify the surface type (1, 2). Specify the handle curve: left (L) or
double (D). Specify the fronts finish (B, W, N).**

4 file drawers with suspension bars. Lock.



72 x 20 x 27	1800 x 519 x 690	N NN_-LF207227LF	3,287	3,531
60 x 20 x 27	1500 x 519 x 690	N NN_-LF206027LF	3,137	3,350

Specify the surface type (1, 2). Specify the fronts finish (B, W, N).



Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description.

2-TONE LAMINATE APPLICATION: SHADED AREA CORRESPONDS TO THE FIRST CODE TO BE SPECIFIED.



SECOND LAMINATE CODE WILL BE APPLIED TO THE REST OF THE PRODUCT.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage modules with doors on left, open bookcase on right – 27" H	<i>2 doors with soft-close. Lock. Open bookcase without back on right. 96" to 84" W (2400 to 2100 mm): 4 adjustable shelves; 78" to 60" W (1950 to 1500 mm): 2 adjustable shelves.</i>				
	96 x 20 x 27	2400 x 519 x 690	N_NN_-B209627BE	2,656	2,921
	90 x 20 x 27	2250 x 519 x 690	N_NN_-B209027BE	2,529	2,778
	84 x 20 x 27	2100 x 519 x 690	N_NN_-B208427BE	2,404	2,635
	78 x 20 x 27	1950 x 519 x 690	N_NN_-B207827BE	2,278	2,498
	72 x 20 x 27	1800 x 519 x 690	N_NN_-B207227BE	2,148	2,356
	66 x 20 x 27	1650 x 519 x 690	N_NN_-B206627BE	2,020	2,213
	60 x 20 x 27	1500 x 519 x 690	N_NN_-B206027BE	1,899	2,070
Specify the surface type (1, 2). Specify the fronts finish (B, W, N).					


High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$242.

Storage modules with doors on right, open bookcase on left – 27" H	<i>2 doors with soft-close. Lock. Open bookcase without back on left. 96" to 84" W (2400 to 2100 mm): 4 adjustable shelves; 78" to 60" W (1950 to 1500 mm): 2 adjustable shelves.</i>				
	96 x 20 x 27	2400 x 519 x 690	N_NN_-BE209627B	2,656	2,921
	90 x 20 x 27	2250 x 519 x 690	N_NN_-BE209027B	2,529	2,778
	84 x 20 x 27	2100 x 519 x 690	N_NN_-BE208427B	2,404	2,635
	78 x 20 x 27	1950 x 519 x 690	N_NN_-BE207827B	2,278	2,498
	72 x 20 x 27	1800 x 519 x 690	N_NN_-BE207227B	2,148	2,356
	66 x 20 x 27	1650 x 519 x 690	N_NN_-BE206627B	2,020	2,213
	60 x 20 x 27	1500 x 519 x 690	N_NN_-BE206027B	1,899	2,070
Specify the surface type (1, 2). Specify the fronts finish (B, W, N).					


High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$242.

Double storage modules with doors – 27" H	<i>4 doors with soft-close. Locks. 96" to 84" W (2400 to 2250 mm): 4 adjustable shelves; 78" to 60" W (2100 to 1800 mm): 2 adjustable shelves.</i>				
	96 x 20 x 27	2400 x 519 x 690	N_NN_-B209627B	3,574	3,873
	90 x 20 x 27	2250 x 519 x 690	N_NN_-B209027B	3,416	3,694
	84 x 20 x 27	2100 x 519 x 690	N_NN_-B208427B	3,258	3,524
	78 x 20 x 27	1950 x 519 x 690	N_NN_-B207827B	3,101	3,344
	72 x 20 x 27	1800 x 519 x 690	N_NN_-B207227B	2,936	3,173
	66 x 20 x 27	1650 x 519 x 690	N_NN_-B206627B	2,778	2,994
	60 x 20 x 27	1500 x 519 x 690	N_NN_-B206027B	2,621	2,823
Specify the surface type (1, 2). Specify the fronts finish (B, W, N).					

High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$386.

Storage modules with drawers on left and doors on right – 27" H	<i>2 file drawers with suspension bars. Locks. 2 doors with soft-close on right. 1 adjustable shelf.</i>				
	72 x 20 x 27	1800 x 519 x 690	N_N_-LF207227B	2,885	3,116
	60 x 20 x 27	1500 x 519 x 690	N_N_-LF206027B	2,756	2,958
Specify the surface type (1, 2). Specify the handle curve: right (R) or double (D). Specify the fronts finish (B, W, N).					

High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$283.

Storage modules with drawers on right and doors on left – 27" H	<i>2 file drawers with suspension bars. Locks. 2 doors with soft-close on left. 1 adjustable shelf.</i>				
	72 x 20 x 27	1800 x 519 x 690	N_N_-B207227LF	2,885	3,116
	60 x 20 x 27	1500 x 519 x 690	N_N_-B206027LF	2,756	2,958
Specify the surface type (1, 2). Specify the handle curve: left (L) or double (D). Specify the fronts finish (B, W, N).					

High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$283.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
STORAGE FURNITURE					

Lateral file unit




High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$242.

Lateral file unit/bookcase with lift-up door




High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$242.

Lateral file unit/bookcase with metal shelf and lift-up door




High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$242.

Storage cabinets with doors



High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$484.

Storage cabinets with door



High-Gloss Black (B) or High-Gloss White (W) front finish option: add \$242.

3 file drawers with suspension bars. Lock.

36 x 20 x 41	900 x 519 x 1025	NNN_-203640LF3	2,812
--------------	------------------	----------------	-------

Specify the handle curve: double (D), left (L) or right (R). Specify the fronts finish (B, W, N).

2 file drawers with suspension bars. Lock on file drawers. Open bookcase. 1 adjustable shelf. Assisted lift-up door with soft-close.

36 x 20 x 73	900 x 519 x 1850	NNN_-203673LFBV	3,152
--------------	------------------	-----------------	-------

Specify the handle curve: double (D), left (L) or right (R). Specify the fronts finish (B, W, N).

2 file drawers with suspension bars. Lock on file drawers. Open bookcase. 1 adjustable 15" D (375 mm) metal shelf. Assisted lift-up door with soft-close.

36 x 20 x 73	900 x 519 x 1850	NNN_-203673LFBV	3,402
--------------	------------------	-----------------	-------

Specify the handle curve: double (D), left (L) or right (R). Specify the fronts finish (B, W, N). Specify the shelf finish (K, W).

2 doors with soft-close. Lock.

73" to 65" H (1850 to 1659 mm): 3 adjustable shelves and 1 fixed shelf; 57" H (1468 mm): 3 adjustable shelves; 49" H (1277 mm): 2 adjustable shelves.

36 x 20 x 73	900 x 519 x 1850	NNNN_-203673B	2,264
36 x 20 x 65	900 x 519 x 1659	NNNN_-203665B	2,210
36 x 20 x 57	900 x 519 x 1468	NNNN_-203657B	2,150
36 x 20 x 49	900 x 519 x 1277	NNNN_-203649B	1,983
30 x 20 x 73	750 x 519 x 1850	NNNN_-203073B	2,129
30 x 20 x 65	750 x 519 x 1659	NNNN_-203065B	2,071
30 x 20 x 57	750 x 519 x 1468	NNNN_-203057B	2,014
30 x 20 x 49	750 x 519 x 1277	NNNN_-203049B	1,854

Specify the fronts finish (B, W, N).

1 door with soft-close. Lock.

73" to 65" H (1850 to 1659 mm): 4 adjustable shelves; 57" H (1468 mm): 3 adjustable shelves; 49" H (1277 mm): 2 adjustable shelves.

24 x 20 x 73	600 x 519 x 1850	NNN_-202473B	1,654
24 x 20 x 65	600 x 519 x 1659	NNN_-202465B	1,605
24 x 20 x 57	600 x 519 x 1468	NNN_-202457B	1,557
24 x 20 x 49	600 x 519 x 1277	NNN_-202449B	1,506
20 x 20 x 73	500 x 519 x 1850	NNN_-202073B	1,585
20 x 20 x 65	500 x 519 x 1659	NNN_-202065B	1,546
20 x 20 x 57	500 x 519 x 1468	NNN_-202057B	1,499
20 x 20 x 49	500 x 519 x 1277	NNN_-202049B	1,459

Specify the opening: left (L) or right (R). Specify the front finish (B, W, N)


Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description.


2-TONE LAMINATE APPLICATION: SHADED AREA CORRESPONDS TO THE FIRST CODE TO BE SPECIFIED.


SECOND LAMINATE CODE WILL BE APPLIED TO THE REST OF THE PRODUCT.


CANADA – FEBRUARY 2024


	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Open bookcases	1 tone only. 73" H (1850 mm) - 65" H (1659 mm): 4 adjustable shelves; 57" H (1468 mm): 3 adjustable shelves; 49" H (1277 mm): 2 adjustable shelves.			
	36 x 16 x 73	900 x 400 x 1850	NNNN-B367316	1,402
	36 x 16 x 65	900 x 400 x 1659	NNNN-B366516	1,264
	36 x 16 x 57	900 x 400 x 1468	NNNN-B365716	1,225
	36 x 16 x 49	900 x 400 x 1277	NNNN-B364916	1,088
	30 x 16 x 73	750 x 400 x 1850	NNNN-B307316	1,329
	30 x 16 x 65	750 x 400 x 1659	NNNN-B306516	1,201
	30 x 16 x 57	750 x 400 x 1468	NNNN-B305716	1,169
	30 x 16 x 49	750 x 400 x 1277	NNNN-B304916	1,041
	24 x 16 x 73	600 x 400 x 1850	NNNN-B247316	1,249
	24 x 16 x 65	600 x 400 x 1659	NNNN-B246516	1,138
	24 x 16 x 57	600 x 400 x 1468	NNNN-B245716	1,102
	24 x 16 x 49	600 x 400 x 1277	NNNN-B244916	984
	20 x 16 x 73	500 x 400 x 1850	NNNN-B207316	1,201
	20 x 16 x 65	500 x 400 x 1659	NNNN-B206516	1,088
	20 x 16 x 57	500 x 400 x 1468	NNNN-B205716	1,065
	20 x 16 x 49	500 x 400 x 1277	NNNN-B204916	951

Open bookcases with metal shelves	1 tone only. 73" H (1850 mm) - 65" H (1659 mm): 4 adjustable 15" D (375 mm) metal shelves; 57" H (1468 mm): 3 adjustable 15" D (375 mm) metal shelves; 49" H (1277 mm): 2 adjustable 15" D (375 mm) metal shelves.			
	36 x 16 x 73	900 x 400 x 1850	NNNN-B367316M	2,118
	36 x 16 x 65	900 x 400 x 1659	NNNN-B366516M	1,984
	36 x 16 x 57	900 x 400 x 1468	NNNN-B365716M	1,762
	36 x 16 x 49	900 x 400 x 1277	NNNN-B364916M	1,447
	30 x 16 x 73	750 x 400 x 1850	NNNN-B307316M	1,905
	30 x 16 x 65	750 x 400 x 1659	NNNN-B306516M	1,775
	30 x 16 x 57	750 x 400 x 1468	NNNN-B305716M	1,597
	30 x 16 x 49	750 x 400 x 1277	NNNN-B304916M	1,325
	24 x 16 x 73	600 x 400 x 1850	NNNN-B247316M	1,675
	24 x 16 x 65	600 x 400 x 1659	NNNN-B246516M	1,568
	24 x 16 x 57	600 x 400 x 1468	NNNN-B245716M	1,426
	24 x 16 x 49	600 x 400 x 1277	NNNN-B244916M	1,196
	20 x 16 x 73	500 x 400 x 1850	NNNN-B207316M	1,490
	20 x 16 x 65	500 x 400 x 1659	NNNN-B206516M	1,375
	20 x 16 x 57	500 x 400 x 1468	NNNN-B205716M	1,282
	20 x 16 x 49	500 x 400 x 1277	NNNN-B204916M	1,096
	Specify the shelves finish (K, W).			

Open bookcases - 2 axis	Levelers allow a 3/4" (19 mm) height adjustment. 73" to 65" H (1850 to 1659 mm): 8 adjustable shelves; 57" H (1468 mm): 6 adjustable shelves; 49" H (1277 mm): 4 adjustable shelves.			
	36 x 16 x 73	900 x 419 x 1850	NNN-BAB367316	2,247
	36 x 16 x 65	900 x 419 x 1659	NNN-BAB366516	2,012
	36 x 16 x 57	900 x 419 x 1468	NNN-BAB365716	1,783
	36 x 16 x 49	900 x 419 x 1277	NNN-BAB364916	1,555
	30 x 16 x 73	750 x 419 x 1850	NNN-BAB307316	2,134
	30 x 16 x 65	750 x 419 x 1659	NNN-BAB306516	1,913
	30 x 16 x 57	750 x 419 x 1468	NNN-BAB305716	1,698
	30 x 16 x 49	750 x 419 x 1277	NNN-BAB304916	1,475
	Specify left (L) or right (R). Specify the front finish (B, W, N)			

Open bookcases with metal shelves - 2 axis	Front metal shelves, lateral laminate shelves. Levelers allow a 3/4" (19 mm) height adjustment. 73" to 65" H (1850 to 1659 mm): 8 adjustable 15" D (375 mm) shelves, including 4 metal shelves; 57" H (1468 mm): 6 adjustable 15" D (375 mm) shelves, including 3 metal shelves; 49" H (1277 mm): 4 adjustable 15" D (375 mm) shelves, including 2 metal shelves.			
	36 x 16 x 73	900 x 419 x 1850	NNN-BAB367316M	2,536
	36 x 16 x 65	900 x 419 x 1659	NNN-BAB366516M	2,298
	36 x 16 x 57	900 x 419 x 1468	NNN-BAB365716M	1,998
	36 x 16 x 49	900 x 419 x 1277	NNN-BAB364916M	1,698
	30 x 16 x 73	750 x 419 x 1850	NNN-BAB307316M	2,422
	30 x 16 x 65	750 x 419 x 1659	NNN-BAB306516M	2,198
	30 x 16 x 57	750 x 419 x 1468	NNN-BAB305716M	1,913
	30 x 16 x 49	750 x 419 x 1277	NNN-BAB304916M	1,620
	Specify left (L) or right (R). Specify the front finish (B, W, N) Specify the shelves finish (K, W).			


Bookcases with open locker - 2 axis	Wardrobe section with clothes hanger bar and 1 fixed shelf. Levelers allow a 3/4" (19 mm) height adjustment. 73" to 65" H (1850 to 1659 mm): 4 adjustable shelves; 57" H (1468 mm): 3 adjustable shelves; 49" H (1277 mm): 2 adjustable shelves.			
	36 x 16 x 73	900 x 419 x 1850	NNN-CEAB367316	1,977
	36 x 16 x 65	900 x 419 x 1659	NNN-CEAB366516	1,863
	36 x 16 x 57	900 x 419 x 1468	NNN-CEAB365716	1,739
	36 x 16 x 49	900 x 419 x 1277	NNN-CEAB364916	1,620
	Specify left (L) or right (R). Specify the front finish (B, W, N)			

Bookcases with metal shelves and open locker - 2 axis	Wardrobe section with clothes hanger bar and 1 fixed shelf. Levelers allow a 3/4" (19 mm) height adjustment. 73" to 65" H (1850 to 1659 mm): 4 adjustable 15" D (375 mm) metal shelves; 57" H (1468 mm): 3 adjustable 15" D (375 mm) metal shelves; 49" H (1277 mm): 2 adjustable 15" D (375 mm) metal shelves.			
	36 x 16 x 73	900 x 419 x 1850	NNN-CEAB367316M	2,263
	36 x 16 x 65	900 x 419 x 1659	NNN-CEAB366516M	2,148
	36 x 16 x 57	900 x 419 x 1468	NNN-CEAB365716M	1,954
	36 x 16 x 49	900 x 419 x 1277	NNN-CEAB364916M	1,762
	Specify left (L) or right (R). Specify the front finish (B, W, N) Specify the shelves finish (K, W).			

High-Gloss Black (B) or High-Gloss White (W) front finish option: add \$242.

BOOKCASE HUTCHES

Bookcase hutches with doors	2 doors with soft-close. Can accommodate a tackboard on its back. 52" to 36" H (1289 to 907 mm): 2 adjustable shelves; 28" H (716 mm): 1 adjustable shelf.			
	36 x 20 x 52	900 x 519 x 1289	NNNN-EB365220P	1,942
	36 x 20 x 44	900 x 519 x 1098	NNNN-EB364420P	1,869
	36 x 20 x 36	900 x 519 x 907	NNNN-EB363620P	1,690
	36 x 20 x 28	900 x 519 x 716	NNNN-EB362820P	1,621
	30 x 20 x 52	750 x 519 x 1289	NNNN-EB305220P	1,882
	30 x 20 x 44	750 x 519 x 1098	NNNN-EB304420P	1,814
	30 x 20 x 36	750 x 519 x 907	NNNN-EB303620P	1,635
	30 x 20 x 28	750 x 519 x 716	NNNN-EB302820P	1,572
	36 x 16 x 52	900 x 419 x 1289	NNNN-EB365216P	1,869
	36 x 16 x 44	900 x 419 x 1098	NNNN-EB364416P	1,798
	36 x 16 x 36	900 x 419 x 907	NNNN-EB363616P	1,628
	36 x 16 x 28	900 x 419 x 716	NNNN-EB362816P	1,564
	30 x 16 x 52	750 x 419 x 1289	NNNN-EB305216P	1,798
	30 x 16 x 44	750 x 419 x 1098	NNNN-EB304416P	1,732
	30 x 16 x 36	750 x 419 x 907	NNNN-EB303616P	1,564
	30 x 16 x 28	750 x 419 x 716	NNNN-EB302816P	1,506
	Specify the fronts finish (B, W, N).			

Bookcase hutches with door	1 door with soft-close. Can accommodate a tackboard on its back. 52" to 36" H (1289 to 907 mm): 2 adjustable shelves; 28" H (716 mm): 1 adjustable shelf.			
	24 x 20 x 52	600 x 519 x 1289	NNN-EB245220P	1,806
	24 x 20 x 44	600 x 519 x 1098	NNN-EB244420P	1,749
	24 x 20 x 36	600 x 519 x 907	NNN-EB243620P	1,578
	24 x 20 x 28	600 x 519 x 716	NNN-EB242820P	1,525
	20 x 20 x 52	500 x 519 x 1289	NNN-EB205220P	1,676
	20 x 20 x 44	500 x 519 x 1098	NNN-EB204420P	1,635
	20 x 20 x 36	500 x 519 x 907	NNN-EB203620P	1,475
	20 x 20 x 28	500 x 519 x 716	NNN-EB202820P	1,434
	24 x 16 x 52	600 x 419 x 1289	NNN-EB245216P	1,452
	24 x 16 x 44	600 x 419 x 1098	NNN-EB244416P	1,402
	24 x 16 x 36	600 x 419 x 907	NNN-EB243616P	1,242
	24 x 16 x 28	600 x 419 x 716	NNN-EB242816P	1,193
	16 x 16 x 52	400 x 419 x 1289	NNN-EB165216P	1,355
	16 x 16 x 44	400 x 419 x 1098	NNN-EB164416P	1,317
	16 x 16 x 36	400 x 419 x 907	NNN-EB163616P	1,161
	16 x 16 x 28	400 x 419 x 716	NNN-EB162816P	1,119
	Specify the opening: left (L) or right (R). Specify the front finish (B, W, N)			

High-Gloss Black (B) or High-Gloss White (W) front finish option: add \$160.

Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description.

2-TONE LAMINATE APPLICATION: SHADED AREA CORRESPONDS TO THE FIRST CODE TO BE SPECIFIED.


SECOND LAMINATE CODE WILL BE APPLIED TO THE REST OF THE PRODUCT.


CANADA - FEBRUARY 2024

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Open bookcase hutches	<i>Can accommodate a tackboard on back. 1 tone only. 52" to 36" H (1289 to 907 mm): 2 adjustable shelves; 28" H (1468 mm): 1 adjustable shelf.</i>			
	36 x 20 x 52	900 x 500 x 1289	NNNNN-EB365220	1,225
	36 x 20 x 44	900 x 500 x 1098	NNNNN-EB364420	1,176
	36 x 20 x 36	900 x 500 x 907	NNNNN-EB363620	1,138
	36 x 20 x 28	900 x 500 x 716	NNNNN-EB362820	967
	30 x 20 x 52	750 x 500 x 1289	NNNNN-EB305220	1,169
	30 x 20 x 44	750 x 500 x 1098	NNNNN-EB304420	1,127
	30 x 20 x 36	750 x 500 x 907	NNNNN-EB303620	1,080
	30 x 20 x 28	750 x 500 x 716	NNNNN-EB302820	918
	24 x 20 x 52	600 x 500 x 1289	NNNNN-EB245220	1,114
	24 x 20 x 44	600 x 500 x 1098	NNNNN-EB244420	1,071
	24 x 20 x 36	600 x 500 x 907	NNNNN-EB243620	1,041
	24 x 20 x 28	600 x 500 x 716	NNNNN-EB242820	877
	20 x 20 x 52	500 x 500 x 1289	NNNNN-EB205220	1,088
	20 x 20 x 44	500 x 500 x 1098	NNNNN-EB204420	1,047
	20 x 20 x 36	500 x 500 x 907	NNNNN-EB203620	1,008
	20 x 20 x 28	500 x 500 x 716	NNNNN-EB202820	847
	36 x 16 x 52	900 x 400 x 1289	NNNNN-EB365216	1,144
	36 x 16 x 44	900 x 400 x 1098	NNNNN-EB364416	1,102
	36 x 16 x 36	900 x 400 x 907	NNNNN-EB363616	1,065
	36 x 16 x 28	900 x 400 x 716	NNNNN-EB362816	912
	30 x 16 x 52	750 x 400 x 1289	NNNNN-EB305216	1,096
	30 x 16 x 44	750 x 400 x 1098	NNNNN-EB304416	1,054
	30 x 16 x 36	750 x 400 x 907	NNNNN-EB303616	1,015
	30 x 16 x 28	750 x 400 x 716	NNNNN-EB302816	870
	24 x 16 x 52	600 x 400 x 1289	NNNNN-EB245216	1,047
	24 x 16 x 44	600 x 400 x 1098	NNNNN-EB244416	1,015
	24 x 16 x 36	600 x 400 x 907	NNNNN-EB243616	973
	24 x 16 x 28	600 x 400 x 716	NNNNN-EB242816	831
	16 x 16 x 52	400 x 400 x 1289	NNNNN-EB165216	1,015
	16 x 16 x 44	400 x 400 x 1098	NNNNN-EB164416	984
	16 x 16 x 36	400 x 400 x 907	NNNNN-EB163616	942
	16 x 16 x 28	400 x 400 x 716	NNNNN-EB162816	798

Open bookcase hutches with metal shelves	<i>Can accommodate a tackboard on back. 1 tone only. 52" to 36" H (1289 to 907 mm): 2 adjustable 15" D (375 mm) metal shelves; 28" H (1468 mm): 1 adjustable 15" D (375 mm) metal shelf.</i>			
	36 x 20 x 52	900 x 500 x 1289	NNNNN-EB365220M	1,656
	36 x 20 x 44	900 x 500 x 1098	NNNNN-EB364420M	1,604
	36 x 20 x 36	900 x 500 x 907	NNNNN-EB363620M	1,568
	36 x 20 x 28	900 x 500 x 716	NNNNN-EB362820M	1,180
	30 x 20 x 52	750 x 500 x 1289	NNNNN-EB305220M	1,526
	30 x 20 x 44	750 x 500 x 1098	NNNNN-EB304420M	1,490
	30 x 20 x 36	750 x 500 x 907	NNNNN-EB303620M	1,439
	30 x 20 x 28	750 x 500 x 716	NNNNN-EB302820M	1,096
	24 x 20 x 52	600 x 500 x 1289	NNNNN-EB245220M	1,396
	24 x 20 x 44	600 x 500 x 1098	NNNNN-EB244420M	1,360
	24 x 20 x 36	600 x 500 x 907	NNNNN-EB243620M	1,325
	24 x 20 x 28	600 x 500 x 716	NNNNN-EB242820M	1,022
	20 x 20 x 52	500 x 500 x 1289	NNNNN-EB205220M	1,302
	20 x 20 x 44	500 x 500 x 1098	NNNNN-EB204420M	1,259
	20 x 20 x 36	500 x 500 x 907	NNNNN-EB203620M	1,225
	20 x 20 x 28	500 x 500 x 716	NNNNN-EB202820M	953
	36 x 16 x 52	900 x 400 x 1289	NNNNN-EB365216M	1,504
	36 x 16 x 44	900 x 400 x 1098	NNNNN-EB364416M	1,462
	36 x 16 x 36	900 x 400 x 907	NNNNN-EB363616M	1,426
	36 x 16 x 28	900 x 400 x 716	NNNNN-EB362816M	1,089
	30 x 16 x 52	750 x 400 x 1289	NNNNN-EB305216M	1,382
	30 x 16 x 44	750 x 400 x 1098	NNNNN-EB304416M	1,341
	30 x 16 x 36	750 x 400 x 907	NNNNN-EB303616M	1,302
	30 x 16 x 28	750 x 400 x 716	NNNNN-EB302816M	1,016

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Open bookcase hutches with metal shelves (cont'd)	24 x 16 x 52	600 x 400 x 1289	NNNNN-EB245216M	1,259
	24 x 16 x 44	600 x 400 x 1098	NNNNN-EB244416M	1,231
	24 x 16 x 36	600 x 400 x 907	NNNNN-EB243616M	1,189
	24 x 16 x 28	600 x 400 x 716	NNNNN-EB242816M	938
	16 x 16 x 52	400 x 400 x 1289	NNNNN-EB165216M	1,160
	16 x 16 x 44	400 x 400 x 1098	NNNNN-EB164416M	1,124
	16 x 16 x 36	400 x 400 x 907	NNNNN-EB163616M	1,089
	16 x 16 x 28	400 x 400 x 716	NNNNN-EB162816M	865
Specify the shelves finish (K, W).				

Open bookcase hutches – 2 axis	<i>Can accommodate a tackboard on back. 52" to 36" H (1289 to 907 mm): 4 adjustable shelves; 28" H (1468 mm): 2 adjustable shelves.</i>			
	36 x 20 x 52	900 x 519 x 1289	NNN_-EBA365220	1,669
	36 x 20 x 44	900 x 519 x 1098	NNN_-EBA364420	1,611
	36 x 20 x 36	900 x 519 x 907	NNN_-EBA363620	1,561
	36 x 20 x 28	900 x 519 x 716	NNN_-EBA362820	1,504
	30 x 20 x 52	750 x 519 x 1289	NNN_-EBA305220	1,597
	30 x 20 x 44	750 x 519 x 1098	NNN_-EBA304420	1,568
	30 x 20 x 36	750 x 519 x 907	NNN_-EBA303620	1,546
	30 x 20 x 28	750 x 519 x 716	NNN_-EBA302820	1,519
	36 x 16 x 52	900 x 419 x 1289	NNN_-EBA365216	1,475
	36 x 16 x 44	900 x 419 x 1098	NNN_-EBA364416	1,426
	36 x 16 x 36	900 x 419 x 907	NNN_-EBA363616	1,382
	36 x 16 x 28	900 x 419 x 716	NNN_-EBA362816	1,331
	30 x 16 x 52	750 x 419 x 1289	NNN_-EBA305216	1,411
	30 x 16 x 44	750 x 419 x 1098	NNN_-EBA304416	1,390
	30 x 16 x 36	750 x 419 x 907	NNN_-EBA303616	1,368
	30 x 16 x 28	750 x 419 x 716	NNN_-EBA302816	1,346
Specify left (L) or right (R). Specify the front finish (B, W, N)				


Open bookcase hutches with metal shelves – 2 axis	<i>Front metal shelves, lateral laminate shelves. Can accommodate a tackboard on back. 52" to 36" H (1289 to 907 mm): 4 adjustable 15" D (375 mm) shelves, including 2 in metal; 28" H (1468 mm): 2 adjustable 15" D (375 mm) shelves, including 1 metal shelf.</i>			
	36 x 20 x 52	900 x 519 x 1289	NNN_-EBA365220M	1,812
	36 x 20 x 44	900 x 519 x 1098	NNN_-EBA364420M	1,756
	36 x 20 x 36	900 x 519 x 907	NNN_-EBA363620M	1,706
	36 x 20 x 28	900 x 519 x 716	NNN_-EBA362820M	1,576
	30 x 20 x 52	750 x 519 x 1289	NNN_-EBA305220M	1,739
	30 x 20 x 44	750 x 519 x 1098	NNN_-EBA304420M	1,711
	30 x 20 x 36	750 x 519 x 907	NNN_-EBA303620M	1,689
	30 x 20 x 28	750 x 519 x 716	NNN_-EBA302820M	1,588
	36 x 16 x 52	900 x 419 x 1289	NNN_-EBA365216M	1,620
	36 x 16 x 44	900 x 419 x 1098	NNN_-EBA364416M	1,568
	36 x 16 x 36	900 x 419 x 907	NNN_-EBA363616M	1,526
	36 x 16 x 28	900 x 419 x 716	NNN_-EBA362816M	1,402
	30 x 16 x 52	750 x 419 x 1289	NNN_-EBA305216M	1,555
	30 x 16 x 44	750 x 419 x 1098	NNN_-EBA304416M	1,531
	30 x 16 x 36	750 x 419 x 907	NNN_-EBA303616M	1,511
	30 x 16 x 28	750 x 419 x 716	NNN_-EBA302816M	1,419
Specify left (L) or right (R). Specify the front finish (B, W, N) Specify the shelves finish (K, W).				


Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description.

2-TONE LAMINATE APPLICATION: SHADED AREA CORRESPONDS TO THE FIRST CODE TO BE SPECIFIED.

SECOND LAMINATE CODE WILL BE APPLIED TO THE REST OF THE PRODUCT.


	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
 Open bookcase hutches with sliding door High-Gloss Black (B) or High-Gloss White (W) front finish option: add \$242.	<i>Sliding door. Can accommodate a tackboard on back. 52" to 36" H (1289 to 907 mm): 4 adjustable shelves; 28" H (716 mm): 2 adjustable shelves.</i>			
	36 x 20 x 52	900 x 519 x 1289	NNNN -EB365220C	1,926
	36 x 20 x 44	900 x 519 x 1098	NNNN -EB364420C	1,863
	36 x 20 x 36	900 x 519 x 907	NNNN -EB363620C	1,798
	36 x 20 x 28	900 x 519 x 716	NNNN -EB362820C	1,640
	30 x 20 x 52	750 x 519 x 1289	NNNN -EB305220C	1,847
	30 x 20 x 44	750 x 519 x 1098	NNNN -EB304420C	1,786
	30 x 20 x 36	750 x 519 x 907	NNNN -EB303620C	1,732
	30 x 20 x 28	750 x 519 x 716	NNNN -EB302820C	1,585
	36 x 16 x 52	900 x 419 x 1289	NNNN -EB365216C	1,854
	36 x 16 x 44	900 x 419 x 1098	NNNN -EB364416C	1,798
	36 x 16 x 36	900 x 419 x 907	NNNN -EB363616C	1,738
	36 x 16 x 28	900 x 419 x 716	NNNN -EB362816C	1,585
	30 x 16 x 52	750 x 419 x 1289	NNNN -EB305216C	1,786
	30 x 16 x 44	750 x 419 x 1098	NNNN -EB304416C	1,732
	30 x 16 x 36	750 x 419 x 907	NNNN -EB303616C	1,676
	30 x 16 x 28	750 x 419 x 716	NNNN -EB302816C	1,538
Specify the front finish (B, W, N)				


 Hutches with open bookcase and sliding door – 44" H High-Gloss Black (B) or High-Gloss White (W) front finish option: add \$160.	<i>Open spaces on top: 13 3/4" H (348 mm). Sliding door. Height clearance: 12 3/4" (325 mm). Full-width wire access. Can accommodate a tackboard.</i>			
	72 x 16 x 44	1800 x 419 x 1098	NNNN -EN724416C	2,179
	66 x 16 x 44	1650 x 419 x 1098	NNNN -EN664416C	2,129
	60 x 16 x 44	1500 x 419 x 1098	NNNN -EN604416C	2,078
	54 x 16 x 44	1350 x 419 x 1098	NNNN -EN544416C	2,026
	Specify the front finish (B, W, N)			

 Hutches with open spaces and sliding door – 36" H High-Gloss Black (B) or High-Gloss White (W) front finish option: add \$160.	<i>Open spaces on top: 6" H (157 mm). Sliding door. Height clearance: 12 3/4" (325 mm). Full-width wire access. Can accommodate a tackboard.</i>			
	72 x 16 x 36	1800 x 419 x 907	NNNN -EN723616C	2,090
	66 x 16 x 36	1650 x 419 x 907	NNNN -EN663616C	2,048
	60 x 16 x 36	1500 x 419 x 907	NNNN -EN603616C	1,998
	54 x 16 x 36	1350 x 419 x 907	NNNN -EN543616C	1,949
	Specify the front finish (B, W, N)			


MEDIA PANELS


 Media panels for storage modules 21" H High-Gloss Black (B) or High-Gloss White (W) front finish option: add \$160.	<i>Openings on left and on right. Can accommodate a non-articulated flat screen support (sold separately). Grommets for wire management. Must be used with 21" H (561 mm) storage module. 1 tone only.</i>			
	<i>73" H (1837 mm): 2 fixed shelves; 65" to 57" H (1646 to 1455 mm): 1 fixed shelf.</i>			
	48 x 7 x 73	1200 x 185 x 1837	NNNNN-ETV487321	1,869
	42 x 7 x 73	1050 x 185 x 1837	NNNNN-ETV427321	1,792
	36 x 7 x 73	900 x 185 x 1837	NNNNN-ETV367321	1,711
	48 x 7 x 65	1200 x 185 x 1646	NNNNN-ETV486521	1,698
	42 x 7 x 65	1050 x 185 x 1646	NNNNN-ETV426521	1,627
	36 x 7 x 65	900 x 185 x 1646	NNNNN-ETV366521	1,555
	48 x 7 x 57	1200 x 185 x 1455	NNNNN-ETV485721	1,526
	42 x 7 x 57	1050 x 185 x 1455	NNNNN-ETV425721	1,462
	36 x 7 x 57	900 x 185 x 1455	NNNNN-ETV365721	1,396
	Specify the front finish (B, W, N)			


	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
 Media panels for storage modules 27" H High-Gloss Black (B) or High-Gloss White (W) front finish option: add \$160.	<i>Openings on left and on right. Can accommodate a non-articulated flat screen support (sold separately). Grommets for wire management. Must be used with 27" H (690 mm) storage module. 1 tone only.</i>			
	<i>71" H (1775 mm): 2 fixed shelves; 63" to 55" H (1584 to 1393 mm): 1 fixed shelf.</i>			
	48 x 7 x 71	1200 x 185 x 1775	NNNNN-ETV487127	1,863
	42 x 7 x 71	1050 x 185 x 1775	NNNNN-ETV427127	1,783
	36 x 7 x 71	900 x 185 x 1775	NNNNN-ETV367127	1,706
	48 x 7 x 63	1200 x 185 x 1584	NNNNN-ETV486327	1,683
	42 x 7 x 63	1050 x 185 x 1584	NNNNN-ETV426327	1,611
	36 x 7 x 63	900 x 185 x 1584	NNNNN-ETV366327	1,539
	48 x 7 x 55	1200 x 185 x 1393	NNNNN-ETV485527	1,504
	42 x 7 x 55	1050 x 185 x 1393	NNNNN-ETV425527	1,439
	36 x 7 x 55	900 x 185 x 1393	NNNNN-ETV365527	1,375
	Specify the front finish (B, W, N)			

 Media panels for desks and tables 29 1/2" H High-Gloss Black (B) or High-Gloss White (W) front finish option: add \$160.	<i>Openings on left and on right. Can accommodate a non-articulated flat screen support (sold separately). Grommets for wire management. Must be used with a 29 1/2" H (752 mm) desk or table. 1 tone only.</i>			
	<i>73" H (1837 mm): 2 fixed shelves; 65" to 57" H (1646 to 1455 mm): 1 fixed shelf.</i>			
	48 x 7 x 73	1200 x 185 x 1837	NNNNN-ETV487329	1,854
	42 x 7 x 73	1050 x 185 x 1837	NNNNN-ETV427329	1,775
	36 x 7 x 73	900 x 185 x 1837	NNNNN-ETV367329	1,706
	48 x 7 x 65	1200 x 185 x 1646	NNNNN-ETV486529	1,669
	42 x 7 x 65	1050 x 185 x 1646	NNNNN-ETV426529	1,597
	36 x 7 x 65	900 x 185 x 1646	NNNNN-ETV366529	1,531
	48 x 7 x 57	1200 x 185 x 1455	NNNNN-ETV485729	1,482
	42 x 7 x 57	1050 x 185 x 1455	NNNNN-ETV425729	1,419
	36 x 7 x 57	900 x 185 x 1455	NNNNN-ETV365729	1,360
	Specify the front finish (B, W, N)			

WALL-MOUNTED HUTCHES

 Wall-mounted hutches with lift-up door and open space on right High-Gloss Black (B) or High-Gloss White (W) front finish option: add \$160.	<i>Assisted lift-up door with soft close. Open space on right. Assembly hardware included for wall-mount installation.</i>			
	<i>72" W (1800 mm): 26" W (645 mm) open bookcase; 66" W (1650 mm): 22" W (545 mm) open bookcase; 60" W (1500 mm): 20" W (495 mm) open bookcase; 54" W (1350 mm): 18" W (445 mm) open bookcase.</i>			
	72 x 16 x 16	1800 x 419 x 400	NNN -EMV721616	1,546
	66 x 16 x 16	1650 x 419 x 400	NNN -EMV661616	1,518
	60 x 16 x 16	1500 x 419 x 400	NNN -EMV601616	1,475
	54 x 16 x 16	1350 x 419 x 400	NNN -EMV541616	1,445
	Specify the handle curve: double (D), left (L) or right (R).			
	Specify the front finish (B, W, N).			

 Wall-mounted hutches with lift-up door and open space on left High-Gloss Black (B) or High-Gloss White (W) front finish option: add \$160.	<i>Assisted lift-up door with soft close. Open space on left. Assembly hardware included for wall-mount installation.</i>			
	<i>72" W (1800 mm): 26" W (645 mm) open bookcase; 66" W (1650 mm): 22" W (545 mm) open bookcase; 60" W (1500 mm): 20" W (495 mm) open bookcase; 54" W (1350 mm): 18" W (445 mm) open bookcase.</i>			
	72 x 16 x 16	1800 x 419 x 400	NNN -EM721616V	1,546
	66 x 16 x 16	1650 x 419 x 400	NNN -EM661616V	1,518
	60 x 16 x 16	1500 x 419 x 400	NNN -EM601616V	1,475
	54 x 16 x 16	1350 x 419 x 400	NNN -EM541616V	1,445
	Specify the handle curve: double (D), left (L) or right (R).			
	Specify the front finish (B, W, N).			

 Wall-mounted hutches with sliding door High-Gloss Black (B) or High-Gloss White (W) front finish option: add \$160.	<i>Sliding door. Assembly hardware included for wall-mount installation. Can accommodate a tackboard.</i>			
	84 x 16 x 16	2100 x 419 x 400	NNNN -EM841616C	1,564
	78 x 16 x 16	1950 x 419 x 400	NNNN -EM781616C	1,530
	72 x 16 x 16	1800 x 419 x 400	NNNN -EM721616C	1,490
	66 x 16 x 16	1650 x 419 x 400	NNNN -EM661616C	1,459
	60 x 16 x 16	1500 x 419 x 400	NNNN -EM601616C	1,426
	54 x 16 x 16	1350 x 419 x 400	NNNN -EM541616C	1,384
	Specify the front finish (B, W, N).			

Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description.

2-TONE LAMINATE APPLICATION: SHADED AREA CORRESPONDS TO THE FIRST CODE TO BE SPECIFIED.

SECOND LAMINATE CODE WILL BE APPLIED TO THE REST OF THE PRODUCT.

CANADA – FEBRUARY 2024

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Wall-mounted hutches with doors				
<i>2 doors with soft close. Assembly hardware included for wall-mount installation. 52" to 36" H (1289 to 907 mm): 2 adjustable shelves; 28" H (716 mm): 1 adjustable shelf.</i>				
	36 x 16 x 52	900 x 419 x 1289	NNNN -EM365216P	1,786
	36 x 16 x 44	900 x 419 x 1098	NNNN -EM364416P	1,702
	36 x 16 x 36	900 x 419 x 907	NNNN -EM363616P	1,572
	36 x 16 x 28	900 x 419 x 716	NNNN -EM362816P	1,518
	30 x 16 x 52	750 x 419 x 1289	NNNN -EM305216P	1,725
	30 x 16 x 44	750 x 419 x 1098	NNNN -EM304416P	1,640
	30 x 16 x 36	750 x 419 x 907	NNNN -EM303616P	1,525
	30 x 16 x 28	750 x 419 x 716	NNNN -EM302816P	1,467
Specify the fronts finish (B, W, N).				

Wall-mounted hutches with door				
<i>1 door with soft close. Assembly hardware included for wall-mount installation. 52" to 36" H (1289 to 907 mm): 2 adjustable shelves; 28" H (716 mm): 1 adjustable shelf.</i>				
	24 x 16 x 52	600 x 419 x 1289	NNN -EM245216P	1,605
	24 x 16 x 44	600 x 419 x 1098	NNN -EM244416P	1,530
	24 x 16 x 36	600 x 419 x 907	NNN -EM243616P	1,419
	24 x 16 x 28	600 x 419 x 716	NNN -EM242816P	1,379
Specify the opening: left (L) or right (R). Specify the front finish (B, W, N).				

PEDESTALS

Hanging pedestal with drawers				
<i>1 box drawer and 1 file drawer with soft-close. Suspension bar. Pencil tray. Lock. Must be installed under a surface. Not compatible with 20" (500 mm) deep surfaces and height adjustable desks.</i>				
	16 x 18 x 20	409 x 448 x 489	NNN -161820F	1,138
	Specify the handle curve: double (D), left (L) or right (R). Specify the fronts finish (B, W, N).			

High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$81.

Mobile pedestal with drawers				
<i>1 box drawer and 1 file drawer with soft-close. Suspension bar. Pencil tray. Lock. Brakes on front casters. Can accommodate 1 cushion.</i>				
	16 x 18 x 20	390 x 450 x 530	NNN -MP161820F	1,395
	Specify the handle curve: double (D), left (L) or right (R). Specify the fronts finish (B, W, N).			

High-Gloss Black (B) or High-Gloss White (W) fronts finish option: add \$81.

ACCESSORIES

Modular modesty panels for short back surfaces				
<i>Use as a modesty panel under 6" H (150 mm) short-back surfaces. Not compatible with struts surfaces, return-surfaces and desks with height adjustable returns. 1 tone only.</i>				
	81 x 5/8 x 14	2019 x 16 x 350	NNNN -MOD1481	283
	75 x 5/8 x 14	1869 x 16 x 350	NNNN -MOD1475	276
	73 x 5/8 x 14	1819 x 16 x 350	NNNN -MOD1473	276
	69 x 5/8 x 14	1719 x 16 x 350	NNNN -MOD1469	265
	67 x 5/8 x 14	1669 x 16 x 350	NNNN -MOD1467	265
	63 x 5/8 x 14	1569 x 16 x 350	NNNN -MOD1463	256
	61 x 5/8 x 14	1519 x 16 x 350	NNNN -MOD1461	256
	57 x 5/8 x 14	1419 x 16 x 350	NNNN -MOD1457	250
	55 x 5/8 x 14	1369 x 16 x 350	NNNN -MOD1455	242
	51 x 5/8 x 14	1269 x 16 x 350	NNNN -MOD1451	242
	49 x 5/8 x 14	1219 x 16 x 350	NNNN -MOD1449	235
	45 x 5/8 x 14	1119 x 16 x 350	NNNN -MOD1445	235
	39 x 5/8 x 14	969 x 16 x 350	NNNN -MOD1439	228
	33 x 5/8 x 14	819 x 16 x 350	NNNN -MOD1433	217
	27 x 5/8 x 14	669 x 16 x 350	NNNN -MOD1427	217
Specify the modesty panel finish (B, W, N).				

High-Gloss Black (B) or High-Gloss White (W) front finish option: 27" to 51" W (669 to 1269 mm): add \$122; 55" to 67" W (1369 to 1669 mm): add \$160; 69" to 81" W (1719 to 2019 mm): add \$203.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Modular modesty panels for surfaces with struts				
<i>To be used as a modesty panel underneath surfaces with struts, return tables and electric desks with return. Not compatible with 6" H (150 mm) short-back surfaces. 1 tone only.</i>				
	69 x 5/8 x 14	1719 x 16 x 350	NNNN -MODS1469	283
	67 x 5/8 x 14	1669 x 16 x 350	NNNN -MODS1467	276
	63 x 5/8 x 14	1569 x 16 x 350	NNNN -MODS1463	276
	61 x 5/8 x 14	1519 x 16 x 350	NNNN -MODS1461	265
	57 x 5/8 x 14	1419 x 16 x 350	NNNN -MODS1457	265
	55 x 5/8 x 14	1369 x 16 x 350	NNNN -MODS1455	256
	51 x 5/8 x 14	1269 x 16 x 350	NNNN -MODS1451	256
	49 x 5/8 x 14	1219 x 16 x 350	NNNN -MODS1449	250
	45 x 5/8 x 14	1119 x 16 x 350	NNNN -MODS1445	242
	39 x 5/8 x 14	969 x 16 x 350	NNNN -MODS1439	242
	33 x 5/8 x 14	819 x 16 x 350	NNNN -MODS1433	235
	27 x 5/8 x 14	669 x 16 x 350	NNNN -MODS1427	235
Specify the modesty panel finish (B, W, N).				

Fabric privacy lateral screens				
<i>Fabric screen supported by metal clips. Height adjustable. Can be attached to a surface, desk or return. These prices are applicable for United Chair® Grade 1 and 2 fabrics. For other United Chair® grades add: Grade 3: 15%, Grade 4: 20%, Grade 5: 25%, Grade 6: 30%, Grade 8: 35%.</i>				
	48 x 3/4 x 30	1200 x 19 x 750	NNNNN-SCF3048	752
	42 x 3/4 x 30	1050 x 19 x 750	NNNNN-SCF3042	724
	36 x 3/4 x 30	900 x 19 x 750	NNNNN-SCF3036	701
	30 x 3/4 x 30	750 x 19 x 750	NNNNN-SCF3030	677
	48 x 3/4 x 24	1200 x 19 x 600	NNNNN-SCF2448	710
	42 x 3/4 x 24	1050 x 19 x 600	NNNNN-SCF2442	694
	36 x 3/4 x 24	900 x 19 x 600	NNNNN-SCF2436	669
	30 x 3/4 x 24	750 x 19 x 600	NNNNN-SCF2430	653
	24 x 3/4 x 24	600 x 19 x 600	NNNNN-SCF2424	629

Acrylic privacy lateral screens				
<i>Translucent screen supported by metal clips. Height adjustable. Can be attached to a surface, desk or return.</i>				
	48 x 1/4 x 30	1200 x 6 x 750	NNNNN-SCT3048	993
	42 x 1/4 x 30	1050 x 6 x 750	NNNNN-SCT3042	885
	36 x 1/4 x 30	900 x 6 x 750	NNNNN-SCT3036	779
	30 x 1/4 x 30	750 x 6 x 750	NNNNN-SCT3030	677
	48 x 1/4 x 24	1200 x 6 x 600	NNNNN-SCT2448	831
	42 x 1/4 x 24	1050 x 6 x 600	NNNNN-SCT2442	742
	36 x 1/4 x 24	900 x 6 x 600	NNNNN-SCT2436	661
	30 x 1/4 x 24	750 x 6 x 600	NNNNN-SCT2430	570
	24 x 1/4 x 24	600 x 6 x 600	NNNNN-SCT2424	490

Tackboards for hutches with sliding door				
<i>These prices are applicable for United Chair® Grade 1 and 2 fabrics. For other United Chair® grades add: Grade 3: 15%, Grade 4: 20%, Grade 5: 25%, Grade 6: 30%, Grade 8: 35%.</i>				
	70 x 1/2 x 12	1750 x 13 x 279	NNNNN-TK7012E	510
	64 x 1/2 x 12	1600 x 13 x 279	NNNNN-TK6412E	493
	58 x 1/2 x 12	1450 x 13 x 279	NNNNN-TK5812E	480
	52 x 1/2 x 12	1300 x 13 x 279	NNNNN-TK5212E	459

Tackboards for the back of bookcase hutches				
<i>These prices are applicable for United Chair® Grade 1 and 2 fabrics. For other United Chair® grades add: Grade 3: 15%, Grade 4: 20%, Grade 5: 25%, Grade 6: 30%, Grade 8: 35%.</i>				
	34 x 1/2 x 50	841 x 13 x 1232	NNNNN-TK3450	532
	34 x 1/2 x 42	841 x 13 x 1041	NNNNN-TK3442	517
	34 x 1/2 x 34	841 x 13 x 850	NNNNN-TK3434	498
	34 x 1/2 x 26	841 x 13 x 659	NNNNN-TK3426	484
	28 x 1/2 x 50	691 x 13 x 1232	NNNNN-TK2850	517
	28 x 1/2 x 42	691 x 13 x 1041	NNNNN-TK2842	498
	28 x 1/2 x 34	691 x 13 x 850	NNNNN-TK2834	484
	28 x 1/2 x 26	691 x 13 x 659	NNNNN-TK2826	469
	22 x 1/2 x 50	541 x 13 x 1232	NNNNN-TK2250	498
	22 x 1/2 x 42	541 x 13 x 1041	NNNNN-TK2242	484
	22 x 1/2 x 34	541 x 13 x 850	NNNNN-TK2234	469
	22 x 1/2 x 26	541 x 13 x 659	NNNNN-TK2226	451
	18 x 1/2 x 50	441 x 13 x 1232	NNNNN-TK1850	484
	18 x 1/2 x 42	441 x 13 x 1041	NNNNN-TK1842	469
	18 x 1/2 x 34	441 x 13 x 850	NNNNN-TK1834	451
	18 x 1/2 x 26	441 x 13 x 659	NNNNN-TK1826	437
	14 x 1/2 x 50	341 x 13 x 1232	NNNNN-TK1450	469
	14 x 1/2 x 42	341 x 13 x 1041	NNNNN-TK1442	451
	14 x 1/2 x 34	341 x 13 x 850	NNNNN-TK1434	437
	14 x 1/2 x 26	341 x 13 x 659	NNNNN-TK1426	417

Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description. For laminate items only. Not applicable on fabric items or accessories.

— ASSEMBLY REQUIRED 2-TONE LAMINATE APPLICATION: SHADED AREA CORRESPONDS TO THE FIRST CODE TO BE SPECIFIED.

CANADA — FEBRUARY 2024

SECOND LAMINATE CODE WILL BE APPLIED TO THE REST OF THE PRODUCT.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)
Cushions	1 3/8" (35 mm) thick cushion. Installs on low storage modules and benches with Velcro. These prices are applicable for United Chair® Grade 1 and 2 fabrics. For other United Chair® grades add: Grade 3: 15%, Grade 4: 20%, Grade 5: 25%, Grade 6: 30%, Grade 7: 35%.			
	<i>For storage modules</i>			
	48 x 36 x 1 3/8	1200 x 900 x 35	NNNNN-CU3648	885
	42 x 36 x 1 3/8	1250 x 900 x 35	NNNNN-CU3642	824
	36 x 36 x 1 3/8	900 x 900 x 35	NNNNN-CU3636	766
	30 x 36 x 1 3/8	750 x 900 x 35	NNNNN-CU3630	710
	24 x 36 x 1 3/8	600 x 900 x 35	NNNNN-CU3624	645
	16 x 36 x 1 3/8	400 x 900 x 35	NNNNN-CU3616	581
	48 x 30 x 1 3/8	1200 x 750 x 35	NNNNN-CU3048	805
	42 x 30 x 1 3/8	1250 x 750 x 35	NNNNN-CU3042	766
	36 x 30 x 1 3/8	900 x 750 x 35	NNNNN-CU3036	724
	30 x 30 x 1 3/8	750 x 750 x 35	NNNNN-CU3030	666
	24 x 30 x 1 3/8	600 x 750 x 35	NNNNN-CU3024	605
	16 x 30 x 1 3/8	400 x 750 x 35	NNNNN-CU3016	544
	48 x 24 x 1 3/8	1200 x 600 x 35	NNNNN-CU2448	724
	42 x 24 x 1 3/8	1250 x 600 x 35	NNNNN-CU2442	687
	36 x 24 x 1 3/8	900 x 600 x 35	NNNNN-CU2436	645
	30 x 24 x 1 3/8	750 x 600 x 35	NNNNN-CU2430	587
	24 x 24 x 1 3/8	600 x 600 x 35	NNNNN-CU2424	525
	16 x 24 x 1 3/8	400 x 600 x 35	NNNNN-CU2416	459
	48 x 20 x 1 3/8	1200 x 500 x 35	NNNNN-CU2048	686
	42 x 20 x 1 3/8	1250 x 500 x 35	NNNNN-CU2042	622
	36 x 20 x 1 3/8	900 x 500 x 35	NNNNN-CU2036	563
	30 x 20 x 1 3/8	750 x 500 x 35	NNNNN-CU2030	501
	24 x 20 x 1 3/8	600 x 500 x 35	NNNNN-CU2024	444
	16 x 20 x 1 3/8	400 x 500 x 35	NNNNN-CU2016	386
	<i>For benches</i>			
	48 x 18 x 1 3/8	1200 x 450 x 35	NNNNN-CU1848	666
	42 x 18 x 1 3/8	1050 x 450 x 35	NNNNN-CU1842	603
	36 x 18 x 1 3/8	900 x 450 x 35	NNNNN-CU1836	544
	32 x 18 x 1 3/8	800 x 450 x 35	NNNNN-CU1832	525
	30 x 18 x 1 3/8	750 x 450 x 35	NNNNN-CU1830	506
	28 x 18 x 1 3/8	700 x 450 x 35	NNNNN-CU1828	484
	26 x 18 x 1 3/8	650 x 450 x 35	NNNNN-CU1826	463
	24 x 18 x 1 3/8	600 x 450 x 35	NNNNN-CU1824	446
	22 x 18 x 1 3/8	550 x 450 x 35	NNNNN-CU1822	425
	20 x 18 x 1 3/8	500 x 450 x 35	NNNNN-CU1820	405
	18 x 18 x 1 3/8	450 x 450 x 35	NNNNN-CU1818	385
	16 x 18 x 1 3/8	400 x 450 x 35	NNNNN-CU1816	366
	<i>For pedestal</i>			
	15 x 18 x 1 3/8	388 x 430 x 35	NNNNN-CU1518	359
Grommets	<i>Metal grommet. Satin chrome finish.</i>			
	LGC-MGRQ25			81
	LGC-MGRQ38			81
Wireless charger	Compatible with any Qi rated devices and smartphones. Black tempered glass surface and stainless steel frame. 78" (1981 mm) cord included. The transformer is UL and CUL certified. Field installation, 3 1/8" H (79 mm).			
	3 1/2 x 3 1/2 x 1	88 x 88 x 25	LGC-CHARGE	705

Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description. For laminate items only. Not applicable on fabric items or accessories.

LACASSE

Office Furniture Solutions



CO.LOK > Price Book > Canada > July 2023



**Canadian Federal Government
Supply Arrangement (SA)
E60PQ-140003/033/PQ
Furniture for Work Spaces**

TABLE OF CONTENTS

CO.LOK	2	PRICE LIST	6-15
LACASSE QUICKSHIP PROGRAM	2	FURNITURE WITHOUT LEGS	6-9
SPECIALS	2	WARDROBES WITH DOORS	6
SPECIFICATIONS	3-5	LOCKERS WITH DOORS	7
GENERAL SPECIFICATIONS	3	WARDROBES WITH L-SHAPED DOORS	7
WARDROBE AND LOCKERS	3	LOCKERS WITH DOORS AND STORAGE SPACE	8
COMPLEMENTARY FURNITURE	3	LOCKER/WARDROBE COMBO WITH DOORS	8
LOCKS AND HANDLES PROGRAM	4	COMPLEMENTARY FURNITURE	9
FINISHING TRIMS	4	FURNITURE WITH LEGS	10-13
SURFACES	4	WARDROBES WITH DOORS	10
FURNITURE WITH LEGS	4	LOCKERS WITH DOORS	11
ACCESSORIES	5	WARDROBES WITH L-SHAPED DOORS	11
TWO-TONE APPLICATION	5	LOCKERS WITH DOORS AND STORAGE SPACE	12
SPECIFICATION OF OPTIONS AND FINISHES	5	LOCKER/WARDROBE COMBO WITH DOORS	12
		COMPLEMENTARY FURNITURE	13
		OTHER	14-15
		FINISHING TRIMS FOR WARDROBES AND LOCKERS	14
		SURFACES FOR WARDROBES AND LOCKERS	14
		ACCESSORIES	15



Co.Lok is certified LEVEL® 2. LEVEL is an evaluation and certification system for environmentally-preferable and socially-responsible office furniture. For more information visit, www.levelcertified.org.



Lacasse products have achieved GREENGUARD GOLD Certification.

GREENGUARD Certified products are certified to GREENGUARD standards for low chemical emissions into indoor air during product usage. For more information, visit ul.com/gg.

CO.LOK

Elegant, functional and flexible, Co.Lok answers today's storage needs while upgrading any workspace.

All lockers can be used 360 degrees with the addition of a finishing back panel. The different available heights allow a complete customization of needs, whether it is for a use against a wall, in the center of a room to divide workspaces or in a dedicated room.

Different choices of locks and legs are available as options.

LACASSE QUICKSHIP PROGRAM*

Products and suggested layouts identified by this pictogram are part of the Lacasse quick delivery program.



* Due to current market conditions, always refer to our Lead-Time Guide for a confirmation of our current Lacasse QuickShip lead-times.

PROGRAM CONDITIONS AND LIMITATIONS:

- Maximum of 35 of each selected item and of each color per order.
- QuickShip products are ready for shipment **after reception of a ready-to-process order and delivered on next available trailer.**
- High-pressure laminate (HPL) finishes are not part of the QuickShip Program.
- Each time an electrical/communication module option is specified for a product that is part of the QuickShip Program, the module option is also part of the program, with the exception of table centers (CPC, CP2, CPP).

IMPORTANT:

Place QuickShip orders separately from regular orders.

When preparing your QuickShip orders, indicate the code "QS" before the product code or the suggested layout code. (Ex.: QSR1VVK-183672LDNR3.)

AVAILABLE OPTIONS AND LAMINATE FINISHES:

Make sure to complete your QuickShip product codes with the option and finish codes that are part of the QuickShip Program. Consult the list of finishes available on QuickShip at www.groupe-lacasse.com.

SPECIALS

The Co.Lok collection includes a 2-tone application by specifying the laminate finish of the frame first, then the doors. It is possible to make a special request for a storage unit with the color of your choice or a different application of the finishes on the doors. A storage unit can also be made according to special dimensions (W x H x D).

For any special request, please contact special@groupe-lacasse.com or our Customer Service.

IMPORTANT: Certain conditions, dimensional limitations and development fees may apply.

SPECIFICATIONS

GENERAL SPECIFICATIONS

General Information

- The Co.Lok storage collection is GREENGUARD® GOLD certified.
- High-performance particleboard panels made from recycled materials. Consult our website for more information.
- Delivered assembled and ready to use.
- Exact dimensions are used throughout the Co.Lok collection and can vary from other Groupe Lacasse collections.

Design


- The neat design and constant horizontal lines of Co.Lok ensure a uniform appearance between the different storage units.
- The non-overlapping frame finish allows storage units to be installed side-by-side without creating unwanted gaps. Pre-drilled locations are provided on the interior sides in case the lockers or wardrobes lockers have to be combined/screwed together side-by-side or back-to-back (screws and screw covers included).
- Additional units (12") are installed on the side of a locker or wardrobe locker to complete a row and can also add a color accent while giving rhythm to the layouts.
- The lateral wardrobe is installed on the side of a locker or a wardrobe to complete a row.
- Spacers of 1/8" (3 mm) at the top allow the addition of accessories: hooks, side shelving (from the Stad collection).

Characteristics

- Exterior panels and adjustable shelves are 1" (25 mm) thick.
- Doors and back are 5/8" (16 mm) thick.
- Smooth FUZE (laser) edgeband matching the specified finish.
- Metal-to-metal assembly ensures the integrity of the product, allows the replacement of damaged parts during use or rearrangements, in addition to facilitating the dismantling of the product at the end of its useful life.
- Doors with soft-close hinges that allow a 110° opening.
- Hooks factory installed. Quantity and type depending on storage space.
- Every unit has 4 levelers, allowing a height adjustment up to 1 1/4" (31 mm), making an installation on uneven floors easy.
- Freestanding furniture includes 4 legs factory installed. Anti-tipping strap included.
- Additional furniture on legs have 2 reversible legs factory installed on the left side of the product. Anti-tipping strap included.

WARDROBES AND LOCKERS

Wardrobes and lockers have spaces that meet different storage needs:



**Wardrobes
1 level**

- 72" H
78" H with legs
- 1 adjustable shelf
 - 1 vertical double hook

- 54" H, 36" H / 60" H,
42" H with legs
- 1 vertical double hook



**Wardrobes
2 levels**

- 72" H
78" H with legs
- 1 vertical double hook

- 36" H / 42" H
with legs
- No hook




**Wardrobes
3 levels**

- 72" H, 54" H
78" H, 60" H with legs
- 1 horizontal double hook



**Wardrobes
4 levels**

- 72" H
78" H with legs
- No hook



**Wardrobes with
L-shaped doors**

- 72" H
78" H with legs
- Small fixed shelf
 - 1 vertical double hook




**Lockers 3 levels with
bottom storage space**

- 72" H
78" H with legs
- 1 horizontal double hook per compartment with door
 - Open bottom section with fixed shelf



**Lockers 3 levels with
upper storage space**

- 54" H
60" H with legs
- Upper section open



**Locker/wardrobe
Combo 2 levels**


- 54" H
60" H with legs
- 1 horizontal double hook in the bottom section

COMPLEMENTARY FURNITURE




**Additional locker
with storage space**

- 72" H
78" H with legs
- 3 adjustable shelves



**Service unit with trash
and recycling bins**

- 54" H
60" H with legs
- 1 adjustable shelf on the door side
 - 1 trash bin
 - 1 recycling bin
 - Identification labels for trash and recycling



**Open lateral
wardrobe**

- 54" H
60" H with legs
- 1 fixed shelf
 - 1 anodized aluminum pole



**Storage
bins**

- 36" H, 18" H
42" H, 24" H with legs
- Not intended to be in contact with water, soil or sand
 - Adjustable bottom shelf
 - Assembly required

SPECIFICATIONS

LOCKS AND HANDLES PROGRAM

Contemporary handle

- Cast aluminum pull with finish in Black, Silver or White.

Contemporary handle with standard key lock

- The finish of the lock matches with the color of the handle (except for the White finish handle).
- The barrel of each key lock is factory installed and key numbers are randomly assigned for each storage unit.

Essential electronic lock

- Housing with a Black finish touch keyboard.
- Factory installed.
- The battery compartment is located in the front part of the lock so changing the batteries can be done without unlocking or opening the door.
- Powered by a lithium coin cell (CR2450).
- Visual and audible indicators.

Select electronic lock with integrated handle

- Housing, activation button with integrated metal handle. Black finish.
- Factory installed. Can be oriented left or right depending on the position of the hinges.
- The battery compartment is located in the front part of the lock.
- Powered by two lithium button cells (CR2432).
- Visual indicators.
- The Select electronic lock is delivered with the default factory setting. To assign or change the configuration, the programming and manager keys are necessary. Please refer to the lock's user guide. Keys are sold separately in the *ACCESSORIES* section.
- Programming key. Allows the change of mode (assigned and shared) and to program the locks to accept manager keys.

- Master key sold separately. Contact Customer Service for more information.

- An electronic lock cannot be retrofitted to a unit with a key lock.

- The Essential electronic lock is programmed by default with the shared use function. The user chooses an available storage unit and accesses it using a 4 to 15 digit code. Once the storage unit vacated, it becomes available for another user.
- With the keyboard, it is possible to program the lock for an assigned use.
- The Manager Key (necessary) gives access to a storage unit in case its user is unable to access it. The key can also serve in case of battery failure. Sold separately and available in the *ACCESSORIES* section.
- Please note that the Essential lock is not part of the BIFMA Compliant® registry.


- Manager key. Gives access to a storage unit in case its user is unable to access it. The key can also work in case of battery failure. The programming of locks to accept manager keys is done with the programming key.
- When the Select electronic lock is programmed with the shared use function, the user chooses an available storage unit and accesses it using a 4 to 7 digit code. Once the storage unit is released, it becomes available to another user.
- It is possible to program the lock for an assigned use, allowing up to 20 codes used simultaneously. A programming key is necessary for this change.
- Keys sold separately and available in the *ACCESSORIES* section.

FINISHING TRIMS

Finishing panels (back)

- The addition of finishing panels allows the lockers to be used 360 degrees and provides a finished aesthetic when the back of wardrobes or lockers are visible (i.e.: used in a hallway or to delimit workspaces).
- Allows the addition of an accent color if desired.

- Available in a HPL whiteboard for dry-erase markers.
- Ordered separately and installed onsite.
- Hardware included (mechanical fastened).



W – Whiteboard

SURFACES

- Allows the addition of an accent color and creates a continuous shared surface for wardrobes and lockers side-to-side or back-to-back.

- Surface 1" (25 mm) thick. Double-sided tape included.

FURNITURE WITH LEGS

- The Co.Lok furniture is also offered with 6" H (152 mm) metal or wooden legs. Factory installed.
- An anti-tipping stap is provided to secure the back or the sides of lockers or wardrobes to a wall.

- Below a 36" wide configuration, wardrobe lockers or lockers must be secured to the wall with a strap or be combined to another storage unit.

ACCESSORIES

Additional hooks

- Vertical or horizontal, molded metal in a Black (K) or Chrome (S) finish.
- STAD hooks in a Black (K), White (W) or Silver (S) metal finish: to install on the exterior of the side or on the back of a locker or wardrobe.

Locker bottoms

- Black molded polymer, 100% recyclable.
- Durable and easy maintenance.


Storage pouches

- To store small belongings (keys, wallet, glasses, etc.). To install inside a locker or wardrobe with screws (included).
- Opens upwards. Vinyl and fabric in soft black mesh.
- Durable and easy maintenance.

TWO-TONE APPLICATION

Two-tone laminate application:

Shaded area corresponds to the first code to be specified and will be applied to the frame. Second laminate code will be applied to front doors.




SPECIFICATION OF OPTIONS AND FINISHES

CODIFICATION

Series	Options Choice of handle/lock	Dash	Product Code	Options Choice of legs
R1	NCK Black Contemporary handle	—		HS Straight Silver metal
	NCS Silver Contemporary handle			MK Black STAD metal
	NCW White Contemporary handle			MS Silver STAD metal
	YCK Black Contemporary handle with key lock			MW White STAD metal
	YCS Silver Contemporary handle with key lock			BW20 Wild Cherry STAD wood
	YCW White Contemporary handle with Silver key lock			BW21 Terra Cherry STAD wood
	ENK Essential electronic lock			
	VNK Select electronic lock with integrated handle			


- 1) Choose your wardrobe or locker according to the height, width and levels needed.
- 2) Specify the option of lock, handle and finish in the allowed space at the beginning of the code.
- 3) For the furniture with legs, please refer to the *FURNITURE WITH LEGS* section.
- 4) Specify the laminate finish of the frame (shaded area) and the doors (white zone) at the end of the code.
- 5) Think of adding a manager key and/or programation key according to your lock choice (*ACCESSORIES* section).

Examples of codification:



Freestanding wardrobe locker
1 level, 3 doors, 54" H, with hinges
on right and Select electronic locks,
without legs.

Code: R1V NK -183654LDNR3




Freestanding wardrobe locker
with L-shaped doors, 78" H, with
Contemporary handles in White
finish, key lock, with STAD metal legs
in White finish.

Code: R1YCW -183678LDLB4MW

FURNITURE WITHOUT LEGS

WARDROBES WITH DOORS

Freestanding wardrobes – 1 level




72" H Double 72" H, 54" H and 36" H Triple

72" H: Fixed shelf at the top, 1 vertical double hook per compartment. 54" H and 36" H: 1 vertical double hook per compartment.

	W x D x H (in)	W x D x H (mm)	Code			Handles (\$)	Handles and key locks (\$)	Electronic Locks Essential (\$)	Electronic Locks Select (\$)
<i>Double</i>				<i>Hinges on left</i>	<i>Hinges on right</i>				
72" H	24 x 18 x 72	610 x 457 x 1810	R1___-182472LDNL2	R1___-182472LDNR2		2,112	2,166	2,301	2,578
<i>Triple</i>									
72" H	36 x 18 x 72	914 x 457 x 1810	R1___-183672LDNL3	R1___-183672LDNR3		2,494	2,575	2,776	3,192
54" H	36 x 18 x 54	914 x 457 x 1362	R1___-183654LDNL3	R1___-183654LDNR3		2,324	2,405	2,606	3,022
36" H	36 x 18 x 36	914 x 457 x 914	R1___-183636LDNL3	R1___-183636LDNR3		1,941	2,022	2,224	2,640

Specify handles only (NCK, NCS, NCW), handles with key lock (YCK, YCS, YCW) or electronic locks (ENK, VNK).

Additional wardrobe – 1 level




72" H Single

Must be secured to a locker or a wardrobe at least 24" (610 mm) wide and of equal height or less. Fixed shelf at the top, 1 vertical double hook.

	W x D x H (in)	W x D x H (mm)	Code			Handles (\$)	Handles and key locks (\$)	Electronic Locks Essential (\$)	Electronic Locks Select (\$)
<i>Single</i>				<i>Hinges on left</i>	<i>Hinges on right</i>				
72" H	12 x 18 x 72	310 x 457 x 1810	R1___-181272LDNL1	R1___-181272LDNR1		1,556	1,583	1,650	1,789

Specify handles only (NCK, NCS, NCW), handles with key lock (YCK, YCS, YCW) or electronic locks (ENK, VNK).

Freestanding wardrobes – 2 levels




72" H Double 72" H, 54" H and 36" H Triple

72" H: 1 vertical double hook per compartment.

	W x D x H (in)	W x D x H (mm)	Code			Handles (\$)	Handles and key locks (\$)	Electronic Locks Essential (\$)	Electronic Locks Select (\$)
<i>Double</i>				<i>Hinges on left</i>	<i>Hinges on right</i>				
72" H	24 x 18 x 72	610 x 457 x 1810	R1___-182472LDNL4	R1___-182472LDNR4		2,306	2,414	2,683	3,237
<i>Triple</i>									
72" H	36 x 18 x 72	914 x 457 x 1810	R1___-183672LDNL6	R1___-183672LDNR6		2,766	2,929	3,331	4,163
36" H	36 x 18 x 36	914 x 457 x 914	R1___-183636CDNL6	R1___-183636CDNR6		2,155	2,317	2,720	3,551

Specify handles only (NCK, NCS, NCW), handles with key lock (YCK, YCS, YCW) or electronic locks (ENK, VNK).

Additional wardrobe – 2 levels



72" H Single


Must be secured to a locker or a wardrobe at least 24" (610 mm) wide and of equal height or less. 72" H: 1 vertical double hook per compartment.

	W x D x H (in)	W x D x H (mm)	Code			Handles (\$)	Handles and key locks (\$)	Electronic Locks Essential (\$)	Electronic Locks Select (\$)
<i>Single</i>				<i>Hinges on left</i>	<i>Hinges on right</i>				
72" H	12 x 18 x 72	310 x 457 x 1810	R1___-181272LDNL2	R1___-181272LDNR2		1,655	1,709	1,843	2,120



Specify handles only (NCK, NCS, NCW), handles with key lock (YCK, YCS, YCW) or electronic locks (ENK, VNK).

Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description.


CONTEMPORARY HANDLE

NCK
BlackNCS
SilverNCW
White


CONTEMPORARY HANDLE WITH KEY LOCK

YCK
BlackYCS
SilverYCW
White
Silver

ELECTRONIC LOCKS - need key(s) to operate. See p. 15

ENK
Essential
BlackVNK
Select with integrated handle
Black

Handles (\$)	Handles and key locks (\$)	Electronic Locks	
		Essential (\$)	Select (\$)


LOCKERS WITH DOORS**Freestanding lockers – 3 levels**

72" H Double 72" H and 54" H Triple

72" H: 1 horizontal double hook per compartment.

Double		Hinges on left		Hinges on right			
72" H	24 x 18 x 72	610 x 457 x 1810	R1 ____ -182472CDNL6	R1 ____ -182472CDNR6		2,526	2,688
Triple							
72" H	36 x 18 x 72	914 x 457 x 1810	R1 ____ -183672CDNL9	R1 ____ -183672CDNR9		3,123	3,366
54" H	36 x 18 x 54	914 x 457 x 1362	R1 ____ -183654CDNL9	R1 ____ -183654CDNR9		2,758	3,002

Specify handles only (NCK, NCS, NCW), handles with key lock (YCK, YCS, YCW) or electronic locks (ENK, VNK).


Additional locker – 3 levels

72" H Single

Must be secured to a locker or a wardrobe at least 24" (610 mm) wide and of equal height or less. 72" H: 1 horizontal double hook per compartment.

Single		Hinges on left		Hinges on right			
72" H	12 x 18 x 72	310 x 457 x 1810	R1 ____ -181272CDNL3	R1 ____ -181272CDNR3		1,876	1,957


Specify handles only (NCK, NCS, NCW), handles with key lock (YCK, YCS, YCW) or electronic locks (ENK, VNK).

Freestanding lockers – 4 levels

72" H Double 72" H Triple

Double		Hinges on left		Hinges on right			
72" H	24 x 18 x 72	610 x 457 x 1810	R1 ____ -182472CDNL8	R1 ____ -182472CDNR8		2,633	2,849
Triple							
72" H	36 x 18 x 72	914 x 457 x 1810	R1 ____ -183672CDNLD	R1 ____ -183672CDNRD		3,463	3,787

Specify handles only (NCK, NCS, NCW), handles with key lock (YCK, YCS, YCW) or electronic locks (ENK, VNK).


Additional locker – 4 levels

72" H Single

Must be secured to a locker or a wardrobe at least 24" (610 mm) wide and of equal height or less.

Single		Hinges on left		Hinges on right			
72" H	12 x 18 x 72	310 x 457 x 1810	R1 ____ -181272CDNL4	R1 ____ -181272CDNR4		1,894	2,002

Specify handles only (NCK, NCS, NCW), handles with key lock (YCK, YCS, YCW) or electronic locks (ENK, VNK).

WARDROBE WITH L-SHAPED DOORS**Freestanding wardrobe – L-shaped doors**

72" H Single

Small fixed shelf and 1 vertical double hook per compartment. Can receive 1 big molded tray (LGC-LPT1815Q1 sold separately) for bottom compartments only.

Double in L (4 compartments)							
72" H	36 x 18 x 72	914 x 457 x 1810	R1 ____ -183672LDLB4			3,295	3,404

Specify handles only (NCK, NCS, NCW), handles with key lock (YCK, YCS, YCW) or electronic locks (ENK, VNK).

Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description.


W x D x H (in) W x D x H (mm) Code

Handles (\$)	Handles and key locks (\$)	Electronic Locks	
		Essential (\$)	Select (\$)

LOCKERS WITH DOORS AND STORAGE SPACE

Freestanding lockers with doors and lower storage space – 3 levels

1 horizontal double hook per compartment with door, open bottom section with fixed shelf.




72" H Double 72" H Triple

Double	Hinges on left		Hinges on right					
72" H	24 x 18 x 72	610 x 457 x 1810	R1___-182472CE3L4	R1___-182472CE3R4		2,303	2,411	2,680 3,234
Triple								
72" H	36 x 18 x 72	914 x 457 x 1810	R1___-183672CE3L6	R1___-183672CE3R6		2,958	3,120	3,523 4,354

Specify handles only (NCK, NCS, NCW), handles with key lock (YCK, YCS, YCW) or electronic locks (ENK, VNK).

Additional locker with doors and lower storage space – 3 levels

Must be secured to a locker or a wardrobe at least 24" (610 mm) wide and of equal height or less.
1 horizontal double hook per compartment with door, open bottom section with fixed shelf.

72" H Single


Single	Hinges on left		Hinges on right					
72" H	12 x 18 x 72	310 x 457 x 1810	R1___-181272CE3L2	R1___-181272CE3R2		1,696	1,750	1,884 2,161

Specify handles only (NCK, NCS, NCW), handles with key lock (YCK, YCS, YCW) or electronic locks (ENK, VNK).

Freestanding locker with doors and upper storage space – 3 levels

Triple	Hinges on left		Hinges on right					
54" H	36 x 18 x 54	914 x 457 x 1362	R1___-183654CE1L6	R1___-183654CE1R6		2,469	2,631	3,034 3,866

Specify handles only (NCK, NCS, NCW), handles with key lock (YCK, YCS, YCW) or electronic locks (ENK, VNK).




54" H Triple

LOCKER/WARDROBE COMBO WITH DOORS

Freestanding locker/wardrobe – 2 levels

1 horizontal double hook per compartment in the bottom section.



54" H Triple

Triple	Hinges on left		Hinges on right					
54" H	36 x 18 x 54	914 x 457 x 1362	R1___-183654CLDL6	R1___-183654CLDR6		2,599	2,762	3,164 3,996

Specify handles only (NCK, NCS, NCW), handles with key lock (YCK, YCS, YCW) or electronic locks (ENK, VNK).

Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description.

CONTEMPORARY HANDLE







CONTEMPORARY HANDLE WITH KEY LOCK



ELECTRONIC LOCKS - need key(s) to operate. See p. 15




	W x D x H (in)	W x D x H (mm)	Code	Price (\$)
COMPLEMENTARY FURNITURE				
Additional locker with storage space – 3 or 4 levels				
	<i>Must be secured to a locker or a wardrobe at least 24" (610 mm) wide and of equal height or less. 3 adjustable shelves for alignment with lockers of 2, 3 and 4 levels. 1 tone only.</i>			
	<i>Single</i>			
	72" H	12 x 18 x 72	310 x 457 x 1810 R1NNN-181272CEN	1,557
Service unit with trash and recycling bins				
	<i>Drawers on slides give access to 1 trash bin and 1 recycling bin. Identification labels for trash and recycle, adjustable shelf on door side.</i>			
			Bins to the left	Bins to the right
	36" H	36 x 18 x 36	914 x 457 x 914 R1__-183636SRTL1	R1__-183636SRTL1 2,444
<i>Specify choice of handles (NCK, NCS, NCW).</i>				
Open lateral wardrobe				
	<i>To be installed beside of a locker or a wardrobe. Reversible (left side or right side open). Must be secured to a locker or a wardrobe at least 24" (610 mm) wide and of equal height or less. 1 fixed shelf and 1 anodized aluminum pole. Can receive 1 big molded tray (LGC-LPT1815Q1 sold separately). 1 tone only.</i>			
	72" H	21 x 18 x 72	533 x 438 x 1810 R1NNN-211872WEN	1,383
Storage bins				
	<i>Adjustable bottom for freestanding bins. Not intended to be in contact with water, soil or sand. 1 tone only.</i>			
	<i>Freestanding bins</i>			
	36" H	36 x 18 x 36	914 x 438 x 914 RNNNN-183636PLA	939
	18" H	36 x 18 x 18	914 x 438 x 457 RNNNN-183618PLA	839
<i>Surface storage bins (without levelers)</i>				
	10" H	35 1/2 x 9 x 10	900 x 226 x 254 RNNNN-093610PLA	573

Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description.

FURNITURE WITH LEGS

WARDROBES WITH LEGS AND DOORS

Freestanding wardrobes – 1 level




78" H Double 78" H, 60" H and 42" H Triple

78" H: Fixed shelf at the top, 1 vertical double hook per compartment. 60" H and 42" H: 1 vertical double hook per compartment.

	W x D x H (in)	W x D x H (mm)	Code	Handles (\$)	Handles and key locks (\$)	Electronic Locks Essential (\$)	Electronic Locks Select (\$)
Double							
			Hinges on left	Hinges on right			
78" H	24 x 18 x 78	610 x 457 x 1962	R1 ____ -182478LDNL2 ____	R1 ____ -182478LDNR2 ____	2,442	2,496	2,631 2,908
Triple							
78" H	36 x 18 x 78	914 x 457 x 1962	R1 ____ -183678LDNL3 ____	R1 ____ -183678LDNR3 ____	2,824	2,905	3,106 3,522
60" H	36 x 18 x 60	914 x 457 x 1514	R1 ____ -183660LDNL3 ____	R1 ____ -183660LDNR3 ____	2,654	2,735	2,936 3,352
42" H	36 x 18 x 42	914 x 457 x 1066	R1 ____ -183642LDNL3 ____	R1 ____ -183642LDNR3 ____	2,271	2,352	2,554 2,970

Specify handles only (NCK, NCS, NCW), handles with key lock (YCK, YCS, YCW) or electronic locks (ENK, VNK). Specify the choice of legs at the end of the code: metal straight (HS), STAD metal (MK, MS, MW) or STAD wood + 350\$ (BW20, BW21).

Additional wardrobe – 1 level




78" H Single

Must be secured to a locker or a wardrobe at least 24" (610 mm) wide and of equal height or less. Fixed shelf at the top, 1 vertical double hook per compartment. 2 reversible legs factory installed on the left side of the product.

	W x D x H (in)	W x D x H (mm)	Code	Handles (\$)	Handles and key locks (\$)	Electronic Locks Essential (\$)	Electronic Locks Select (\$)
Single							
			Hinges on left	Hinges on right			
78" H	12 x 18 x 78	310 x 457 x 1962	R1 ____ -181278LDNL1 ____	R1 ____ -181278LDNR1 ____	1,769	1,796	1,863 2,002

Specify handles only (NCK, NCS, NCW), handles with key lock (YCK, YCS, YCW) or electronic locks (ENK, VNK). Specify the choice of legs at the end of the code: metal straight (HS), STAD metal (MK, MS, MW) or STAD wood + 310\$ (BW20, BW21).

Freestanding wardrobes – 2 levels




78" H Double 78" H and 42" H Triple

78" H: 1 vertical double hook per compartment.

	W x D x H (in)	W x D x H (mm)	Code	Handles (\$)	Handles and key locks (\$)	Electronic Locks Essential (\$)	Electronic Locks Select (\$)
Double							
			Hinges on left	Hinges on right			
78" H	24 x 18 x 78	610 x 457 x 1962	R1 ____ -182478LDNL4 ____	R1 ____ -182478LDNR4 ____	2,636	2,744	3,013 3,567
Triple							
78" H	36 x 18 x 78	914 x 457 x 1962	R1 ____ -183678LDNL6 ____	R1 ____ -183678LDNR6 ____	3,096	3,259	3,661 4,493
42" H	36 x 18 x 42	914 x 457 x 1066	R1 ____ -183642CDNL6 ____	R1 ____ -183642CDNR6 ____	2,485	2,647	3,050 3,881

Specify handles only (NCK, NCS, NCW), handles with key lock (YCK, YCS, YCW) or electronic locks (ENK, VNK). Specify the choice of legs at the end of the code: metal straight (HS), STAD metal (MK, MS, MW) or STAD wood + 350\$ (BW20, BW21).

Additional wardrobe – 2 levels



78" H Single


Must be secured to a locker or a wardrobe at least 24" (610 mm) wide and of equal height or less. 1 vertical double hook per compartment. 2 reversible legs factory installed on the left side.

	W x D x H (in)	W x D x H (mm)	Code	Handles (\$)	Handles and key locks (\$)	Electronic Locks Essential (\$)	Electronic Locks Select (\$)
Single							
			Hinges on left	Hinges on right			
78" H	12 x 18 x 78	310 x 457 x 1962	R1 ____ -181278LDNL2 ____	R1 ____ -181278LDNR2 ____	1,868	1,922	2,056 2,333



Specify handles only (NCK, NCS, NCW), handles with key lock (YCK, YCS, YCW) or electronic locks (ENK, VNK). Specify the choice of legs at the end of the code: metal straight (HS), STAD metal (MK, MS, MW) or STAD wood + 310\$ (BW20, BW21).

Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description.


CONTEMPORARY HANDLE

NCK
BlackNCS
SilverNCW
White

CONTEMPORARY HANDLE WITH KEY LOCK

YCK
BlackYCS
SilverYCW
White
Silver

ELECTRONIC LOCKS - need key(s) to operate. See p. 15


ENK
Essential
BlackVNK
Select with integrated handle
Black

Handles (\$)	Handles and key locks (\$)	Electronic Locks	
		Essential (\$)	Select (\$)

W x D x H (in) W x D x H (mm) Code

LOCKERS WITH LEGS AND DOORS

Freestanding lockers – 3 levels




78" H Double 78" H and 60" H Triple

78" H: 1 horizontal double hook per compartment.

Double		Hinges on left		Hinges on right					
78" H	24 x 18 x 78	610 x 457 x 1962	R1	-182478CDNL6	R1	-182478CDNR6	2,856	3,018	3,421 4,253
Triple		Hinges on left		Hinges on right					
78" H	36 x 18 x 78	914 x 457 x 1962	R1	-183678CDNL9	R1	-183678CDNR9	3,453	3,696	4,300 5,548
60" H	36 x 18 x 60	914 x 457 x 1514	R1	-183660CDNL9	R1	-183660CDNR9	3,088	3,332	3,936 5,183

Specify handles only (NCK, NCS, NCW), handles with key lock (YCK, YCS, YCW) or electronic locks (ENK, VNK). Specify the choice of legs at the end of the code: metal straight (HS), STAD metal (MK, MS, MW) or STAD wood + 350\$ (BW20, BW21).

Additional locker – 3 levels




78" H Single

Must be secured to a locker or a wardrobe at least 24" (610 mm) wide and of equal height or less. 1 horizontal double hook per compartment. 2 reversible legs factory installed on the left side.

Single		Hinges on left		Hinges on right					
78" H	12 x 18 x 78	310 x 457 x 1962	R1	-181278CDNL3	R1	-181278CDNR3	2,089	2,170	2,372 2,788

Specify handles only (NCK, NCS, NCW), handles with key lock (YCK, YCS, YCW) or electronic locks (ENK, VNK). Specify the choice of legs at the end of the code: metal straight (HS), STAD metal (MK, MS, MW) or STAD wood + 310\$ (BW20, BW21).

Freestanding lockers – 4 levels




78" H Double 78" H Triple

Double		Hinges on left		Hinges on right					
78" H	24 x 18 x 78	610 x 457 x 1962	R1	-182478CDNL8	R1	-182478CDNR8	2,963	3,179	3,717 4,825
Triple		Hinges on left		Hinges on right					
78" H	36 x 18 x 78	914 x 457 x 1962	R1	-183678CDNLD	R1	-183678CDNRD	3,793	4,117	4,923 6,586

Specify handles only (NCK, NCS, NCW), handles with key lock (YCK, YCS, YCW) or electronic locks (ENK, VNK). Specify the choice of legs at the end of the code: metal straight (HS), STAD metal (MK, MS, MW) or STAD wood + 350\$ (BW20, BW21).

Additional locker – 4 levels



78" H Single


Must be secured to a locker or a wardrobe at least 24" (610 mm) wide and of equal height or less. 2 reversible legs factory installed on the left side.

Single		Hinges on left		Hinges on right					
78" H	12 x 18 x 78	310 x 457 x 1962	R1	-181278CDNL4	R1	-181278CDNR4	2,107	2,215	2,484 3,038

Specify handles only (NCK, NCS, NCW), handles with key lock (YCK, YCS, YCW) or electronic locks (ENK, VNK). Specify the choice of legs at the end of the code: metal straight (HS), STAD metal (MK, MS, MW) or STAD wood + 310\$ (BW20, BW21).

WARDROBE WITH LEGS AND L-SHAPED DOORS

Freestanding wardrobe – L shaped doors



78" H

Small fixed shelf and 1 horizontal double hook per compartment. Can receive 1 big molded tray (LGC-LPT1815Q1 sold separately) per bottom compartments only.

Double in L (4 compartments)

78" H	36 x 18 x 78	914 x 457 x 1962	R1	-183678LDLB4	3,625	3,734	4,002	4,557
-------	--------------	------------------	----	--------------	-------	-------	-------	-------

Specify handles only (NCK, NCS, NCW), handles with key lock (YCK, YCS, YCW) or electronic locks (ENK, VNK). Specify the choice of legs at the end of the code: metal straight (HS), STAD metal (MK, MS, MW) or STAD wood + 350\$ (BW20, BW21).

Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description.

STRAIGHT METAL LEG



HS
Silver

STAD METAL LEG



MK
Black



MS
Silver



MW
White

STAD WOOD LEG




BW20
Wild
Cherry



BW21
Terra
Cherry

W x D x H (in) W x D x H (mm) Code

Handles (\$)	Handles and key locks (\$)	Electronic Locks	
		Essential (\$)	Select (\$)


LOCKERS WITH LEGS, DOORS AND STORAGE SPACE**Freestanding lockers with doors and lower storage space – 3 levels**

78" H Double 78" H Triple

1 horizontal double hook per compartment with door, open bottom section with fixed shelf.

Double		Hinges on left		Hinges on right			
78" H	24 x 18 x 78	610 x 457 x 1962	R1 ____ -182478CE3L4 ____	R1 ____ -182478CE3R4 ____		2,633	2,741
Triple						3,010	3,564
78" H	36 x 18 x 78	914 x 457 x 1962	R1 ____ -183678CE3L6 ____	R1 ____ -183678CE3R6 ____		3,288	3,450
						3,853	4,684

Specify handles only (NCK, NCS, NCW), handles with key lock (YCK, YCS, YCW) or electronic locks (ENK, VNK). Specify the choice of legs at the end of the code: metal straight (HS), STAD metal (MK, MS, MW) or STAD wood + 350\$ (BW20, BW21).


Additional locker with doors and lower storage space – 3 levels

78" H Single

Must be secured to a locker or a wardrobe at least 24" (610 mm) wide and of equal height or less. 1 horizontal double hook per compartment with door, open bottom section with fixed shelf. 2 reversible legs factory installed.

Single		Hinges on left		Hinges on right			
78" H	12 x 18 x 78	310 x 457 x 1962	R1 ____ -181278CE3L2 ____	R1 ____ -181278CE3R2 ____		1,909	1,963
						2,097	2,374


Specify handles only (NCK, NCS, NCW), handles with key lock (YCK, YCS, YCW) or electronic locks (ENK, VNK). Specify the choice of legs at the end of the code: metal straight (HS), STAD metal (MK, MS, MW) or STAD wood + 310\$ (BW20, BW21).

Freestanding lockers with doors and upper storage space – 3 levels

60" H Triple

Triple		Hinges on left		Hinges on right			
60" H	36 x 18 x 60	914 x 457 x 1514	R1 ____ -183660CE1L6 ____	R1 ____ -183660CE1R6 ____		2,799	2,961
						3,364	4,196

Specify handles only (NCK, NCS, NCW), handles with key lock (YCK, YCS, YCW) or electronic locks (ENK, VNK). Specify the choice of legs at the end of the code: metal straight (HS), STAD metal (MK, MS, MW) or STAD wood + 350\$ (BW20, BW21).

LOCKER/WARDROBE COMBO WITH LEGS AND DOORS**Freestanding locker/wardrobe – 2 levels**

60" H Triple

1 vertical double hook per compartment in bottom section.


Triple		Hinges on left		Hinges on right			
60" H	36 x 18 x 60	914 x 457 x 1514	R1 ____ -183660CLDL6 ____	R1 ____ -183660CLDR6 ____		2,929	3,092
						3,494	4,326

Specify handles only (NCK, NCS, NCW), handles with key lock (YCK, YCS, YCW) or electronic locks (ENK, VNK). Specify the choice of legs at the end of the code: metal straight (HS), STAD metal (MK, MS, MW) or STAD wood + 350\$ (BW20, BW21).

*Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description.***CONTEMPORARY HANDLE****CONTEMPORARY HANDLE WITH KEY LOCK****ELECTRONIC LOCKS** - need key(s) to operate. See p. 15

COMPLEMENTARY FURNITURE

Additional locker with storage space – 3 or 4 levels




78" H Single

Must be secured to a locker or a wardrobe at least 24" (610 mm) wide and of equal height or less. 3 adjustable shelves for alignment with lockers of 2, 3 and 4 levels. 2 reversible legs factory installed. 1 tone only.

78" H	12 x 18 x 78	310 x 438 x 1962	R1NNN-181278CEN	1,770
-------	--------------	------------------	-----------------	-------

Specify the choice of legs at the end of the code: metal straight (HS), STAD metal (MK, MS, MW) or STAD wood + 310\$ (BW20, BW21).

Open lateral wardrobe





78" H Single

To install beside a locker or a wardrobe. Reversible (left side or right side open). Must be secured to a locker or a wardrobe at least 24" (610 mm) wide and of equal height or less. 1 fixed shelf and 1 anodized aluminum pole. Can receive 1 big molded tray (LGC-LPT1815Q1 sold separately). 1 tone only.

78" H	21 x 18 x 78	533 x 457 x 1962	R1NNN-211878WEN	1,713
-------	--------------	------------------	-----------------	-------

Specify the choice of legs at the end of the code: metal straight (HS), STAD metal (MK, MS, MW) or STAD wood + 350\$ (BW20, BW21).

Service unit with trash and recycling bins

Left
42" H



Right

Must be fastened to the wall or combined to another storage unit. Drawers on slide give access to 1 trash bin and 1 recycling bin. Identification labels for trash and recycle, adjustable shelf on door side.

		Bins to the left	Bins to the right	
42" H	36 x 18 x 42	914 x 457 x 1066	R1-183642SRTL1	R1-183642SRTR1
				2,774

Specify the choice of legs at the end of the code: metal straight (HS), STAD metal (MK, MS, MW) or STAD wood + 350\$ (BW20, BW21).

Storage bins

Freestanding bins
42" H and 24" H

Adjustable bottom for freestanding bins. Not intended to be in contact with water, soil or sand. 1 tone only.


Freestanding bins

42" H	36 x 18 x 42	914 x 438 x 1066	RNNNN-183642PLA	1,269
24" H	36 x 18 x 24	914 x 438 x 610	RNNNN-183624PLA	1,169



Specify the choice of legs at the end of the code: metal straight (HS), STAD metal (MK, MS, MW) or STAD wood + 350\$ (BW20, BW21).

Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description.

STRAIGHT METAL LEG

HS
Silver

STAD METAL LEG

MK
BlackMS
SilverMW
White

STAD WOOD LEG

BW20
Wild
CherryBW21
Terra
Cherry

= ASSEMBLY REQUIRED


CANADA – JULY 2023

W x D x H (in) W x D x H (mm) Code

Laminate (\$)
HPL (\$)

FINISHING TRIMS FOR WARDROBES AND LOCKERS

Finishing pieces



Allows to fill the space. Compatible with lockers and wardrobes, with or without legs. Laminate pieces, no hardware. Adjustment and installation on site. 1 tone only.

Extremity – 1 piece


72" H	1 x 6 x 72	26 x 155 x 1800	RNNNN-060172FIS	224	–
54" H	1 x 6 x 54	26 x 155 x 1342	RNNNN-060154FIS	172	–
36" H	1 x 6 x 36	26 x 155 x 894	RNNNN-060136FIS	118	–

90 degrees corner – 3 pieces

72" H	19 x 19 x 72	482 x 482 x 1800	R_NNN-191972FIC	404	599
54" H	19 x 19 x 54	482 x 482 x 1342	R_NNN-191954FIC	311	461
36" H	19 x 19 x 36	482 x 482 x 894	R_NNN-191936FIC	213	316

Specify the surface type (1, 2). Smooth edge (N).

Finishing panels - back




To install on the back of a locker/wardrobe of same height. Compatible with lockers and wardrobes, with or without legs. Hardware included. 5/8" thick (16 mm) laminate panel. 1 tone only.

72" H	36 x 5/8 x 72	914 x 16 x 1790	RNNNN-BKP3672	341	–
72" H	24 x 5/8 x 72	610 x 16 x 1790	RNNNN-BKP2472	284	–
72" H	12 x 5/8 x 72	310 x 16 x 1790	RNNNN-BKP1272	237	–
54" H	36 x 5/8 x 54	914 x 16 x 1342	RNNNN-BKP3654	370	–
36" H	36 x 5/8 x 36	914 x 16 x 894	RNNNN-BKP3636	325	–

Specify the surface type (1, 2). Smooth edge (N).

Finishing panels – whiteboard




To install on the back of a locker/wardrobe of same height. Compatible with lockers and wardrobes, with or without legs. Hardware included. 5/8" thick (16 mm) laminate panel. 5/8" (16 mm) thick white-gloss HPL panel for dry erase markers.


72" H	36 x 5/8 x 72	914 x 16 x 1790	RNNNN-BKP3672W	–	823
72" H	24 x 5/8 x 72	610 x 16 x 1790	RNNNN-BKP2472W	–	633
72" H	12 x 5/8 x 72	310 x 16 x 1790	RNNNN-BKP1272W	–	434
54" H	36 x 5/8 x 54	914 x 16 x 1342	RNNNN-BKP3654W	–	681
36" H	36 x 5/8 x 36	914 x 16 x 894	RNNNN-BKP3636W	–	531

SURFACES FOR WARDROBES AND LOCKERS

Surfaces for wardrobes and lockers



18" D Surfaces



36" D Surfaces

1" (25 mm) thick surface. Double-sided tape included. 1 tone only.

18" D Surfaces


72 x 18 x 1	1829 x 457 x 26	R_NNN-TR7218	446	617
48 x 18 x 1	1219 x 457 x 26	R_NNN-TR4818	389	500
36 x 18 x 1	914 x 457 x 26	R_NNN-TR3618	349	446
24 x 18 x 1	610 x 457 x 26	R_NNN-TR2418	245	319
12 x 18 x 1	310 x 457 x 26	R_NNN-TR1218	186	240

36" D Surfaces

72 x 36 x 1	1829 x 914 x 26	R_NNN-TR7236	889	1,233
48 x 36 x 1	1219 x 914 x 26	R_NNN-TR4836	670	710
36 x 36 x 1	914 x 914 x 26	R_NNN-TR3636	530	594
24 x 36 x 1	610 x 914 x 26	R_NNN-TR2436	430	473

Specify the surface type (1, 2). Smooth edge (N).

Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description.

	Lot	W x D x H (in)	W x D x H (mm)	Code	Price (\$)
ACCESSORIES					
Molded trays for locker or wardrobe bottom					
	Co.Lok lockers and wardrobes are designed for commercial use and are not intended to be used in humid environments or in contact with liquids. The use of plastic bottom trays is recommended to store shoes/boots. Removable. Made in black molded polymer.				
	For lockers and wardrobes.				
	1 unit	10 x 18 x 1/2	251 x 410 x 13	LGC-LPT1810Q1	44
	Pack of 6	10 x 18 x 1/2	251 x 410 x 13	LGC-LPT1810Q6	245
	For lockers and wardrobes with L-shaped doors and open lateral wardrobe.				
	1 unit	15 x 18 x 1/2	378 x 410 x 13	LGC-LPT1815Q1	64
Storage pouches					
	To store small personal belongings. To be installed inside a locker or wardrobe with screws (included). Opens upwards. Vinyl and fabric in soft black mesh. Capacity of 10 lbs (4.5 kg).				
	1 unit	9 1/2 x 9 x 1/4	241 x 229 x 6	LGC-POT0909Q1	76
	Pack of 6	9 1/2 x 9 x 1/4	241 x 229 x 6	LGC-POT0909Q6	428
Additional hooks					
 	Vertical hook. Capacity of 22 lbs (10 kg).				
	Pack of 6	3/4 x 2 3/8 x 3 3/8	20 x 60 x 86	LGC-HDVQ6_	83
Vertical Horizontal	Horizontal hook. Capacity of 11 lbs (5 kg).				
	Pack of 6	3 x 1 x 2	76 x 25 x 51	LGC-HDHQ6_	63
Specify the finish Black (K) or Chrome (S).					
STAD hooks					
	To be installed on the side or the back of a locker or a wardrobe. Capacity of 15 lbs (7 kg) per hook.				
	Pack of 2	2 x 4 x 2	51 x 102 x 51	LGC-HK2_	108
Specify the finish Black (K), Silver (S) or White (W).					
Key for Essential electronic lock					
	To order with the purchase of any locker or wardrobe with Essential electronic lock (minimum of 1). Allows the management of electronic locks.				
	Manager			LGC-WTMK	 15
Keys for Select electronic lock					
	To order with the purchase of any locker or wardrobe with Select electronic lock (minimum of 1). Allows the initialization, programming and management of electronic locks.				
	Manager			LGC-DMK	 216
	Programming			LGC-DPK	 155

Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description.
For laminate items only. Not applicable on fabric items or accessories.



Metal Storage Furniture > Price Book > Canada > February 2024



**Canadian Federal Government
Supply Arrangement (SA)
E60PQ-140003/033/PQ
Furniture for Work Spaces**

TABLE OF CONTENTS


AVAILABLE SPECIALS	2
QUICKSHIP PROGRAM	2
SPECIFICATIONS	3
CHOOSING THE RIGHT STORAGE FURNITURE	3
CAPACITY AND FILING SPACE	4
COUNTERWEIGHTS AND ANCHORS	5
LOCKING PROGRAM	5
LATERAL FILES / CABINETS AND BOOKCASES	6
WARDROBES / MULTIFUNCTION STORAGE FURNITURE	7
VERTICAL FILES / COMBINED TOWERS / PEDESTALS	8
OPTION SPECIFICATIONS AND FINISHES	9

METAL STORAGE FURNITURE




LATERAL FILES	10
CABINETS	10-11
BOOKCASES	11
WARDROBES	11
MULTIFUNCTION STORAGE FURNITURE	11-12
VERTICAL FILES	12-13
LAMINATE TOPS	13
PEDESTALS	13-14
COMBINED TOWERS	14-15
ACCESSORIES	15-16

FIND OUT ABOUT OUR AVAILABLE SPECIALS!

Other special products are also available upon request: lockers, plan files, display cases, filing bookcases, etc. For information purposes, here are some examples of special products:



Customized locker

Multidrawer
lateral file2-tone cabinet
72" H (1829 mm)

Display case

CUSTOMIZED COLORS:

- It is possible to get a two-tone layout by specifying the front and case colors.
- It is also possible to develop a storage unit with your choice of color.

CUSTOMIZED DRAWERS DIMENSIONS AND CONFIGURATIONS:

- Standard-sized cases can easily accommodate your choice of drawer heights: 3" (76 mm), 6" (152 mm), 9" (229 mm), 12" (305 mm), 13 1/2" (343 mm) and 15" (381 mm).
- A storage unit can also be made with special dimensions (W x H x D).

IMPORTANT:

No minimum quantity necessary. However, certain conditions, dimensional limitations and development costs may apply. For any special request, please send your request to special@groupelacasse.com or contact Customer Service for further information.

LACASSE QUICKSHIP PROGRAM*

Products and suggested layouts identified by this pictogram are part of the Lacasse quick delivery program.

* Due to current market conditions, always refer to our Lead-Time Guide for a confirmation of our current Lacasse QuickShip lead-times.



PROGRAM CONDITIONS AND LIMITATIONS:


- Maximum of five (5) of each item and each color per order.
- Products are ready for shipment 5 business days after reception of a ready-to-process order and delivered on next available trailer.

IMPORTANT:

Place QuickShip orders separately from regular Lacasse orders. When preparing QuickShip orders, indicate the code "QS" in front of the QuickShip product code; i.e.: QSRIDFS-183628LF2.


SPECIFICATIONS

CHOOSING THE RIGHT STORAGE FURNITURE




**Lateral file
with fixed fronts**

Offers a superior filing capacity. Perfect for any workstation; allowing an easy access to files.




**Lateral file with receding
fronts and roll-out shelves**

Designed for a quick consultation of documents with end-tabs. Perfect for the medical field.




**Pedestal /
vertical file**

Designed to be integrated into all your projects and requires little floor space. Vertical file is ideal for long-term filing.




Cabinet / bookcase

Adjustable shelves allow an optimal use of storage space. Perfect for binders, books, catalogues and stationery.



**Multifunction storage unit /
combined towers**

The different compartments offer diversified storage space. Perfect for a small volume of filing and for an individual workstation.



Wardrobe

Offers a safe personal storage space for clothes, shoes, bags, etc.

General Information

- In this price book, dimensions are exact and may differ from other Groupe Lacasse collections.
- Metal storage furniture is GREENGUARD GOLD certified and meets or exceeds ANSI/BIFMA standards. See product specifications for more details.
- Products are made from 68% recycled materials and are 99.5% recyclable.
- Furniture on glides is shipped assembled and ready to use.
- Cleaning method: clean furniture with a damp cloth and mild soap. Dry the surface with a soft cloth.

Design

- All products in this collection were carefully designed with horizontal lines that maintain a uniform appearance among the different storage units.
- Inset drawers and doors create a sleek and neutral look.

- The case construction with smooth seams and no overlaps allows to place the storage units side by side without creating unwanted gaps.
- The storage furniture gets its impeccable look from a smooth-finish powder paint.

General Specifications

- Each unit is equipped with 4 levelers that are accessible from the inside and allow an adjustment of 1" (25 mm), ensuring stability on uneven floors.
- The inside of storage units and drawers are the same color as the outside.
- Storage units with a height of 27 7/8" (708 mm) can support a work surface with a conventional height of 29" (737 mm) or more.
- Adding a laminate top on a unit that has a height of 27 7/8" (708 mm) or 40 1/16" (1018 mm) creates a work space at sitting or standing heights. See page 13.
- Classic (Z) and Straight (K) pulls are interchangeable; 5" (128 mm) on center drillings.

Steel Gauges







Storage furniture is entirely made and welded with first-quality cold-rolled steel. Please note that the lower the gauge, the thicker the steel.

	Lateral files / Multifunction files / Low storage units	Vertical files / Pedestal	Cabinets / Wardrobes	Bookcases	Cabinets-Lateral files combos	Combined towers
Top	20	20	20	20	20	20
Side	20	20	20	20	20	20
Back	20	20 / 14	20	20	20	20
Bottom	20	16	16	16	20	16
Drawer front	20	20	-	-	20	20
Drawer side	18	20	-	-	18	20
Drawer bottom	20	20	-	-	20	20
Top reinforcement	18	18	-	-	18	-
Side reinforcement	18	18	-	-	18	-
Crossbar	20*	20* / -	-	-	20	-
Leveler support	16	-	-	-	16	-
Flip system	20*	-	-	-	-	-
Door	-	-	20	-	20	20*
Shelf	-	-	20	20	20	20
Shelf support	-	-	18 / -	18	18	18

* If applicable.

SPECIFICATIONS

LATERAL FILES CAPACITY AND FILING SPACE

Fixed front				Filing Space - Letter Size		Espace de classement - Format légal	
Tiroirs	W x D x H (in)	W x D x H (mm)	Capacity	Left / Right	Front / Rear*	Left / Right	Front / Rear*
30" W (762 mm)	26 3/4 x 15 1/16 x 11 5/8	679 x 383 x 295	90 lb / 40,8 kg	 26 3/4" (679 mm)	 30 1/8" (765 mm)	 26 3/4" (679 mm)	 15 1/16" (383 mm)
36" W (914 mm)	32 3/4 x 15 1/16 x 11 5/8	832 x 383 x 295	105 lb / 47,6 kg	 32 3/4" (832 mm)	 30 1/8" (765 mm)	 32 3/4" (832 mm)	 30 1/8" (765 mm)
42" W (1067 mm)	38 3/4 x 15 1/16 x 11 5/8	984 x 383 x 295	125 lb / 56,7 kg	 38 3/4" (984 mm)	 45 3/16" (1148 mm)	 38 3/4" (984 mm)	 30 1/8" (765 mm)

* Requires front-to-back hanging bars, sold separately. See page 16.

Note: Fixed and roll-out shelves with retractable door have an interior height of 10 5/8" (270 mm) instead of 11 5/8" (295 mm).

CABINETS AND BOOKCASES CAPACITY AND FILING SPACE

Storage unit	Shelves Dimensions				Capacity (weight uniformly distributed)	
	Cabinet		Bookcase		Cabinet	Bookcase
	W x D x H (in)	W x D x H (mm)	W x D x H (in)	W x D x H (mm)		
30" W (762 mm)	29 3/4 x 14 1/4 x 3/4	756 x 362 x 19	29 3/4 x 16 3/4 x 3/4	756 x 425 x 19	90 lb / 40,8 kg	105 lb / 47,6 kg
36" W (914 mm)	35 3/4 x 14 1/4 x 3/4	908 x 362 x 19	35 3/4 x 16 3/4 x 3/4	908 x 425 x 19	105 lb / 47,6 kg	125 lb / 56,7 kg
42" W (1067 mm)	41 3/4 x 14 1/4 x 3/4	1060 x 362 x 19	41 3/4 x 16 3/4 x 3/4	1060 x 425 x 19	125 lb / 56,7 kg	145 lb / 65,8 kg


STORAGE SPACE AND CAPACITY OF VERTICAL FILES, TOWERS AND PEDESTALS

Storage unit	Interior Dimensions*				Capacity (weight uniformly distributed)	
	Box drawer		File drawer		Box drawer	File drawer
	W x D x H (in)	W x D x H (mm)	W x D x H (in)	W x D x H (mm)		
18" D (457 mm)	12 x 16 x 5 3/8	305 x 406 x 137	12 x 16 x 11 5/8	305 x 406 x 295	17 lb / 7,7 kg	36 lb / 16,3 kg
22" D (457 mm)	12 x 16 x 5 3/8	305 x 406 x 137	12 x 16 x 11 5/8	305 x 406 x 295	17 lb / 7,7 kg	36 lb / 16,3 kg
24" D (610 mm)	12 x 16 x 5 3/8	305 x 406 x 137	12 x 16 x 11 5/8	305 x 406 x 295	17 lb / 7,7 kg	36 lb / 16,3 kg
28" D Letter (711 mm)	12 x 24 x 5 3/8	305 x 610 x 137	12 x 24 x 11 5/8	305 x 610 x 295	26 lb / 11,8 kg	54 lb / 24,5 kg
28" D Legal (711 mm)	15 x 24 x 5 3/8	381 x 610 x 137	15 x 24 x 11 5/8	381 x 610 x 295	32 lb / 14,5 kg	67 lb / 30,4 kg


* Mobile pedestals: remove in height 1" (25 mm) per file drawer and 1/2" (13 mm) per box drawer.

COUNTERWEIGHTS AND ANCHORS


In order to meet ANSI/BIFMA standards of stability, some products must be installed under a work surface, be ganged/anchored or have a counterweight. Please see each product's Specifications section for more details.




Installation under
a work surface




Back-to-back or side-by-side ganging*



Wall anchoring



Ganging with a laminate top



Factory-installed or optional
counterweight**

* Ganging kit **RINNN-GKIT** sold separately, page 16.

** Refer to the price book for more details (see pages 15-16).

LOCKING PROGRAM



Standard Lock

- All storage units except bookcases are equipped with a single lock system. Cabinets/Lateral files combos have 2 locks.
- Each key lock has a factory-installed lock plug and key numbers are attributed in random fashion for each storage unit.
- It is possible to change lock plugs and install a keyed alike system. Master Key and Control Key also offered. For further information, contact the Groupe Lacasse Customer Service.
- The locking system accepts a key lock (standard) or an electronic lock (option).

Electronic Lock (option)

- The Versa Mini, from Numeris by Digilock, is an electronic lock intended to secure storage furniture for hospitality, retail and healthcare professionals.
- When specified in option, the electronic lock (D) is factory installed. A key lock on an existing unit can be changed for an electronic lock (see page 16).
- Installed horizontally with keypad on the left on a file and vertically installed with keypad at top on a cabinet or a wardrobe.


- The lock uses 2 small coin cell lithium batteries for an average of 50,000 actuations. The battery compartment is located within the front of the lock to allow changing batteries without unlocking or opening the door.
- The keypad interface allows the user to operate the lock with a 4 to 7-digit user code for a multitude of combinations.
- Manager Keys (required and sold separately, see page 16) provide bypass access in case the user is unable to access their storage unit. It can also operate the locks in case of battery failure. Manager Keys are programmed into the lock system by a unique Programming Key (required and sold separately, see page 16).
- The lock is programmed to assigned use functionality by default, which allows up to 20 simultaneous user codes. It can be easily changed to shared use functionality with a Programming Key.
- In shared use, the lock is designed for day use applications. The user chooses an available storage unit and operates it with a self-selected user credential code. Once the storage unit is vacated, it becomes available for a different user.
- Manager Keys are programmed into the lock system by a unique Programming Key (required and sold separately, see page 16).



SPECIFICATIONS


LATERAL FILES

- 15 different configurations are possible; 2, 3, 4, 5 or 6-high, 30" W (762 mm), 36" W (914 mm) or 42" W (1067 mm) and 18" D (457 mm).
- Drawers come with a fixed front (D) or a receding front and a roll-out shelf (R).
- A posting shelf (P) at a height of 40" (1016 mm) is available in option to make reading and filing easier. Offered on 4, 5 and 6-drawer files.
- On all configurations, the 1st drawer from the bottom has a fixed front (D). The 5th drawer has a receding front with a roll-out shelf (R). The 6th drawer has a receding front and a fixed shelf (F).




- Drawers are 12" H (305 mm) and can accommodate letter, legal or A4-size documents.
- In order to meet ANSI/BIFMA stability standards, lateral file must be installed under a work surface, be attached or have a counterweight (not required for 5 or 6-drawer files).
- A lock is installed above the highest drawer, allowing to lock all drawers at once.

- Drawers and roll-out shelves are equipped with full-extension telescopic slides. The ball-bearing system is designed to support intensive use.
- The 2-drawer file is also offered in universal height that fits under a 28" H (711 mm) work surface. That file doesn't offer the same visual compatibility when side-to-side with other units from this collection.
- Label holder included on each integrated pull for easy identification.
- Two hanging bars are included with each drawer to allow side-to-side filing. For front-to-back filing and dividers, see page 16.




CABINETS AND BOOKCASES

- 15 different configurations are possible; 2, 3, 4, 5 or 6 compartments high, 30" W (762 mm), 36" W (914 mm) or 42" W (1067 mm) and 18" D (457 mm).
- A half-height lock is installed on the right door of the cabinet and allows to lock the 2 doors, from the bottom up.
- Interior space allows to store standard binders on all shelves except one (ex.: a 4-compartment cabinet or bookcase can hold binders on 3 shelves only).
- Shelves are adjustable every 1 1/2" (38 mm). Additional shelves are available (see page 15).




WARDROBES

- 8 different configurations are possible; hinges on left/right, 53 $\frac{3}{8}$ " H (1356 mm) and 65 $\frac{1}{2}$ " H (1664 mm), 15" W (381 mm) or 18" W (457 mm) and 24" D (610 mm).
- A half-height lock is installed on the door.
- A fixed shelf with a clothing hanger bar is located at 7 $\frac{1}{2}$ " H (191 mm) from the top and allows the storage of personal effects.




CABINETS / LATERAL FILES COMBOS

- 12 different configurations are possible; 2, 3, 4 or 5 compartments high, 30" W (762 mm), 36" W (914 mm) or 42" W (1067 mm) and 18" D (457 mm).
- In order to meet ANSI/BIFMA stability standards, 53 $\frac{3}{8}$ " H (1356 mm) or less cabinets/files must be attached or have a counterweight.
- Two independent locks for cabinet and drawers.
- Drawers are equipped with full-extension telescopic slides. The ball-bearing system is designed to support intensive use.
- Label holder included on each integrated pull for easy identification.
- Two hanging bars are included with each drawer to allow side-to-side filing. For front-to-back filing and dividers, see page 16.
- Shelves are adjustable every 1 $\frac{1}{2}$ " (38 mm). Additional shelves are available (see page 15).



MULTIFUNCTION FILES


- 6 different configurations are possible; left or right box drawers, 30" W (762 mm), 36" W (914 mm) or 42" W (1067 mm) and 18" D (457 mm).
- In order to meet ANSI/BIFMA stability standards, multifunction files must be installed under a work surface, be attached or have a counterweight.
- Box drawers width is 12" (305 mm) for a 30" W (914 mm) unit, 18" (457 mm) for a 36" W (914 mm) unit, and 24" (610 mm) for a 42" W (1067 mm) unit.
- Central lock locks all drawers at once.
- Pencil tray included in the first box drawer.
- Label holder included on each integrated pull of lateral file drawer for easy identification.
- Two hanging bars are included with file drawers to allow side-to-side filing. For front-to-back filing and dividers, see page 16.
- Laminate tops and cushions are available. See pages 13 and 15.



SPECIFICATIONS


COMBINED TOWERS

- 32 different configurations are possible with a cabinet or bookcase combined with box and file drawers, with or without a wardrobe; 53 $\frac{3}{8}$ " (1356 mm) and 65 $\frac{1}{2}$ " (1664 mm) in height, with a width of 14 $\frac{3}{4}$ " (375 mm) or 23 $\frac{3}{4}$ " (604 mm).
- The wardrobe, cabinet and pedestal each have their own lock, making it possible to lock each compartment independently.
- The drawers are equipped with full-extension telescopic slides. The ball bearing system is designed to support intensive use.
- Combined towers with a height of 53 $\frac{3}{8}$ " (1356 mm) include 1 shelf, adjustable each 1 $\frac{1}{2}$ " (38 mm). Combined towers with a height of 65 $\frac{1}{2}$ " (1664 mm) include 2 shelves.
- Wardrobe and cabinet open outward. Cabinet hinges are interchangeable. Wardrobe has a clothing hanger bar.
- Pencil tray included in the first box drawer, and two hanging bars to allow side-to-side filing are included in each file drawer.
- Label holder included on each integrated file drawer pull for easy identification.




VERTICAL FILES

- 8 different configurations are possible; 2, 3, 4 or 5-high, 14 $\frac{3}{4}$ " W (375 mm) or 17 $\frac{3}{4}$ " W (451 mm) and 28" D (711 mm).
- In order to meet ANSI/BIFMA stability standards, vertical files with 3 or less drawers must be attached or have a counterweight.
- Drawers are 12" H (305 mm) and can accommodate letter, legal or A4-size documents. They are available with fixed front (D).
- A lock is installed above the highest drawer, allowing to lock all drawers at once.
- Label holder included on each integrated pull for easy identification.
- Full-height sides of drawers allow front-rear filing. For dividers and compressors, see page 16.



PEDESTALS

- 15 different configurations are possible: 3 drawer configurations with a depth of 18" (457 mm), 22" (559 mm) and 28" (711 mm). Offered on glides or casters.
- The pedestals meet ANSI/BIFMA stability standards and include a counterweight when necessary.
- The fixed pedestal has a box drawer with a height of 6" (152 mm) and a file drawer with a height of 12" (305 mm).
- The mobile pedestal has a box drawer with a height of 5 $\frac{1}{2}$ " (140 mm) and a file drawer with a height of 11" (279 mm).
- A single lock locks all drawers simultaneously.
- Pencil tray included in the first box drawer, and two hanging bars to allow side-to-side filing are included in each file drawer.
- Label holder included on each integrated file drawer pull for easy identification.
- For dividers and compressors, see page 16.
- The mobile pedestal can receive a cushion (RINNN-CU _ _ _ _).



METAL STORAGE FURNITURE

SPECIFICATIONS

INTEGRATED PULLS



F – Full




R – Recessed
Non-painted
aluminum

EXTERNAL PULLS




K – Classic



Z – Straight




M – Modern



W – Modern
White

ACCENT COLORS



A – Anthracite Grey



S – Silver

LOCKS



Standard



D – Electronic
Black or Nickel

LACASSE QUICKSHIP PROGRAM*

Products and suggested layouts identified by this pictogram are part of the Lacasse quick delivery program.

Please refer to page 2 for complete program details.

* Due to current market conditions, always refer to our Lead-Time Guide for a confirmation of our current Lacasse QuickShip lead-times.



CODIFICATION

Series	Options		
	Drawers	Pulls	Accent
RI	D Fixed front(s) R Receding front(s)	F Full R Recessed Z Straight K Classic M Modern W White modern	A Anthracite Grey S Silver

OPTIONS INTEGRATION

Electronic lock: indicate **D** at the end of the code and add **\$740** to price.

Ex: **RIDFA-184254LF4D**

Counterweight: indicate **W** at the end of the code and add **\$286** to price. Factory installed.

Ex: **RIDFA-183028LF2W**

Posting shelf for lateral files with 4 or more drawers: indicate **P** at the end of the code and add **\$308** to price. Ex: **RIDFA-183054LF4P**

TOP - EDGE BANDING

N Edge



Smooth, 1/16" (1,5 mm) thick edge.

The **N** edge is matched with the finish specified for the surface.

CODIFICATION

Series	Options	
	Finishes / thickness	Edgebanding
R	1 Thermofused laminate top 1" 2 High-pressure laminate top 1" 5 Thermofused laminate top 1½" 6 High-pressure laminate top 1½"	N Smooth edge

METAL STORAGE FURNITURE - PAINT COLORS

Standard Colors

P01 Crystal Black	P44 Metallic Silver
P04 Charcoal	P53 Snow
P28 Anthracite Grey	
P29 Willow Grey	

CUSHIONS - CHOICE OF UPHOLSTERY




Several choices of upholstery are available. Please refer to the United Chair® Standard Upholstery Program.

METAL STORAGE FURNITURE

	W x D x H (in)	W x D x H (mm)	Code	Price (\$)
--	----------------	----------------	------	------------

LATERAL FILES

Fixed-front lateral files - integrated pulls



Electronic lock option (D): add \$740.

Counterweight option (W): add \$286.

Posting shelf option (P)*: add \$308.

*Available on file with 4 and more drawers.

The 5th drawer has a receding front with a roll-out shelf. The 6th drawer has a receding front with a fixed shelf. In order to comply with ANSI/BIFMA, a counterweight or anchoring solution is required for files with 4 or less drawers.

6-high.

42 x 18 x 27 ⁷ / ₈	1067 x 457 x 1972	RID__-184278LF6	3,969
36 x 18 x 27 ⁷ / ₈	914 x 457 x 1972	RID__-183678LF6	3,535
30 x 18 x 27 ⁷ / ₈	762 x 457 x 1972	RID__-183078LF6	3,428

Fixed fronts (D). Specify the pull code (F, R). Specify the accent color (A, S).

5-high.

42 x 18 x 65 ¹ / ₂	1067 x 457 x 1664	RID__-184266LF5	3,165
36 x 18 x 65 ¹ / ₂	914 x 457 x 1664	RID__-183666LF5	2,656
30 x 18 x 65 ¹ / ₂	762 x 457 x 1664	RID__-183066LF5	2,595

Fixed fronts (D). Specify the pull code (F, R). Specify the accent color (A, S).

4-high.

42 x 18 x 53 ³ / ₈	1067 x 457 x 1356	RID__-184254LF4	2,542
36 x 18 x 53 ³ / ₈	914 x 457 x 1356	RID__-183654LF4	2,202
30 x 18 x 53 ³ / ₈	762 x 457 x 1356	RID__-183054LF4	2,137

Fixed fronts (D). Specify the pull code (F, R). Specify the accent color (A, S).

3-high.

42 x 18 x 40 ¹ / ₁₆	1067 x 457 x 1018	RID__-184241LF3	2,046
36 x 18 x 40 ¹ / ₁₆	914 x 457 x 1018	RID__-183641LF3	1,721
30 x 18 x 40 ¹ / ₁₆	762 x 457 x 1018	RID__-183041LF3	1,661

Fixed fronts (D). Specify the pull code (F, R). Specify the accent color (A, S).

2-high.

42 x 18 x 27 ⁷ / ₈	1067 x 457 x 708	RID__-184228LF2	1,520
36 x 18 x 27 ⁷ / ₈	914 x 457 x 708	RID__-183628LF2	1,282
30 x 18 x 27 ⁷ / ₈	762 x 457 x 708	RID__-183028LF2	1,212

Fixed fronts (D). Specify the pull code (F, R). Specify the accent color (A, S).

2-high, universal height.

42 x 18 x 26 ⁷ / ₈	1067 x 457 x 683	RID__-184227LF2	1,520
36 x 18 x 26 ⁷ / ₈	914 x 457 x 683	RID__-183627LF2	1,282
30 x 18 x 26 ⁷ / ₈	762 x 457 x 683	RID__-183027LF2	1,212

Fixed fronts (D). Specify the pull code (F, R). Specify the accent color (A, S).

Fixed-front lateral files - external pulls



Electronic lock option (D): add \$740.

Counterweight option (W): add \$286.

Posting shelf option (P)*: add \$308.

*Available on file with 4 drawers.

In order to comply with ANSI/BIFMA, a counterweight or anchoring solution is required.

4-high.

42 x 18 x 53 ³ / ₈	1067 x 457 x 1356	RID__-184254LF4	2,542
36 x 18 x 53 ³ / ₈	914 x 457 x 1356	RID__-183654LF4	2,202
30 x 18 x 53 ³ / ₈	762 x 457 x 1356	RID__-183054LF4	2,137

Fixed fronts (D). Specify the pull code (K, M, Z, W). Specify the accent color (A, S).

3-high.

42 x 18 x 40 ¹ / ₁₆	1067 x 457 x 1018	RID__-184241LF3	2,046
36 x 18 x 40 ¹ / ₁₆	914 x 457 x 1018	RID__-183641LF3	1,721
30 x 18 x 40 ¹ / ₁₆	762 x 457 x 1018	RID__-183041LF3	1,661

Fixed fronts (D). Specify the pull code (K, M, Z, W). Specify the accent color (A, S).

Fixed-front lateral files - external pulls (cont'd)



2-high.

42 x 18 x 27 ⁷ / ₈	1067 x 457 x 708	RID__-184228LF2	1,520
36 x 18 x 27 ⁷ / ₈	914 x 457 x 708	RID__-183628LF2	1,282
30 x 18 x 27 ⁷ / ₈	762 x 457 x 708	RID__-183028LF2	1,212

Fixed fronts (D). Specify the pull code (K, M, Z, W). Specify the accent color (A, S).

2-high, universal height.

42 x 18 x 26 ⁷ / ₈	1067 x 457 x 683	RID__-184227LF2	1,520
36 x 18 x 26 ⁷ / ₈	914 x 457 x 683	RID__-183627LF2	1,282
30 x 18 x 26 ⁷ / ₈	762 x 457 x 683	RID__-183027LF2	1,212

Fixed fronts (D). Specify the pull code (K, M, Z, W). Specify the accent color (A, S).

Receding-front lateral files - integrated pulls



Electronic lock option (D): add \$740.

Counterweight option (W): add \$286.

Posting shelf option (P)*: add \$308.

*Available on file with 4 and more drawers.

The 1st drawer from the bottom has a fixed front. The 6th drawer has a receding front with a fixed shelf. In order to comply with ANSI/BIFMA, a counterweight or anchoring solution is required for files with 4 or less drawers.

6-high.

42 x 18 x 27 ⁷ / ₈	1067 x 457 x 1972	RIR__-184278LF6	4,655
36 x 18 x 27 ⁷ / ₈	914 x 457 x 1972	RIR__-183678LF6	4,353
30 x 18 x 27 ⁷ / ₈	762 x 457 x 1972	RIR__-183078LF6	4,332

Receding fronts (R). Specify the pull code (F, R). Specify the accent color (A, S).

5-high.

42 x 18 x 65 ¹ / ₂	1067 x 457 x 1664	RIR__-184266LF5	3,854
36 x 18 x 65 ¹ / ₂	914 x 457 x 1664	RIR__-183666LF5	3,436
30 x 18 x 65 ¹ / ₂	762 x 457 x 1664	RIR__-183066LF5	3,350

Receding fronts (R). Specify the pull code (F, R). Specify the accent color (A, S).

4-high.

42 x 18 x 53 ³ / ₈	1067 x 457 x 1356	RIR__-184254LF4	3,160
36 x 18 x 53 ³ / ₈	914 x 457 x 1356	RIR__-183654LF4	2,708
30 x 18 x 53 ³ / ₈	762 x 457 x 1356	RIR__-183054LF4	2,523

Receding fronts (R). Specify the pull code (F, R). Specify the accent color (A, S).

3-high.

42 x 18 x 40 ¹ / ₁₆	1067 x 457 x 1018	RIR__-184241LF3	2,477
36 x 18 x 40 ¹ / ₁₆	914 x 457 x 1018	RIR__-183641LF3	2,179
30 x 18 x 40 ¹ / ₁₆	762 x 457 x 1018	RIR__-183041LF3	2,137

Receding fronts (R). Specify the pull code (F, R). Specify the accent color (A, S).



2-high.

42 x 18 x 27 ⁷ / ₈	1067 x 457 x 708	RIR__-184228LF2	2,101
36 x 18 x 27 ⁷ / ₈	914 x 457 x 708	RIR__-183628LF2	1,675
30 x 18 x 27 ⁷ / ₈	762 x 457 x 708	RIR__-183028LF2	1,543

Receding front (R). Specify the pull code (F, R). Specify the accent color (A, S).

CABINETS

Cabinets - integrated pulls



6 compartments (5 adjustable shelves).

42 x 18 x 77 ¹ / ₈	1067 x 457 x 1972	RIN__-421878B	2,686
36 x 18 x 77 ¹ / ₈	914 x 457 x 1972	RIN__-361878B	2,548
30 x 18 x 77 ¹ / ₈	762 x 457 x 1972	RIN__-301878B	2,401






Specify the pull code (F, R). Specify the accent color (A, S).


5 compartments (4 adjustable shelves).

42 x 18 x 65 ¹ / ₂	1067 x 457 x 1664	RIN__-421866B	2,222
36 x 18 x 65 ¹ / ₂	914 x 457 x 1664	RIN__-361866B	2,070
30 x 18 x 65 ¹ / ₂	762 x 457 x 1664	RIN__-301866B	1,991

Specify the pull code (F, R). Specify the accent color (A, S).


	W x D x H (in)	W x D x H (mm)	Code	Price (\$)
Cabinets - integrated pulls (cont'd)	<i>4 compartments (3 adjustable shelves).</i>			
	42 x 18 x 53 $\frac{3}{8}$	1067 x 457 x 1356	RIN_-421854B	1,924
	36 x 18 x 53 $\frac{3}{8}$	914 x 457 x 1356	RIN_-361854B	1,784
	30 x 18 x 53 $\frac{3}{8}$	762 x 457 x 1356	RIN_-301854B	1,714
	<i>Specify the pull code (F, R). Specify the accent color (A, S).</i>			
	<i>3 compartments (2 adjustable shelves).</i>			
	42 x 18 x 40 $\frac{1}{16}$	1067 x 457 x 1018	RIN_-421841B	1,652
	36 x 18 x 40 $\frac{1}{16}$	914 x 457 x 1018	RIN_-361841B	1,529
	<i>Specify the pull code (F, R). Specify the accent color (A, S).</i>			
	<i>2 compartments (1 adjustable shelf).</i>			
	42 x 18 x 27 $\frac{7}{8}$	1067 x 457 x 708	RIN_-421828B	1,344
	36 x 18 x 27 $\frac{7}{8}$	914 x 457 x 708	RIN_-361828B	1,266
	<i>Specify the pull code (F, R). Specify the accent color (A, S).</i>			
	30 x 18 x 27 $\frac{7}{8}$	762 x 457 x 708	RIN_-301828B	1,228
	<i>Electronic lock option (D): add \$740.</i>			
	<i>Specify the pull code (F, R). Specify the accent color (A, S).</i>			

Cabinets - external pulls	<i>6 compartments (5 adjustable shelves).</i>			
	42 x 18 x 77 $\frac{1}{8}$	1067 x 457 x 1972	RIN_-421878B	2,686
	36 x 18 x 77 $\frac{1}{8}$	914 x 457 x 1972	RIN_-361878B	2,548
	30 x 18 x 77 $\frac{1}{8}$	762 x 457 x 1972	RIN_-301878B	2,401
	<i>Specify the pull code (K, M, Z, W). Specify the accent color (A, S).</i>			
	<i>5 compartments (4 adjustable shelves).</i>			
	42 x 18 x 65 $\frac{1}{2}$	1067 x 457 x 1664	RIN_-421866B	2,222
	36 x 18 x 65 $\frac{1}{2}$	914 x 457 x 1664	RIN_-361866B	2,070
	<i>Specify the pull code (K, M, Z, W). Specify the accent color (A, S).</i>			
	30 x 18 x 65 $\frac{1}{2}$	762 x 457 x 1664	RIN_-301866B	1,991
	<i>Specify the pull code (K, M, Z, W). Specify the accent color (A, S).</i>			
	<i>4 compartments (3 adjustable shelves).</i>			
	<i>Specify the pull code (K, M, Z, W). Specify the accent color (A, S).</i>			
	42 x 18 x 53 $\frac{3}{8}$	1067 x 457 x 1356	RIN_-421854B	1,924
	36 x 18 x 53 $\frac{3}{8}$	914 x 457 x 1356	RIN_-361854B	1,784
	30 x 18 x 53 $\frac{3}{8}$	762 x 457 x 1356	RIN_-301854B	1,714
	<i>Specify the pull code (K, M, Z, W). Specify the accent color (A, S).</i>			
	<i>3 compartments (2 adjustable shelves).</i>			
	42 x 18 x 40 $\frac{1}{16}$	1067 x 457 x 1018	RIN_-421841B	1,652
	36 x 18 x 40 $\frac{1}{16}$	914 x 457 x 1018	RIN_-361841B	1,529
	<i>Specify the pull code (K, M, Z, W). Specify the accent color (A, S).</i>			
	30 x 18 x 40 $\frac{1}{16}$	762 x 457 x 1018	RIN_-301841B	1,466
	<i>Specify the pull code (K, M, Z, W). Specify the accent color (A, S).</i>			
	<i>2 compartments (1 adjustable shelf).</i>			
	<i>Specify the pull code (K, M, Z, W). Specify the accent color (A, S).</i>			
	42 x 18 x 27 $\frac{7}{8}$	1067 x 457 x 708	RIN_-421828B	1,344
	36 x 18 x 27 $\frac{7}{8}$	914 x 457 x 708	RIN_-361828B	1,266
	30 x 18 x 27 $\frac{7}{8}$	762 x 457 x 708	RIN_-301828B	1,228
	<i>Specify the pull code (K, M, Z, W). Specify the accent color (A, S).</i>			
	<i>Electronic lock option (D): add \$740.</i>			
	<i>Specify the pull code (K, M, Z, W). Specify the accent color (A, S).</i>			
	<i>Specify the pull code (K, M, Z, W). Specify the accent color (A, S).</i>			













BOOKCASES				
Bookcases	<i>6 compartments (5 adjustable shelves).</i>			
	42 x 18 x 77 $\frac{1}{8}$	1067 x 457 x 1972	RINNN-B427818	2,347
	36 x 18 x 77 $\frac{1}{8}$	914 x 457 x 1972	RINNN-B367818	2,209
	30 x 18 x 77 $\frac{1}{8}$	762 x 457 x 1972	RINNN-B307818	2,046
	<i>Specify the pull code (F, R). Specify the accent color (A, S).</i>			
	<i>5 compartments (4 adjustable shelves).</i>			
	42 x 18 x 65 $\frac{1}{2}$	1067 x 457 x 1664	RINNN-B426618	1,798
	36 x 18 x 65 $\frac{1}{2}$	914 x 457 x 1664	RINNN-B366618	1,452
	<i>Specify the pull code (F, R). Specify the accent color (A, S).</i>			
	30 x 18 x 65 $\frac{1}{2}$	762 x 457 x 1664	RINNN-B306618	1,359
	<i>Specify the pull code (F, R). Specify the accent color (A, S).</i>			
	<i>4 compartments (3 adjustable shelves).</i>			
	<i>Specify the pull code (F, R). Specify the accent color (A, S).</i>			
	42 x 18 x 53 $\frac{3}{8}$	1067 x 457 x 1356	RINNN-B425418	1,359
	36 x 18 x 53 $\frac{3}{8}$	914 x 457 x 1356	RINNN-B365418	1,251
	30 x 18 x 53 $\frac{3}{8}$	762 x 457 x 1356	RINNN-B305418	1,159

	W x D x H (in)	W x D x H (mm)	Code	Price (\$)
Bookcases (cont'd)	<i>3 compartments (2 adjustable shelves).</i>			
	42 x 18 x 40 $\frac{1}{16}$	1067 x 457 x 1018	RINNN-B424118	1,136
	36 x 18 x 40 $\frac{1}{16}$	914 x 457 x 1018	RINNN-B364118	1,034
	30 x 18 x 40 $\frac{1}{16}$	762 x 457 x 1018	RINNN-B304118	973
	<i>Specify the pull code (F, R). Specify the accent color (A, S).</i>			
	<i>2 compartments (1 adjustable shelf).</i>			
	42 x 18 x 27 $\frac{7}{8}$	1067 x 457 x 708	RINNN-B422818	996
	36 x 18 x 27 $\frac{7}{8}$	914 x 457 x 708	RINNN-B362818	880
	<i>Specify the pull code (F, R). Specify the accent color (A, S).</i>			
	30 x 18 x 27 $\frac{7}{8}$	762 x 457 x 708	RINNN-B302818	827
	<i>Electronic lock option (D): add \$740.</i>			
	<i>Specify the pull code (F, R). Specify the accent color (A, S).</i>			

WARDROBES				
Wardrobes - integrated pulls	<i>18" (457 mm) wide.</i>			
	18 x 24 x 65 $\frac{1}{2}$	457 x 610 x 1664	RIN_-241866B	1,808
	18 x 24 x 53 $\frac{3}{8}$	457 x 610 x 1356	RIN_-241854B	1,652
	<i>Specify the pull code (F, R). Specify the accent color (A, S). Specify the door opening at the end of the code: hinges on left (L) or hinges on right (R).</i>			
	<i>Specify the pull code (F, R). Specify the accent color (A, S). Specify the door opening at the end of the code: hinges on left (L) or hinges on right (R).</i>			
	<i>15" (381 mm) wide.</i>			
	15 x 24 x 65 $\frac{1}{2}$	381 x 610 x 1664	RIN_-241566B	1,520
	15 x 24 x 53 $\frac{3}{8}$	381 x 610 x 1356	RIN_-241554B	1,445
	<i>Specify the pull code (F, R). Specify the accent color (A, S). Specify the door opening at the end of the code: hinges on left (L) or hinges on right (R).</i>			
	<i>Specify the pull code (F, R). Specify the accent color (A, S). Specify the door opening at the end of the code: hinges on left (L) or hinges on right (R).</i>			
	<i>18" (457 mm) wide.</i>			
	18 x 24 x 65 $\frac{1}{2}$	457 x 610 x 1664	RIN_-241866B	1,808
	<i>Specify the pull code (F, R). Specify the accent color (A, S). Specify the door opening at the end of the code: hinges on left (L) or hinges on right (R).</i>			
	18 x 24 x 53 $\frac{3}{8}$	457 x 610 x 1356	RIN_-241854B	1,652
	<i>Specify the pull code (K, M, Z, W). Specify the accent color (A, S). Specify the door opening at the end of the code: hinges on left (L) or hinges on right (R).</i>			
	<i>Specify the pull code (K, M, Z, W). Specify the accent color (A, S). Specify the door opening at the end of the code: hinges on left (L) or hinges on right (R).</i>			

MULTIFUNCTION STORAGE FURNITURE				
Cabinets / Lateral Files Combos - integrated pulls	<i>In order to comply with ANSI/BIFMA standards, a counterweight or anchoring solution is required on storage units 53$\frac{3}{8}$" H (1356 mm) or less.</i>			
	<i>3 full width drawers, closed cabinet 23" H (584 mm) with 1 adjustable shelf.</i>			
	42 x 18 x 65 $\frac{1}{2}$	1067 x 457 x 1664	RID_-184266LF3B	3,746
	36 x 18 x 65 $\frac{1}{2}$	914 x 457 x 1664	RID_-183666LF3B	3,305
	<i>Specify the pull code (F, R). Specify the accent color (A, S).</i>			
	30 x 18 x 65 $\frac{1}{2}$	762 x 457 x 1664	RID_-183066LF3B	3,242
	<i>Fixed fronts (D). Specify the pull code (F, R). Specify the accent color (A, S).</i>			
	<i>2 full width drawers, closed cabinet 35" H (889 mm) with 2 adjustable shelves.</i>			
	<i>Specify the pull code (F, R). Specify the accent color (A, S).</i>			
	42 x 18 x 65 $\frac{1}{2}$	1067 x 457 x 1664	RID_-184266LF2B	3,521
	36 x 18 x 65 $\frac{1}{2}$	914 x 457 x 1664	RID_-183666LF2B	3,111
	30 x 18 x 65 $\frac{1}{2}$	762 x 457 x 1664	RID_-183066LF2B	2,963
	<i>Specify the pull code (F, R). Specify the accent color (A, S).</i>			
	<i>Fixed fronts (D). Specify the pull code (F, R). Specify the accent color (A, S).</i>			
	<i>2 full width drawers, closed cabinet 23" H (584 mm) with 1 adjustable shelf.</i>			
	42 x 18 x 53 $\frac{3}{8}$	1067 x 457 x 1356	RID_-184254LF2B	3,173
	<i>Specify the pull code (F, R). Specify the accent color (A, S).</i>			
	36 x 18 x 53 $\frac{3}{8}$	914 x 457 x 1356	RID_-183654LF2B	2,817
	30 x 18 x 53 $\frac{3}{8}$	762 x 457 x 1356	RID_-183054LF2B	2,756
	<i>Fixed fronts (D). Specify the pull code (F, R). Specify the accent color (A, S).</i>			
	<i>Specify the pull code (F, R). Specify the accent color (A, S).</i>			
	<i>1 full width drawer, closed cabinet 23" H (584 mm) with 1 adjustable shelf.</i>			
	42 x 18 x 40 $\frac{1}{16}$	1067 x 457 x 1018	RID_-184241LFB	3,012
	36 x 18 x 40 $\frac{1}{16}$	914 x 457 x 1018	RID_-183641LFB	2,542
	<i>Specify the pull code (F, R). Specify the accent color (A, S).</i>			
	30 x 18 x 40 $\frac{1}{16}$	762 x 457 x 1018	RID_-183041LFB	2,501
	<i>Fixed fronts (D). Specify the pull code (F, R). Specify the accent color (A, S).</i>			
	<i>Specify the pull code (F, R). Specify the accent color (A, S).</i>			

METAL STORAGE FURNITURE

	W x D x H (in)	W x D x H (mm)	Code	Price (\$)
Cabinets / Lateral Files Combos - external pulls				
<i>In order to comply with ANSI/BIFMA standards, a counterweight or anchoring solution is required on storage units 53 7/8" H (1356 mm) or less.</i>				
<i>3 full width drawers, closed cabinet 23" H (584 mm) with 1 adjustable shelf.</i>				
	42 x 18 x 65 1/2	1067 x 457 x 1664	RID_-184266LF3B	3,746
	36 x 18 x 65 1/2	914 x 457 x 1664	RID_-183666LF3B	3,305
	30 x 18 x 65 1/2	762 x 457 x 1664	RID_-183066LF3B	3,242
Fixed fronts (D). Specify the pull code (K, M, Z, W). Specify the accent color (A, S).				
<i>2 full width drawers, closed cabinet 35" H (889 mm) with 2 adjustable shelves.</i>				
	42 x 18 x 65 1/2	1067 x 457 x 1664	RID_-184266LF2B	3,521
	36 x 18 x 65 1/2	914 x 457 x 1664	RID_-183666LF2B	3,097
	30 x 18 x 65 1/2	762 x 457 x 1664	RID_-183066LF2B	2,963
Fixed fronts (D). Specify the pull code (K, M, Z, W). Specify the accent color (A, S).				
<i>2 full width drawers, closed cabinet 23" H (584 mm) with 1 adjustable shelf.</i>				
	42 x 18 x 53 7/8	1067 x 457 x 1356	RID_-184254LF2B	3,173
	36 x 18 x 53 7/8	914 x 457 x 1356	RID_-183654LF2B	2,817
	30 x 18 x 53 7/8	762 x 457 x 1356	RID_-183054LF2B	2,756
Fixed fronts (D). Specify the pull code (K, M, Z, W). Specify the accent color (A, S).				
<i>1 full width drawer, closed cabinet 23" H (584 mm) with 1 adjustable shelf.</i>				
	42 x 18 x 40 7/16	1067 x 457 x 1018	RID_-184241LFB	3,012
	36 x 18 x 40 7/16	914 x 457 x 1018	RID_-183641LFB	2,542
	30 x 18 x 40 7/16	762 x 457 x 1018	RID_-183041LFB	2,501
Fixed fronts (D). Specify the pull code (K, M, Z, W). Specify the accent color (A, S).				
Cabinets / Wardrobes Combos - integrated pulls				
<i>1 full width fixed shelf, 1 clothes hanger bar, 4 adjustable half shelves.</i>				
	42 x 18 x 77 7/8	1067 x 457 x 1972	RIN_-421878BC	3,012
	36 x 18 x 77 7/8	914 x 457 x 1972	RIN_-361878BC	2,856
	30 x 18 x 77 7/8	762 x 457 x 1972	RIN_-301878BC	2,797
Specify the pull code (F, R). Specify the accent color (A, S).				
<i>1 full width fixed shelf, 1 clothes hanger bar, 3 adjustable half shelves.</i>				
	42 x 18 x 65 1/2	1067 x 457 x 1664	RIN_-421866BC	2,942
	36 x 18 x 65 1/2	914 x 457 x 1664	RIN_-361866BC	2,797
	30 x 18 x 65 1/2	762 x 457 x 1664	RIN_-301866BC	2,733
Specify the pull code (F, R). Specify the accent color (A, S).				
Cabinets / Wardrobes Combos - external pulls				
<i>1 full width fixed shelf, 1 clothes hanger bar, 4 adjustable half shelves.</i>				
	42 x 18 x 77 7/8	1067 x 457 x 1972	RIN_-421878BC	3,012
	36 x 18 x 77 7/8	914 x 457 x 1972	RIN_-361878BC	2,856
	30 x 18 x 77 7/8	762 x 457 x 1972	RIN_-301878BC	2,797
Specify the pull code (K, M, Z, W). Specify the accent color (A, S).				
<i>1 full width fixed shelf, 1 clothes hanger bar, 3 adjustable half shelves.</i>				
	42 x 18 x 65 1/2	1067 x 457 x 1664	RIN_-421866BC	2,942
	36 x 18 x 65 1/2	914 x 457 x 1664	RIN_-361866BC	2,797
	30 x 18 x 65 1/2	762 x 457 x 1664	RIN_-301866BC	2,733
Specify the pull code (K, M, Z, W). Specify the accent color (A, S).				
Multifunction files - integrated pulls				
<i>In order to comply with ANSI/BIFMA standards, a counterweight or anchoring solution is required.</i>				
<i>1 full width file drawer, 1 file drawer on left, 2 box drawers on right.</i>				
	42 x 18 x 27 7/8	1067 x 457 x 708	RID_-C0184228	2,308
	36 x 18 x 27 7/8	914 x 457 x 708	RID_-C0183628	2,101
	30 x 18 x 27 7/8	762 x 457 x 708	RID_-C0183028	2,053
Fixed fronts (D). Specify the pull code (F, R). Specify the accent color (A, S).				
<i>1 full width file drawer, 1 file drawer on right, 2 box drawers on left.</i>				
	42 x 18 x 27 7/8	1067 x 457 x 708	RID_-184228C0	2,308
	36 x 18 x 27 7/8	914 x 457 x 708	RID_-183628C0	2,101
	30 x 18 x 27 7/8	762 x 457 x 708	RID_-183028C0	2,053
Fixed fronts (D). Specify the pull code (F, R). Specify the accent color (A, S).				

Counterweight option (W): add \$286.

Electronic lock option (D): add \$740.

Electronic lock option (D): add \$740.

Electronic lock option (D): add \$740.

Counterweight option (W): add \$286.

	W x D x H (in)	W x D x H (mm)	Code	Price (\$)
Multifunction files - external pulls				
<i>In order to comply with ANSI/BIFMA standards, a counterweight or anchoring solution is required on storage units.</i>				
<i>1 full width file drawer, 1 file drawer on left, 2 box drawers on right.</i>				
	42 x 18 x 27 7/8	1067 x 457 x 708	RID_-C0184228	2,308
	36 x 18 x 27 7/8	914 x 457 x 708	RID_-C0183628	2,101
	30 x 18 x 27 7/8	762 x 457 x 708	RID_-C0183028	2,053
Fixed fronts (D). Specify the pull code (K, M, Z, W). Specify the accent color (A, S).				
<i>1 full width file drawer, 1 file drawer on right, 2 box drawers on left.</i>				
	42 x 18 x 27 7/8	1067 x 457 x 708	RID_-184228C0	2,308
	36 x 18 x 27 7/8	914 x 457 x 708	RID_-183628C0	2,101
	30 x 18 x 27 7/8	762 x 457 x 708	RID_-183028C0	2,053
Fixed fronts (D). Specify the pull code (K, M, Z, W). Specify the accent color (A, S).				
Low storage units - integrated pulls				
<i>In order to comply with ANSI/BIFMA standards, a counterweight or anchoring solution is required on storage units with drawer(s).</i>				
<i>1 bookcase compartment, 1 pigeonhole.</i>				
	36 x 18 x 21 3/4	914 x 457 x 552	RINNN-BE361822	968
	30 x 18 x 21 3/4	762 x 457 x 552	RINNN-BE301822	888
Fixed fronts (D). Specify the pull code (F, R). Specify the accent color (A, S).				
<i>1 fixed-front file drawer, 1 pigeonhole.</i>				
	36 x 18 x 21 3/4	914 x 457 x 552	RID_-SLF361822	1,514
	30 x 18 x 21 3/4	762 x 457 x 552	RID_-SLF301822	1,458
Fixed front (D). Specify the pull code (F, R). Specify the accent color (A, S).				
<i>1 file drawer, 1 fixed-front utility drawer.</i>				
	36 x 18 x 21 3/4	914 x 457 x 552	RID_-UL361822	1,614
	30 x 18 x 21 3/4	762 x 457 x 552	RID_-UL301822	1,561
Fixed fronts (D). Specify the pull code (F, R). Specify the accent color (A, S).				
Low storage units - external pulls				
<i>In order to comply with ANSI/BIFMA standards, a counterweight or anchoring solution is required.</i>				
<i>1 fixed-front file drawer, 1 pigeonhole.</i>				
	36 x 18 x 21 3/4	914 x 457 x 552	RID_-SLF361822	1,514
	30 x 18 x 21 3/4	762 x 457 x 552	RID_-SLF301822	1,458
Fixed front (D). Specify the pull code (K, M, Z, W). Specify the accent color (A, S).				
<i>1 file drawer and 1 fixed-front utility drawer.</i>				
	36 x 18 x 21 3/4	914 x 457 x 552	RID_-UL361822	1,614
	30 x 18 x 21 3/4	762 x 457 x 552	RID_-UL301822	1,561
Fixed fronts (D). Specify the pull code (K, M, Z, W). Specify the accent color (A, S).				

Electronic lock option (D): add \$740.



Counterweight option (W): add \$286.


Electronic lock option (D)*: add \$740.

Counterweight option (W)*: add \$286.

*Not available on low storage units with open compartments.


VERTICAL FILES

Vertical files - integrated pulls				
<i>In order to comply with ANSI/BIFMA standards, a counterweight or anchoring solution is required on files with 3 or less drawers.</i>				
<i>5-high.</i>				
	17 1/4 x 28 x 65 1/2	451 x 711 x 1664	RID_-281866VF5	2,486
	14 3/4 x 28 x 65 1/2	375 x 711 x 1664	RID_-281566VF5	2,486
Specify the pull code (F, R). Specify the accent color (A, S).				
<i>4-high.</i>				
	17 1/4 x 28 x 53 3/8	451 x 711 x 1356	RID_-281854VF4	1,991
	14 3/4 x 28 x 53 3/8	375 x 711 x 1356	RID_-281554VF4	1,991
Specify the pull code (F, R). Specify the accent color (A, S).				

	W x D x H (in)	W x D x H (mm)	Code	Price (\$)
Vertical files - integrated pulls (cont'd)	<i>3-high.</i>			
	17 ³ / ₄ x 28 x 40 ¹ / ₁₆	451 x 711 x 1018	RID__-281841VF3	1,745
	14 ³ / ₄ x 28 x 40 ¹ / ₁₆	375 x 711 x 1018	RID__-281541VF3	1,745
	Specify the pull code (F, R). Specify the accent color (A, S).			
	<i>2-high.</i>			
	17 ³ / ₄ x 28 x 27 ¹ / ₈	451 x 711 x 708	RID__-281828VF2	1,259
	14 ³ / ₄ x 28 x 27 ¹ / ₈	375 x 711 x 708	RID__-281528VF2	1,259
	Specify the pull code (F, R). Specify the accent color (A, S).			

Electronic lock option (D): add \$740.

Counterweight option (W): add \$286.

Vertical files - external pulls	<i>In order to comply with ANSI/BIFMA standards, a counterweight or anchoring solution is required on files with 3 or less drawers.</i>			
	<i>5-high.</i>			
	17 ³ / ₄ x 28 x 65 ¹ / ₂	451 x 711 x 1664	RID__-281866VF5	2,486
	14 ³ / ₄ x 28 x 65 ¹ / ₂	375 x 711 x 1664	RID__-281566VF5	2,486
	Specify the pull code (K, M, Z, W). Specify the accent color (A, S).			
	<i>4-high.</i>			
	17 ³ / ₄ x 28 x 53 ³ / ₈	451 x 711 x 1356	RID__-281854VF4	1,991
	14 ³ / ₄ x 28 x 53 ³ / ₈	375 x 711 x 1356	RID__-281554VF4	1,991
	Specify the pull code (K, M, Z, W). Specify the accent color (A, S).			
	<i>3-high.</i>			
	17 ³ / ₄ x 28 x 40 ¹ / ₁₆	451 x 711 x 1018	RID__-281841VF3	1,745
	14 ³ / ₄ x 28 x 40 ¹ / ₁₆	375 x 711 x 1018	RID__-281541VF3	1,745
	Specify the pull code (K, M, Z, W). Specify the accent color (A, S).			
	<i>2-high.</i>			
	17 ³ / ₄ x 28 x 27 ¹ / ₈	451 x 711 x 708	RID__-281828VF2	1,259
	14 ³ / ₄ x 28 x 27 ¹ / ₈	375 x 711 x 708	RID__-281528VF2	1,259
	Specify the pull code (K, M, Z, W). Specify the accent color (A, S).			

Electronic lock option (D): add \$740.

Counterweight option (W): add \$286.


LAMINATE TOPS




Double-faced tape included. When appropriately mounted, back-to-back tops (units with two or more drawers) or side-by-side tops (units with 3 or more drawers) are an efficient alternative to the use of counterweights.

Tops for individual storage unit	<i>Top 1" (25 mm) thick.</i>			
	42 ¹ / ₁₆ x 18 ¹ / ₁₆ x 1	1068 x 458 x 25	R_NNN-T04218	379 510
	36 ¹ / ₁₆ x 18 ¹ / ₁₆ x 1	916 x 458 x 25	R_NNN-T03618	363 464
	30 ¹ / ₁₆ x 18 ¹ / ₁₆ x 1	763 x 458 x 25	R_NNN-T03018	348 447
	Specify the finish (1, 2). Smooth edge (N).			
	<i>Top 1½" (38 mm) thick.</i>			
	42 ¹ / ₁₆ x 18 ¹ / ₁₆ x 1½	1068 x 458 x 38	R_NNN-T04218	510 642
	36 ¹ / ₁₆ x 18 ¹ / ₁₆ x 1½	916 x 458 x 38	R_NNN-T03618	464 581
		30 ¹ / ₁₆ x 18 ¹ / ₁₆ x 1½	R_NNN-T03018	457 548
		Specify the finish (5, 6). Smooth edge (N).		

Tops for 2 side-by-side storage units	<i>Top 1" (25 mm) thick.</i>			
	84 ¹ / ₈ x 18 ¹ / ₁₆ x 1	2136 x 458 x 25	R_NNN-T08418	510 711
	72 ¹ / ₈ x 18 ¹ / ₁₆ x 1	1832 x 458 x 25	R_NNN-T07218	464 642
	60 ¹ / ₈ x 18 ¹ / ₁₆ x 1	1526 x 458 x 25	R_NNN-T06018	425 603
	Specify the finish (1, 2). Smooth edge (N).			
	<i>Top 1½" (38 mm) thick.</i>			
	84 ¹ / ₈ x 18 ¹ / ₁₆ x 1½	2136 x 458 x 38	R_NNN-T08418	711 911
	72 ¹ / ₈ x 18 ¹ / ₁₆ x 1½	1832 x 458 x 38	R_NNN-T07218	642 811
		60 ¹ / ₈ x 18 ¹ / ₁₆ x 1½	R_NNN-T06018	603 764
		Specify the finish (5, 6). Smooth edge (N).		

Tops for 2 back-to-back storage units.	<i>Top 1" (25 mm) thick.</i>			
	42 ¹ / ₁₆ x 36 ¹ / ₈ x 1	1068 x 916 x 25	R_NNN-T04236	464 679
	36 ¹ / ₁₆ x 36 ¹ / ₈ x 1	916 x 916 x 25	R_NNN-T03636	447 618
	30 ¹ / ₁₆ x 36 ¹ / ₈ x 1	763 x 916 x 25	R_NNN-T03036	410 548
	Specify the finish (1, 2). Smooth edge (N).			

	W x D x H (in)	W x D x H (mm)	Code	Dessus mélamine (\$)	Dessus stratifié (\$)
Tops for 2 back-to-back storage units. (cont'd)	<i>Top 1½" (38 mm) thick.</i>				
	42 ¹ / ₁₆ x 36 ¹ / ₈ x 1½	1068 x 916 x 38	R_NNN-T04236	642	788
	36 ¹ / ₁₆ x 36 ¹ / ₈ x 1½	916 x 916 x 38	R_NNN-T03636	603	719
	30 ¹ / ₁₆ x 36 ¹ / ₈ x 1½	763 x 916 x 38	R_NNN-T03036	563	642
	Specify the finish (5, 6). Smooth edge (N).				

Tops for 4 back-to-back storage units	<i>Top 1" (25 mm) thick.</i>				
	84 ¹ / ₈ x 36 ¹ / ₈ x 1	2136 x 916 x 25	R_NNN-T08436	1,018	1,421
	72 ¹ / ₈ x 36 ¹ / ₈ x 1	1832 x 916 x 25	R_NNN-T07236	925	1,238
	60 ¹ / ₈ x 36 ¹ / ₈ x 1	1526 x 916 x 25	R_NNN-T06036	849	1,204
	Specify the finish (1, 2). Smooth edge (N).				
	<i>Top 1½" (38 mm) thick.</i>				
	84 ¹ / ₈ x 36 ¹ / ₈ x 1½	2136 x 916 x 38	R_NNN-T08436	1,421	1,822
	72 ¹ / ₈ x 36 ¹ / ₈ x 1½	1832 x 916 x 38	R_NNN-T07236	1,282	1,622
		60 ¹ / ₈ x 36 ¹ / ₈ x 1½	R_NNN-T06036	1,204	1,529
		Specify the finish (5, 6). Smooth edge (N).			

Tops for individual storage unit - 24" D	<i>Top 1" (25 mm) thick.</i>				
	18 ¹ / ₁₆ x 24 ¹ / ₁₆ x 1	458 x 611 x 25	R_NNN-T01824	255	332
	15 ¹ / ₁₆ x 24 ¹ / ₁₆ x 1	382 x 611 x 25	R_NNN-T01524	240	308
	Specify the finish (1, 2). Smooth edge (N).				
	<i>Top 1½" (38 mm) thick.</i>				
	18 ¹ / ₁₆ x 24 ¹ / ₁₆ x 1½	458 x 611 x 38	R_NNN-T01824	306	363
	15 ¹ / ₁₆ x 24 ¹ / ₁₆ x 1½	382 x 611 x 38	R_NNN-T01524	288	348
	Specify the finish (5, 6). Smooth edge (N).				

PEDESTALS

Fixed pedestals - integrated pulls	<i>Fixed pedestals may be affixed underneath a work surface (drilling required).</i>			
	<i>2 box drawers, 1 file drawer.</i>			
	14 ³ / ₄ x 28 x 27 ¹ / ₈	375 x 711 x 708	RID__-P1528UF	889
	14 ³ / ₄ x 22 x 27 ¹ / ₈	375 x 559 x 708	RID__-P1522UF	856
		14 ³ / ₄ x 18 x 27 ¹ / ₈	RID__-P1518UF	872
		Specify the pull code (F, R). Specify the accent color (A, S).		

Fixed pedestals - external pulls	<i>Fixed pedestals may be affixed underneath a work surface (drilling required).</i>			
	<i>2 box drawers, 1 file drawer.</i>			
	14 ³ / ₄ x 28 x 27 ¹ / ₈	375 x 711 x 708	RID__-P1528UF	889
	14 ³ / ₄ x 22 x 27 ¹ / ₈	375 x 559 x 708	RID__-P1522UF	856
		14 ³ / ₄ x 18 x 27 ¹ / ₈	RID__-P1518UF	872
		Specify the pull code (F, R). Specify the accent color (A, S).		

Fixed pedestals - external pulls	<i>Fixed pedestals may be affixed underneath a work surface (drilling required).</i>			
	<i>2 box drawers, 1 file drawer.</i>			
	14¾ x 28 x 27⅞	375 x 711 x 708	RID__-P1528UF	889
	14¾ x 22 x 27⅞	375 x 559 x 708	RID__-P1522UF	856
	14¾ x 18 x 27⅞	375 x 457 x 708	RID__-P1518UF	872
	Specify the pull code (K, M, Z, W). Specify the accent color (A, S).			
	<i>2 file drawers.</i>			
	14¾ x 28 x 27⅞	375 x 711 x 708	RID__-P1528FF	823
	14¾ x 22 x 27⅞	375 x 559 x 708	RID__-P1522FF	790
	14¾ x 18 x 27⅞	375 x 457 x 708	RID__-P1518FF	804
	Specify the pull code (K, M, Z, W). Specify the accent color (A, S).			

Electronic lock option (D): add \$740.





METAL STORAGE FURNITURE







	W x D x H (in)	W x D x H (mm)	Code	Price (\$)
Mobile pedestals - integrated pulls   	Black casters.			
	2 box drawers, 1 file drawer.			
	14 3/4 x 28 x 26 1/2	375 x 711 x 673	RID__-MP1528UF	974
	14 3/4 x 22 x 26 1/2	375 x 559 x 673	RID__-MP1522UF	938
	14 3/4 x 18 x 26 1/2	375 x 457 x 673	RID__-MP1518UF	958
	Specify the pull code (F, R). Specify the accent color (A, S).			
	2 file drawers.			
	14 3/4 x 28 x 26 1/2	375 x 711 x 673	RID__-MP1528FF	906
	14 3/4 x 22 x 26 1/2	375 x 559 x 673	RID__-MP1522FF	872
	14 3/4 x 18 x 26 1/2	375 x 457 x 673	RID__-MP1518FF	892
Electronic lock option (D): add \$740.	Specify the pull code (F, R). Specify the accent color (A, S).			
	1 box drawer, 1 file drawer. Can accommodate a RINNN-CU15 _____ cushion.			
	14 3/4 x 28 x 26 1/8	375 x 711 x 530	RID__-MP1528F	841
	14 3/4 x 22 x 26 1/8	375 x 559 x 530	RID__-MP1522F	811
	14 3/4 x 18 x 26 1/8	375 x 457 x 530	RID__-MP1518F	829







Mobile pedestals - external pulls   	Black casters.			
	2 box drawers, 1 file drawer.			
	14 3/4 x 28 x 26 1/2	375 x 711 x 673	RID__-MP1528UF	974
	14 3/4 x 22 x 26 1/2	375 x 559 x 673	RID__-MP1522UF	938
	14 3/4 x 18 x 26 1/2	375 x 457 x 673	RID__-MP1518UF	958
	Specify the pull code (K, M, Z, W). Specify the accent color (A, S).			
	2 file drawers.			
	14 3/4 x 28 x 26 1/2	375 x 711 x 673	RID__-MP1528FF	906
	14 3/4 x 22 x 26 1/2	375 x 559 x 673	RID__-MP1522FF	872
	14 3/4 x 18 x 26 1/2	375 x 457 x 673	RID__-MP1518FF	892
Electronic lock option (D): add \$740.	Specify the pull code (K, M, Z, W). Specify the accent color (A, S).			
	1 box drawer, 1 file drawer. Can accommodate a RINNN-CU15 _____ cushion.			
	14 3/4 x 28 x 20 1/8	375 x 711 x 530	RID__-MP1528F	841
	14 3/4 x 22 x 20 1/8	375 x 559 x 530	RID__-MP1522F	811
	14 3/4 x 18 x 20 1/8	375 x 457 x 530	RID__-MP1518F	829


COMBINED TOWERS

65 1/2" H (1664 mm): closed cabinet or bookcase 35" H (889 mm) with 2 adjustable shelves.
53 3/8" H (1356 mm): closed cabinet or bookcase 23" H (584 mm) with 1 adjustable shelf.


Combined towers with cabinet - integrated pulls   	1 cabinet, 2 box drawers, 1 file drawer.			
	14 3/4 x 24 x 65 1/2	375 x 610 x 1664	RID__-152466UFB	2,262
	14 3/4 x 24 x 53 3/8	375 x 610 x 1356	RID__-152454UFB	2,151
	Specify the pull code (F, R). Specify the accent color (A, S). Specify the door opening at the end of the code: hinges on left (L) ou hinges on right (R).			
	1 cabinet, 2 file drawers.			
	14 3/4 x 24 x 65 1/2	375 x 610 x 1664	RID__-152466FFB	2,194
	14 3/4 x 24 x 53 3/8	375 x 610 x 1356	RID__-152454FFB	2,120
	Specify the pull code (F, R). Specify the accent color (A, S). Specify the door opening at the end of the code: hinges on left (L) ou hinges on right (R).			
	1 cabinet on left, 2 box drawers, 1 file drawer, 1 wardrobe with clothes hanger bar on right.			
	23 3/4 x 24 x 65 1/2	603 x 610 x 1664	RID__-242466BUF	2,680
Combined towers with cabinet / wardrobe - external pulls   	1 cabinet on left, 2 box drawers, 1 file drawer, 1 wardrobe with clothes hanger bar on right.			
	23 3/4 x 24 x 65 1/2	603 x 610 x 1664	RID__-242466BUF	2,680
	23 3/4 x 24 x 53 3/8	603 x 610 x 1356	RID__-242454BUF	2,605
	Specify the pull code (K, M, Z, W). Specify the accent color (A, S).			
	1 cabinet on right, 2 box drawers, 1 file drawer, 1 wardrobe with clothes hanger bar on left.			
	23 3/4 x 24 x 65 1/2	603 x 610 x 1664	RID__-242466UFB	2,680
	23 3/4 x 24 x 53 3/8	603 x 610 x 1356	RID__-242454UFB	2,605
	Specify the pull code (K, M, Z, W). Specify the accent color (A, S).			
	1 cabinet on left, 2 file drawers, 1 wardrobe with clothes hanger bar on right.			
	23 3/4 x 24 x 65 1/2	603 x 610 x 1664	RID__-242466BFF	2,643
	23 3/4 x 24 x 53 3/8	603 x 610 x 1356	RID__-242454BFF	2,571

	W x D x H (in)	W x D x H (mm)	Code	Price (\$)
Combined towers with cabinet - external pulls   	1 cabinet, 2 box drawers, 1 file drawer.			
	14 3/4 x 24 x 65 1/2	375 x 610 x 1664	RID__-152466UFB	2,262
	14 3/4 x 24 x 53 3/8	375 x 610 x 1356	RID__-152454UFB	2,151
	Specify the pull code (K, M, Z, W). Specify the accent color (A, S). Specify the door opening at the end of the code: hinges on left (L) ou hinges on right (R).			
	1 cabinet, 2 file drawers.			
	14 3/4 x 24 x 65 1/2	375 x 610 x 1664	RID__-152466FFB	2,194
	14 3/4 x 24 x 53 3/8	375 x 610 x 1356	RID__-152454FFB	2,120
	Specify the pull code (K, M, Z, W). Specify the accent color (A, S). Specify the door opening at the end of the code: hinges on left (L) ou hinges on right (R).			
	1 cabinet on left, 2 box drawers, 1 file drawer, 1 wardrobe with clothes hanger bar on right.			
	23 3/4 x 24 x 65 1/2	603 x 610 x 1664	RID__-242466BUF	2,680
Combined towers with cabinet / wardrobe - integrated pulls   	1 cabinet on right, 2 box drawers, 1 file drawer, 1 wardrobe with clothes hanger bar on left.			
	23 3/4 x 24 x 65 1/2	603 x 610 x 1664	RID__-242466UFB	2,680
	23 3/4 x 24 x 53 3/8	603 x 610 x 1356	RID__-242454UFB	2,605
	Specify the pull code (F, R). Specify the accent color (A, S).			
	1 cabinet on left, 2 file drawers, 1 wardrobe with clothes hanger bar on right.			
	23 3/4 x 24 x 65 1/2	603 x 610 x 1664	RID__-242466BFF	2,643
	23 3/4 x 24 x 53 3/8	603 x 610 x 1356	RID__-242454BFF	2,571
	Specify the pull code (F, R). Specify the accent color (A, S).			
	1 cabinet on right, 2 file drawers, 1 wardrobe with clothes hanger bar on left.			
	23 3/4 x 24 x 65 1/2	603 x 610 x 1664	RID__-242466FFB	2,643
Combined towers with cabinet / wardrobe - external pulls   	1 cabinet on right, 2 file drawers, 1 wardrobe with clothes hanger bar on left.			
	23 3/4 x 24 x 65 1/2	603 x 610 x 1664	RID__-242466UFB	2,680
	23 3/4 x 24 x 53 3/8	603 x 610 x 1356	RID__-242454UFB	2,605
	Specify the pull code (K, M, Z, W). Specify the accent color (A, S).			
	1 cabinet on left, 2 box drawers, 1 file drawer, 1 wardrobe with clothes hanger bar on right.			
	23 3/4 x 24 x 65 1/2	603 x 610 x 1664	RID__-242466BUF	2,680
	23 3/4 x 24 x 53 3/8	603 x 610 x 1356	RID__-242454BUF	2,605
	Specify the pull code (K, M, Z, W). Specify the accent color (A, S).			
	1 cabinet on right, 2 box drawers, 1 file drawer, 1 wardrobe with clothes hanger bar on left.			
	23 3/4 x 24 x 65 1/2	603 x 610 x 1664	RID__-242466BFF	2,643
	23 3/4 x 24 x 53 3/8	603 x 610 x 1356	RID__-242454BFF	2,571

	W x D x H (in)	W x D x H (mm)	Code	Price (\$)
Combined towers with bookcase				
	<i>1 bookcase on left, 2 box drawers, 1 file drawer.</i>			
	14 $\frac{3}{4}$ x 24 x 65 $\frac{1}{2}$	375 x 610 x 1664	RID__-PUF152466	2,163
	<i>1 bookcase on right, 2 box drawers, 1 file drawer.</i>			
	14 $\frac{3}{4}$ x 24 x 53 $\frac{3}{8}$	375 x 610 x 1356	RID__-PUF152454	2,092
Specify the pull code (F, R). Specify the accent color (A, S).				
	<i>1 bookcase on left, 2 file drawers.</i>			
	14 $\frac{3}{4}$ x 24 x 65 $\frac{1}{2}$	375 x 610 x 1664	RID__-PFF152466	2,135
	<i>1 bookcase on right, 2 file drawers.</i>			
	14 $\frac{3}{4}$ x 24 x 53 $\frac{3}{8}$	375 x 610 x 1356	RID__-PFF152454	2,064
Specify the pull code (F, R). Specify the accent color (A, S).				
	<i>1 bookcase on left, 2 box drawers, 1 file drawer.</i>			
	14 $\frac{3}{4}$ x 24 x 65 $\frac{1}{2}$	375 x 610 x 1664	RID__-PUF152466	2,163
	<i>1 bookcase on right, 2 box drawers, 1 file drawer.</i>			
	14 $\frac{3}{4}$ x 24 x 53 $\frac{3}{8}$	375 x 610 x 1356	RID__-PUF152454	2,092
Specify the pull code (F, R). Specify the accent color (A, S).				
	<i>1 bookcase on left, 2 file drawers.</i>			
	14 $\frac{3}{4}$ x 24 x 65 $\frac{1}{2}$	375 x 610 x 1664	RID__-PFF152466	2,135
	<i>1 bookcase on right, 2 file drawers.</i>			
	14 $\frac{3}{4}$ x 24 x 53 $\frac{3}{8}$	375 x 610 x 1356	RID__-PFF152454	2,064
Specify the pull code (F, R). Specify the accent color (A, S).				
Electronic lock option (D): add \$740.				
Combined towers with bookcase - external pulls				
	<i>1 bookcase on left, 2 box drawers, 1 file drawer.</i>			
	14 $\frac{3}{4}$ x 24 x 65 $\frac{1}{2}$	375 x 610 x 1664	RID__-PUF152466	2,163
	<i>1 bookcase on right, 2 box drawers, 1 file drawer.</i>			
	14 $\frac{3}{4}$ x 24 x 53 $\frac{3}{8}$	375 x 610 x 1356	RID__-PUF152454	2,092
Specify the pull code (K, M, Z, W). Specify the accent color (A, S).				
	<i>1 bookcase on left, 2 file drawers.</i>			
	14 $\frac{3}{4}$ x 24 x 65 $\frac{1}{2}$	375 x 610 x 1664	RID__-PFF152466	2,135
	<i>1 bookcase on right, 2 file drawers.</i>			
	14 $\frac{3}{4}$ x 24 x 53 $\frac{3}{8}$	375 x 610 x 1356	RID__-PFF152454	2,064
Specify the pull code (K, M, Z, W). Specify the accent color (A, S).				
Electronic lock option (D): add \$740				
Combined towers with bookcase / wardrobe - integrated pulls				
	<i>1 bookcase on left, 2 box drawers, 1 file drawer, 1 wardrobe with clothes hanger bar on right.</i>			
	23 $\frac{3}{4}$ x 24 x 65 $\frac{1}{2}$	603 x 610 x 1664	RID__-PBUF242466	2,597
	<i>1 bookcase on right, 2 box drawers, 1 file drawer, 1 wardrobe with clothes hanger bar on left.</i>			
	23 $\frac{3}{4}$ x 24 x 53 $\frac{3}{8}$	603 x 610 x 1356	RID__-PBUF242454	2,522
Specify the pull code (F, R). Specify the accent color (A, S).				
	<i>1 bookcase on left, 2 file drawers, 1 wardrobe with clothes hanger bar on right.</i>			
	23 $\frac{3}{4}$ x 24 x 65 $\frac{1}{2}$	603 x 610 x 1664	RID__-PBFF242466	2,558
	<i>1 bookcase on right, 2 file drawers, 1 wardrobe with clothes hanger bar on left.</i>			
	23 $\frac{3}{4}$ x 24 x 53 $\frac{3}{8}$	603 x 610 x 1356	RID__-PBFF242454	2,488
Specify the pull code (F, R). Specify the accent color (A, S).				

	W x D x H (in)	W x D x H (mm)	Code	Price (\$)
Combined towers with bookcase / wardrobe - external pulls				
	<i>1 bookcase on left, 2 box drawers, 1 file drawer, 1 wardrobe with clothes hanger bar on right.</i>			
	23 $\frac{3}{4}$ x 24 x 65 $\frac{1}{2}$	603 x 610 x 1664	RID__-PBUF242466	2,597
	<i>1 bookcase on right, 2 box drawers, 1 file drawer, 1 wardrobe with clothes hanger bar on left.</i>			
	23 $\frac{3}{4}$ x 24 x 53 $\frac{3}{8}$	603 x 610 x 1356	RID__-PBUF242454	2,522
Specify the pull code (K, M, Z, W). Specify the accent color (A, S).				
	<i>1 bookcase on left, 2 file drawers, 1 wardrobe with clothes hanger bar on right.</i>			
	23 $\frac{3}{4}$ x 24 x 65 $\frac{1}{2}$	603 x 610 x 1664	RID__-PBFF242466	2,558
	<i>1 bookcase on right, 2 file drawers, 1 wardrobe with clothes hanger bar on left.</i>			
	23 $\frac{3}{4}$ x 24 x 53 $\frac{3}{8}$	603 x 610 x 1356	RID__-PBFF242454	2,488
Specify the pull code (K, M, Z, W). Specify the accent color (A, S).				
Electronic lock option (D): add \$740.				


ACCESSORIES

Additional shelves		<i>Insert into the storage units lateral notches. No tool required.</i>		
		<i>For bookcases.</i>		
41 $\frac{3}{4}$ x 16 $\frac{3}{4}$ x $\frac{3}{4}$	1060 x 425 x 19	RINNN-TB4218		185
35 $\frac{3}{4}$ x 16 $\frac{3}{4}$ x $\frac{3}{4}$	908 x 425 x 19	RINNN-TB3618		178
29 $\frac{3}{4}$ x 16 $\frac{3}{4}$ x $\frac{3}{4}$	756 x 425 x 19	RINNN-TB3018		171
		<i>For cabinets.</i>		
41 $\frac{3}{4}$ x 14 $\frac{1}{4}$ x $\frac{3}{4}$	1060 x 362 x 19	RINNN-TA4218		185
35 $\frac{3}{4}$ x 14 $\frac{1}{4}$ x $\frac{3}{4}$	908 x 362 x 19	RINNN-TA3618		178
29 $\frac{3}{4}$ x 14 $\frac{1}{4}$ x $\frac{3}{4}$	756 x 362 x 19	RINNN-TA3018		171
Pedestal and low storage unit cushions		<i>Attaches to a mobile pedestal or on a low storage unit with velcro strip. Prices shown apply to all Grade 1 and 2 United Chair® fabrics. For other United Chair® grades, add: Grade 3: 15%, Grade 4: 20%, Grade 5: 25% and Grade 6: 30%.</i>		
		<i>For mobile pedestals.</i>		
14 $\frac{3}{4}$ x 28 x 1 $\frac{1}{2}$	375 x 711 x 40	RINNN-CU1528		387
14 $\frac{3}{4}$ x 22 x 1 $\frac{1}{2}$	375 x 559 x 40	RINNN-CU1522		292
14 $\frac{3}{4}$ x 18 x 1 $\frac{1}{2}$	375 x 457 x 40	RINNN-CU1518		240
		<i>For low storage units.</i>		
42 x 18 x 1 $\frac{1}{2}$	1067 x 457 x 40	RINNN-CU4218		433
36 x 18 x 1 $\frac{1}{2}$	914 x 457 x 40	RINNN-CU3618		387
30 x 18 x 1 $\frac{1}{2}$	762 x 457 x 40	RINNN-CU3018		326
Counterweights		<i>Installation required. Includes counterweight and attachment brackets. Counterweight may be factory installed by adding 'W' at the end of the product code.</i>		
		<i>For vertical files with 2 or 3 drawers (VF2 to VF3):</i>		
17 $\frac{3}{4}$ " W		RINNN-CW18		316
14 $\frac{3}{4}$ " W		RINNN-CW15		302
		<i>For low storage units, multifunction files and combined lateral cabinets/files with 1 drawer (BE, SLF, CO and LFB):</i>		
42" W		RINNN-C3W42		524
36" W		RINNN-C3W36		479
30" W		RINNN-C3W30		379

METAL STORAGE FURNITURE

	W x D x H (in)	W x D x H (mm)	Code	Price (\$)
Counterweights (cont'd)	<i>For lateral files and combined lateral cabinets/files with 2 or 3 drawers (LF2 to LF3, LF2B and LF3B):</i>			
	42" W		RINNN-C2W42	510
	36" W		RINNN-C2W36	433
	30" W		RINNN-C2W30	338
	<i>For lateral files with 4 drawers (LF4):</i>			
	42" W		RINNN-C1W42	338
	36" W		RINNN-C1W36	316
	30" W		RINNN-C1W30	302

Paradigm storage-to-panel attachment filler




Shown: Installation on right (R)

Attaches to the back of a metal storage unit and to a Paradigm acoustical panel in order to replace a panel bracket. May be used with any surface with 2" (50 mm) more than the depth of the metal storage furniture. Installation and drilling required.

2 x 2 x 27 ¹ / ₈	50 x 50 x 708	RINNN-EGM2	185
--	---------------	------------	-----

Specify installation on left (L) or right (R)

Front-to-back hanging bars for lateral file drawers



2-bar kit. To create 2 letter or legal-size filing rows, 4 bars are needed, except for the 42" wide drawer, which needs 6 bars to create 3 letter-size filing rows. See page 4 for further information about filing capacity.

15 ¹ / ₈ x 1 ¹ / ₄ x 1 ¹ / ₄	384 x 32 x 32	LGC-FTB2	51
--	---------------	----------	----


Ganging kit



Allows to attach two storage units back-to-back (2 or more drawers) or side-by-side (3 or more drawers). The mounting kit is an efficient alternative to the use of counterweights. Hole drilling required.

RINNN-GKIT	61
------------	----

Divider for lateral file drawer or low storage unit box drawer



For lateral file or low storage unit utility drawer. Inserts into the drawer slots every 1" (25 mm).

18 x ¹ / ₁₆ x 6	457 x 2 x 152	RINNN-DIV6	24
---------------------------------------	---------------	------------	----

Magnetic dividers for lateral or vertical file



For vertical or lateral file.

6 x 15 x 6	152 x 381 x 152	RINNN-DIV186	94
------------	-----------------	--------------	----


6 x 12 x 6	152 x 305 x 152	RINNN-DIV156	94
------------	-----------------	--------------	----

For utility drawer.

2 x 15 x 2	51 x 381 x 51	RINNN-DIV182	77
------------	---------------	--------------	----

2 x 12 x 2	51 x 305 x 51	RINNN-DIV152	77
------------	---------------	--------------	----

Compressors




For vertical file. Comes with a grooved drawer bottom and a bracket with a clip.

Letter size.	RINNN-COM15	123
--------------	-------------	-----

Legal size.	RINNN-COM18	123
-------------	-------------	-----

Pencil tray for box drawer



Black plastic. Sits on the sides of a 15" W (381 mm) utility drawer and slides from front to back for drawer access.

Pencil tray for multifunction unit 30" W.

12 ⁷ / ₈ x 3 x 1	327 x 76 x 25	RINNN-PHU	48
--	---------------	-----------	----

Metal tray adaptors (pencil tray sold separately).

For multifunction unit 36" W	RINNN-PHUA18	31
------------------------------	--------------	----

For multifunction unit 42" W	RINNN-PHUA21	36
------------------------------	--------------	----

Label holders



Insert into the integrated pulls. Clear plastic.

For full pull (F)	RINNN-PLHF	10
-------------------	------------	----

For recessed aluminum pull (R)	RINNN-PLHR	10
--------------------------------	------------	----

Electronic locks



Installation and hole drilling required. For further information, see electronic lock specifications, page 5.

For lateral or vertical file (horizontal position).

5 ¹ / ₄ x ¹ / ₂ x 1 ¹ / ₄	133 x 13 x 32	RINN_-DHLK	338
---	---------------	------------	-----

Specify the accent color (A, S).

For cabinet or wardrobe (vertical position).

1 ¹ / ₄ x ¹ / ₂ x 5 ¹ / ₄	32 x 13 x 133	RINN_-DVUK	338
---	---------------	------------	-----

Specify the accent color (A, S).

Manager Key	RINNN-DMK	161
-------------	-----------	-----

Programming Key	RINNN-DPK	225
-----------------	-----------	-----

Important:

For conditions of sale, the full product offering or more information on all Lacasse collections, please consult Lacasse's General Price Book.

Office Furniture Solutions

Founded in 1956, Groupe Lacasse is a North American leader in the design, manufacture and service of a broad range of high-quality furniture products for all types of work environments. We have the experience, expertise and capability to deliver incomparable design, exceptional quality, optimum service and outstanding value in Office Furniture Solutions.



1-888-522-2773

www.grounelacasse.com

The metal storage furniture has achieved GREENGUARD GOLD Certification.

LACASSE

Office Furniture Solutions



QUORUM MULTICONFERENCE > Price Book > Canada > February 2024

OFFICE
FURNITURE
SOLUTIONS

**Canadian Federal Government
Supply Arrangement (SA)
E60PQ-140003/033/PQ
Furniture for Work Spaces**

TABLE OF CONTENTS

LACASSE QUICKSHIP PROGRAM.....	2
DIMENSIONAL SPECIALS.....	3
STANDARDIZED SPECIALS.....	3
SPECIFICATIONS.....	4-5
WORK SURFACES.....	5
LEGS AND BASES.....	6
TECHNOLOGY INTEGRATION/ELECTRIFICATION.....	6-7
TABLES – CONFIGURATION ELEMENTS.....	8-9
2-LEVEL SHARED TABLES AND TABLE LECTERN.....	10
MEETING TABLES AND OCCASIONAL TABLES.....	11
CONFERENCE TABLES WITH PANEL BASE.....	11
ELECTRIC HEIGHT ADJUSTABLE CONFERENCE TABLES.....	12
ELECTRIC HEIGHT ADJUSTABLE TABLES.....	13
MOBILE TRAINING TABLES – V-BASE.....	14
TRAINING TABLES – T-BASE.....	15
COMPLEMENTARY FURNITURE.....	15
2-TONE APPLICATION AND WOOD GRAIN DIRECTION.....	16
SPECIFICATIONS FOR OPTIONS AND FINISHES.....	16

QUORUM MULTICONFERENCE PRICE LIST	17
1-SECTION SURFACES – 42" TO 60" W.....	17
LEGS AND ACCESSORIES FOR 1-SECTION SURFACES – 42" TO 60" W.....	18
1-SECTION SURFACES – 72" TO 96" W.....	19
LEGS, BASES AND ACCESSORIES FOR 1-SECTION SURFACES – 72" TO 96" W.....	22
2-SECTION SURFACES – 108" TO 192" W.....	22
LEGS, BASES AND ACCESSORIES FOR 2-SECTION SURFACES – 108" TO 192" W.....	26
3-SECTION SURFACES – 204" TO 252" W.....	27
LEGS, BASES AND ACCESSORIES FOR 3-SECTION SURFACES – 204" TO 252" W.....	29
1-SECTION SURFACES FOR VIVA AND TRIA BASES – 96" W.....	30
VIVA AND TRIA BASES AND ACCESSORIES FOR 1-SECTION SURFACES – 96" W.....	30
2-SECTION SURFACES FOR LONG-SPAN TABLES – 108" TO 192" W.....	31
LEGS, BASES AND ACCESSORIES FOR LONG-SPAN TABLES.....	32
2-LEVEL SHARED TABLES – 36" OR 42" D.....	33
TABLE LECTERN.....	33
MEETING TABLES.....	34
MEETING TABLES WITH XTRA BASE.....	35
OCCASIONAL TABLES.....	35
CONFERENCE TABLES.....	36
ELECTRIC HEIGHT ADJUSTABLE CONFERENCE TABLES.....	37
ELECTRIC HEIGHT ADJUSTABLE TABLES - SELECT (C-BASE).....	38
ELECTRIC HEIGHT ADJUSTABLE TABLES - ESSENTIAL (T-BASE).....	41
ACCESSORIES FOR ELECTRIC HEIGHT ADJUSTABLE TABLES.....	41
TRAINING TABLES – V-BASE.....	42
TRAINING TABLES – T-BASE.....	43
TRAINING TABLE ACCESSORIES.....	43
COMPLEMENTARY FURNITURE.....	43
ELECTRIFICATION.....	45
SUGGESTIONS.....	46



QUORUM Multiconference is certified LEVEL® 2. LEVEL is an evaluation and certification system for environmentally-preferable and socially-responsible office furniture. For more information visit, www.levelcertified.org.



Lacasse products have achieved GREENGUARD GOLD Certification. GREENGUARD Certified products are certified to GREENGUARD standards for low chemical emissions into indoor air during product usage. For more information, visit ul.com/gg.

LACASSE QUICKSHIP PROGRAM*

Products and suggested layouts identified by this pictogram are part of the Lacasse quick delivery program.

* Due to current market conditions, always refer to our Lead-Time Guide for a confirmation of our current Lacasse QuickShip lead-times.



PROGRAM CONDITIONS AND LIMITATIONS:

- Maximum of 35 of each selected item and of each color per order.
- QuickShip products are ready for shipment **after reception of a ready-to-process order and delivered on next available trailer.**
- High-pressure laminate (HPL) finishes are not part of the QuickShip Program.
- Each time an electrical/communication module option is specified for a product that is part of the QuickShip Program, the module option is also part of the program, with the exception of table centers (CPC, CP2, CPP).

IMPORTANT:

Place QuickShip orders separately from regular orders.

When preparing your QuickShip orders, indicate the code "QS" before the product code or the suggested layout code. (Ex.: QST5NNN-RC4884.)

AVAILABLE OPTIONS AND LAMINATE FINISHES:

Make sure to complete your QuickShip product codes with the option and finish codes that are part of the QuickShip Program. Consult the list of finishes available on QuickShip at www.groupe-lacasse.com.

"DIMENSIONAL" SPECIALS

Groupe Lacasse offers its clients the possibility of making certain modifications to surface and table dimensions without having to go through the Quotations department. Certain rules apply:

- Dimensional changes are permitted within existing limits.
- No construction change may result from the dimensional change. (Ex.: addition of a base, leg or other component.)
- Refer to the **Dimensional Specials Program on page 4** of the Lacasse general price book for more details.
- If your particular situation is not eligible for the "Dimensional Specials" Program, or for any question regarding **"Dimensional Specials"**, please contact our Specials department at Quotation@groupe-lacasse.com.

"STANDARDIZED" SPECIALS

Addition of a non-standard cut-out for an electrical/communication module

It is possible to add a non-standard cut-out for a table without having to go through the Quotations department.


PROCEDURE:

1. Add an "S" before the product code. (Ex.: ST5NNN-RC4884.)
2. Add "GR9" after the product code. (Ex.: ST5NNN-RC4896GR9.)
3. Supply a drawing specifying the exact dimensions of the cut-out and its position on the furniture.
4. Add \$72 to the table's list price.

Note: For reasons related to structural issues, some requests may have to be modified or refused.

Technology integration

Several electrical/communication modules are available and preconfigured as a standard option. However, many other electrical/communication modules can also be used; to be ordered separately. Refer to the examples below and to the Accessories section of the Lacasse general Price List for all available solutions.



LGC-PC2P

Module with 2 outlets and 2 openings. May accept the connectors shown in this price book's Electrification section. 72" L (1850 mm) connector cable for wall outlet.



LGC-DPC4P

Double module with 4 outlets and 4 openings. May accept the connectors shown in this price book's Electrification section. 72" L (1850 mm) connector cable for wall outlet.

PROCEDURE:

1. Add an "S" before the product code. (Ex.: ST5NNN-RC48__.)
2. Replace the dimensions of the standard unit with the required dimensions. (Ex.: ST5NNN-RC4884 becomes ST5NNN-RC4887.)
3. Use the **higher unit price** from the current price list. (Ex.: If the new unit is an ST5NNN-RC4887, the price to use is the one for unit T5NNN-RC4896.)

Tables and furniture with high-pressure laminate (HPL) surface

Tables and furniture may be ordered with an HPL surface.

PROCEDURE:

1. Modify the number after the T at the start of the code, according to the thickness of the desired finish:
If the code begins with T1, replace with T2.
If the code begins with T5, replace with T6. (Ex.: T5NNN-RC4884 becomes T6NNN-RC4884.)
2. Apply the surcharge for the modification of the finish, according to the table below:

SURFACE WIDTH	UPCHARGE
48" (1200 mm) or less	\$214
Between 54" and 72" (1350 and 1800 mm)	\$268
Between 84" and 96" (2100 and 2400 mm)	\$401
Between 108" and 120" (2700 and 3000 mm)	\$535
Between 132" and 144" (3300 and 3600 mm)	\$668
Between 156" and 192" (3900 and 4800 mm)	\$913
Between 204" and 252" (5100 and 6300 mm)	\$1,202

SPECIFICATIONS

QUORUM MULTICONFERENCE


The QUORUM MULTICONFERENCE collection adapts to the new realities of meetings, presentations and conferences, and impresses with its sophisticated style, ingenious design and smart technology integration. Furthermore, a wide array of dimensions, shapes and features makes the collection adaptable to all situations and day-to-day needs.

Active meeting

Work room

Spontaneous meeting


Informal meeting



Conference

Coworking


Collaboration




Training - Multifunctional spaces

Lounge area

Active office



QUORUM MULTICONFERENCE (cont'd)




User space

Seating model and desired occupation space (larger or more compact), table surface shape and size and the choice of legs or bases will determine the quantity and arrangement of the seats*.

In the price book, a column specifies, for information purposes, the number of people who can be seated around a table.

*Data based on a 28" W (700 mm) occupation space.




WORK SURFACES


- Thermofused laminate panel, 2-sided scratch-resistant finish (45 lb/ft³).
- Work surface 1½" (38 mm) thick, unless otherwise noted.
- For surfaces in 2 or 3 sections, the same finish is applied to all sections. No two-tone application possible.
- Work surfaces also available in high-pressure laminate (HPL), adding ⅛" (1,5 mm) to thickness.
- Plastic polymer edgebanding ⅜" (2 mm) thick.
- Work surface 1½" (38 mm) thick, unless otherwise noted, with smooth (N) or knife edge (K)*.

- Smooth edge in a color matching that of the work surface's finish (N) or with a contrasting accent in Black (K), Silver (S) or White (W), unless otherwise noted.
- Knife edge in a color matching that of the work surface's finish (N) or with a contrasting accent in Black (K), Silver (S) or White (W).

* Knife edge can be applied to square, rectangular or A-shaped work surfaces. Available in all work surface finishes except Anthracite Grey (GAN), Frost (GVR) and Willow Grey (WGR).




Smooth edge (N)
Color matching (N) work surface finish or with a contrasting Black (K), Silver (S) or White (W) accent.



Knife edge (K)
Color matching (N) work surface finish or with a contrasting Black (K), Silver (S) or White (W) accent.

Wood grain direction

1-section surfaces



2- or 3-section surfaces: wood grain finish is not continuous.



SPECIFICATIONS

LEGS AND BASES

Refer to the price book to find out which legs and bases are compatible with the size and type of work surface, as well as the number of legs and bases to order. Proper positioning of legs and bases is assured by a metal-on-metal assembly using mechanical screws, thus ensuring product integrity and easy set-up.

Angled legs	Disc base	X-base		
				
ATL_ and ATL_WM Positioned at an angle	ATL_ and ATL_WM Positioned at a 45° angle	DC	XB	Angled legs - Legs may be installed in 2 ways. - Steel tube. - Levelers with 1/4" (32 mm) height adjustment. - Integrated cable management (optional). - Accent colors: Black (K), Silver (S) or White (W).
				Disc and X-bases - Aluminum tube. - Molded aluminum disc base. - Steel X-base. - Levelers with 1/2" (12 mm) height adjustment. - Integrated cable management. - Accent colors: Black (K), Silver (S) or White (W).

Highly durable electrostatic paint is used for legs and metal bases.

VIVA bases	TRIA base	XTRA base		
				
VBTL_ and VBTL_WM	VMTL_ and VMTL_WM	TBTL_ and TBTL_WM	XTB_	VIVA/TRIA/XTRA bases - Solid cherrywood or steel crosspiece(s) (VIVA bases only). - Steel tubes. - Levelers with 1/4" (32 mm) height adjustment. - Integrated cable management on one leg of the XTB_ base. Optional for VBTL_, VMTL_ and TBTL_ bases.
				2 wood colors: Wild Cherry (W20) or Terra Cherry (W21). - Accent colors for legs: Black (K), Silver (S) or White (W).

The natural beauty of wood is revealed through variations in wood grain and in markings that make each crosspiece unique. Wood with a catalyzed polyurethane finish provides impact resistance comparable to that provided by laminate. However, intensive use or repeated rubbing could result in premature wear of the surface finish and alter the look of the product. Extra-durable electrostatic paint is used on metal parts.

Thermofused laminate bases	U-shape combined base	Panel base		
				
LB05_ and LB09_	LB05_WM and LB09_WM	UCB_	LB	Thermofused laminate bases - Laminate 1" (25 mm) and 5/8" (16 mm) thick. - Optional door with 110° hinges and lock. - Levelers with 1/4" (32 mm) height adjustment. - WM base with cable management: the base makes it possible to plug cables into a floor electric outlet.
				U-shape combined base - Laminate 1" (25 mm) thick. - Levelers with 1/4" (32 mm) height adjustment. - Aluminum contour painted Black (K) or White (W), or anodized aluminum with Silver (S) finish.
				Panel base - Laminate panel 1 1/2" (38 mm) thick. - Crosspieces 8 7/8" H (225 mm). - Levelers with 1/4" (32 mm) height adjustment

Bases are made of thermofused laminate panels, with scratch-resistant finish on both faces (45 lb/ft³).

TECHNOLOGY INTEGRATION/ELECTRIFICATION

Options for work surfaces

- GC: 1 grommet at the center.
- G2, G3: 2 or 3 grommets.
- PC: 1 electrical/communication module in center.
- P2, P3: 2 or 3 electrical/communication modules.
- CPC: 1 table center at the center.
- CPP2: 1 table center at the center and 2 electrical/communication modules.

Options PC, P2, P3, CPC and CPP2 include the Quorum Multiconference connection system (junction cables, connector cables, etc.) and silver-finish anodized aluminum channels, with end caps and sliding brackets for cable and wire support.


Quorum Multiconference electrical connection system

- Easy-to-install modular connections, easily reconfigurable.
- Power feed with wall outlet.
- Meets the required specifications of the ETL and UL-962 standards for electrical product safety recognized by the United States and Canada.

* In the price book, illustrations at bottom of page show options, configurations and positions for the different options, for each type of work surface or table.

Electrical/communication modules (P_)

- Steel frame, plastic center with anti-spill edges.
- Configurations include: opening, 15 AMP electrical outlet(s), USB-A+C 18W outlets. The opening can accept different connectors (RJ45, HDMI, etc.), sold separately.
- Accent colors: Black (K), Silver (S) or White (W).



Grommets (G_)


- Cover in 2 sections.
- Plastic, silver finish.




TECHNOLOGY INTEGRATION/ELECTRIFICATION (cont'd)

Table center (CP_)


- Electrical/communication module.
- Two-level storage space for small items.
- Felt finish with color matching frame.
- Steel frame: Black (K), Silver (S) or White (W).



Elevation view – Table with surface in 2 sections and 3 bases. Option P2: 2 electrical/communication modules.




Horizontal cable management




Channel

Included with electric height-adjustable tables, 2-level shared tables, and surfaces in 1, 2 or 3 sections that are specified with grommets or electrical/communication module(s) and/or table center.



Reinforcement channel

Always included in work surfaces for long tables.




Channel length

Take into account with respect to shipping and handling at time of installation.


Work surface:	Channel:
144" (3600 mm)	105" L (2651 mm)
156" (3900 mm)	116" L (2951 mm)
168" (4200 mm)	128" L (3251 mm)
180" (4500 mm)	140" L (3551 mm)
192" (4800 mm)	152" L (3851 mm)

Vertical cable management



Angled leg with integrated cable management



- 3/8" (10 mm) gap to install cables and wires.
- Plastic cable cover in matching color to hold cables and wires in place.
- Capacity of interior cavity: 2 1/2" W x 1 1/4" D (64 x 32 mm).



Thermofused laminate base with integrated cable management

- Optional door with 110° hinges and lock.
- Recessed base 6" H (150 mm).

May be positioned above a floor electric outlet (monument).



Fabric vertical wire cover

- Installed beneath work surface using screws.
- All United Chair® standard fabrics are applicable.


SPECIFICATIONS

TABLES - CONFIGURATION ELEMENTS


The price list is divided into several sections. Each section presents work surfaces, options for technology integration, and the choice of applicable legs and bases, or pre-configured tables. The work surfaces are compatible only with the legs and bases indicated in their section.

1-, 2- or 3-section surfaces


Surfaces



Technology integration




Choice of legs and bases



1-section surfaces – small tables

- 4 widths and depths: 42", 48", 54" and 60" (1050, 1200, 1350 and 1500 mm).
- 2 leg kits.


Examples:



1-section surfaces

- 3 widths: 72", 84" and 96" (1800, 1950 and 2400 mm).
- 4 depths: 36", 42", 48" and 54" (900, 1050, 1200 and 1350 mm).
- 2 leg kits or 2 bases (surfaces 42" D/1050 mm and more) required.

Example:




2-section surfaces

- 8 widths: 108" to 192" (2700 to 4800 mm) in 12" (300 mm) increments.
- 2 depths: 48" and 54" (1200, 1350 mm).
- 3 leg kits or 3 bases required.

For 2-section surfaces, different legs and bases may be ordered for the same work surface.

Example:




3-section surfaces

- 5 widths: 204" to 252" (5100 to 6300 mm) in 12" (300 mm) increments.
- 2 depths: 48" and 54" (1200 and 1350 mm).
- 4 leg kits or 4 bases required.

For 3-section surfaces, different legs and bases may be ordered for the same work surface.


Example:




CONFIGURATION ELEMENTS (cont'd)

1-section surfaces for VIVA and TRIA bases


Surfaces



Technology integration





Choice of legs and bases




- 1 width: 96" (2400 mm).
- 2 depths: 48" and 54" (1200 and 1350 mm).
- 2 VIVA bases or 2 TRIA bases required.

Examples:




2-section surfaces for long-span tables


Surfaces



Technology integration





Choice of legs and bases



- 8 widths: 108" to 192" (2700 to 4800 mm) in 12" (300 mm) increments.
- 2 depths: 48" and 54" (1200 and 1350 mm).
- Reinforcement channel always included.
- 2 leg kits or 2 bases required.

Examples:




SPECIFICATIONS

2-LEVEL SHARED TABLES AND TABLE LECTERN


2-level shared tables

Tables with raised work surface



- 3 widths: 96", 108" and 120" (2400, 2700 and 3000 mm).
- 2 depths: 36" and 42" (900 and 1050 mm).
- 2 heights: 36½" and 42½" (927 and 1080 mm).
- Enables working while standing or while sitting on a stool.

Channel always included.
Angled legs only.



Technology integration







Table lectern




- 20" W x 18" D x 7" H (500 x 450 x 178 mm).
- Upholstered, with semi-rigid work surface. Choice of finish: please refer to the upholstery guide for applicable fabrics.
- The lectern is installed on freestanding table 29½" H (749 mm) with work surface. 1½" (38 mm) thick, smooth edge only.
- Must be installed on a straight side (not curved) only.
- Designed to be installed at the end of a table. If installed on side, the side must measure 96" (2400 mm) or more in width.
- Only one lectern per table side.



MEETING TABLES AND OCCASIONAL TABLES

Meeting tables with disc base or X-base

Tables



Disc base


X-base

Technology integration



Grommets and electrical/communication module

Example:




Electrical/communication module (optional) with a 120" L (3048 mm) connector cable for wall outlet

Disc base with integrated cable management

- Round or square work surface with radius corners, 1" or 1½" (25 or 38 mm) thick.
- 3 widths and depths: 30", 36" and 42" (750, 900 and 1050 mm), depending on shape of work surface and table height.
- Table 29½" or 42½" H (749 or 1080 mm), disc or X-base with integrated cable management.

Meeting tables with XTRA base

Tables




Technology integration



Grommets and electrical/communication module

Example:




Electrical/communication module (optional) with a 120" L (3048 mm) connector cable for wall outlet

4 angled legs, including one with integrated cable management

- Round or square work surface with radius corners, 1" or 1½" (25 or 38 mm) thick.
- 4 widths and depths: 42", 48", 54" and 60" (1050, 1200, 1350 and 1500 mm).
- Table 29½" H (749 mm) with XTRA base.


Occasional tables

Low tables




Disc base

Technology integration




Grommets and electrical/communication module

Magazine tables



All-laminate

Fixed shelf creating storage space opened on both sides




- Round or square surface with radius corners, 1" or 1½" (25 or 38 mm) thick.
- 3 widths: 24", 30" and 36" (600, 750 and 900 mm).
- Table 20" H (508 mm), disc base with integrated cable management.

- Rectangular or square surface.
- 2 widths: 24" and 48" (600 and 1200 mm).
- 1 depth: 24" (600 mm).
- 1 height: 18" H (457 mm).

CONFERENCE TABLES WITH PANEL BASE

Conference tables with panel base



Rectangular

Rectangular with radius corners

Boat


Racetrack

1-section surfaces

- 2 widths: 72" and 96" (1800 and 2400 mm).
- 2 depths: 36" and 48" (900 and 1200 mm).

2-section surfaces

- 2 widths: 120" and 144" (3000 and 3600 mm).
- 1 depth: 48" (1200 mm).



Example:

Table with rectangular work surface, radius corners and panel base


Laminate crosspieces 8⅞" H (225 mm)

SPECIFICATIONS

ELECTRIC HEIGHT ADJUSTABLE CONFERENCE TABLES



Electric height adjustable conference tables

Tables



- 4 widths: 72", 78", 84" and 96" (1800, 1950, 2100 and 2400 mm).
- 2 depths: 36" and 42" (900 and 1050 mm).
- Tables 72" and 78" W (1800 and 1950 mm): 2 columns.
- Tables 84" and 96" W (2100 and 2400 mm): 3 columns.
- Thermofused laminate base 1½" (38 mm) and back ⅝" (16 mm) thick.
- Levelers with 1¼" height adjustment (32 mm).

Technology integration




Electric height adjustment

- Control keypad is installed beneath the work surface.
- Operating speed: 1½" (38 mm) height adjustment per second.
- Sound level: 48 dB.
- Lift capacity of 2 columns: 264 lbs (120 kg).
- Recommended functional load capacity: 125 lbs (56 kg).
- Failure to respect the loads can cause the table/desk to malfunction.
- 120" L (3048 mm) cable with plug for wall outlet.
- Meets CSA and UL standards.



Digital control keypad with memory

Height adjustment range





WORK SURFACE 1½" (38 mm)

Minimum position	27" H (686 mm)
Maximum position	44½" H (1130 mm)

Technology integration

Option of grommet or electrical/communication module: GC, G2, PC or P2.

Elevation view – Conference table with electric height adjustment.
PC option: 1 electrical/communication module at the center.




Clearances beneath work surface
C1 = 17" (435 mm) clearance
C2 = 9" (225 mm) clearance for table 36" D (900 mm)
10½" (263 mm) clearance for table 42" D (1050 mm)

ELECTRIC HEIGHT ADJUSTABLE TABLES

Electric height adjustable tables

QUORUM SELECT (C-Base)



Rectangular table

Extended corner table

- Work surface 1" (25 mm) or 1½" (38 mm) thick.
- Smooth edge (N) or knife edge (K). Knife edge (K) available only for 1½" (38 mm) thick rectangular work surfaces. This edgebanding is located on the user side only.
- C-shaped base: rectangular column 2½" W x 3" D (62 x 80 mm).
- Levelers with ¾" (20 mm) height adjustment.


Electric height adjustment

- Control keypad is installed beneath the work surface.
- Programmable control keypad: 3 positions.
- Operating speed: 1.49" H (38 mm) height adjustment per second.
- Sound level: 48 dB.
- Double mechanism: 1 motor per leg and 3 segments each.
- Lift capacity of 2 columns: 264 lbs (120 kg).
- Lift capacity of 3 columns: 330 lbs (150 kg).
- Recommended functional load capacity: 125 lbs (56 kg).
- Failure to respect the loads can cause the table to malfunction.
- 120" L (3048 mm) cable with plug for wall outlet.
- Meets CSA and UL standards.




Digital control keypad with memory

Height adjustment range



WORK SURFACE 1" (25 mm)	
Minimum position	24" H (607 mm)
Maximum position	49½" H (1257 mm)
WORK SURFACE 1½" (38 mm)	
Minimum position	24½" H (620 mm)
Maximum position	50" H (1270 mm)

QUORUM ESSENTIAL (T-Base)



Rectangular table

Rectangular L-shaped table

- Work surface 1" (25 mm) thick.
- Smooth edge (N).
- T-base: rectangular column 2" W x 3" D (50 x 80 mm).
- Levelers with ⅝" (15 mm) height adjustment.


Electric height adjustment

- Control keypad is installed beneath the work surface.
- Programmable control keypad: 3 positions.
- Operating speed: 1.42" H (36 mm) height adjustment per second.
- Sound level: 45-48 dB.
- Double mechanism: 1 motor per leg and 2 segments each.
- Lift capacity of 2 columns: 220 lbs (100 kg).
- Lift capacity of 3 columns: 330 lbs (150 kg).
- Recommended functional load capacity: 75 lbs (34 kg).
- Failure to respect the loads can cause the table to malfunction.
- 106" L (2692 mm) cable with plug for wall outlet.
- Meets CSA and UL standards.



Digital control keypad with memory

Height adjustment range




WORK SURFACE 1" (25 mm)	
Minimum position	28" H (712 mm)
Maximum position	47¾" H (1212 mm)

SPECIFICATIONS


MOBILE TRAINING TABLES – V-BASE

Tables




- Table with or without a mechanism to flip the work surface vertically.
- V-base with finish in Black (K), Silver (S) or White (W); semi-rigid casters with 3" (76 mm) dual wheels in matching color, with brake. Each caster has a capacity of 100 lb (45 kg).
- 7 widths: 48" to 84" (1200 to 2100 mm) in 6" (150 mm) increments.
- 2 depths: 24" and 30" (600 and 750 mm).
- Work surface 1" (25 mm) or 1½" (38 mm) thick with smooth edge (N).
- Edge in color matching (N) or contrasting (K, S, W) with finish of work surface.
- Work surfaces are pre-drilled to position LGC-UP4 connectors (optional).

Technology integration



Example of space required to store three tables:



Each additional table adds 7¼" (184 mm) to the total length.



Technology integration


- Option of electrical/communication module at center of work surface (PC).
- Daisy chain interconnection system enables linkage of up to 3 electrical/communication modules with a single connection.
- Power feed with wall outlet.
- LED status indicator:
 - Green indicates the system is on and ready for use.
 - Red indicates too many modules are plugged in.
- Easy-to-install modular connections, easily reconfigurable.
- Meets the required specifications of the ETL and UL-962 standards for electrical product safety recognized by the United States and Canada.

LGC-DCJK_ junction cable kits (sold separately) make it possible to connect a table that has an electrical/communication module to a table that has no module.




Elevation view – Side-by-side training tables.


PC option: 1 electrical/communication module at the center.



TRAINING TABLES – T-BASE




Mobile rectangular table




Fixed rectangular table

- Fixed or mobile table with or without a mechanism to flip the work surface vertically.
- T-base with finish in Black (K), Silver (S) or White (W).
- Semi-rigid casters with 3" (76 mm) dual wheels in matching color, with brake. Each caster has a capacity of 100 lb (45 kg) or leveler with 1/2" (12 mm) height adjustment.
- 5 widths: 48" to 72" (1200 to 1800 mm) in 6" (150 mm) increments.
- 2 depths: 24" and 30" (600 and 750 mm).
- Work surface 1" (25 mm) thick with smooth edge (N).
- Edge in color matching (N) or contrasting (K, W, S) with finish of work surface.
- Work surfaces are pre-drilled to position LGC-UP4 connectors (optional).




Example of space required to store three tables:



Each additional table adds 6" (150 mm) to the total length.




COMPLEMENTARY FURNITURE




Bookcase credenzas




Credenza with space for compact refrigerator



Wall-mounted bookcases with doors



Cabinet




Serving cart



- Top and sides 1" (25 mm) thick and scratch-resistant (45 lb/ft³). Bookcase credenzas, wall-mounted hutches and mobile serving carts are also available with a high pressure laminate top, thus adding 1/16" (1.5 mm) in thickness to the top.
- Back, doors and faces in 5/8" (16 mm) thick laminate.
- Utility drawers with bumpers.
- Telescopic ball bearing slides 16" (406 mm) in full extension. Capacity 75 lb (34 kg) with soft close, unless otherwise indicated.
- 105° hinges with soft close.

- Levelers with 1 1/4" (32 mm) height adjustment.
- Key lock.
- Contemporary cast aluminum pull with finish in Black (K), Silver (S) or White (W).


For multiple items of furniture with identical keys, please contact Customer Service.



Wall-mounted marker boards




Mobile marker board



Lectern

Credenza with space for refrigerator



Storage space with 1 adjustable shelf

Sliding door with 2 garbage/recycling bins

Note: This item is not available with soft-close mechanism on doors and drawers.


Space 20 3/4" W x 21 5/16" D x 32" H (530 x 542 x 812 mm) to accept a compact refrigerator, with grommet

SPECIFICATIONS

2-TONE APPLICATION AND WOOD GRAIN DIRECTION

2-tone laminate application: shaded area corresponds to first code to specify. The second laminate finish code to specify applies to the rest of the product. 2- or 3-section surfaces are available in one tone only. Wood grain is not continuous on 2- or 3-section surfaces.

2-tone application and wood grain direction on furniture:




Electric height adjustable tables: The first finish is applied to the top of the surface. The second finish is applied to the base or to the modesty panel.


Complementary furniture: The first finish specified is applied to the furniture's frame. The second finish is applied to the furniture's front.

SPECIFICATIONS OF OPTIONS AND FINISHES

EDGE BANDING



Smooth edge (N)
1" and 1½"
(25 and 38 mm)




Knife edge (K)
1½" (38 mm)

Color matching* (N) work surface finish or with contrasting accent in Black (K), Silver (S) or White (W).

* Refer to exceptions regarding knife edge on page 5.

HANDLE



Contemporary

Cast aluminum with finish in Black (K), Silver (S) or White (W).


ACCENT COLORS



K – Black



S – Silver



W – White

Accent colors apply to non-laminate components, such as handles, bases and casters.

CODIFICATION: TABLE SURFACES

Series	Thickness	Type of edgbanding	Edgbanding color	Options			Product
				Accent color	Dash		
T	1 Thermofused laminate surface 1" (25 mm)	N Smooth edge	N Matching edge	N No module	–		GC Grommet (1) at the center
	2 High-pressure laminate surface 1" (25 mm)	K Knife edge	K Black edge	K Black			G2 Grommets (2)
	5 Thermofused laminate surface 1½" (38 mm)		S Silver edge	S Silver			G3 Grommets (3)
	6 High-pressure laminate surface 1½" (38 mm)		W White edge	W White			PC Electrical/communication module (1) at the center
							P2 Electrical/communication modules (2)
							P3 Electrical/communication modules (3)
							CPC Table center (1) at the center
							CPP Table center (1) and electrical/communication module (1)
							CPP2 Table center (1) and electrical/communication modules (2)

EXAMPLE OF A TABLE SURFACE: **T5NKK-RCR48180CPP2**

1½" (38 mm) thermofused laminate surface **5**, smooth edge **N**, contrasting edge in Black **K**, accent in Black **K**.

Rectangular surface with radius corners, 180" W x 48" D (4500 x 1200 mm).

Table center option (1) and electrical/communication modules (2) **CPP2**.

CODING: TABLE BASES AND COMPLEMENTARY FURNITURE

Series	Thickness	Type of edgbanding	Edgbanding color	Options			Wood finish
				Accent color	Dash	Product	
T	1 Thermofused laminate 1" (25 mm)	N Smooth edge	N Matching edge	N No accent	–		W20 Wood – Wild Cherry
	2 High-pressure laminate 1" (25 mm)			K Black S Silver W White			W21 Wood – Terra Cherry

EXAMPLE OF A TABLE BASE: **TNNW-VBTL228WMW20**

Accent color for base is White **W**.

Metal and wood Viva base with cable management.

Wood accent in Wild Cherry finish **W20**.

EXAMPLE OF COMPLEMENTARY FURNITURE: **T1NNS-B207236BA**

1" (25 mm) thermofused laminate top **1**, smooth edge **N**, edge matches laminate **N**, Silver **S** handles.

Bookcase credenza with doors, 72" W x 20" D x 36" H (1800 x 500 x 914 mm).


Laminate doors with anodized aluminum frame **A**, Silver finish.

Approx.
no. of
seats W x D x H (in) Y (in) W x D x H (mm) Y (mm) Code

With options:
GC PC
(\$)
(\$)
(\$)

1-SECTION SURFACES – 42" TO 60" W

Square surfaces



*Laminate surfaces 1" (25 mm) or 1 1/2" (38 mm) thick, 1 section. Option of grommet or electrical module. **Must be ordered separately: 2 leg kits.***

4	42 x 42 x 1	1050 x 1050 x 25	T1N	-SQ42	495	576	1,037
4	48 x 48 x 1	1200 x 1200 x 25	T1N	-SQ48	562	642	1,102
8	54 x 54 x 1	1350 x 1350 x 25	T1N	-SQ54	642	722	1,182
8	60 x 60 x 1	1500 x 1500 x 25	T1N	-SQ60	722	803	1,264

Surface 1. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.


4	42 x 42 x 1 1/2	1050 x 1050 x 38	T5N	-SQ42	629	710	1,171
4	48 x 48 x 1 1/2	1200 x 1200 x 38	T5N	-SQ48	718	798	1,259
8	54 x 54 x 1 1/2	1350 x 1350 x 38	T5N	-SQ54	807	886	1,347
8	60 x 60 x 1 1/2	1500 x 1500 x 38	T5N	-SQ60	896	977	1,437

Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.

4	42 x 42 x 1 1/2	1050 x 1050 x 38	T5K	-SQ42	786	865	1,328
4	48 x 48 x 1 1/2	1200 x 1200 x 38	T5K	-SQ48	908	989	1,450
8	54 x 54 x 1 1/2	1350 x 1350 x 38	T5K	-SQ54	1,028	1,108	1,571
8	60 x 60 x 1 1/2	1500 x 1500 x 38	T5K	-SQ60	1,150	1,229	1,690

Surface 5. Knife edge K. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.

A-shape surfaces



*Laminate surfaces 1" (25 mm) or 1 1/2" (38 mm) thick, 1 section. Option of grommet or electrical module. **Must be ordered separately: 2 leg kits.***

4	42 x 42 x 1	36	1050 x 1050 x 25	900	T1N	-A42	608	690	1,150
4	48 x 48 x 1	36	1200 x 1200 x 25	900	T1N	-A48	662	742	1,202
8	54 x 54 x 1	42	1350 x 1350 x 25	1050	T1N	-A54	729	809	1,271
8	60 x 60 x 1	48	1500 x 1500 x 25	1200	T1N	-A60	796	876	1,337

Surface 1. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.


4	42 x 42 x 1 1/2	36	1050 x 1050 x 38	900	T5N	-A42	686	766	1,227
4	48 x 48 x 1 1/2	36	1200 x 1200 x 38	900	T5N	-A48	780	861	1,322
8	54 x 54 x 1 1/2	42	1350 x 1350 x 38	1050	T5N	-A54	875	956	1,416
8	60 x 60 x 1 1/2	48	1500 x 1500 x 38	1200	T5N	-A60	969	1,049	1,511

Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.

4	42 x 42 x 1 1/2	36	1050 x 1050 x 38	900	T5K	-A42	859	938	1,399
4	48 x 48 x 1 1/2	36	1200 x 1200 x 38	900	T5K	-A48	977	1,058	1,518
8	54 x 54 x 1 1/2	42	1350 x 1350 x 38	1050	T5K	-A54	1,092	1,173	1,634
8	60 x 60 x 1 1/2	48	1500 x 1500 x 38	1200	T5K	-A60	1,211	1,290	1,752

Surface 5. Knife edge K. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.

Square surfaces with radius corners



*Laminate surfaces 1" (25 mm) or 1 1/2" (38 mm) thick, 1 section. Option of grommet or electrical module. **Must be ordered separately: 2 leg kits.***

4	42 x 42 x 1	1050 x 1050 x 25	T1N	-SQR42	608	690	1,150
4	48 x 48 x 1	1200 x 1200 x 25	T1N	-SQR48	662	742	1,202
8	54 x 54 x 1	1350 x 1350 x 25	T1N	-SQR54	729	809	1,271
8	60 x 60 x 1	1500 x 1500 x 25	T1N	-SQR60	796	876	1,337

Surface 1. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.

4	42 x 42 x 1 1/2	1050 x 1050 x 38	T5N	-SQR42	686	766	1,227
4	48 x 48 x 1 1/2	1200 x 1200 x 38	T5N	-SQR48	780	861	1,322
8	54 x 54 x 1 1/2	1350 x 1350 x 38	T5N	-SQR54	875	956	1,416
8	60 x 60 x 1 1/2	1500 x 1500 x 38	T5N	-SQR60	969	1,049	1,511


Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.

Place the letter *S* at the beginning of each item code, and specify "exact dimensions" in item description.
Add HPL upcharge to all table tops / work surfaces.

TECHNOLOGY INTEGRATION



GC
Grommet



PC
Electrical/communication module



Can accept a connector
(LGC-RJ45K, LGC-HDMI, LGC-USBCK, etc.)

QUICKSHIP PROGRAM

CANADA – FEBRUARY 2024



POSITIONING






GC, PC

SURFACE WIDTH	UPCHARGE
48" (1200 mm) or less	\$214
Between 54" and 72" (1350 and 1800 mm)	\$268
Between 84" and 96" (2100 and 2400 mm)	\$401
Between 108" and 120" (2700 and 3000 mm)	\$535
Between 132" and 144" (3300 and 3600 mm)	\$668
Between 156" and 192" (3900 and 4800 mm)	\$913
Between 204" and 252" (5100 and 6300 mm)	\$1,202


QUORUM MULTICONFERENCE

	Approx. no. of seats	W x D x H (in)	Y (in)	W x D x H (mm)	Y (mm)	Code	(\$)	With options:	
								GC (\$)	PC (\$)
A-shape surfaces with radius corners	Laminate surfaces 1" (25 mm) or 1½" (38 mm) thick, 1 section. Option of grommet or electrical module. Must be ordered separately: 2 leg kits.								
	4	42 x 42 x 1	36	1050 x 1050 x 25	900	T1N__-AR42	608	690	1,150
	4	48 x 48 x 1	36	1200 x 1200 x 25	900	T1N__-AR48	662	742	1,202
	8	54 x 54 x 1	42	1350 x 1350 x 25	1050	T1N__-AR54	729	809	1,271
	8	60 x 60 x 1	48	1500 x 1500 x 25	1200	T1N__-AR60	796	876	1,337
	Surface 1. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.								
	4	42 x 42 x 1½	36	1050 x 1050 x 38	900	T5N__-AR42	686	766	1,227
	4	48 x 48 x 1½	36	1200 x 1200 x 38	900	T5N__-AR48	780	861	1,322
	8	54 x 54 x 1½	42	1350 x 1350 x 38	1050	T5N__-AR54	875	956	1,416
	8	60 x 60 x 1½	48	1500 x 1500 x 38	1200	T5N__-AR60	969	1,049	1,511
	Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.								


Boat surfaces									
<i>Laminate surfaces 1" (25 mm) or 1½" (38 mm) thick, 1 section. Option of grommet or electrical module. Must be ordered separately: 2 leg kits.</i>									
	4	42 x 42 x 1	36	1050 x 1050 x 25	900	T1N_-B42	608	690	1,150
	4	48 x 48 x 1	36	1200 x 1200 x 25	900	T1N_-B48	662	742	1,202
	8	54 x 54 x 1	42	1350 x 1350 x 25	1050	T1N_-B54	729	809	1,271
	8	60 x 60 x 1	48	1500 x 1500 x 25	1200	T1N_-B60	796	876	1,337
Surface 1. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.									
	4	42 x 42 x 1½	36	1050 x 1050 x 38	900	T5N_-B42	686	766	1,227
	4	48 x 48 x 1½	36	1200 x 1200 x 38	900	T5N_-B48	780	861	1,322
	8	54 x 54 x 1½	42	1350 x 1350 x 38	1050	T5N_-B54	875	956	1,416
	8	60 x 60 x 1½	48	1500 x 1500 x 38	1200	T5N_-B60	969	1,049	1,511
Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.									

Round surfaces									
<i>Laminate surfaces 1" (25 mm) or 1½" (38 mm) thick, 1 section. Option of grommet or electrical module. Must be ordered separately: 2 leg kits.</i>									
	4	42 x 42 x 1		1050 x 1050 x 25		T1N_-R42	621	702	1,164
	4	48 x 48 x 1		1200 x 1200 x 25		T1N_-R48	676	755	1,217
	6	54 x 54 x 1		1350 x 1350 x 25		T1N_-R54	749	829	1,290
	6	60 x 60 x 1		1500 x 1500 x 25		T1N_-R60	815	896	1,357
Surface 1. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.									
	4	42 x 42 x 1½		1050 x 1050 x 38		T5N_-R42	742	823	1,283
	4	48 x 48 x 1½		1200 x 1200 x 38		T5N_-R48	832	912	1,373
	6	54 x 54 x 1½		1350 x 1350 x 38		T5N_-R54	919	998	1,462
	6	60 x 60 x 1½		1500 x 1500 x 38		T5N_-R60	1,010	1,090	1,551
Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.									

W x D x H (in)	W x D x H (mm)	Code	(\$)
LEGS AND ACCESSORIES FOR 1-SECTION SURFACES – 42" TO 60" W			
Metal angled legs – 29" H			
<i>Kit of 2 steel legs. WM at the end of the code indicates that one leg will have a cavity for cable management.</i>			
<i>Without cable management</i>			
1½ x 3 x 28	38 x 76 x 711	TNNN_-ATL228	555
Specify leg color (K, S, W).			
<i>With cable management</i>			
1½ x 3 x 28	38 x 76 x 711	TNNN_-ATL228WM	594
Specify leg color (K, S, W).			




Without cable management




With cable management

W x D x H (in)	W x D x H (mm)	Code	(\$)
Metal angled legs – 36" H			
<i>Kit of 2 steel legs. WM at the end of the code indicates that one leg will have a cavity for cable management.</i>			
<i>Without cable management</i>			
1½ x 3 x 35	38 x 76 x 879	TNNN_-ATL235	736
Specify leg color (K, S, W).			
<i>With cable management</i>			
1½ x 3 x 35	38 x 76 x 879	TNNN_-ATL235WM	789
Specify leg color (K, S, W).			



Without cable management




With cable management

Place the letter **S** at the beginning of each item code, and specify "exact dimensions" in item description.
Add HPL upcharge to all table tops / work surfaces.

TECHNOLOGY INTEGRATION



GC
Grommet



PC
Electrical/communication module



Can accept a connector
(LGC-RJ45K, LGC-HDMI, LGC-USBCK, etc.)

POSITIONING





GC, PC

SURFACE WIDTH	UPCHARGE
48" (1200 mm) or less	\$214
Between 54" and 72" (1350 and 1800 mm)	\$268
Between 84" and 96" (2100 and 2400 mm)	\$401
Between 108" and 120" (2700 and 3000 mm)	\$535
Between 132" and 144" (3300 and 3600 mm)	\$668
Between 156" and 192" (3900 and 4800 mm)	\$913
Between 204" and 252" (5100 and 6300 mm)	\$1,202

= QUICKSHIP PROGRAM

CANADA – FEBRUARY 2024

	W x D x H (in)	W x D x H (mm)	Code									(\$)
Fabric vertical wire cover	<i>Allows vertical cable management. Diameter of 2 1/2" (63 mm). With zipper. All United Chair® standard fabrics are applicable.</i>											
	Gr1	Gr2	Gr3	Gr4	Gr5	Gr6	Gr8					
	2 1/2 x 2 1/2 x 52	63 x 63 x 1320	DVW48	144	150	158	164	185	202	231		
Specify the fabric code at the end of the product code.												




	W x D x H (in)	W x D x H (mm)	Code	(\$)
Cable management fasteners	Install beneath work surfaces. Make it possible to pinch cables beneath the work surface for cable management. Grey. Pack of 5.			
	5 1/2 x 1 1/2 x 1	140 x 40 x 25	LGC-WMC05	135



	Approx. no. of seats	W x D x H (in)	Y (in)	W x D x H (mm)	Y (mm)	Code	(\$)	With options: GC (\$)	G2 (\$)	PC (\$)	P2 (\$)	CPC (\$)	CPP2 (\$)
--	----------------------	----------------	--------	----------------	--------	------	------	-----------------------	---------	---------	---------	----------	-----------

1-SECTION SURFACES – 72" TO 96" W

Rectangular surfaces



Note: 36" D (900 mm) surfaces cannot accept LB__ or UCB__ bases.

Laminate surface 1 1/2" (38 mm) thick, 1 section. Channel for cable management included with option of grommet(s), electrical module(s) or table center. Must be ordered separately: 2 leg kits or 2 bases.


6	72 x 36 x 1 1/2	1800 x 900 x 38	T5N	-RC3672	831	1,353	—	1,874	—	—	—	—	—
8	84 x 36 x 1 1/2	2100 x 900 x 38	T5N	-RC3684	918	1,474	1,554	1,996	3,660	—	—	—	—
8	96 x 36 x 1 1/2	2400 x 900 x 38	T5N	-RC3696	1,021	1,577	1,657	2,097	3,769	—	—	—	—
6	72 x 42 x 1 1/2	1800 x 1050 x 38	T5N	-RC4272	951	1,472	—	1,993	—	2,454	—	—	—
8	84 x 42 x 1 1/2	2100 x 1050 x 38	T5N	-RC4284	1,096	1,652	1,732	2,172	3,839	2,633	—	—	—
8	96 x 42 x 1 1/2	2400 x 1050 x 38	T5N	-RC4296	1,242	1,797	1,877	2,318	3,989	2,779	5,059	—	—
6	72 x 48 x 1 1/2	1800 x 1200 x 38	T5N	-RC4872	998	1,523	—	2,042	—	2,504	—	—	—
8	84 x 48 x 1 1/2	2100 x 1200 x 38	T5N	-RC4884	1,144	1,700	1,780	2,220	3,884	2,681	—	—	—
8	96 x 48 x 1 1/2	2400 x 1200 x 38	T5N	-RC4896	1,289	1,843	1,925	2,365	4,037	2,827	5,106	—	—
6	72 x 54 x 1 1/2	1800 x 1350 x 38	T5N	-RC5472	1,176	1,698	—	2,219	—	2,680	—	—	—
8	84 x 54 x 1 1/2	2100 x 1350 x 38	T5N	-RC5484	1,322	1,877	1,957	2,399	4,063	2,860	—	—	—
8	96 x 54 x 1 1/2	2400 x 1350 x 38	T5N	-RC5496	1,467	2,022	2,102	2,543	4,215	3,005	5,285	—	—

Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.

6	72 x 36 x 1 1/2	1800 x 900 x 38	T5K	-RC3672	1,040	1,560	—	2,082	—	—	—	—	—
8	84 x 36 x 1 1/2	2100 x 900 x 38	T5K	-RC3684	1,150	1,706	1,785	2,226	3,892	—	—	—	—
8	96 x 36 x 1 1/2	2400 x 900 x 38	T5K	-RC3696	1,280	1,835	1,915	2,356	4,027	—	—	—	—
6	72 x 42 x 1 1/2	1800 x 1050 x 38	T5K	-RC4272	1,189	1,710	—	2,231	—	2,694	—	—	—
8	84 x 42 x 1 1/2	2100 x 1050 x 38	T5K	-RC4284	1,370	1,925	2,004	2,445	4,110	2,907	—	—	—
8	96 x 42 x 1 1/2	2400 x 1050 x 38	T5K	-RC4296	1,554	2,109	2,189	2,629	4,301	3,091	5,371	—	—
6	72 x 48 x 1 1/2	1800 x 1200 x 38	T5K	-RC4872	1,250	1,771	—	2,293	—	2,754	—	—	—
8	84 x 48 x 1 1/2	2100 x 1200 x 38	T5K	-RC4884	1,431	1,985	2,064	2,506	4,171	2,969	—	—	—
8	96 x 48 x 1 1/2	2400 x 1200 x 38	T5K	-RC4896	1,611	2,166	2,245	2,688	4,358	3,149	5,428	—	—
6	72 x 54 x 1 1/2	1800 x 1350 x 38	T5K	-RC5472	1,470	1,990	—	2,513	—	2,973	—	—	—
8	84 x 54 x 1 1/2	2100 x 1350 x 38	T5K	-RC5484	1,654	2,209	2,290	2,730	4,394	3,191	—	—	—
8	96 x 54 x 1 1/2	2400 x 1350 x 38	T5K	-RC5496	1,834	2,388	2,468	2,909	4,580	3,370	5,650	—	—

Surface 5. Knife edge K. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.

A-shape surfaces



Note: 36" D (900 mm) surfaces cannot accept LB__ or UCB__ bases.

Laminate surface 1 1/2" (38 mm) thick, 1 section. Channel for cable management included with option of grommet(s), electrical module(s) or table center. Must be ordered separately: 2 leg kits or 2 bases.

6	72 x 36 x 1 1/2	30	1800 x 900 x 38	750	T5N	-A3672	942	1,465	—	1,985	—	—	—
8	84 x 36 x 1 1/2	30	2100 x 900 x 38	750	T5N	-A3684	1,041	1,596	1,675	2,116	3,780	—	—
8	96 x 36 x 1 1/2	30	2400 x 900 x 38	750	T5N	-A3696	1,152	1,708	1,787	2,229	3,900	—	—
6	72 x 42 x 1 1/2	36	1800 x 1050 x 38	900	T5N	-A4272	1,088	1,609	—	2,131	—	2,592	—
8	84 x 42 x 1 1/2	36	2100 x 1050 x 38	900	T5N	-A4284	1,249	1,803	1,882	2,325	3,989	2,786	—
8	96 x 42 x 1 1/2	36	2400 x 1050 x 38	900	T5N	-A4296	1,411	1,967	2,047	2,488	4,159	2,949	5,229
6	72 x 48 x 1 1/2	36	1800 x 1200 x 38	900	T5N	-A4872	1,102	1,624	—	2,146	—	2,607	—
8	84 x 48 x 1 1/2	36	2100 x 1200 x 38	900	T5N	-A4884	1,264	1,818	1,899	2,340	4,004	2,801	—
8	96 x 48 x 1 1/2	36	2400 x 1200 x 38	900	T5N	-A4896	1,426	1,980	2,060	2,501	4,172	2,962	5,242
6	72 x 54 x 1 1/2	42	1800 x 1350 x 38	1050	T5N	-A5472	1,242	1,763	—	2,284	—	2,748	—
8	84 x 54 x 1 1/2	42	2100 x 1350 x 38	1050	T5N	-A5484	1,384	1,941	2,021	2,462	4,126	2,922	—
8	96 x 54 x 1 1/2	42	2400 x 1350 x 38	1050	T5N	-A5496	1,530	2,086	2,166	2,607	4,279	3,069	5,348

Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.

6	72 x 36 x 1 1/2	30	1800 x 900 x 38	750	T5K	-A3672	1,178	1,701	—	2,221	—	—	—
8	84 x 36 x 1 1/2	30	2100 x 900 x 38	750	T5K	-A3684	1,300	1,854	1,934	2,375	4,040	—	—
8	96 x 36 x 1 1/2	30	2400 x 900 x 38	750	T5K	-A3696	1,440	1,996	2,076	2,517	4,187	—	—
6	72 x 42 x 1 1/2	36	1800 x 1050 x 38	900	T5K	-A4272	1,462	1,983	—	2,504	—	2,965	—
8	84 x 42 x 1 1/2	36	2100 x 1050 x 38	900	T5K	-A4284	1,561	2,116	2,196	2,640	4,302	3,100	—
8	96 x 42 x 1 1/2	36	2400 x 1050 x 38	900	T5K	-A4296	1,763	2,318	2,399	2,840	4,512	3,301	5,581
6	72 x 48 x 1 1/2	36	1800 x 1200 x 38	900	T5K	-A4872	1,380	1,902	—	2,423	—	2,884	—
8	84 x 48 x 1 1/2	36	2100 x 1200 x 38	900	T5K	-A4884	1,580	2,135	2,216	2,656	4,321	3,118	—
8	96 x 48 x 1 1/2	36	2400 x 1200 x 38	900	T5K	-A4896	1,782	2,336	2,415	2,858	4,527	3,319	5,598


QUORUM MULTICONFERENCE

	Approx. no. of seats	W x D x H (in)	Y (in)	W x D x H (mm)	Y (mm)	Code	(\$)	With options:				PC (\$)	P2 (\$)	CPC (\$)	CPP2 (\$)
								GC (\$)	G2 (\$)						
A-shape surfaces (cont'd)	6	72 x 54 x 1½	42	1800 x 1350 x 38	1050	T5K_-A5472	1,554	2,076	—	2,596	—	3,057	—	—	—
	8	84 x 54 x 1½	42	2100 x 1350 x 38	1050	T5K_-A5484	1,732	2,288	2,367	2,808	4,472	3,269	—	—	—
	8	96 x 54 x 1½	42	2400 x 1350 x 38	1050	T5K_-A5496	1,914	2,468	2,548	2,990	4,660	3,452	5,730	—	—

Surface 5. Knife edge K. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.

Diamond surfaces

Laminate surface 1½" (38 mm) thick, 1 section. Channel for cable management included with option of grommet(s), electrical module(s) or table center.
Must be ordered separately: 2 leg kits or 2 bases.




Note: 36" D (900 mm) surfaces cannot accept LB__ or UCB__ bases.

6	72 x 36 x 1½	30	1800 x 900 x 38	750	T5N_-D3672	942	1,465	—	1,985	—	—	—	—	—	—
8	84 x 36 x 1½	30	2100 x 900 x 38	750	T5N_-D3684	1,041	1,596	1,675	2,116	3,780	—	—	—	—	—
8	96 x 36 x 1½	30	2400 x 900 x 38	750	T5N_-D3696	1,152	1,708	1,787	2,229	3,900	—	—	—	—	—
6	72 x 42 x 1½	36	1800 x 1050 x 38	900	T5N_-D4272	1,088	1,609	—	2,131	—	2,592	—	—	—	—
8	84 x 42 x 1½	36	2100 x 1050 x 38	900	T5N_-D4284	1,249	1,803	1,882	2,325	3,989	2,786	—	—	—	—
8	96 x 42 x 1½	36	2400 x 1050 x 38	900	T5N_-D4296	1,411	1,967	2,047	2,488	4,159	2,949	5,229	—	—	—
6	72 x 48 x 1½	36	1800 x 1200 x 38	900	T5N_-D4872	1,102	1,624	—	2,146	—	2,607	—	—	—	—
8	84 x 48 x 1½	36	2100 x 1200 x 38	900	T5N_-D4884	1,264	1,818	1,899	2,340	4,004	2,801	—	—	—	—
8	96 x 48 x 1½	36	2400 x 1200 x 38	900	T5N_-D4896	1,426	1,980	2,060	2,501	4,172	2,962	5,242	—	—	—
6	72 x 54 x 1½	42	1800 x 1350 x 38	1050	T5N_-D5472	1,242	1,763	—	2,284	—	2,748	—	—	—	—
8	84 x 54 x 1½	42	2100 x 1350 x 38	1050	T5N_-D5484	1,384	1,941	2,021	2,462	4,126	2,922	—	—	—	—
8	96 x 54 x 1½	42	2400 x 1350 x 38	1050	T5N_-D5496	1,530	2,086	2,166	2,607	4,279	3,069	5,348	—	—	—

Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.

Rectangular surfaces with radius corners

Laminate surface 1½" (38 mm) thick, 1 section. Channel for cable management included with option of grommet(s), electrical module(s) or table center.
Must be ordered separately: 2 leg kits or 2 bases.




Note: 36" D (900 mm) surfaces cannot accept LB__ or UCB__ bases.

6	72 x 36 x 1½	30	1800 x 900 x 38	750	T5N_-RCR3672	942	1,465	—	1,985	—	—	—	—	—	—
8	84 x 36 x 1½	30	2100 x 900 x 38	750	T5N_-RCR3684	1,041	1,596	1,675	2,116	3,780	—	—	—	—	—
8	96 x 36 x 1½	30	2400 x 900 x 38	750	T5N_-RCR3696	1,152	1,708	1,787	2,229	3,900	—	—	—	—	—
6	72 x 42 x 1½	36	1800 x 1050 x 38	900	T5N_-RCR4272	1,088	1,609	—	2,131	—	2,592	—	—	—	—
8	84 x 42 x 1½	36	2100 x 1050 x 38	900	T5N_-RCR4284	1,249	1,803	1,882	2,325	3,989	2,786	—	—	—	—
8	96 x 42 x 1½	36	2400 x 1050 x 38	900	T5N_-RCR4296	1,411	1,967	2,047	2,488	4,159	2,949	5,229	—	—	—
6	72 x 48 x 1½	36	1800 x 1200 x 38	900	T5N_-RCR4872	1,102	1,624	—	2,146	—	2,607	—	—	—	—
8	84 x 48 x 1½	36	2100 x 1200 x 38	900	T5N_-RCR4884	1,264	1,818	1,899	2,340	4,004	2,801	—	—	—	—
8	96 x 48 x 1½	36	2400 x 1200 x 38	900	T5N_-RCR4896	1,426	1,980	2,060	2,501	4,172	2,962	5,242	—	—	—
6	72 x 54 x 1½	42	1800 x 1350 x 38	1050	T5N_-RCR5472	1,242	1,763	—	2,284	—	2,748	—	—	—	—
8	84 x 54 x 1½	42	2100 x 1350 x 38	1050	T5N_-RCR5484	1,384	1,941	2,021	2,462	4,126	2,922	—	—	—	—
8	96 x 54 x 1½	42	2400 x 1350 x 38	1050	T5N_-RCR5496	1,530	2,086	2,166	2,607	4,279	3,069	5,348	—	—	—

Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.

A-shape surfaces with radius corners

Laminate surface 1½" (38 mm) thick, 1 section. Channel for cable management included with option of grommet(s), electrical module(s) or table center.
Must be ordered separately: 2 leg kits or 2 bases.




Note: 36" D (900 mm) surfaces cannot accept LB__ or UCB__ bases.


6	72 x 36 x 1½	30	1800 x 900 x 38	750	T5N_-AR3672	942	1,465	—	1,985	—	—	—	—	—	—
8	84 x 36 x 1½	30	2100 x 900 x 38	750	T5N_-AR3684	1,041	1,596	1,675	2,116	3,780	—	—	—	—	—
8	96 x 36 x 1½	30	2400 x 900 x 38	750	T5N_-AR3696	1,152	1,708	1,787	2,229	3,900	—	—	—	—	—
6	72 x 42 x 1½	36	1800 x 1050 x 38	900	T5N_-AR4272	1,088	1,609	—	2,131	—	2,592	—	—	—	—
8	84 x 42 x 1½	36	2100 x 1050 x 38	900	T5N_-AR4284	1,249	1,803	1,882	2,325	3,989	2,786	—	—	—	—
8	96 x 42 x 1½	36	2400 x 1050 x 38	900	T5N_-AR4296	1,411	1,967	2,047	2,488	4,159	2,949	5,229	—	—	—
6	72 x 48 x 1½	36	1800 x 1200 x 38	900	T5N_-AR4872	1,102	1,624	—	2,146	—	2,607	—	—	—	—
8	84 x 48 x 1½	36	2100 x 1200 x 38	900	T5N_-AR4884	1,264	1,818	1,899	2,340	4,004	2,801	—	—	—	—
8	96 x 48 x 1½	36	2400 x 1200 x 38	900	T5N_-AR4896	1,426	1,980	2,060	2,501	4,172	2,962	5,242	—	—	—
6	72 x 54 x 1½	42	1800 x 1350 x 38	1050	T5N_-AR5472	1,242	1,763	—	2,284	—	2,748	—	—	—	—
8	84 x 54 x 1½	42	2100 x 1350 x 38	1050	T5N_-AR5484	1,384	1,941	2,021	2,462	4,126	2,922	—	—	—	—
8	96 x 54 x 1½	42	2400 x 1350 x 38	1050	T5N_-AR5496	1,530	2,086	2,166	2,607	4,279	3,069	5,348	—	—	—

Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.

TECHNOLOGY INTEGRATION




Can accept a connector
(LGC-RJ45K, LGC-HDMI_, LGC-USBCK, etc.)




CPC, CPP2
Table center with electrical/communication module(s)

SURFACE WIDTH	UPCHARGE
48" (1200 mm) or less	\$214
Between 54" and 72" (1350 and 1800 mm)	\$268
Between 84" and 96" (2100 and 2400 mm)	\$401
Between 108" and 120" (2700 and 3000 mm)	\$535
Between 132" and 144" (3300 and 3600 mm)	\$668
Between 156" and 192" (3900 and 4800 mm)	\$913
Between 204" and 252" (5100 and 6300 mm)	\$1,202







	Approx. no. of seats	W x D x H (in)	Y (in)	W x D x H (mm)	Y (mm)	Code	(\$)	With options:						
								GC (\$)	G2 (\$)	PC (\$)	P2 (\$)	CPC (\$)	CPP2 (\$)	
Diamond surfaces with radius corners	Laminate surface 1½" (38 mm) thick, 1 section. Channel for cable management included with option of grommet(s), electrical module(s) or table center. Must be ordered separately: 2 leg kits or 2 bases.													
	6	72 x 36 x 1½	30	1800 x 900 x 38	750	T5N__DR3672	942	1,465	—	1,985	—	—	—	
	8	84 x 36 x 1½	30	2100 x 900 x 38	750	T5N__DR3684	1,041	1,596	1,675	2,116	3,780	—	—	
	8	96 x 36 x 1½	30	2400 x 900 x 38	750	T5N__DR3696	1,152	1,708	1,787	2,229	3,900	—	—	
	6	72 x 42 x 1½	36	1800 x 1050 x 38	900	T5N__DR4272	1,088	1,609	—	2,131	—	2,592	—	
	8	84 x 42 x 1½	36	2100 x 1050 x 38	900	T5N__DR4284	1,249	1,803	1,882	2,325	3,989	2,786	—	
	8	96 x 42 x 1½	36	2400 x 1050 x 38	900	T5N__DR4296	1,411	1,967	2,047	2,488	4,159	2,949	5,229	
	6	72 x 48 x 1½	36	1800 x 1200 x 38	900	T5N__DR4872	1,102	1,624	—	2,146	—	2,607	—	
	8	84 x 48 x 1½	36	2100 x 1200 x 38	900	T5N__DR4884	1,264	1,818	1,899	2,340	4,004	2,801	—	
	8	96 x 48 x 1½	36	2400 x 1200 x 38	900	T5N__DR4896	1,426	1,980	2,060	2,501	4,172	2,962	5,242	
	6	72 x 54 x 1½	42	1800 x 1350 x 38	1050	T5N__DR5472	1,242	1,763	—	2,284	—	2,748	—	
	8	84 x 54 x 1½	42	2100 x 1350 x 38	1050	T5N__DR5484	1,384	1,941	2,021	2,462	4,126	2,922	—	
	8	96 x 54 x 1½	42	2400 x 1350 x 38	1050	T5N__DR5496	1,530	2,086	2,166	2,607	4,279	3,069	5,348	

Note: 36" D (900 mm) surfaces cannot accept LB__ or UCB__ bases.

Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.

Boat surfaces													
<i>Laminate surface 1 1/2" (38 mm) thick, 1 section. Channel for cable management included with option of grommet(s), electrical module(s) or table center.</i>													
Must be ordered separately: 2 leg kits or 2 bases.													
	6	72 x 36 x 1 1/2	30	1800 x 900 x 38	750	T5N_-B3672	942	1,465	—	1,985	—	—	—
	8	84 x 36 x 1 1/2	30	2100 x 900 x 38	750	T5N_-B3684	1,041	1,596	1,675	2,116	3,780	—	—
	8	96 x 36 x 1 1/2	30	2400 x 900 x 38	750	T5N_-B3696	1,152	1,708	1,787	2,229	3,900	—	—
	6	72 x 42 x 1 1/2	36	1800 x 1050 x 38	900	T5N_-B4272	1,088	1,609	—	2,131	—	2,592	—
	8	84 x 42 x 1 1/2	36	2100 x 1050 x 38	900	T5N_-B4284	1,249	1,803	1,882	2,325	3,989	2,786	—
	8	96 x 42 x 1 1/2	36	2400 x 1050 x 38	900	T5N_-B4296	1,411	1,967	2,047	2,488	4,159	2,949	5,229
	6	72 x 48 x 1 1/2	36	1800 x 1200 x 38	900	T5N_-B4872	1,102	1,624	—	2,146	—	2,607	—
	8	84 x 48 x 1 1/2	36	2100 x 1200 x 38	900	T5N_-B4884	1,264	1,818	1,899	2,340	4,004	2,801	—
	8	96 x 48 x 1 1/2	36	2400 x 1200 x 38	900	T5N_-B4896	1,426	1,980	2,060	2,501	4,172	2,962	5,242
	6	72 x 54 x 1 1/2	42	1800 x 1350 x 38	1050	T5N_-B5472	1,242	1,763	—	2,284	—	2,748	—
	8	84 x 54 x 1 1/2	42	2100 x 1350 x 38	1050	T5N_-B5484	1,384	1,941	2,021	2,462	4,126	2,922	—
	8	96 x 54 x 1 1/2	42	2400 x 1350 x 38	1050	T5N_-B5496	1,530	2,086	2,166	2,607	4,279	3,069	5,348

Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.

Racetrack surfaces													
<i>Laminate surface 1 1/2" (38 mm) thick, 1 section. Channel for cable management included with option of grommet(s), electrical module(s) or table center.</i>													
Must be ordered separately: 2 leg kits or 2 bases.													
	8	72 x 36 x 1 1/2	30	1800 x 900 x 38	750	T5N_-RT3672	993	1,516	—	2,036	—	—	—
	10	84 x 36 x 1 1/2	30	2100 x 900 x 38	750	T5N_-RT3684	1,088	1,640	1,722	2,163	3,827	—	—
	10	96 x 36 x 1 1/2	30	2400 x 900 x 38	750	T5N_-RT3696	1,169	1,723	1,803	2,244	3,916	—	—
	8	72 x 42 x 1 1/2	36	1800 x 1050 x 38	900	T5N_-RT4272	1,080	1,602	—	2,123	—	2,585	—
	10	84 x 42 x 1 1/2	36	2100 x 1050 x 38	900	T5N_-RT4284	1,225	1,780	1,860	2,300	3,966	2,761	—
	10	96 x 42 x 1 1/2	36	2400 x 1050 x 38	900	T5N_-RT4296	1,364	1,918	2,000	2,440	4,111	2,902	5,180
	8	72 x 48 x 1 1/2	36	1800 x 1200 x 38	900	T5N_-RT4872	1,225	1,746	—	2,267	—	2,729	—
	10	84 x 48 x 1 1/2	36	2100 x 1200 x 38	900	T5N_-RT4884	1,364	1,918	2,000	2,440	4,105	2,902	—
	10	96 x 48 x 1 1/2	36	2400 x 1200 x 38	900	T5N_-RT4896	1,506	2,061	2,142	2,583	4,255	3,045	5,324
	8	72 x 54 x 1 1/2	42	1800 x 1350 x 38	1050	T5N_-RT5472	1,329	1,851	—	2,372	—	2,833	—
	10	84 x 54 x 1 1/2	42	2100 x 1350 x 38	1050	T5N_-RT5484	1,475	2,029	2,110	2,550	4,217	3,012	—
	10	96 x 54 x 1 1/2	42	2400 x 1350 x 38	1050	T5N_-RT5496	1,621	2,174	2,256	2,697	4,368	3,157	5,437


Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.

Oval surfaces													
<i>Laminate surface 1 1/2" (38 mm) thick, 1 section. Channel for cable management included with option of grommet(s), electrical module(s) or table center.</i>													
Must be ordered separately: 2 leg kits or 2 bases.													
	6	72 x 42 x 1 1/2	36	1800 x 1050 x 38	900	T5N_-O4272	993	1,516	—	2,036	—	2,497	—
	8	84 x 42 x 1 1/2	36	2100 x 1050 x 38	900	T5N_-O4284	1,088	1,640	1,722	2,163	3,827	2,624	—
	10	96 x 42 x 1 1/2	36	2400 x 1050 x 38	900	T5N_-O4296	1,169	1,723	1,803	2,244	3,916	2,705	4,985
	6	72 x 48 x 1 1/2	36	1800 x 1200 x 38	900	T5N_-O4872	1,080	1,602	—	2,123	—	2,585	—
	8	84 x 48 x 1 1/2	36	2100 x 1200 x 38	900	T5N_-O4884	1,225	1,780	1,860	2,300	3,966	2,761	—
	10	96 x 48 x 1 1/2	36	2400 x 1200 x 38	900	T5N_-O4896	1,364	1,918	2,000	2,440	4,111	2,902	5,180
	8	72 x 54 x 1 1/2	42	1800 x 1350 x 38	1050	T5N_-O5472	1,225	1,746	—	2,267	—	2,729	—
	10	84 x 54 x 1 1/2	42	2100 x 1350 x 38	1050	T5N_-O5484	1,364	1,918	2,000	2,440	4,105	2,902	—
	12	96 x 54 x 1 1/2	42	2400 x 1350 x 38	1050	T5N_-O5496	1,506	2,061	2,142	2,583	4,255	3,045	5,324


Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.

SURFACE WIDTH	UPCHARGE
48" (1200 mm) or less	\$214
Between 54" and 72" (1350 and 1800 mm)	\$268
Between 84" and 96" (2100 and 2400 mm)	\$401
Between 108" and 120" (2700 and 3000 mm)	\$535
Between 132" and 144" (3300 and 3600 mm)	\$668
Between 156" and 192" (3900 and 4800 mm)	\$913
Between 204" and 252" (5100 and 6300 mm)	\$1,202

Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description.
Add HPL upcharge to all table tops / work surfaces.

	Approx. no. of seats	W x D x H (in)	Y (in)	W x D x H (mm)	Y (mm)	Code	(\$)	With options:							
								GC (\$)	G2 (\$)	G3 (\$)	PC (\$)	P2 (\$)	P3 (\$)	CPC (\$)	CPP2 (\$)
Rectangular surfaces (cont'd) 	10	108 x 48 x 1½		2700 x 1200 x 38		T5K -RC48108	2,064	2,653	2,733	2,814	3,215	4,780	5,489	3,676	5,916
	10	120 x 48 x 1½		3000 x 1200 x 38		T5K -RC48120 	2,246	2,835	2,917	2,996	3,397	4,962	5,671	3,858	6,138
	12	132 x 48 x 1½		3300 x 1200 x 38		T5K -RC48132	2,437	3,084	3,164	3,245	3,645	5,217	5,927	4,047	6,334
	12	144 x 48 x 1½		3600 x 1200 x 38		T5K -RC48144 	2,620	3,267	3,347	3,429	4,779	5,541	6,121	5,252	6,583
	14	156 x 48 x 1½		3900 x 1200 x 38		T5K -RC48156	2,803	3,452	3,531	3,612	4,968	5,771	6,313	5,443	6,780
	14	168 x 48 x 1½		4200 x 1200 x 38		T5K -RC48168	2,983	3,691	3,771	3,852	5,222	6,011	6,540	5,684	7,048
	16	180 x 48 x 1½		4500 x 1200 x 38		T5K -RC48180	3,163	3,872	3,952	4,032	5,403	6,197	6,766	5,864	7,227
	16	192 x 48 x 1½		4800 x 1200 x 38		T5K -RC48192	3,344	4,053	4,133	4,212	5,583	6,398	6,947	6,043	7,408
	12	108 x 54 x 1½		2700 x 1350 x 38		T5K -RC54108	2,296	2,885	2,965	3,046	3,447	5,011	5,720	3,907	6,147
	12	120 x 54 x 1½		3000 x 1350 x 38		T5K -RC54120	2,487	3,075	3,155	3,235	3,637	5,201	5,909	4,098	6,377
	14	132 x 54 x 1½		3300 x 1350 x 38		T5K -RC54132	2,670	3,319	3,398	3,479	3,879	5,452	6,159	4,281	6,568
	14	144 x 54 x 1½		3600 x 1350 x 38		T5K -RC54144	2,851	3,499	3,580	3,660	5,010	5,772	6,354	5,483	6,815
	16	156 x 54 x 1½		3900 x 1350 x 38		T5K -RC54156	3,030	3,677	3,760	3,840	5,195	5,998	6,540	5,671	7,006
	16	168 x 54 x 1½		4200 x 1350 x 38		T5K -RC54168	3,204	3,914	3,993	4,074	5,444	6,233	6,762	5,905	7,269
	18	180 x 54 x 1½		4500 x 1350 x 38		T5K -RC54180	3,384	4,093	4,172	4,253	5,623	6,418	6,986	6,085	7,448
	18	192 x 54 x 1½		4800 x 1350 x 38		T5K -RC54192	3,576	4,283	4,363	4,445	5,813	6,630	7,178	6,276	7,640


Surface 5. Knife edge K. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.

A-shape surfaces 	Laminate surface 1 1/2" (38 mm) thick, 2 sections. Channel for cable management included with option of grommet(s), electrical module(s) or table center. Must be ordered separately: 3 leg kits or 3 bases.														
	10	108 x 48 x 1 1/2	36	2700 x 1200 x 38	900	T5N -A48108	1,829	2,417	2,497	2,577	2,979	4,543	5,251	3,440	5,678
	10	120 x 48 x 1 1/2	36	3000 x 1200 x 38	900	T5N -A48120	1,983	2,571	2,651	2,731	3,131	4,697	5,405	3,593	5,874
	10	132 x 48 x 1 1/2	36	3300 x 1200 x 38	900	T5N -A48132	2,129	2,776	2,856	2,936	3,337	4,909	5,617	3,738	6,025
	12	144 x 48 x 1 1/2	36	3600 x 1200 x 38	900	T5N -A48144	2,264	2,911	2,993	3,072	4,423	5,185	5,767	4,897	6,229
	12	156 x 48 x 1 1/2	36	3900 x 1200 x 38	900	T5N -A48156	2,410	3,057	3,138	3,217	4,575	5,377	5,918	5,049	6,388
	14	168 x 48 x 1 1/2	36	4200 x 1200 x 38	900	T5N -A48168	2,551	3,260	3,342	3,421	4,791	5,581	6,108	5,252	6,616
	14	180 x 48 x 1 1/2	36	4500 x 1200 x 38	900	T5N -A48180	2,701	3,410	3,490	3,569	4,940	5,736	6,304	5,401	6,765
	16	192 x 48 x 1 1/2	36	4800 x 1200 x 38	900	T5N -A48192	2,853	3,562	3,641	3,722	5,092	5,908	6,455	5,554	6,919
	12	108 x 54 x 1 1/2	42	2700 x 1350 x 38	1050	T5N -A54108	1,983	2,571	2,651	2,731	3,131	4,697	5,405	3,593	5,832
	12	120 x 54 x 1 1/2	42	3000 x 1350 x 38	1050	T5N -A54120	2,144	2,732	2,812	2,894	3,294	4,859	5,567	3,754	6,036
	12	132 x 54 x 1 1/2	42	3300 x 1350 x 38	1050	T5N -A54132	2,305	2,954	3,033	3,113	3,514	5,086	5,795	3,916	6,204
	14	144 x 54 x 1 1/2	42	3600 x 1350 x 38	1050	T5N -A54144	2,466	3,116	3,197	3,276	4,627	5,388	5,969	5,101	6,431
	14	156 x 54 x 1 1/2	42	3900 x 1350 x 38	1050	T5N -A54156	2,627	3,276	3,357	3,436	4,792	5,595	6,137	5,268	6,604
	16	168 x 54 x 1 1/2	42	4200 x 1350 x 38	1050	T5N -A54168	2,805	3,513	3,593	3,673	5,045	5,832	6,362	5,506	6,870
	16	180 x 54 x 1 1/2	42	4500 x 1350 x 38	1050	T5N -A54180	2,965	3,673	3,753	3,834	5,204	6,001	6,570	5,666	7,030
	18	192 x 54 x 1 1/2	42	4800 x 1350 x 38	1050	T5N -A54192	3,128	3,839	3,918	3,999	5,368	6,184	6,731	5,829	7,192

Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.

10	108 x 48 x 1 1/2	36	2700 x 1200 x 38	900	T5K -A48108	2,288	2,875	2,956	3,035	3,436	4,999	5,710	3,897	6,137
10	120 x 48 x 1 1/2	36	3000 x 1200 x 38	900	T5K -A48120	2,477	3,066	3,147	3,227	3,626	5,192	5,901	4,089	6,368
10	132 x 48 x 1 1/2	36	3300 x 1200 x 38	900	T5K -A48132	2,657	3,307	3,386	3,467	3,869	5,439	6,147	4,269	6,555
12	144 x 48 x 1 1/2	36	3600 x 1200 x 38	900	T5K -A48144	2,829	3,478	3,558	3,638	4,989	5,750	6,333	5,463	6,793
12	156 x 48 x 1 1/2	36	3900 x 1200 x 38	900	T5K -A48156	3,014	3,662	3,743	3,822	5,179	5,982	6,523	5,653	6,992
14	168 x 48 x 1 1/2	36	4200 x 1200 x 38	900	T5K -A48168	3,192	3,901	3,981	4,062	5,432	6,221	6,749	5,893	7,256
14	180 x 48 x 1 1/2	36	4500 x 1200 x 38	900	T5K -A48180	3,375	4,083	4,164	4,244	5,614	6,411	6,977	6,076	7,438
16	192 x 48 x 1 1/2	36	4800 x 1200 x 38	900	T5K -A48192	3,566	4,276	4,356	4,436	5,806	6,622	7,170	6,267	7,630
12	108 x 54 x 1 1/2	42	2700 x 1350 x 38	1050	T5K -A54108	2,477	3,066	3,147	3,227	3,626	5,192	5,901	4,089	6,328
12	120 x 54 x 1 1/2	42	3000 x 1350 x 38	1050	T5K -A54120	2,679	3,267	3,347	3,429	3,828	5,394	6,102	4,289	6,571
12	132 x 54 x 1 1/2	42	3300 x 1350 x 38	1050	T5K -A54132	2,883	3,531	3,612	3,691	4,093	5,663	6,371	4,494	6,780
14	144 x 54 x 1 1/2	42	3600 x 1350 x 38	1050	T5K -A54144	3,084	3,734	3,815	3,894	5,243	6,006	6,587	5,719	7,049
14	156 x 54 x 1 1/2	42	3900 x 1350 x 38	1050	T5K -A54156	3,284	3,931	4,012	4,093	5,450	6,252	6,793	5,926	7,261
16	168 x 54 x 1 1/2	42	4200 x 1350 x 38	1050	T5K -A54168	3,506	4,215	4,295	4,375	5,746	6,534	7,061	6,207	7,569
16	180 x 54 x 1 1/2	42	4500 x 1350 x 38	1050	T5K -A54180	3,710	4,416	4,498	4,578	5,949	6,743	7,311	6,411	7,773
18	192 x 54 x 1 1/2	42	4800 x 1350 x 38	1050	T5K -A54192	3,909	4,618	4,700	4,779	6,148	6,963	7,513	6,610	7,974

Surface 5. Knife edge K. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.

Diamond surfaces 	Laminate surface 1 1/2" (38 mm) thick, 2 sections. Channel for cable management included with option of grommet(s), electrical module(s) or table center. Must be ordered separately: 3 leg kits or 3 bases.														
	10	108 x 48 x 1 1/2	36	2700 x 1200 x 38	900	T5N -D48108	1,829	2,417	2,497	2,577	2,979	4,543	5,251	3,440	5,678
	10	120 x 48 x 1 1/2	36	3000 x 1200 x 38	900	T5N -D48120	1,983	2,571	2,651	2,731	3,131	4,697	5,405	3,593	5,874
	10	132 x 48 x 1 1/2	36	3300 x 1200 x 38	900	T5N -D48132	2,129	2,776	2,856	2,936	3,337	4,909	5,617	3,738	6,025
	12	144 x 48 x 1 1/2	36	3600 x 1200 x 38	900	T5N -D48144	2,264	2,911	2,993	3,072	4,423	5,185	5,767	4,897	6,229
	12	156 x 48 x 1 1/2	36	3900 x 1200 x 38	900	T5N -D48156	2,410	3,057	3,138	3,217	4,575	5,377	5,918	5,049	6,388
	14	168 x 48 x 1 1/2	36	4200 x 1200 x 38	900	T5N -D48168	2,551	3,260	3,342	3,421	4,791	5,581	6,108	5,252	6,616
	14	180 x 48 x 1 1/2	36	4500 x 1200 x 38	900	T5N -D48180	2,701	3,410	3,490	3,569	4,940	5,736	6,304	5,401	6,765
	16	192 x 48 x 1 1/2	36	4800 x 1200 x 38	900	T5N -D48192	2,853	3,562	3,641	3,722	5,092	5,908	6,455	5,554	6,919
	12	108 x 54 x 1 1/2	42	2700 x 1350 x 38	1050	T5N -D54108	1,983	2,571	2,651	2,731	3,131	4,697	5,405	3,593	5,832
	12	120 x 54 x 1 1/2	42	3000 x 1350 x 38	1050	T5N -D54120	2,144	2,732	2,812	2,894	3,294	4,859	5,567	3,754	6,036


Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description.
Add HPL upcharge to all table tops / work surfaces.

— ASSEMBLY REQUIRED

CANADA — FEBRUARY 2024

QUORUM MULTICONFERENCE

Diamond surfaces (cont'd)




Approx. no. of seats	W x D x H (in)	Y (in)	W x D x H (mm)	Y (mm)	Code	(\$)	With options: GC (\$)	G2 (\$)	G3 (\$)	PC (\$)	P2 (\$)	P3 (\$)	CPC (\$)	CPP2 (\$)
12	132 x 54 x 1 1/2	42	3300 x 1350 x 38	1050	T5N _-D54132	2,305	2,954	3,033	3,113	3,514	5,086	5,795	3,916	6,204
14	144 x 54 x 1 1/2	42	3600 x 1350 x 38	1050	T5N _-D54144	2,466	3,116	3,197	3,276	4,627	5,388	5,969	5,101	6,431
14	156 x 54 x 1 1/2	42	3900 x 1350 x 38	1050	T5N _-D54156	2,627	3,276	3,357	3,436	4,792	5,595	6,137	5,268	6,604
16	168 x 54 x 1 1/2	42	4200 x 1350 x 38	1050	T5N _-D54168	2,805	3,513	3,593	3,673	5,045	5,832	6,362	5,506	6,870
16	180 x 54 x 1 1/2	42	4500 x 1350 x 38	1050	T5N _-D54180	2,965	3,673	3,753	3,834	5,204	6,001	6,570	5,666	7,030
18	192 x 54 x 1 1/2	42	4800 x 1350 x 38	1050	T5N _-D54192	3,128	3,839	3,918	3,999	5,368	6,184	6,731	5,829	7,192

Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.

10	108 x 48 x 1 1/2	36	2700 x 1200 x 38	900	T5K _-D48108	2,288	2,875	2,956	3,035	3,436	4,999	5,710	3,897	6,137
10	120 x 48 x 1 1/2	36	3000 x 1200 x 38	900	T5K _-D48120	2,477	3,066	3,147	3,227	3,626	5,192	5,901	4,089	6,368
10	132 x 48 x 1 1/2	36	3300 x 1200 x 38	900	T5K _-D48132	2,657	3,246	3,326	3,406	3,805	5,369	6,147	4,269	6,555
12	144 x 48 x 1 1/2	36	3600 x 1200 x 38	900	T5K _-D48144	2,829	3,418	3,498	3,578	4,989	5,750	6,333	5,463	6,793
12	156 x 48 x 1 1/2	36	3900 x 1200 x 38	900	T5K _-D48156	3,014	3,602	3,682	3,762	5,179	5,942	6,525	5,653	6,992
14	168 x 48 x 1 1/2	36	4200 x 1200 x 38	900	T5K _-D48168	3,192	3,781	3,861	3,941	5,352	6,115	6,698	5,829	7,256
14	180 x 48 x 1 1/2	36	4500 x 1200 x 38	900	T5K _-D48180	3,375	3,964	4,044	4,124	5,544	6,307	6,890	6,021	7,448
16	192 x 48 x 1 1/2	36	4800 x 1200 x 38	900	T5K _-D48192	3,566	4,155	4,235	4,315	5,735	6,498	7,081	6,212	7,639
12	108 x 54 x 1 1/2	42	2700 x 1350 x 38	1050	T5K _-D54108	2,477	3,066	3,147	3,227	3,626	5,192	5,901	4,089	6,328
12	120 x 54 x 1 1/2	42	3000 x 1350 x 38	1050	T5K _-D54120	2,679	3,267	3,347	3,427	3,828	5,394	6,102	4,289	6,571
12	132 x 54 x 1 1/2	42	3300 x 1350 x 38	1050	T5K _-D54132	2,883	3,471	3,551	3,631	4,032	5,598	6,311	4,494	6,780
14	144 x 54 x 1 1/2	42	3600 x 1350 x 38	1050	T5K _-D54144	3,084	3,673	3,753	3,834	5,243	6,006	6,587	5,719	7,049
14	156 x 54 x 1 1/2	42	3900 x 1350 x 38	1050	T5K _-D54156	3,284	3,873	3,953	4,033	5,444	6,207	6,788	5,926	7,261
16	168 x 54 x 1 1/2	42	4200 x 1350 x 38	1050	T5K _-D54168	3,506	4,095	4,175	4,255	5,666	6,429	7,010	6,207	7,569
16	180 x 54 x 1 1/2	42	4500 x 1350 x 38	1050	T5K _-D54180	3,710	4,299	4,379	4,459	5,870	6,633	7,214	6,411	7,773
18	192 x 54 x 1 1/2	42	4800 x 1350 x 38	1050	T5K _-D54192	3,909	4,498	4,578	4,658	6,069	6,832	7,413	6,610	7,974

Surface 5. Knife edge K. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.

Rectangular surfaces with radius corners




Laminate surface 1 1/2" (38 mm) thick, 2 sections. Channel for cable management included with option of grommet(s), electrical module(s) or table center.
Must be ordered separately: 3 leg kits or 3 bases.

10	108 x 48 x 1 1/2	36	2700 x 1200 x 38	T5N _-RCR48108	1,829	2,417	2,497	2,577	2,979	4,543	5,251	3,440	5,678
10	120 x 48 x 1 1/2	36	3000 x 1200 x 38	T5N _-RCR48120	1,983	2,571	2,651	2,731	3,131	4,697	5,405	3,593	5,874
12	132 x 48 x 1 1/2	36	3300 x 1200 x 38	T5N _-RCR48132	2,129	2,717	2,797	2,877	3,277	4,843	5,551	3,738	6,025
12	144 x 48 x 1 1/2	36	3600 x 1200 x 38	T5N _-RCR48144	2,264	2,852	2,932	3,012	3,412	4,978	5,686	3,870	6,229
14	156 x 48 x 1 1/2	36	3900 x 1200 x 38	T5N _-RCR48156	2,410	3,000	3,080	3,160	3,560	5,126	5,834	4,022	6,388
14	168 x 48 x 1 1/2	36	4200 x 1200 x 38	T5N _-RCR48168	2,551	3,141	3,221	3,301	3,701	5,267	5,975	4,163	6,616
16	180 x 48 x 1 1/2	36	4500 x 1200 x 38	T5N _-RCR48180	2,701	3,291	3,371	3,451	3,851	5,417	6,125	4,304	6,765
16	192 x 48 x 1 1/2	36	4800 x 1200 x 38	T5N _-RCR48192	2,853	3,442	3,522	3,602	4,002	5,568	6,276	4,445	6,919
12	108 x 54 x 1 1/2	42	2700 x 1350 x 38	T5N _-RCR54108	1,983	2,571	2,651	2,731	3,131	4,697	5,405	3,593	5,832
12	120 x 54 x 1 1/2	42	3000 x 1350 x 38	T5N _-RCR54120	2,144	2,732	2,812	2,892	3,292	4,858	5,566	3,754	6,036
14	132 x 54 x 1 1/2	42	3300 x 1350 x 38	T5N _-RCR54132	2,305	2,893	2,973	3,053	3,453	5,019	5,727	3,896	6,204
14	144 x 54 x 1 1/2	42	3600 x 1350 x 38	T5N _-RCR54144	2,466	3,054	3,134	3,214	3,614	5,180	5,888	4,031	6,431
16	156 x 54 x 1 1/2	42	3900 x 1350 x 38	T5N _-RCR54156	2,627	3,215	3,295	3,375	3,775	5,341	6,049	4,172	6,604
16	168 x 54 x 1 1/2	42	4200 x 1350 x 38	T5N _-RCR54168	2,805	3,393	3,473	3,553	3,953	5,519	6,227	4,313	6,870
18	180 x 54 x 1 1/2	42	4500 x 1350 x 38	T5N _-RCR54180	2,965	3,553	3,633	3,713	4,113	5,679	6,387	4,454	7,030
18	192 x 54 x 1 1/2	42	4800 x 1350 x 38	T5N _-RCR54192	3,128	3,717	3,797	3,877	4,277	5,843	6,551	4,595	7,192

Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.

A-shape surfaces with radius corners



Laminate surface 1 1/2" (38 mm) thick, 2 sections. Channel for cable management included with option of grommet(s), electrical module(s) or table center.
Must be ordered separately: 3 leg kits or 3 bases.

10	108 x 48 x 1 1/2	36	2700 x 1200 x 38	T5N _-AR48108	1,829	2,417	2,497	2,577	2,979	4,543	5,251	3,440	5,678
10	120 x 48 x 1 1/2	36	3000 x 1200 x 38	T5N _-AR48120	1,983	2,571	2,651	2,731	3,131	4,697	5,405	3,593	5,874
10	132 x 48 x 1 1/2	36	3300 x 1200 x 38	T5N _-AR48132	2,129	2,717	2,797	2,877	3,277	4,843	5,551	3,738	6,025
12	144 x 48 x 1 1/2	36	3600 x 1200 x 38	T5N _-AR48144	2,264	2,852	2,932	3,012	3,412	4,978	5,686	3,870	6,229
12	156 x 48 x 1 1/2	36	3900 x 1200 x 38	T5N _-AR48156	2,410	3,000	3,080	3,160	3,560	5,126	5,834	4,022	6,388
14	168 x 48 x 1 1/2	36	4200 x 1200 x 38	T5N _-AR48168	2,551	3,141	3,221	3,301	3,701	5,267	5,975	4,163	6,616
14	180 x 48 x 1 1/2	36	4500 x 1200 x 38	T5N _-AR48180	2,701	3,291	3,371	3,451	3,851	5,417	6,125	4,304	6,765
16	192 x 48 x 1 1/2	36	4800 x 1200 x 38	T5N _-AR48192	2,853	3,442	3,522	3,602	4,002	5,568	6,276	4,445	6,919
12	108 x 54 x 1 1/2	42	2700 x 1350 x 38	T5N _-AR54108	1,983	2,571	2,651	2,731	3,131	4,697	5,405	3,593	5,832
12	120 x 54 x 1 1/2	42	3000 x 1350 x 38	T5N _-AR54120	2,144	2,732	2,812	2,892	3,292	4,858	5,566	3,754	6,036

Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description.
Add HPL upcharge to all table tops / work surfaces.

TECHNOLOGY INTEGRATION




GC, G2, G3
Grommet(s)



PC, P2, P3
Electrical/communication module(s)



Can accept a connector
(LGC-RJ45K, LGC-HDMI, LGC-USBCK, etc.)



CPC, CPP2
Table center with electrical/communication module(s)

SURFACE WIDTH	UPCHARGE
48" (1200 mm) or less	\$214
Between 54" and 72" (1350 and 1800 mm)	\$268
Between 84" and 96" (2100 and 2400 mm)	\$401
Between 108" and 120" (2700 and 3000 mm)	\$535
Between 132" and 144" (3300 and 3600 mm)	\$668
Between 156" and 192" (3900 and 4800 mm)	\$913
Between 204" and 252" (5100 and 6300 mm)	\$1,202


= ASSEMBLY REQUIRED


	Approx. no. of seats	W x D x H (in)	Y (in)	W x D x H (mm)	Y (mm)	Code	(\$)	With options:							CPC (\$)	CPP2 (\$)
								GC (\$)	G2 (\$)	G3 (\$)	PC (\$)	P2 (\$)	P3 (\$)			
A-shape surfaces with radius corners (cont'd)	12	132 x 54 x 1½	42	3300 x 1350 x 38	1050	T5N --AR54132	2,305	2,954	3,033	3,113	3,514	5,086	5,795	3,916	6,204	
	14	144 x 54 x 1½	42	3600 x 1350 x 38	1050	T5N --AR54144	2,466	3,116	3,197	3,276	4,627	5,388	5,969	5,101	6,431	
	14	156 x 54 x 1½	42	3900 x 1350 x 38	1050	T5N --AR54156	2,627	3,276	3,357	3,436	4,792	5,595	6,137	5,268	6,604	
	16	168 x 54 x 1½	42	4200 x 1350 x 38	1050	T5N --AR54168	2,805	3,513	3,593	3,673	5,045	5,832	6,362	5,506	6,870	
	16	180 x 54 x 1½	42	4500 x 1350 x 38	1050	T5N --AR54180	2,965	3,673	3,753	3,834	5,204	6,001	6,570	5,666	7,030	
	18	192 x 54 x 1½	42	4800 x 1350 x 38	1050	T5N --AR54192	3,128	3,839	3,918	3,999	5,368	6,184	6,731	5,829	7,192	
Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.																
Diamond surfaces with radius corners	Laminate surface 1½" (38 mm) thick, 2 sections. Channel for cable management included with option of grommet(s), electrical module(s) or table center. <i>Must be ordered separately: 3 leg kits or 3 bases.</i>															
	10	108 x 48 x 1½	36	2700 x 1200 x 38	900	T5N --DR48108	1,829	2,417	2,497	2,577	2,979	4,543	5,251	3,440	5,678	
	10	120 x 48 x 1½	36	3000 x 1200 x 38	900	T5N --DR48120	1,983	2,571	2,651	2,731	3,131	4,697	5,405	3,593	5,874	
	10	132 x 48 x 1½	36	3300 x 1200 x 38	900	T5N --DR48132	2,129	2,776	2,856	2,936	3,337	4,909	5,617	3,738	6,025	
	12	144 x 48 x 1½	36	3600 x 1200 x 38	900	T5N --DR48144	2,264	2,911	2,993	3,072	4,423	5,185	5,767	4,897	6,229	
	12	156 x 48 x 1½	36	3900 x 1200 x 38	900	T5N --DR48156	2,410	3,057	3,138	3,217	4,575	5,377	5,918	5,049	6,388	
	14	168 x 48 x 1½	36	4200 x 1200 x 38	900	T5N --DR48168	2,551	3,260	3,342	3,421	4,791	5,581	6,108	5,252	6,616	
	14	180 x 48 x 1½	36	4500 x 1200 x 38	900	T5N --DR48180	2,701	3,410	3,490	3,569	4,940	5,736	6,304	5,401	6,765	
	16	192 x 48 x 1½	36	4800 x 1200 x 38	900	T5N --DR48192	2,853	3,562	3,641	3,722	5,092	5,908	6,455	5,554	6,919	
	12	108 x 54 x 1½	42	2700 x 1350 x 38	1050	T5N --DR54108	1,983	2,571	2,651	2,731	3,131	4,697	5,405	3,593	5,832	
	12	120 x 54 x 1½	42	3000 x 1350 x 38	1050	T5N --DR54120	2,144	2,732	2,812	2,894	3,294	4,859	5,567	3,754	6,036	
	12	132 x 54 x 1½	42	3300 x 1350 x 38	1050	T5N --DR54132	2,305	2,954	3,033	3,113	3,514	5,086	5,795	3,916	6,204	
	14	144 x 54 x 1½	42	3600 x 1350 x 38	1050	T5N --DR54144	2,466	3,116	3,197	3,276	4,627	5,388	5,969	5,101	6,431	
	14	156 x 54 x 1½	42	3900 x 1350 x 38	1050	T5N --DR54156	2,627	3,276	3,357	3,436	4,792	5,595	6,137	5,268	6,604	
	16	168 x 54 x 1½	42	4200 x 1350 x 38	1050	T5N --DR54168	2,805	3,513	3,593	3,673	5,045	5,832	6,362	5,506	6,870	
	16	180 x 54 x 1½	42	4500 x 1350 x 38	1050	T5N --DR54180	2,965	3,673	3,753	3,834	5,204	6,001	6,570	5,666	7,030	
	18	192 x 54 x 1½	42	4800 x 1350 x 38	1050	T5N --DR54192	3,128	3,839	3,918	3,999	5,368	6,184	6,731	5,829	7,192	
Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.																
Boat surfaces	Laminate surface 1½" (38 mm) thick, 2 sections. Channel for cable management included with option of grommet(s), electrical module(s) or table center. <i>Must be ordered separately: 3 leg kits or 3 bases.</i>															
	10	108 x 48 x 1½	36	2700 x 1200 x 38	900	T5N --B48108	1,829	2,417	2,497	2,577	2,979	4,543	5,251	3,440	5,678	
	10	120 x 48 x 1½	36	3000 x 1200 x 38	900	T5N --B48120	1,983	2,571	2,651	2,731	3,131	4,697	5,405	3,593	5,874	
	12	132 x 48 x 1½	36	3300 x 1200 x 38	900	T5N --B48132	2,129	2,776	2,856	2,936	3,337	4,909	5,617	3,738	6,025	
	12	144 x 48 x 1½	36	3600 x 1200 x 38	900	T5N --B48144	2,264	2,911	2,993	3,072	4,423	5,185	5,767	4,897	6,229	
	14	156 x 48 x 1½	36	3900 x 1200 x 38	900	T5N --B48156	2,410	3,057	3,138	3,217	4,575	5,377	5,918	5,049	6,388	
	14	168 x 48 x 1½	36	4200 x 1200 x 38	900	T5N --B48168	2,551	3,260	3,342	3,421	4,791	5,581	6,108	5,252	6,616	
	16	180 x 48 x 1½	36	4500 x 1200 x 38	900	T5N --B48180	2,701	3,410	3,490	3,569	4,940	5,736	6,304	5,401	6,765	
	16	192 x 48 x 1½	36	4800 x 1200 x 38	900	T5N --B48192	2,853	3,562	3,641	3,722	5,092	5,908	6,455	5,554	6,919	
	12	108 x 54 x 1½	42	2700 x 1350 x 38	1050	T5N --B54108	1,983	2,571	2,651	2,731	3,131	4,697	5,405	3,593	5,832	
	12	120 x 54 x 1½	42	3000 x 1350 x 38	1050	T5N --B54120	2,144	2,732	2,812	2,894	3,294	4,859	5,567	3,754	6,036	
	14	132 x 54 x 1½	42	3300 x 1350 x 38	1050	T5N --B54132	2,305	2,954	3,033	3,113	3,514	5,086	5,795	3,916	6,204	
	14	144 x 54 x 1½	42	3600 x 1350 x 38	1050	T5N --B54144	2,466	3,116	3,197	3,276	4,627	5,388	5,969	5,101	6,431	
	16	156 x 54 x 1½	42	3900 x 1350 x 38	1050	T5N --B54156	2,627	3,276	3,357	3,436	4,792	5,595	6,137	5,268	6,604	
	16	168 x 54 x 1½	42	4200 x 1350 x 38	1050	T5N --B54168	2,805	3,513	3,593	3,673	5,045	5,832	6,362	5,506	6,870	
	18	180 x 54 x 1½	42	4500 x 1350 x 38	1050	T5N --B54180	2,965	3,673	3,753	3,834	5,204	6,001	6,570	5,666	7,030	
	18	192 x 54 x 1½	42	4800 x 1350 x 38	1050	T5N --B54192	3,128	3,839	3,918	3,999	5,368	6,184	6,731	5,829	7,192	
Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.																
Racetrack surfaces	Laminate surface 1½" (38 mm) thick, 2 sections. Channel for cable management included with option of grommet(s), electrical module(s) or table center. <i>Must be ordered separately: 3 leg kits or 3 bases.</i>															
	10	108 x 48 x 1½		2700 x 1200 x 38		T5N --RT48108	1,877	2,465	2,546	2,626	3,027	4,592	5,299	3,488	5,727	
	10	120 x 48 x 1½		3000 x 1200 x 38		T5N --RT48120	2,022	2,610	2,690	2,772	3,173	4,736	5,444	3,634	5,912	
	12	132 x 48 x 1½		3300 x 1200 x 38		T5N --RT48132	2,167	2,815	2,896	2,975	3,378	4,947	5,658	3,778	6,064	
	12	144 x 48 x 1½		3600 x 1200 x 38		T5N --RT48144	2,314	2,961	3,042	3,123	4,472	5,235	5,817	4,946	6,278	
	14	156 x 48 x 1½		3900 x 1200 x 38		T5N --RT48156	2,461	3,108	3,189	3,269	4,627	5,428	5,969	5,101	6,438	
	14	168 x 48 x 1½		4200 x 1200 x 38		T5N --RT48168	2,604	3,312	3,394	3,473	4,843	5,634	6,160	5,304	6,668	
	16	180 x 48 x 1½		4500 x 1200 x 38		T5N --RT48180	2,749	3,456	3,536	3,616	4,987	5,782	6,351	5,449	6,813	
	16	192 x 48 x 1½		4800 x 1200 x 38		T5N --RT48192	2,900	3,609	3,689	3,769	5,140	5,955	6,502	5,600	6,963	
	12	108 x 54 x 1½		2700 x 1350 x 38		T5N --RT54108	2,047	2,635	2,716	2,797	3,198	4,761	5,470	3,659	5,898	
	12	120 x 54 x 1½		3000 x 1350 x 38		T5N --RT54120	2,231	2,819	2,900	2,980	3,381	4,945	5,653	3,843	6,121	
	14	132 x 54 x 1½		3300 x 1350 x 38		T5N --RT54132	2,410	3,057	3,138	3,217	3,618	5,190	5,900	4,021	6,307	
	14	144 x 54 x 1½		3600 x 1350 x 38		T5N --RT54144	2,594	3,241	3,322	3,403	4,754	5,515	6,096	5,228	6,558	
	16	156 x 54 x 1½		3900 x 1350 x 38		T5N --RT54156	2,787	3,436	3,516	3,597	4,955	5,755	6,297	5,428	6,765	
	16	168 x 54 x 1½		4200 x 1350 x 38		T5N --RT54168	2,965	3,673	3,753	3,834	5,204	5,992	6,522	5,666	7,030	
	18	180 x 54 x 1½		4500 x 1350 x 38		T5N --RT54180	3,143	3,852	3,931	4,012	5,382	6,179	6,745	5,845	7,207	
	18	192 x 54 x 1½		4800 x 1350 x 38		T5N --RT54192	3,310	4,019	4,099	4,179	5,550	6,365	6,914	6,011	7,375	
Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.																


Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description.
Add HPL upcharge to all table tops / work surfaces.


— ASSEMBLY REQUIRED


QUORUM MULTICONFERENCE

	Approx. no. of seats	W x D x H (in)	W x D x H (mm)	Code	(\$)	With options:								
						GC (\$)	G2 (\$)	G3 (\$)	PC (\$)	P2 (\$)	P3 (\$)	CPC (\$)	CPP2 (\$)	
Oval surfaces														
		<i>Laminate surface 1 1/2" (38 mm) thick, 2 sections. Channel for cable management included with option of grommet(s), electrical module(s) or table center. Must be ordered separately: 3 leg kits or 3 bases.</i>												
	10	108 x 48 x 1 1/2	2700 x 1200 x 38	T5N _-048108	1,877	2,465	2,546	2,626	3,027	4,592	5,299	3,488	5,727	
	10	120 x 48 x 1 1/2	3000 x 1200 x 38	T5N _-048120	2,022	2,610	2,690	2,772	3,173	4,736	5,444	3,634	5,912	
	12	132 x 48 x 1 1/2	3300 x 1200 x 38	T5N _-048132	2,167	2,815	2,896	2,975	3,378	4,947	5,658	3,778	6,064	
	12	144 x 48 x 1 1/2	3600 x 1200 x 38	T5N _-048144	2,314	2,961	3,042	3,123	4,472	5,235	5,817	4,946	6,278	
	14	156 x 48 x 1 1/2	3900 x 1200 x 38	T5N _-048156	2,461	3,108	3,189	3,269	4,627	5,428	5,969	5,101	6,438	
	14	168 x 48 x 1 1/2	4200 x 1200 x 38	T5N _-048168	2,604	3,312	3,394	3,473	4,843	5,634	6,160	5,304	6,668	
	16	180 x 48 x 1 1/2	4500 x 1200 x 38	T5N _-048180	2,749	3,456	3,536	3,616	4,987	5,782	6,351	5,449	6,813	
	16	192 x 48 x 1 1/2	4800 x 1200 x 38	T5N _-048192	2,900	3,609	3,689	3,769	5,140	5,955	6,502	5,600	6,963	
	12	108 x 54 x 1 1/2	2700 x 1350 x 38	T5N _-054108	2,047	2,635	2,716	2,797	3,198	4,761	5,470	3,659	5,898	
	12	120 x 54 x 1 1/2	3000 x 1350 x 38	T5N _-054120	2,231	2,819	2,900	2,980	3,381	4,945	5,653	3,843	6,121	
	14	132 x 54 x 1 1/2	3300 x 1350 x 38	T5N _-054132	2,410	3,057	3,138	3,217	3,618	5,190	5,900	4,021	6,307	
	14	144 x 54 x 1 1/2	3600 x 1350 x 38	T5N _-054144	2,594	3,241	3,322	3,403	4,754	5,515	6,096	5,228	6,558	
	15	156 x 54 x 1 1/2	3900 x 1350 x 38	T5N _-054156	2,787	3,436	3,516	3,597	4,955	5,755	6,297	5,428	6,765	
	15	168 x 54 x 1 1/2	4200 x 1350 x 38	T5N _-054168	2,965	3,673	3,753	3,834	5,204	5,992	6,522	5,666	7,030	
	16	180 x 54 x 1 1/2	4500 x 1350 x 38	T5N _-054180	3,143	3,852	3,931	4,012	5,382	6,179	6,745	5,845	7,207	
16	192 x 54 x 1 1/2	4800 x 1350 x 38	T5N _-054192	3,310	4,019	4,099	4,179	5,550	6,365	6,914	6,011	7,375		
Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.														

	W x D x H (in)	W x D x H (mm)	Code	(\$)
LEGS, BASES AND ACCESSORIES FOR 2-SECTION SURFACES – 108" TO 192" W				
Metal angled legs	Kit of 2 steel legs. WM at the end of the code indicates that one leg will have a cavity for cable management.			
	Without cable management			
	1½ x 3 x 28	38 x 76 x 711	TNNN _-ATL228 	555
	Specify leg color (K, S, W).			
	With cable management			
Without cable management	1½ x 3 x 28	38 x 76 x 711	TNNN _-ATL228WM 	594
	Specify leg color (K, S, W).			

	Without cable access			
Thermofused laminate bases				
<i>Base accommodates cables that plug into a floor outlet. WM at the end of the code indicates a base with 110° hinges and a storage compartment with lock.</i>				
<i>Without cable access</i>				
	24 x 4 3/4 x 28	618 x 120 x 711	TNNNN _LB0524 	662
	24 x 9 x 28	618 x 225 x 711	TNNNN _LB0924 	742
<i>With cable access</i>				
	24 x 4 3/4 x 28	618 x 120 x 711	TNNNN _LB0524WM 	796
	24 x 9 x 28	618 x 225 x 711	TNNNN _LB0924WM 	942


	Without cable access			
U-shape combined base				
<i>Laminate base with aluminum contours.</i>				
	24 x 6 x 28	630 x 150 x 711	TNNN _UCB24 	710
Specify accent color (K, S, W).				


	W x D x H (in)	W x D x H (mm)	Code	(\$)
Fabric vertical wire cover				
<i>Allows vertical cable management. Diameter of 2 1/2" (63 mm). With zipper. All United Chair® standard fabrics are applicable.</i>				
	2 1/2 x 2 1/2 x 52	63 x 63 x 1320	DVW48	144 150 158 164 185 202 231
Specify the fabric code at the end of the product code.				
Cable management fasteners				
<i>Install beneath work surfaces. Make it possible to pinch cables beneath the work surface for cable management. Grey. Pack of 5.</i>				
	5 1/2 x 1 1/2 x 1	140 x 40 x 25	LGC-WMC05 	135

Place the letter **S** at the beginning of each item code, and specify "exact dimensions" in item description. Add HPL upcharge to all table tops / work surfaces.



SURFACE WIDTH	UPCHARGE
48" (1200 mm) or less	\$214
Between 54" and 72" (1350 and 1800 mm)	\$268
Between 84" and 96" (2100 and 2400 mm)	\$401
Between 108" and 120" (2700 and 3000 mm)	\$535
Between 132" and 144" (3300 and 3600 mm)	\$668
Between 156" and 192" (3900 and 4800 mm)	\$913
Between 204" and 252" (5100 and 6300 mm)	\$1,202

TECHNOLOGY INTEGRATION

	GC, G2, G3 Grommet(s)
	PC, P2, P3 Electrical/communication module(s)
	Can accept a connector (LGC-RJ45K, LGC-HDMI, LGC-USBCK, etc.)

	CPC, CPP2 Table center with electrical/communication module(s)
---	--

POSITIONING

	
GC, PC, CPC	G2, P2
	
G3, P3, CPP2	

 = ASSEMBLY REQUIRED

 = QUICKSHIP PROGRAM

CANADA – FEBRUARY 2024

Approx.
no. of
seats

W x D x H (in)

X (in)

Y (in)

W x D x H (mm)

X (mm)

Y (mm)

Code

With options:
GC (\$)

G2 (\$)

G3 (\$)

PC (\$)

P2 (\$)


P3 (\$)

CPC (\$)

CPP2 (\$)

3-SECTION SURFACES – 204" TO 252" W

Rectangular surfaces



Laminate surface 1 1/2" (38 mm) thick, 3 sections. Channel for cable management included with option of grommet(s), electrical module(s) or table center.
Must be ordered separately: 4 leg kits or 4 bases.


18	204 x 48 x 1 1/2	60		5100 x 1200 x 38	1500	T5N	-RC48204	3,015	4,386	4,465	4,546	6,010	6,892	7,381	6,477	7,848
18	216 x 48 x 1 1/2	60		5400 x 1200 x 38	1500	T5N	-RC48216	3,227	4,597	4,678	4,757	6,221	7,109	7,591	6,689	8,059
20	228 x 48 x 1 1/2	60		5700 x 1200 x 38	1500	T5N	-RC48228	3,416	4,854	4,935	5,015	6,477	7,374	8,102	6,946	8,562
20	240 x 48 x 1 1/2	60		6000 x 1200 x 38	1500	T5N	-RC48240	3,612	5,048	5,128	5,210	6,686	7,568	8,297	7,154	8,759
22	252 x 48 x 1 1/2	60		6300 x 1200 x 38	1500	T5N	-RC48252	3,827	5,266	5,346	5,425	6,902	7,819	8,512	7,370	8,974
20	204 x 54 x 1 1/2	60		5100 x 1350 x 38	1500	T5N	-RC54204	3,184	4,555	4,634	4,715	6,180	7,061	7,549	6,648	8,017
20	216 x 54 x 1 1/2	60		5400 x 1350 x 38	1500	T5N	-RC54216	3,350	4,721	4,802	4,883	6,344	7,235	7,716	6,814	8,183
22	228 x 54 x 1 1/2	60		5700 x 1350 x 38	1500	T5N	-RC54228	3,512	4,948	5,030	5,110	6,574	7,469	8,198	7,042	8,659
22	240 x 54 x 1 1/2	60		6000 x 1350 x 38	1500	T5N	-RC54240	3,685	5,121	5,201	5,281	6,758	7,641	8,370	7,226	8,831
24	252 x 54 x 1 1/2	60		6300 x 1350 x 38	1500	T5N	-RC54252	3,845	5,283	5,363	5,443	6,921	7,835	8,531	7,387	8,992

Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.

18	204 x 48 x 1 1/2	60		5100 x 1200 x 38	1500	T5K	-RC48204	3,768	5,139	5,218	5,298	6,763	7,644	8,133	7,229	8,601
18	216 x 48 x 1 1/2	60		5400 x 1200 x 38	1500	T5K	-RC48216	4,030	5,401	5,481	5,562	7,025	7,915	8,396	7,493	8,864
20	228 x 48 x 1 1/2	60		5700 x 1200 x 38	1500	T5K	-RC48228	4,269	5,706	5,786	5,866	7,331	8,226	8,955	7,798	9,171
20	240 x 48 x 1 1/2	60		6000 x 1200 x 38	1500	T5K	-RC48240	4,514	5,952	6,031	6,112	7,589	8,472	9,200	8,055	9,661
22	252 x 48 x 1 1/2	60		6300 x 1200 x 38	1500	T5K	-RC48252	4,785	6,222	6,303	6,382	7,860	8,777	9,470	8,327	9,932
20	204 x 54 x 1 1/2	60		5100 x 1350 x 38	1500	T5K	-RC54204	3,979	5,349	5,430	5,509	6,974	7,857	8,344	7,441	8,813
20	216 x 54 x 1 1/2	60		5400 x 1350 x 38	1500	T5K	-RC54216	4,191	5,561	5,641	5,721	7,185	8,074	8,556	7,653	9,022
22	228 x 54 x 1 1/2	60		5700 x 1350 x 38	1500	T5K	-RC54228	4,389	5,827	5,906	5,987	7,453	8,346	9,074	7,919	9,538
22	240 x 54 x 1 1/2	60		6000 x 1350 x 38	1500	T5K	-RC54240	4,604	6,040	6,120	6,202	7,678	8,560	9,289	8,146	9,751
24	252 x 54 x 1 1/2	60		6300 x 1350 x 38	1500	T5K	-RC54252	4,806	6,242	6,321	6,401	7,880	8,795	9,492	8,347	9,953

Surface 5. Knife edge K. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.

A-shape surfaces



Laminate surface 1 1/2" (38 mm) thick, 3 sections. Channel for cable management included with option of grommet(s), electrical module(s) or table center.
Must be ordered separately: 4 leg kits or 4 bases.


16	204 x 48 x 1 1/2	60	36	5100 x 1200 x 38	1500	900	T5N	-A48204	3,191	4,561	4,643	4,722	6,186	7,069	7,557	6,654	8,025
16	216 x 48 x 1 1/2	60	36	5400 x 1200 x 38	1500	900	T5N	-A48216	3,394	4,763	4,843	4,923	6,389	7,277	7,758	6,855	8,226
18	228 x 48 x 1 1/2	60	36	5700 x 1200 x 38	1500	900	T5N	-A48228	3,586	5,022	5,103	5,184	6,648	7,543	8,271	7,115	8,733
18	240 x 48 x 1 1/2	60	36	6000 x 1200 x 38	1500	900	T5N	-A48240	3,802	5,240	5,321	5,400	6,876	7,759	8,487	7,346	8,949
20	252 x 48 x 1 1/2	60	36	6300 x 1200 x 38	1500	900	T5N	-A48252	3,999	5,434	5,515	5,595	7,073	7,989	8,684	7,540	9,145
18	204 x 54 x 1 1/2	60	42	5100 x 1350 x 38	1500	1050	T5N	-A54204	3,481	4,852	4,932	5,012	6,475	7,359	7,846	6,945	8,316
18	216 x 54 x 1 1/2	60	42	5400 x 1350 x 38	1500	1050	T5N	-A54216	3,650	5,020	5,101	5,180	6,646	7,534	8,015	7,113	8,483
20	228 x 54 x 1 1/2	60	42	5700 x 1350 x 38	1500	1050	T5N	-A54228	3,820	5,257	5,338	5,418	6,880	7,776	8,505	7,350	8,966
20	240 x 54 x 1 1/2	60	42	6000 x 1350 x 38	1500	1050	T5N	-A54240	3,981	5,419	5,500	5,580	7,056	7,939	8,667	7,522	9,128
22	252 x 54 x 1 1/2	60	42	6300 x 1350 x 38	1500	1050	T5N	-A54252	4,142	5,580	5,660	5,739	7,217	8,133	8,828	7,685	9,289

Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.

16	204 x 48 x 1 1/2	60	36	5100 x 1200 x 38	1500	900	T5K	-A48204	3,989	5,359	5,440	5,519	6,984	7,867	8,354	7,454	8,822
16	216 x 48 x 1 1/2	60	36	5400 x 1200 x 38	1500	900	T5K	-A48216	4,242	5,611	5,692	5,772	7,236	8,124	8,606	7,703	9,073
18	228 x 48 x 1 1/2	60	36	5700 x 1200 x 38	1500	900	T5K	-A48228	4,483	5,919	6,001	6,080	7,544	8,440	9,169	8,013	9,629
18	240 x 48 x 1 1/2	60	36	6000 x 1200 x 38	1500	900	T5K	-A48240	4,755	6,192	6,271	6,352	7,829	8,711	9,441	8,297	9,902
20	252 x 48 x 1 1/2	60	36	6300 x 1200 x 38	1500	900	T5K	-A48252	4,997	6,436	6,516	6,596	8,072	8,988	9,683	8,539	10,144
18	204 x 54 x 1 1/2	60	42	5100 x 1350 x 38	1500	1050	T5K	-A54204	4,352	5,722	5,803	5,882	7,348	8,230	8,716	7,814	9,186
18	216 x 54 x 1 1/2	60	42	5400 x 1350 x 38	1500	1050	T5K	-A54216	4,562	5,933	6,013	6,094	7,558	8,448	8,928	8,026	9,395
20	228 x 54 x 1 1/2	60	42	5700 x 1350 x 38	1500	1050	T5K	-A54228	4,776	6,211	6,291	6,371	7,835	8,732	9,461	8,304	9,922
20	240 x 54 x 1 1/2	60	42	6000 x 1350 x 38	1500	1050	T5K	-A54240	4,975	6,414	6,494	6,574	8,051	8,934	9,662	8,521	10,124
22	252 x 54 x 1 1/2	60	42	6300 x 1350 x 38	1500	1050	T5K	-A54252	5,177	6,613	6,693	6,775	8,252	9,168	9,862	8,719	10,323

Surface 5. Knife edge K. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.

Diamond surfaces



Laminate surface 1 1/2" (38 mm) thick, 3 sections. Channel for cable management included with option of grommet(s), electrical module(s) or table center.
Must be ordered separately: 4 leg kits or 4 bases.

16	204 x 48 x 1 1/2	60	36	5100 x 1200 x 38	1500	900	T5N	-D48204	3,191	4,561	4,643	4,722	6,186	7,069	7,557	6,654	8,025
16	216 x 48 x 1 1/2	60	36	5400 x 1200 x 38	1500	900	T5N	-D48216	3,394	4,763	4,843	4,923	6,389	7,277	7,758	6,855	8,226
18	228 x 48 x 1 1/2	60	36	5700 x 1200 x 38	1500	900	T5N	-D48228	3,586	5,022	5,103	5,184	6,648	7,543	8,271	7,115	8,733
18	240 x 48 x 1 1/2	60	36	6000 x 1200 x 38	1500	900	T5N	-D48240	3,802	5,240	5,321	5,400	6,876	7,759	8,487	7,346	8,949
20	252 x 48 x 1 1/2	60	36	6300 x 1200 x 38	1500	900	T5N	-D48252	3,999	5,434	5,515	5,595	7,073	7,989	8,684	7,540	9,145
18	204 x 54 x 1 1/2	60	42	5100 x 1350 x 38	1500	1050	T5N	-D54204	3,481	4,852	4,932	5,012	6,475	7,359	7,846	6,945	8,316
18	216 x 54 x 1 1/2	60	42	5400 x 1350 x 38	1500	1050	T5N	-D54216	3,650	5,020	5,101	5,180	6,646	7,534	8,015	7,113	8,483
20	228 x 54 x 1 1/2	60	42	5700 x 1350 x 38	1500	1050	T5N	-D54228	3,820	5,257	5,338	5,418	6,880	7,776	8,505	7,350	8,966
20	240 x 54 x 1 1/2	60	42	6000 x 1350 x 38	1500	1050	T5N	-D54240	3,981	5,419	5,500	5,580	7,056	7,939	8,667	7,522	9,128
22	252 x 54 x 1 1/2	60	42	6300 x 1350 x 38	1500	1050	T5N	-D54252	4,142	5,580	5,660	5,739	7,217	8,133	8,828	7,685	9,289

Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.

Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description.
Add HPL upcharge to all table tops / work surfaces.

— ASSEMBLY REQUIRED

CANADA – FEBRUARY 2024

QUORUM MULTICONFERENCE


Approx.
no. of
seats

W x D x H (in) X (in) Y (in) W x D x H (mm) X (mm) Y (mm) Code

With options:

GC (\$) G2 (\$) G3 (\$) PC (\$) P2 (\$) P3 (\$) CPC (\$) CPP2 (\$)

Rectangular surfaces with radius corners




Laminate surface 1 1/2" (38 mm) thick, 3 sections. Channel for cable management included with option of grommet(s), electrical module(s) or table center.

Must be ordered separately: 4 leg kits or 4 bases.

18	204 x 48 x 1 1/2	60		5100 x 1200 x 38	1500		T5N	-RCR48204	3,191	4,561	4,643	4,722	6,186	7,069	7,557	6,654	8,025
18	216 x 48 x 1 1/2	60		5400 x 1200 x 38	1500		T5N	-RCR48216	3,394	4,763	4,843	4,923	6,389	7,277	7,758	6,855	8,226
20	228 x 48 x 1 1/2	60		5700 x 1200 x 38	1500		T5N	-RCR48228	3,586	5,022	5,103	5,184	6,648	7,543	8,271	7,115	8,733
20	240 x 48 x 1 1/2	60		6000 x 1200 x 38	1500		T5N	-RCR48240	3,802	5,240	5,321	5,400	6,876	7,759	8,487	7,346	8,949
22	252 x 48 x 1 1/2	60		6300 x 1200 x 38	1500		T5N	-RCR48252	3,999	5,434	5,515	5,595	7,073	7,989	8,684	7,540	9,145
20	204 x 54 x 1 1/2	60		5100 x 1350 x 38	1500		T5N	-RCR54204	3,481	4,852	4,932	5,012	6,475	7,359	7,846	6,945	8,316
20	216 x 54 x 1 1/2	60		5400 x 1350 x 38	1500		T5N	-RCR54216	3,650	5,020	5,101	5,180	6,646	7,534	8,015	7,113	8,483
22	228 x 54 x 1 1/2	60		5700 x 1350 x 38	1500		T5N	-RCR54228	3,820	5,257	5,338	5,418	6,880	7,776	8,505	7,350	8,966
22	240 x 54 x 1 1/2	60		6000 x 1350 x 38	1500		T5N	-RCR54240	3,981	5,419	5,500	5,580	7,056	7,939	8,667	7,522	9,128
24	252 x 54 x 1 1/2	60		6300 x 1350 x 38	1500		T5N	-RCR54252	4,142	5,580	5,660	5,739	7,217	8,133	8,828	7,685	9,289

Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.

A-shape surfaces with radius corners




Laminate surface 1 1/2" (38 mm) thick, 3 sections. Channel for cable management included with option of grommet(s), electrical module(s) or table center.

Must be ordered separately: 4 leg kits or 4 bases.

16	204 x 48 x 1 1/2	60	36	5100 x 1200 x 38	1500	900	T5N	-AR48204	3,191	4,561	4,643	4,722	6,186	7,069	7,557	6,654	8,025
16	216 x 48 x 1 1/2	60	36	5400 x 1200 x 38	1500	900	T5N	-AR48216	3,394	4,763	4,843	4,923	6,389	7,277	7,758	6,855	8,226
18	228 x 48 x 1 1/2	60	36	5700 x 1200 x 38	1500	900	T5N	-AR48228	3,586	5,022	5,103	5,184	6,648	7,543	8,271	7,115	8,733
18	240 x 48 x 1 1/2	60	36	6000 x 1200 x 38	1500	900	T5N	-AR48240	3,802	5,240	5,321	5,400	6,876	7,759	8,487	7,346	8,949
20	252 x 48 x 1 1/2	60	36	6300 x 1200 x 38	1500	900	T5N	-AR48252	3,999	5,434	5,515	5,595	7,073	7,989	8,684	7,540	9,145
18	204 x 54 x 1 1/2	60	42	5100 x 1350 x 38	1500	1050	T5N	-AR54204	3,481	4,852	4,932	5,012	6,475	7,359	7,846	6,945	8,316
18	216 x 54 x 1 1/2	60	42	5400 x 1350 x 38	1500	1050	T5N	-AR54216	3,650	5,020	5,101	5,180	6,646	7,534	8,015	7,113	8,483
20	228 x 54 x 1 1/2	60	42	5700 x 1350 x 38	1500	1050	T5N	-AR54228	3,820	5,257	5,338	5,418	6,880	7,776	8,505	7,350	8,966
20	240 x 54 x 1 1/2	60	42	6000 x 1350 x 38	1500	1050	T5N	-AR54240	3,981	5,419	5,500	5,580	7,056	7,939	8,667	7,522	9,128
22	252 x 54 x 1 1/2	60	42	6300 x 1350 x 38	1500	1050	T5N	-AR54252	4,142	5,580	5,660	5,739	7,217	8,133	8,828	7,685	9,289

Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.

Diamond surfaces with radius corners




Laminate surface 1 1/2" (38 mm) thick, 3 sections. Channel for cable management included with option of grommet(s), electrical module(s) or table center.

Must be ordered separately: 4 leg kits or 4 bases.

16	204 x 48 x 1 1/2	60	36	5100 x 1200 x 38	1500	900	T5N	-DR48204	3,191	4,561	4,643	4,722	6,186	7,069	7,557	6,654	8,025
16	216 x 48 x 1 1/2	60	36	5400 x 1200 x 38	1500	900	T5N	-DR48216	3,394	4,763	4,843	4,923	6,389	7,277	7,758	6,855	8,226
18	228 x 48 x 1 1/2	60	36	5700 x 1200 x 38	1500	900	T5N	-DR48228	3,586	5,022	5,103	5,184	6,648	7,543	8,271	7,115	8,733
18	240 x 48 x 1 1/2	60	36	6000 x 1200 x 38	1500	900	T5N	-DR48240	3,802	5,240	5,321	5,400	6,876	7,759	8,487	7,346	8,949
20	252 x 48 x 1 1/2	60	36	6300 x 1200 x 38	1500	900	T5N	-DR48252	3,999	5,434	5,515	5,595	7,073	7,989	8,684	7,540	9,145
18	204 x 54 x 1 1/2	60	42	5100 x 1350 x 38	1500	1050	T5N	-DR54204	3,481	4,852	4,932	5,012	6,475	7,359	7,846	6,945	8,316
18	216 x 54 x 1 1/2	60	42	5400 x 1350 x 38	1500	1050	T5N	-DR54216	3,650	5,020	5,101	5,180	6,646	7,534	8,015	7,113	8,483
20	228 x 54 x 1 1/2	60	42	5700 x 1350 x 38	1500	1050	T5N	-DR54228	3,820	5,257	5,338	5,418	6,880	7,776	8,505	7,350	8,966
20	240 x 54 x 1 1/2	60	42	6000 x 1350 x 38	1500	1050	T5N	-DR54240	3,981	5,419	5,500	5,580	7,056	7,939	8,667	7,522	9,128
22	252 x 54 x 1 1/2	60	42	6300 x 1350 x 38	1500	1050	T5N	-DR54252	4,142	5,580	5,660	5,739	7,217	8,133	8,828	7,685	9,289

Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.

Boat surfaces



Laminate surface 1 1/2" (38 mm) thick, 3 sections. Channel for cable management included with option of grommet(s), electrical module(s) or table center.

Must be ordered separately: 4 leg kits or 4 bases.

16	204 x 48 x 1 1/2	60	36	5100 x 1200 x 38	1500	900	T5N	-B48204	3,191	4,561	4,643	4,722	6,186	7,069	7,557	6,654	8,025
16	216 x 48 x 1 1/2	60	36	5400 x 1200 x 38	1500	900	T5N	-B48216	3,394	4,763	4,843	4,923	6,389	7,277	7,758	6,855	8,226
18	228 x 48 x 1 1/2	60	36	5700 x 1200 x 38	1500	900	T5N	-B48228	3,586	5,022	5,103	5,184	6,648	7,543	8,271	7,115	8,733
18	240 x 48 x 1 1/2	60	36	6000 x 1200 x 38	1500	900	T5N	-B48240	3,802	5,240	5,321	5,400	6,876	7,759	8,487	7,346	8,949
20	252 x 48 x 1 1/2	60	36	6300 x 1200 x 38	1500	900	T5N	-B48252	3,999	5,434	5,515	5,595	7,073	7,989	8,684	7,540	9,145
20	204 x 54 x 1 1/2	60	42	5100 x 1350 x 38	1500	1050	T5N	-B54204	3,481	4,852	4,932	5,012	6,475	7,359	7,846	6,945	8,316
20	216 x 54 x 1 1/2	60	42	5400 x 1350 x 38	1500	1050	T5N	-B54216	3,650	5,020	5,101	5,180	6,646	7,534	8,015	7,113	8,483
22	228 x 54 x 1 1/2	60	42	5700 x 1350 x 38	1500	1050	T5N	-B54228	3,820	5,257	5,338	5,418	6,880	7,776	8,505	7,350	8,966
22	240 x 54 x 1 1/2	60	42	6000 x 1350 x 38	1500	1050	T5N	-B54240	3,981	5,419	5,500	5,580	7,056	7,939	8,667	7,522	9,128
24	252 x 54 x 1 1/2	60	42	6300 x 1350 x 38	1500	1050	T5N	-B54252	4,142	5,580	5,660	5,739	7,217	8,133	8,828	7,685	9,289

Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.

Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description. Add HPL upcharge to all table tops / work surfaces.


SURFACE WIDTH	UPCHARGE
48" (1200 mm) or less	\$214
Between 54" and 72" (1350 and 1800 mm)	\$268
Between 84" and 96" (2100 and 2400 mm)	\$401
Between 108" and 120" (2700 and 3000 mm)	\$535
Between 132" and 144" (3300 and 3600 mm)	\$668
Between 156" and 192" (3900 and 4800 mm)	\$913
Between 204" and 252" (5100 and 6300 mm)	\$1,202

TECHNOLOGY INTEGRATION

GC, G2, G3 Grommet(s)

PC, P2, P3 Electrical/communication module(s)


Can accept a connector (LGC-RJ45K, LGC-HDMI, LGC-USBK, etc.)




CPC, CPP2 Table center with electrical/communication module(s)

ASSEMBLY REQUIRED

CANADA - FEBRUARY 2024

	Approx. no. of seats	W x D x H (in)	X (in)	W x D x H (mm)	X (mm)	Code	(\$)	With options:								
								GC (\$)	G2 (\$)	G3 (\$)	PC (\$)	P2 (\$)	P3 (\$)	CPC (\$)	CPP2 (\$)	
	<i>Laminate surface 1 1/2" (38 mm) thick, 3 sections. Channel for cable management included with option of grommet(s), electrical module(s) or table center. Must be ordered separately: 4 leg kits or 4 bases.</i>															
	18	204 x 48 x 1 1/2	60	5100 x 1200 x 38	1500	T5N _ -RT48204	3,337	4,707	4,788	4,867	6,333	7,214	7,701	6,800	8,171	
	18	216 x 48 x 1 1/2	60	5400 x 1200 x 38	1500	T5N _ -RT48216	3,553	4,922	5,002	5,084	6,547	7,436	7,918	7,014	8,386	
	20	228 x 48 x 1 1/2	60	5700 x 1200 x 38	1500	T5N _ -RT48228	3,788	5,224	5,304	5,384	6,849	7,746	8,474	7,316	8,935	
	20	240 x 48 x 1 1/2	60	6000 x 1200 x 38	1500	T5N _ -RT48240	3,999	5,434	5,515	5,595	7,073	7,955	8,684	7,540	9,145	
	22	252 x 48 x 1 1/2	60	6300 x 1200 x 38	1500	T5N _ -RT48252	4,192	5,628	5,710	5,789	7,265	8,182	8,877	7,734	9,338	
	20	204 x 54 x 1 1/2	60	5100 x 1350 x 38	1500	T5N _ -RT54204	3,650	5,020	5,101	5,180	6,646	7,529	8,015	7,113	8,483	
	20	216 x 54 x 1 1/2	60	5400 x 1350 x 38	1500	T5N _ -RT54216	3,836	5,205	5,287	5,367	6,830	7,720	8,200	7,299	8,668	
	22	228 x 54 x 1 1/2	60	5700 x 1350 x 38	1500	T5N _ -RT54228	4,013	5,452	5,531	5,611	7,076	7,971	8,699	7,543	9,162	
	22	240 x 54 x 1 1/2	60	6000 x 1350 x 38	1500	T5N _ -RT54240	4,192	5,628	5,710	5,789	7,265	8,149	8,877	7,734	9,338	
24	252 x 54 x 1 1/2	60	6300 x 1350 x 38	1500	T5N _ -RT54252	4,376	5,812	5,893	5,974	7,453	8,367	9,062	7,919	9,522		

Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.

Oval surfaces															
<i>Laminate surface 1½" (38 mm) thick, 3 sections. Channel for cable management included with option of grommet(s), electrical module(s) or table center. Must be ordered separately: 4 leg kits or 4 bases.</i>															
	18	204 x 48 x 1½	60	5100 x 1200 x 38	1500	T5N -048204	3,337	4,707	4,788	4,867	6,333	7,214	7,701	6,800	8,171
	18	216 x 48 x 1½	60	5400 x 1200 x 38	1500	T5N -048216	3,553	4,922	5,002	5,084	6,547	7,436	7,918	7,014	8,386
	20	228 x 48 x 1½	60	5700 x 1200 x 38	1500	T5N -048228	3,788	5,224	5,304	5,384	6,849	7,746	8,474	7,316	8,935
	20	240 x 48 x 1½	60	6000 x 1200 x 38	1500	T5N -048240	3,999	5,434	5,515	5,595	7,073	7,955	8,684	7,540	9,145
	22	252 x 48 x 1½	60	6300 x 1200 x 38	1500	T5N -048252	4,192	5,628	5,710	5,789	7,265	8,182	8,877	7,734	9,338
	20	204 x 54 x 1½	60	5100 x 1350 x 38	1500	T5N -054204	3,650	5,020	5,101	5,180	6,646	7,529	8,015	7,113	8,483
	20	216 x 54 x 1½	60	5400 x 1350 x 38	1500	T5N -054216	3,836	5,205	5,287	5,367	6,830	7,720	8,200	7,299	8,668
	22	228 x 54 x 1½	60	5700 x 1350 x 38	1500	T5N -054228	4,013	5,452	5,531	5,611	7,076	7,971	8,699	7,543	9,162
	22	240 x 54 x 1½	60	6000 x 1350 x 38	1500	T5N -054240	4,192	5,628	5,710	5,789	7,265	8,149	8,877	7,734	9,338
	24	252 x 54 x 1½	60	6300 x 1350 x 38	1500	T5N -054252	4,376	5,812	5,893	5,974	7,453	8,367	9,062	7,919	9,522

Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.

	W x D x H (in)	W x D x H (mm)	Code	(\$)
LEGS, BASES AND ACCESSORIES FOR 3-SECTION SURFACES – 204" TO 252" W				
Metal angled legs				
<i>Kit of 2 steel legs. WM at the end of the code indicates that one leg will have a cavity for cable management.</i>				
<i>Without cable management</i>				
1½ x 3 x 28	38 x 76 x 711	TNNN -ATL228		555
<i>Specify leg color (K, S, W).</i>				
<i>With cable management</i>				
1½ x 3 x 28	38 x 76 x 711	TNNN -ATL228WM		594
<i>Specify leg color (K, S, W).</i>				

Without cable management

With cable management

Thermofused laminate bases				
<i>Base accommodates cables that plug into a floor outlet. WM at the end of the code indicates a base with 110° hinges and a storage compartment with lock.</i>				
<i>Without cable access</i>				
24 x 4¾ x 28	618 x 120 x 711	TNNNN-LB0524		662
24 x 9 x 28	618 x 225 x 711	TNNNN-LB0924		742
<i>With cable access</i>				
24 x 4¾ x 28	618 x 120 x 711	TNNNN-LB0524WM		796
24 x 9 x 28	618 x 225 x 711	TNNNN-LB0924WM		942

Without cable access

With cable access

U-shape combined base				
<i>Laminate base with aluminum contours.</i>				
24 x 6 x 28	630 x 150 x 711	TNNN -UCB24		710
<i>Specify accent color (K, S, W).</i>				



	W x D x H (in)	W x D x H (mm)	Code	(\$)
Fabric vertical wire cover				
<i>Allows vertical cable management. Diameter of 2½" (63 mm). With zipper. All United Chair® standard fabrics are applicable.</i>				
			Gr1 Gr2 Gr3 Gr4 Gr5 Gr6 Gr8	
2½ x 2½ x 52	63 x 63 x 1320	DVW48	144 150 158 164 185 202 231	
<i>Specify the fabric code at the end of the product code.</i>				



Cable management fasteners				
<i>Install beneath work surfaces. Make it possible to pinch cables beneath the work surface for cable management. Grey. Pack of 5.</i>				
5½ x 1½ x 1	140 x 40 x 25	LGC-WMC05		135



Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description. Add HPL upcharge to all table tops / work surfaces.


SURFACE WIDTH	UPCHARGE
48" (1200 mm) or less	\$214
Between 54" and 72" (1350 and 1800 mm)	\$268
Between 84" and 96" (2100 and 2400 mm)	\$401
Between 108" and 120" (2700 and 3000 mm)	\$535
Between 132" and 144" (3300 and 3600 mm)	\$668
Between 156" and 192" (3900 and 4800 mm)	\$913
Between 204" and 252" (5100 and 6300 mm)	\$1,202

QUORUM MULTICONFERENCE

Approx. no. of seats	W x D x H (in)	W x D x H (mm)	Code	(\$)	With options: GC (\$)	G2 (\$)	PC (\$)	P2 (\$)	CPC (\$)	CPP2 (\$)
----------------------------	----------------	----------------	------	------	--------------------------	---------	---------	---------	----------	-----------

1-SECTION SURFACES FOR VIVA AND TRIA BASES – 96" W

Rectangular surfaces



Laminate surface 1½" (38 mm) thick. Channel for cable management included with option of grommet(s), electrical module(s) or table center.
Must be ordered separately: 2 VIVA or TRIA bases.


8	96 x 48 x 1½	2400 x 1200 x 38	T5N _-RC4896VT	1,289	1,877	1,957	2,399	4,071	2,860	5,140
8	96 x 54 x 1½	2400 x 1350 x 38	T5N _-RC5496VT	1,467	2,056	2,135	2,575	4,247	3,038	5,318

Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.

8	96 x 48 x 1½	2400 x 1200 x 38	T5K _-RC4896VT	1,611	2,199	2,280	2,721	4,391	3,181	5,460
8	96 x 54 x 1½	2400 x 1350 x 38	T5K _-RC5496VT	1,834	2,422	2,501	2,943	4,614	3,404	5,684

Surface 5. Knife edge K. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.

Rectangular surfaces with radius corners




Laminate surface 1½" (38 mm) thick. Channel for cable management included with option of grommet(s), electrical module(s) or table center.
Must be ordered separately: 2 VIVA or TRIA bases.

8	96 x 48 x 1½	2400 x 1200 x 38	T5N _-RCR4896VT	1,426	2,013	2,094	2,536	4,206	2,996	5,275
8	96 x 54 x 1½	2400 x 1350 x 38	T5N _-RCR5496VT	1,530	2,118	2,199	2,642	4,312	3,102	5,381

Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.

VIVA AND TRIA BASES AND ACCESSORIES FOR 1-SECTION SURFACES – 96" W

Metal and wood VIVA bases



2 metal angled legs with wood crosspiece. **WM** at the end of the code indicates that one leg will have a cavity for cable management.

Without cable management

42 x 3 x 28	1066 x 76 x 711	TNNN _-VBTL228	769
-------------	-----------------	-----------------------	------------


Specify leg color (K,S,W). Specify wood finish at the end of the product code (W20, W21).

With cable management

42 x 3 x 28	1066 x 76 x 711	TNNN _-VBTL228WM	809
-------------	-----------------	-------------------------	------------

Specify leg color (K,S,W). Specify wood finish at the end of the product code (W20, W21).

Metal VIVA bases



2 angled legs with metal crosspiece. **WM** at the end of the code indicates that one leg will have a cavity for cable management.

Without cable management

42 x 3 x 28	1066 x 76 x 711	TNNN _-VMTL228	662
-------------	-----------------	-----------------------	------------


Specify base color (K, S, W).

With cable management

42 x 3 x 28	1066 x 76 x 711	TNNN _-VMTL228WM	702
-------------	-----------------	-------------------------	------------

Specify base color (K, S, W).

Metal and wood TRIA bases



3 metal angled legs with wood crosspieces. **WM** at the end of the code indicates that one leg will have a cavity for cable management.

Without cable management

41 x 23 x 28	1030 x 572 x 711	TNNN _-TBTL328	1,309
--------------	------------------	-----------------------	--------------


Specify leg color (K,S,W). Specify wood finish at the end of the product code (W20, W21).

With cable management

41 x 23 x 28	1030 x 572 x 711	TNNN _-TBTL328WM	1,351
--------------	------------------	-------------------------	--------------

Specify leg color (K,S,W). Specify wood finish at the end of the product code (W20, W21).

Fabric vertical wire cover



Allows vertical cable management. Diameter of 2½" (63 mm). With zipper. All United Chair® standard fabrics are applicable.

				Gr1	Gr2	Gr3	Gr4	Gr5	Gr6	Gr8
2½ x 2½ x 52	63 x 63 x 1320	DVW48		144	150	158	164	185	202	231

Specify the fabric code at the end of the product code.

Cable management fasteners



Install beneath work surfaces. Make it possible to pinch cables beneath the work surface for cable management. Grey. Pack of 5.

5½ x 1½ x 1	140 x 40 x 25	LGC-WMC05	135
-------------	---------------	------------------	------------

Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description. Add HPL upcharge to all table tops / work surfaces.

SURFACE WIDTH	UPCHARGE
48" (1200 mm) or less	\$214
Between 54" and 72" (1350 and 1800 mm)	\$268
Between 84" and 96" (2100 and 2400 mm)	\$401
Between 108" and 120" (2700 and 3000 mm)	\$535
Between 132" and 144" (3300 and 3600 mm)	\$668
Between 156" and 192" (3900 and 4800 mm)	\$913
Between 204" and 252" (5100 and 6300 mm)	\$1,202

TECHNOLOGY INTEGRATION




GC, G2
Grommet(s)

PC, P2
Electrical/communication module(s)




Can accept a connector
(LGC-RJ45K, LGC-HDMI, LGC-USBCK, etc.)



CPC, CPP2
Table center with electrical/communication module(s)

POSITIONING



GC, PC, CPC **G2, P2** **CPP2**

= ASSEMBLY REQUIRED


= QUICKSHIP PROGRAM

CANADA – FEBRUARY 2024

Approx. no. of seats	W x D x H (in)	W x D x H (mm)	Code	With options: GC (\$)	G2 (\$)	G3 (\$)	PC (\$)	P2 (\$)	P3 (\$)	CPC (\$)	CPP2 (\$)
----------------------------	----------------	----------------	------	--------------------------	---------	---------	---------	---------	---------	----------	-----------

2-SECTION SURFACES FOR LONG-SPAN TABLES – 108" TO 192" W

Rectangular surfaces for long-span tables



Laminate surface 1 1/2" (38 mm) thick, 2 sections. Reinforcement channel for cable management included.

Must be ordered separately: 2 leg kits or 2 bases.


10	108 x 48 x 1 1/2	2700 x 1200 x 38	T5N -RCP48108	2,349	2,428	2,511	2,591	2,950	4,515	5,223	3,412	5,692
10	120 x 48 x 1 1/2	3000 x 1200 x 38	T5N -RCP48120	2,554	2,633	2,715	2,796	3,155	4,720	5,428	3,616	5,897
10	132 x 48 x 1 1/2	3300 x 1200 x 38	T5N -RCP48132	2,704	2,785	2,865	2,945	3,307	4,877	5,586	3,768	6,053
12	144 x 48 x 1 1/2	3600 x 1200 x 38	T5N -RCP48144	2,851	2,932	3,011	3,091	3,452	5,003	5,711	3,917	6,266
12	156 x 48 x 1 1/2	3900 x 1200 x 38	T5N -RCP48156	3,056	3,137	3,216	3,296	3,657	5,207	5,915	4,119	6,486
14	168 x 48 x 1 1/2	4200 x 1200 x 38	T5N -RCP48168	3,202	3,283	3,362	3,442	3,803	5,353	6,061	4,270	6,678
14	180 x 48 x 1 1/2	4500 x 1200 x 38	T5N -RCP48180	3,346	3,428	3,507	3,587	3,948	5,498	6,206	4,421	6,822
16	192 x 48 x 1 1/2	4800 x 1200 x 38	T5N -RCP48192	3,491	3,571	3,651	3,733	4,093	5,643	6,351	4,572	6,968
12	108 x 54 x 1 1/2	2700 x 1350 x 38	T5N -RCP54108	2,532	2,614	2,694	2,774	3,134	4,700	5,408	3,594	5,876
12	120 x 54 x 1 1/2	3000 x 1350 x 38	T5N -RCP54120	2,745	2,826	2,906	2,985	3,346	4,911	5,619	3,807	6,087
12	132 x 54 x 1 1/2	3300 x 1350 x 38	T5N -RCP54132	2,890	2,971	3,051	3,130	3,492	5,064	5,772	3,953	6,240
14	144 x 54 x 1 1/2	3600 x 1350 x 38	T5N -RCP54144	3,036	3,117	3,198	3,277	3,638	5,208	5,916	4,122	6,451
14	156 x 54 x 1 1/2	3900 x 1350 x 38	T5N -RCP54156	3,240	3,321	3,402	3,481	3,842	5,412	6,120	4,273	6,670
16	168 x 54 x 1 1/2	4200 x 1350 x 38	T5N -RCP54168	3,380	3,459	3,540	3,620	3,981	5,551	6,259	4,424	6,855
16	180 x 54 x 1 1/2	4500 x 1350 x 38	T5N -RCP54180	3,524	3,604	3,685	3,764	4,125	5,695	6,403	4,575	6,999
18	192 x 54 x 1 1/2	4800 x 1350 x 38	T5N -RCP54192	3,674	3,754	3,836	3,916	4,277	5,847	6,555	4,726	7,151

Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.

10	108 x 48 x 1 1/2	2700 x 1200 x 38	T5K -RCP48108	2,760	2,841	2,921	3,001	3,362	4,925	5,636	3,823	6,103
10	120 x 48 x 1 1/2	3000 x 1200 x 38	T5K -RCP48120	3,002	3,083	3,163	3,242	3,605	5,168	5,878	4,065	6,344
10	132 x 48 x 1 1/2	3300 x 1200 x 38	T5K -RCP48132	3,191	3,271	3,351	3,432	3,793	5,356	6,066	4,255	6,541
12	144 x 48 x 1 1/2	3600 x 1200 x 38	T5K -RCP48144	3,375	3,455	3,535	3,615	3,976	5,539	6,249	4,445	6,791
12	156 x 48 x 1 1/2	3900 x 1200 x 38	T5K -RCP48156	3,617	3,697	3,778	3,858	4,219	5,782	6,492	4,635	7,048
14	168 x 48 x 1 1/2	4200 x 1200 x 38	T5K -RCP48168	3,798	3,878	3,957	4,039	4,400	5,963	6,673	4,825	7,275
14	180 x 48 x 1 1/2	4500 x 1200 x 38	T5K -RCP48180	3,979	4,059	4,139	4,220	4,581	6,144	6,854	5,015	7,456
16	192 x 48 x 1 1/2	4800 x 1200 x 38	T5K -RCP48192	4,159	4,241	4,320	4,401	4,762	6,325	7,035	5,205	7,637
12	108 x 54 x 1 1/2	2700 x 1350 x 38	T5K -RCP54108	2,993	3,072	3,153	3,233	3,593	5,156	5,866	4,055	6,335
12	120 x 54 x 1 1/2	3000 x 1350 x 38	T5K -RCP54120	3,241	3,322	3,403	3,483	3,844	5,407	6,117	4,305	6,584
12	132 x 54 x 1 1/2	3300 x 1350 x 38	T5K -RCP54132	3,426	3,506	3,586	3,666	4,027	5,590	6,300	4,488	6,775
14	144 x 54 x 1 1/2	3600 x 1350 x 38	T5K -RCP54144	3,606	3,687	3,767	3,846	4,207	5,770	6,480	4,678	7,022
14	156 x 54 x 1 1/2	3900 x 1350 x 38	T5K -RCP54156	3,845	3,926	4,005	4,085	4,446	6,009	6,719	4,868	7,275
16	168 x 54 x 1 1/2	4200 x 1350 x 38	T5K -RCP54168	4,021	4,100	4,181	4,260	4,621	6,184	6,894	5,043	7,495
16	180 x 54 x 1 1/2	4500 x 1350 x 38	T5K -RCP54180	4,200	4,280	4,360	4,440	4,801	6,364	7,074	5,194	7,675
18	192 x 54 x 1 1/2	4800 x 1350 x 38	T5K -RCP54192	4,380	4,471	4,551	4,631	4,992	6,555	7,265	5,345	7,867

Surface 5. Knife edge K. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.

Rectangular surfaces with radius corners for long-span tables



Laminate surface 1 1/2" (38 mm) thick, 2 sections. Reinforcement channel for cable management included.

Must be ordered separately: 2 leg kits or 2 bases.

10	108 x 48 x 1 1/2	2700 x 1200 x 38	T5N -RCRP48108	2,523	2,604	2,683	2,764	3,126	4,689	5,399	3,587	5,866
10	120 x 48 x 1 1/2	3000 x 1200 x 38	T5N -RCRP48120	2,738	2,817	2,898	2,979	3,339	4,904	5,612	3,800	6,080
10	132 x 48 x 1 1/2	3300 x 1200 x 38	T5N -RCRP48132	2,883	2,962	3,044	3,124	3,484	5,055	5,764	3,946	6,232
12	144 x 48 x 1 1/2	3600 x 1200 x 38	T5N -RCRP48144	3,019	3,100	3,179	3,259	3,619	5,182	5,892	4,079	6,436
12	156 x 48 x 1 1/2	3900 x 1200 x 38	T5N -RCRP48156	3,226	3,306	3,385	3,466	3,826	5,389	6,099	4,269	6,654
14	168 x 48 x 1 1/2	4200 x 1200 x 38	T5N -RCRP48168	3,368	3,448	3,529	3,609	3,969	5,532	6,242	4,419	6,843
14	180 x 48 x 1 1/2	4500 x 1200 x 38	T5N -RCRP48180	3,516	3,597	3,676	3,759	4,119	5,682	6,392	4,569	6,994
16	192 x 48 x 1 1/2	4800 x 1200 x 38	T5N -RCRP48192	3,669	3,748	3,828	3,909	4,269	5,832	6,542	4,719	7,145
12	108 x 54 x 1 1/2	2700 x 1350 x 38	T5N -RCRP54108	2,678	2,757	2,837	2,919	3,279	4,842	5,552	3,742	6,020
12	120 x 54 x 1 1/2	3000 x 1350 x 38	T5N -RCRP54120	2,900	2,980	3,060	3,140	3,500	5,063	5,773	3,963	6,242
12	132 x 54 x 1 1/2	3300 x 1350 x 38	T5N -RCRP54132	3,060	3,140	3,220	3,301	3,661	5,224	5,934	4,123	6,411
14	144 x 54 x 1 1/2	3600 x 1350 x 38	T5N -RCRP54144	3,223	3,303	3,383	3,464	3,824	5,387	6,097	4,313	6,637
14	156 x 54 x 1 1/2	3900 x 1350 x 38	T5N -RCRP54156	3,442	3,524	3,604	3,685	4,045	5,608	6,318	4,503	6,872
16	168 x 54 x 1 1/2	4200 x 1350 x 38	T5N -RCRP54168	3,620	3,699	3,780	3,860	4,220	5,783	6,493	4,693	7,096
16	180 x 54 x 1 1/2	4500 x 1350 x 38	T5N -RCRP54180	3,780	3,860	3,942	4,022	4,382	5,945	6,655	4,845	7,256
18	192 x 54 x 1 1/2	4800 x 1350 x 38	T5N -RCRP54192	3,945	4,025	4,105	4,185	4,545	6,108	6,818	5,007	7,420


Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Grommet/module option: specify no module (N) or an accent color (K, S, W) after the edge color and specify the type of grommet/module at the end of the product code.

Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description. Add HPL upcharge to all table tops / work surfaces.

TECHNOLOGY INTEGRATION



GC, G2, G3
Grommet(s)




PC, P2, P3
Electrical/communication module(s)



Can accept a connector
(LGC-RJ45K, LGC-HDMI, LGC-USBCK, etc.)

QUICKSHIP PROGRAM



ASSEMBLY REQUIRED





CPC, CPP2
Table center with electrical/communication module(s)

SURFACE WIDTH	UPCHARGE
48" (1200 mm) or less	\$214
Between 54" and 72" (1350 and 1800 mm)	\$268
Between 84" and 96" (2100 and 2400 mm)	\$401
Between 108" and 120" (2700 and 3000 mm)	\$535
Between 132" and 144" (3300 and 3600 mm)	\$668
Between 156" and 192" (3900 and 4800 mm)	\$913
Between 204" and 252" (5100 and 6300 mm)	\$1,202



QUORUM MULTICONFERENCE


	W x D x H (in)	W x D x H (mm)	Code	(\$)
LEGS, BASES AND ACCESSORIES FOR LONG-SPAN TABLES				
Metal angled legs	Kit of 2 metal legs. WM at the end of the code indicates that one leg will have a cavity for cable management.			
	Without cable management			
	1 1/2 x 3 x 28	38 x 76 x 711	TNNN_-ATL228 	555
	Specify leg color (K,S,W).			
	With cable management			
	1 1/2 x 3 x 28	38 x 76 x 711	TNNN_-ATL228WM 	594
	Specify leg color (K,S,W).			


Metal and wood VIVA bases	2 metal angled legs with wood crosspiece. WM at the end of the code indicates that one leg will have a cavity for cable management.			
	Without cable management			
	42 x 3 x 28	1066 x 76 x 711	TNNN_-VBTL228	769
	Specify leg color (K,S,W). Specify wood finish at the end of the product code (W20, W21).			
	With cable management			
	42 x 3 x 28	1066 x 76 x 711	TNNN_-VBTL228WM	809
	Specify leg color (K,S,W). Specify wood finish at the end of the product code (W20, W21).			

Metal VIVA bases	2 angled legs with metal crosspiece. WM at the end of the code indicates that one leg will have a cavity for cable management.			
	Without cable management			
	42 x 3 x 28	1066 x 76 x 711	TNNN_-VMTL228	662
	Specify base color (K, S, W).			
	With cable management			
	42 x 3 x 28	1066 x 76 x 711	TNNN_-VMTL228WM	702
	Specify base color (K, S, W).			

Metal and wood TRIA bases	3 metal angled legs with wood crosspieces. WM at the end of the code indicates that one leg will have a cavity for cable management.			
	Without cable management			
	41 x 23 x 28	1030 x 572 x 711	TNNN_-TBTL328	1,309
	Specify leg color (K,S,W). Specify wood finish at the end of the product code (W20, W21).			
	With cable management			
	41 x 23 x 28	1030 x 572 x 711	TNNN_-TBTL328WM	1,351
	Specify leg color (K,S,W). Specify wood finish at the end of the product code (W20, W21).			

Thermofused laminate bases	Base accommodates cables that plug into a floor outlet. WM at the end of the code indicates a base with 110° hinges and a storage compartment with lock.			
	Without cable access			
	24 x 4 3/4 x 28	618 x 120 x 711	TNNNN-LB0524	662
	24 x 9 x 28	618 x 225 x 711	TNNNN-LB0924	742
	With cable access			
	24 x 4 3/4 x 28	618 x 120 x 711	TNNNN-LB0524WM 	796
	24 x 9 x 28	618 x 225 x 711	TNNNN-LB0924WM 	942

U-shape combined base	Laminate base with aluminum contours.			
	24 x 6 x 28	630 x 150 x 711	TNNN_-UCB24 	710
	Specify accent color (K, S, W).			

	W x D x H (in)	W x D x H (mm)	Code	(\$)
Fabric vertical wire cover	Allows vertical cable management. Diameter of 2 1/2" (63 mm). With zipper. All United Chair® standard fabrics are applicable.			
			Gr1 Gr2 Gr3 Gr4 Gr5 Gr6 Gr8	
	2 1/2 x 2 1/2 x 52	63 x 63 x 1320	DVW48	144 150 158 164 185 202 231
	Specify the fabric code at the end of the product code.			
Cable management fasteners	Install beneath work surfaces. Make it possible to pinch cables beneath the work surface for cable management. Grey. Pack of 5.			
	5 1/2 x 1 1/2 x 1	140 x 40 x 25	LGC-WMC05 	135

Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description. Add HPL upcharge to all table tops / work surfaces.

SURFACE WIDTH	UPCHARGE
48" (1200 mm) or less	\$214
Between 54" and 72" (1350 and 1800 mm)	\$268
Between 84" and 96" (2100 and 2400 mm)	\$401
Between 108" and 120" (2700 and 3000 mm)	\$535
Between 132" and 144" (3300 and 3600 mm)	\$668
Between 156" and 192" (3900 and 4800 mm)	\$913
Between 204" and 252" (5100 and 6300 mm)	\$1,202

QUORUM MULTICONFERENCE

Approx.
no. of
seats W x D x H (in) W x D x H (mm) Code (\$)

With options:
GC PC (\$)

MEETING TABLES

Round tables with disc base – 42" H



Laminate surfaces 1" (25 mm) or 1½" (38 mm) thick. Metal disc base with integrated cable management. Option of grommet or electrical module.


2	30 x 30 x 42	750 x 750 x 1067	T1N	-R3042DC	1,431	1,511	1,972
4	36 x 36 x 42	900 x 900 x 1067	T1N	-R3642DC	1,471	1,551	2,012

Surface 1. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W). Grommet/module option: specify the type of grommet/module at the end of the product code.

2	30 x 30 x 42½	750 x 750 x 1080	T5N	-R3042DC	1,471	1,551	2,012
4	36 x 36 x 42½	900 x 900 x 1080	T5N	-R3642DC	1,525	1,604	2,064

Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W). Grommet/module option: specify the type of grommet/module at the end of the product code.

Square tables with radius corners and disc base – 42" H



Laminate surfaces 1" (25 mm) or 1½" (38 mm) thick. Metal disc base with integrated cable management. Option of grommet or electrical module.


2	30 x 30 x 42	750 x 750 x 1067	T1N	-SQR3042DC	1,431	1,511	1,972
---	--------------	------------------	-----	------------	-------	-------	-------

Surface 1. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W). Grommet/module option: specify the type of grommet/module (based on available options) at the end of the product code.

2	30 x 30 x 42½	750 x 750 x 1080	T5N	-SQR3042DC	1,471	1,551	2,012
---	---------------	------------------	-----	------------	-------	-------	-------

Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W). Grommet/module option: specify the type of grommet/module at the end of the product code.

Round tables with X-base – 42" H



Laminate surfaces 1" (25 mm) or 1½" (38 mm) thick. Metal X-base with integrated cable management. Option of grommet or electrical module.


2	30 x 30 x 42	750 x 750 x 1067	T1N	-R3042XB	1,330	1,410	1,872
4	36 x 36 x 42	900 x 900 x 1067	T1N	-R3642XB	1,371	1,451	1,913

Surface 1. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W). Grommet/module option: specify the type of grommet/module at the end of the product code.

2	30 x 30 x 42½	750 x 750 x 1080	T5N	-R3042XB	1,371	1,451	1,913
4	36 x 36 x 42½	900 x 900 x 1080	T5N	-R3642XB	1,471	1,551	2,012

Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W). Grommet/module option: specify the type of grommet/module at the end of the product code.

Square tables with radius corners and X-base – 42" H



Laminate surfaces 1" (25 mm) or 1½" (38 mm) thick. Metal X-base with integrated cable management. Option of grommet or electrical module.

2	30 x 30 x 42	750 x 750 x 1067	T1N	-SQR3042XB	1,330	1,410	1,872
---	--------------	------------------	-----	------------	-------	-------	-------

Surface 1. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W). Grommet/module option: specify the type of grommet/module at the end of the product code.

2	30 x 30 x 42½	750 x 750 x 1080	T5N	-SQR3042XB	1,371	1,451	1,913
---	---------------	------------------	-----	------------	-------	-------	-------

Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W). Grommet/module option: specify the type of grommet/module at the end of the product code.

Round tables with disc base – 29" H



Laminate surfaces 1" (25 mm) or 1½" (38 mm) thick. Metal disc base with integrated cable management. Option of grommet or electrical module.


2	30 x 30 x 29	750 x 750 x 736	T1N	-R3029DC	1,404	1,484	1,945
4	36 x 36 x 29	900 x 900 x 736	T1N	-R3629DC	1,445	1,525	1,985
4	42 x 42 x 29	1050 x 1050 x 736	T1N	-R4229DC	1,717	1,798	2,260

Surface 1. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W). Grommet/module option: specify the type of grommet/module at the end of the product code.

2	30 x 30 x 29½	750 x 750 x 749	T5N	-R3029DC	1,445	1,525	1,985
4	36 x 36 x 29½	900 x 900 x 749	T5N	-R3629DC	1,499	1,578	2,038
4	42 x 42 x 29½	1050 x 1050 x 749	T5N	-R4229DC	1,785	1,866	2,326

Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W). Grommet/module option: specify the type of grommet/module at the end of the product code.

Square tables with radius corners and disc base – 29" H



Laminate surfaces 1" (25 mm) or 1½" (38 mm) thick. Metal disc base with integrated cable management. Option of grommet or electrical module.

2	30 x 30 x 29	750 x 750 x 736	T1N	-SQR3029DC	1,404	1,484	1,945
---	--------------	-----------------	-----	------------	-------	-------	-------

Surface 1. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W). Grommet/module option: specify the type of grommet/module at the end of the product code.

2	30 x 30 x 29½	750 x 750 x 749	T5N	-SQR3029DC	1,445	1,525	1,985
---	---------------	-----------------	-----	------------	-------	-------	-------

Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W). Grommet/module option: specify the type of grommet/module at the end of the product code.

Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description.
Add HPL upcharge to all table tops / work surfaces.

TECHNOLOGY INTEGRATION



GC
Grommet



PC
Electrical/communication module

POSITIONING




GC, PC

SURFACE WIDTH	UPCHARGE
48" (1200 mm) or less	\$214
Between 54" and 72" (1350 and 1800 mm)	\$268
Between 84" and 96" (2100 and 2400 mm)	\$401
Between 108" and 120" (2700 and 3000 mm)	\$535
Between 132" and 144" (3300 and 3600 mm)	\$668
Between 156" and 192" (3900 and 4800 mm)	\$913
Between 204" and 252" (5100 and 6300 mm)	\$1,202


ASSEMBLY REQUIRED

QUICKSHIP PROGRAM


CANADA – FEBRUARY 2024

	Approx. no. of seats	W x D x H (in)	W x D x H (mm)	Code		With options: GC (\$)	PC (\$)
Round tables with X-base – 29" H							
		<i>Laminate surfaces 1" (25 mm) or 1½" (38 mm) thick. Metal X-base with integrated cable management. Option of grommet or electrical module.</i>					
	2	30 x 30 x 29	750 x 750 x 736	T1N __R3029XB	1,271	1,351	1,812
	4	36 x 36 x 29	900 x 900 x 736	T1N __R3629XB 	1,371	1,451	1,913
	4	42 x 42 x 29	1050 x 1050 x 736	T1N __R4229XB	1,465	1,544	2,005
	Surface 1. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W). Grommet/module option: specify the type of grommet/module at the end of the product code.						
	2	30 x 30 x 29½	750 x 750 x 749	T5N __R3029XB	1,309	1,392	1,852
	4	36 x 36 x 29½	900 x 900 x 749	T5N __R3629XB 	1,423	1,504	1,966
	4	42 x 42 x 29½	1050 x 1050 x 749	T5N __R4229XB	1,530	1,611	2,073
	Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W). Grommet/module option: specify the type of grommet/module at the end of the product code.						
		<i>Laminate surfaces 1" (25 mm) or 1½" (38 mm) thick. Metal X-base with integrated cable management. Option of grommet or electrical module.</i>					
	2	30 x 30 x 29	750 x 750 x 736	T1N __SQR3029XB	1,271	1,351	1,812
	4	36 x 36 x 29	900 x 900 x 736	T1N __SQR3629XB	1,371	1,451	1,913
	Surface 1. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W). Grommet/module option: specify the type of grommet/module at the end of the product code.						
	2	30 x 30 x 29½	750 x 750 x 749	T5N __SQR3029XB	1,309	1,392	1,852
	4	36 x 36 x 29½	900 x 900 x 749	T5N __SQR3629XB	1,423	1,504	1,966
	Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W). Grommet/module option: specify the type of grommet/module at the end of the product code.						

MEETING TABLES WITH XTRA BASE

Round tables with XTRA base – 29" H							
<i>Laminate surfaces 1" (25 mm) or 1½" (38 mm) thick. 4 metal legs, including one leg with a cavity for cable management. Wood X crosspieces. Option of grommet or electrical module.</i>							
	4	42 x 42 x 29	1050 x 1050 x 736	T1N --R4229XTB	2,194	2,276	2,736
	4	48 x 48 x 29	1200 x 1200 x 736	T1N --R4829XTB	2,235	2,315	2,776
	4	54 x 54 x 29	1350 x 1350 x 736	T1N --R5429XTB	2,308	2,388	2,850
	4	60 x 60 x 29	1500 x 1500 x 736	T1N --R6029XTB	2,360	2,440	2,902
Surface 1. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W). Specify wood finish (W20, W21). Grommet/module option: specify the type of grommet/module at the end of the product code.							
	4	42 x 42 x 29½	1050 x 1050 x 749	T5N --R4229XTB	2,316	2,396	2,858
	4	48 x 48 x 29½	1200 x 1200 x 749	T5N --R4829XTB	2,390	2,470	2,933
	4	54 x 54 x 29½	1350 x 1350 x 749	T5N --R5429XTB	2,478	2,559	3,020
	4	60 x 60 x 29½	1500 x 1500 x 749	T5N --R6029XTB	2,554	2,633	3,095
Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W). Specify wood finish (W20, W21). Grommet/module option: specify the type of grommet/module at the end of the product code.							
Square tables with radius corners and XTRA base – 29" H							
<i>Laminate surfaces 1" (25 mm) or 1½" (38 mm) thick. 4 metal legs, including one leg with a cavity for cable management. Wood X crosspieces. Option of grommet or electrical module.</i>							
	4	42 x 42 x 29	1050 x 1050 x 736	T1N --SQR4229XTB	2,183	2,263	2,724
	4	48 x 48 x 29	1200 x 1200 x 736	T1N --SQR4829XTB	2,220	2,300	2,761
	4	54 x 54 x 29	1350 x 1350 x 736	T1N --SQR5429XTB	2,289	2,368	2,829
	4	60 x 60 x 29	1500 x 1500 x 736	T1N --SQR6029XTB	2,340	2,421	2,882
Surface 1. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W). Specify wood finish (W20, W21). Grommet/module option: specify the type of grommet/module at the end of the product code.							
	4	42 x 42 x 29½	1050 x 1050 x 749	T5N --SQR4229XTB	2,260	2,340	2,801
	4	48 x 48 x 29½	1200 x 1200 x 749	T5N --SQR4829XTB	2,340	2,421	2,882
	4	54 x 54 x 29½	1350 x 1350 x 749	T5N --SQR5429XTB	2,434	2,514	2,974
	4	60 x 60 x 29½	1500 x 1500 x 749	T5N --SQR6029XTB	2,514	2,594	3,054
Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W). Specify wood finish (W20, W21). Grommet/module option: specify the type of grommet/module at the end of the product code.							


OCCASIONAL TABLES

Round tables with disc base – 20" H							
<i>Laminate surfaces 1" (25 mm) or 1½" (38 mm) thick. Metal disc base with integrated cable management. Option of grommet or electrical module.</i>							
		24 x 24 x 20	600 x 600 x 508	T1N --R2420DC	1,324	1,404	1,866
		30 x 30 x 20	750 x 750 x 508	T1N --R3020DC	1,378	1,457	1,918
		36 x 36 x 20	900 x 900 x 508	T1N --R3620DC	1,383	1,465	1,926
Surface 1. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W). Grommet/module option: specify the type of grommet/module at the end of the product code.							
		24 x 24 x 20½	600 x 600 x 521	T5N --R2420DC	1,351	1,431	1,892
		30 x 30 x 20½	750 x 750 x 521	T5N --R3020DC	1,418	1,499	1,959
		36 x 36 x 20½	900 x 900 x 521	T5N --R3620DC	1,437	1,518	1,979
Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W). Grommet/module option: specify the type of grommet/module at the end of the product code.							
Square tables with radius corners and disc base – 20" H							
<i>Laminate surfaces 1" (25 mm) or 1½" (38 mm) thick. Metal disc base with integrated cable management. Option of grommet or electrical module.</i>							
		24 x 24 x 20	600 x 600 x 508	T1N --SQR2420DC	1,324	1,404	1,866
		30 x 30 x 20	750 x 750 x 508	T1N --SQR3020DC	1,378	1,457	1,918
Surface 1. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W). Grommet/module option: specify the type of grommet/module at the end of the product code.							


Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description.
Add HPL upcharge to all table tops / work surfaces.

QUORUM MULTICONFERENCE

	W x D x H (in)	W x D x H (mm)	Code	(\$)	With options: GC (\$)	PC (\$)
Square tables with radius corners and disc base – 20" H (cont'd)	24 x 24 x 20½	600 x 600 x 521	T5N -SQR2420DC	1,351	1,431	1,892
	30 x 30 x 20½	750 x 750 x 521	T5N -SQR3020DC	1,418	1,499	1,959
	Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W). Grommet/module option: specify the type of grommet/module at the end of the product code.					



Magazine tables



Laminate surfaces 1" (25 mm) or 1½" (38 mm) thick. Open storage space. Available in 1 tone only.

24 x 24 x 18 600 x 600 x 463 T1NNN-ST242418 831

48 x 24 x 18 1200 x 600 x 463 T1NNN-ST244818 984

Surface 1. Smooth edge N.

24 x 24 x 18¾ 600 x 600 x 476 T5NNN-ST242418 896

48 x 24 x 18¾ 1200 x 600 x 476 T5NNN-ST244818 1,096


Surface 5. Smooth edge N.

Approx.
no. of
seats


W x D x H (in) Y (in) W x D x H (mm) Y (mm) Code (\$)

CONFERENCE TABLES

Rectangular tables with panel base – 29" H



72" and 96" W (1800 and 2400 mm)



120" and 144" W (3000 and 3600 mm)

Laminate surfaces and base 1½" (38 mm) thick.

6 72 x 36 x 29½ 1800 x 900 x 749 T5N_N-RC367229LB 1,419

8 96 x 48 x 29½ 2400 x 1200 x 749 T5N_N-RC489629LB 1,772

8 120 x 48 x 29½ 3000 x 1200 x 749 T5N_N-RC4812029LB 2,442

8 144 x 48 x 29½ 3600 x 1200 x 749 T5N_N-RC4814429LB 2,521

Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge.

6 72 x 36 x 29½ 1800 x 900 x 749 T5K_N-RC367229LB 1,643


8 96 x 48 x 29½ 2400 x 1200 x 749 T5K_N-RC489629LB 2,216

8 120 x 48 x 29½ 3000 x 1200 x 749 T5K_N-RC4812029LB 3,190


8 144 x 48 x 29½ 3600 x 1200 x 749 T5K_N-RC4814429LB 3,562

Surface 5. Knife edge K. Specify matching (N) or contrasting (K, S, W) edge.

Rectangular tables with radius corners and panel base – 29" H



72" and 96" W (1800 and 2400 mm)



120" and 144" W (3000 and 3600 mm)

Laminate surfaces and base 1½" (38 mm) thick.

6 72 x 36 x 29½ 1800 x 900 x 749 T5N_N-RCR367229LB 1,548


8 96 x 48 x 29½ 2400 x 1200 x 749 T5N_N-RCR489629LB 1,902

8 120 x 48 x 29½ 3000 x 1200 x 749 T5N_N-RCR4812029LB 2,570


8 144 x 48 x 29½ 3600 x 1200 x 749 T5N_N-RCR4814429LB 2,651

Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge.

Boat tables with base panel – 29" H



72" and 96" W (1800 and 2400 mm)



120" and 144" W (3000 and 3600 mm)

Laminate surfaces and base 1½" (38 mm) thick.

6 72 x 36 x 29½ 30 1800 x 900 x 749 750 T5N_N-B367229LB 1,548


8 96 x 48 x 29½ 36 2400 x 1200 x 749 900 T5N_N-B489629LB 1,902

8 120 x 48 x 29½ 36 3000 x 1200 x 749 900 T5N_N-B4812029LB 2,570


8 144 x 48 x 29½ 36 3600 x 1200 x 749 900 T5N_N-B4814429LB 2,651

Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge.

Racetrack tables with panel base – 29" H



72" and 96" W (1800 and 2400 mm)



120" and 144" W (3000 and 3600 mm)

Laminate surfaces and base 1½" (38 mm) thick.

6 72 x 36 x 29½ 1800 x 900 x 749 T5N_N-RT367229LB 1,548

8 96 x 48 x 29½ 2400 x 1200 x 749 T5N_N-RT489629LB 1,902

8 120 x 48 x 29½ 3000 x 1200 x 749 T5N_N-RT4812029LB 2,570

8 144 x 48 x 29½ 3600 x 1200 x 749 T5N_N-RT4814429LB 2,651

Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge.


Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description.


Add HPL upcharge to all table tops / work surfaces.

= ASSEMBLY REQUIRED

= QUICKSHIP PROGRAM

CANADA – FEBRUARY 2024

	Approx. no. of seats	W x D x H (in)	W x D x H (mm)	Code	(\$)	With options:			
						GC (\$)	G2 (\$)	PC (\$)	P2 (\$)
ELECTRIC HEIGHT ADJUSTABLE CONFERENCE TABLES									
Rectangular electric height adjustable tables – 27" to 44½" H		Laminate surface 1½" (38 mm) thick. Channel for cable management and vertical wire cover included. Laminate base with finishing mat. Removable interior panel for cable management. 120" L (3048 mm) cable with plug for wall outlet. 2" H (50 mm) clearance beneath work surface for floor outlet (monument). Option of grommet(s) or electrical module(s). Recommended functional load capacity: 125 lbs (56 kg).							
	6	72 x 36 x 27-44½	1800 x 900 x 686-1130	T5N_-RC3672SG	6,491	6,572	–	7,173	–
	6	78 x 36 x 27-44½	1950 x 900 x 686-1130	T5N_-RC3678SG	6,593	6,672	–	7,333	–
	8	84 x 36 x 27-44½	2100 x 900 x 686-1130	T5N_-RC3684SG	7,020	–	7,180	–	9,186
	8	96 x 36 x 27-44½	2400 x 900 x 686-1130	T5N_-RC3696SG	7,247	–	7,407	–	9,412
	6	72 x 42 x 27-44½	1800 x 1050 x 686-1130	T5N_-RC4272SG	6,538	6,619	–	7,220	–
	6	78 x 42 x 27-44½	1950 x 1050 x 686-1130	T5N_-RC4278SG	6,652	6,731	–	7,393	–
	8	84 x 42 x 27-44½	2100 x 1050 x 686-1130	T5N_-RC4284SG	7,079	–	7,239	–	9,245
	8	96 x 42 x 27-44½	2400 x 1050 x 686-1130	T5N_-RC4296SG	7,313	–	7,474	–	9,480
Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W). Grommet/module option: specify the type of grommet/module at the end of the product code.									
Tables 72" and 78" W (1800 and 1950 mm): 2 columns (1 grommet or module possible).	6	72 x 36 x 27-44½	1800 x 900 x 686-1130	T5K_-RC3672SG	6,699	6,779	–	7,381	–
	6	78 x 36 x 27-44½	1950 x 900 x 686-1130	T5K_-RC3678SG	6,866	6,946	–	7,608	–
	8	84 x 36 x 27-44½	2100 x 900 x 686-1130	T5K_-RC3684SG	7,287	–	7,446	–	9,454
	8	96 x 36 x 27-44½	2400 x 900 x 686-1130	T5K_-RC3696SG	7,455	–	7,614	–	9,620
	6	72 x 42 x 27-44½	1800 x 1050 x 686-1130	T5K_-RC4272SG	6,765	6,846	–	7,446	–
	6	78 x 42 x 27-44½	1950 x 1050 x 686-1130	T5K_-RC4278SG	6,878	6,959	–	7,620	–
	8	84 x 42 x 27-44½	2100 x 1050 x 686-1130	T5K_-RC4284SG	7,333	–	7,493	–	9,498
	8	96 x 42 x 27-44½	2400 x 1050 x 686-1130	T5K_-RC4296SG	7,534	–	7,695	–	9,700
Surface 5. Knife edge K. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W). Grommet/module option: specify the type of grommet/module at the end of the product code.									

Rectangular electric height adjustable tables with radius corners – 27" to 44½" H									
<i>Laminate surface 1½" (38 mm) thick. Channel for cable management and vertical wire cover included. Laminate base with finishing mat. Removable interior panel for cable management. 120" L (3048 mm) cable with plug for wall outlet. 2" H (50 mm) clearance beneath work surface for floor outlet (monument). Option of grommet(s) or electrical module(s). Recommended functional load capacity: 125 lbs (56 kg).</i>									
	6	72 x 36 x 27-44½	1800 x 900 x 686-1130	T5N_-RCR3672SG	6,598	6,678	–	7,279	–
	6	78 x 36 x 27-44½	1950 x 900 x 686-1130	T5N_-RCR3678SG	6,699	6,779	–	7,440	–
	8	84 x 36 x 27-44½	2100 x 900 x 686-1130	T5N_-RCR3684SG	7,127	–	7,287	–	9,292
	8	96 x 36 x 27-44½	2400 x 900 x 686-1130	T5N_-RCR3696SG	7,353	–	7,514	–	9,519
	6	72 x 42 x 27-44½	1800 x 1050 x 686-1130	T5N_-RCR4272SG	6,646	6,726	–	7,327	–
	6	78 x 42 x 27-44½	1950 x 1050 x 686-1130	T5N_-RCR4278SG	6,758	6,839	–	7,502	–
	8	84 x 42 x 27-44½	2100 x 1050 x 686-1130	T5N_-RCR4284SG	7,186	–	7,346	–	9,352
	8	96 x 42 x 27-44½	2400 x 1050 x 686-1130	T5N_-RCR4296SG	7,420	–	7,582	–	9,587
Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W). Grommet/module option: specify the type of grommet/module at the end of the product code.									


SURFACE WIDTH	UPCHARGE
48" (1200 mm) or less	\$214
Between 54" and 72" (1350 and 1800 mm)	\$268
Between 84" and 96" (2100 and 2400 mm)	\$401
Between 108" and 120" (2700 and 3000 mm)	\$535
Between 132" and 144" (3300 and 3600 mm)	\$668
Between 156" and 192" (3900 and 4800 mm)	\$913
Between 204" and 252" (5100 and 6300 mm)	\$1,202

Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description.
Add HPL upcharge to all table tops / work surfaces.

TECHNOLOGY INTEGRATION



GC, G2
Grommet(s)



PC, P2
Electrical/communication module(s)




Can accept a connector
(LGC-RJ45K, LGC-HDMI, LGC-USBCK, etc.)

— ASSEMBLY REQUIRED

POSITIONING



GC, PC



G2, P2

QUORUM MULTICONFERENCE

ELECTRIC HEIGHT ADJUSTABLE TABLES | QUORUM SELECT (C-BASE)

Rectangular tables



Surfaces 1" (25 mm) or 1½" (38 mm) thick. Metal C-base. 120" L (3048 mm) cable with plug for wall outlet. Recommended functional load capacity: 125 lbs (56 kg).

1" (25 mm) surfaces: Minimum position of 24" (607 mm) and maximum position of 49½" (1257 mm).

46 x 23 x 24-49½	1150 x 585 x 607-1257	T1N	-RCA2346GC	2,814
52 x 23 x 24-49½	1300 x 585 x 607-1257	T1N	-RCA2352GC	2,828
58 x 23 x 24-49½	1450 x 585 x 607-1257	T1N	-RCA2358GC	2,844
64 x 23 x 24-49½	1600 x 585 x 607-1257	T1N	-RCA2364GC	2,858
70 x 23 x 24-49½	1750 x 585 x 607-1257	T1N	-RCA2370GC	2,863
46 x 29 x 24-49½	1150 x 725 x 607-1257	T1N	-RCA2946GC	2,844
52 x 29 x 24-49½	1300 x 725 x 607-1257	T1N	-RCA2952GC	2,858
58 x 29 x 24-49½	1450 x 725 x 607-1257	T1N	-RCA2958GC	2,871
64 x 29 x 24-49½	1600 x 725 x 607-1257	T1N	-RCA2964GC	2,885
70 x 29 x 24-49½	1750 x 725 x 607-1257	T1N	-RCA2970GC	2,900

Surface 1. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W).

1½" (38 mm) surfaces: Minimum position of 24½" (620 mm) and maximum position of 50" (1270 mm).

46 x 23 x 24½-50	1150 x 585 x 620-1270	T5N	-RCA2346GC	2,871
52 x 23 x 24½-50	1300 x 585 x 620-1270	T5N	-RCA2352GC	2,885
58 x 23 x 24½-50	1450 x 585 x 620-1270	T5N	-RCA2358GC	2,900
64 x 23 x 24½-50	1600 x 585 x 620-1270	T5N	-RCA2364GC	2,921
70 x 23 x 24½-50	1750 x 585 x 620-1270	T5N	-RCA2370GC	2,936
46 x 29 x 24½-50	1150 x 725 x 620-1270	T5N	-RCA2946GC	2,900
52 x 29 x 24½-50	1300 x 725 x 620-1270	T5N	-RCA2952GC	2,914
58 x 29 x 24½-50	1450 x 725 x 620-1270	T5N	-RCA2958GC	2,936
64 x 29 x 24½-50	1600 x 725 x 620-1270	T5N	-RCA2964GC	2,950
70 x 29 x 24½-50	1750 x 725 x 620-1270	T5N	-RCA2970GC	2,971

Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W).

46 x 23 x 24½-50	1150 x 585 x 620-1270	T5K	-RCA2346GC	3,143
52 x 23 x 24½-50	1300 x 585 x 620-1270	T5K	-RCA2352GC	3,164
58 x 23 x 24½-50	1450 x 585 x 620-1270	T5K	-RCA2358GC	3,187
64 x 23 x 24½-50	1600 x 585 x 620-1270	T5K	-RCA2364GC	3,201
70 x 23 x 24½-50	1750 x 585 x 620-1270	T5K	-RCA2370GC	3,225
46 x 29 x 24½-50	1150 x 725 x 620-1270	T5K	-RCA2946GC	3,214
52 x 29 x 24½-50	1300 x 725 x 620-1270	T5K	-RCA2952GC	3,230
58 x 29 x 24½-50	1450 x 725 x 620-1270	T5K	-RCA2958GC	3,252
64 x 29 x 24½-50	1600 x 725 x 620-1270	T5K	-RCA2964GC	3,265
70 x 29 x 24½-50	1750 x 725 x 620-1270	T5K	-RCA2970GC	3,287

Surface 5. Knife edge K. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W).

Rectangular tables with modesty panel



Surfaces 1" (25 mm) or 1½" (38 mm) thick. Metal C-base. Laminate modesty panel 12" (300 mm) H. 120" L (3048 mm) cable with plug for wall outlet. Recommended functional load capacity: 125 lbs (56 kg).

1" (25 mm) surfaces: Minimum position of 24" (607 mm) and maximum position of 49½" (1257 mm).

46 x 23 x 24-49½	1150 x 585 x 607-1257	T1N	-RCAM2346GC	3,087
52 x 23 x 24-49½	1300 x 585 x 607-1257	T1N	-RCAM2352GC	3,101
58 x 23 x 24-49½	1450 x 585 x 607-1257	T1N	-RCAM2358GC	3,116
64 x 23 x 24-49½	1600 x 585 x 607-1257	T1N	-RCAM2364GC	3,129
70 x 23 x 24-49½	1750 x 585 x 607-1257	T1N	-RCAM2370GC	3,137
46 x 29 x 24-49½	1150 x 725 x 607-1257	T1N	-RCAM2946GC	3,116
52 x 29 x 24-49½	1300 x 725 x 607-1257	T1N	-RCAM2952GC	3,129
58 x 29 x 24-49½	1450 x 725 x 607-1257	T1N	-RCAM2958GC	3,143
64 x 29 x 24-49½	1600 x 725 x 607-1257	T1N	-RCAM2964GC	3,157
70 x 29 x 24-49½	1750 x 725 x 607-1257	T1N	-RCAM2970GC	3,173

Surface 1. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W).

1½" (38 mm) surfaces: Minimum position of 24½" (620 mm) and maximum position of 50" (1270 mm).

46 x 23 x 24½-50	1150 x 585 x 620-1270	T5N	-RCAM2346GC	3,143
52 x 23 x 24½-50	1300 x 585 x 620-1270	T5N	-RCAM2352GC	3,157
58 x 23 x 24½-50	1450 x 585 x 620-1270	T5N	-RCAM2358GC	3,173
64 x 23 x 24½-50	1600 x 585 x 620-1270	T5N	-RCAM2364GC	3,193
70 x 23 x 24½-50	1750 x 585 x 620-1270	T5N	-RCAM2370GC	3,208
46 x 29 x 24½-50	1150 x 725 x 620-1270	T5N	-RCAM2946GC	3,173
52 x 29 x 24½-50	1300 x 725 x 620-1270	T5N	-RCAM2952GC	3,187

Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description.

Add HPL upcharge to all table tops / work surfaces.

Rectangular tables with modesty panel (cont'd)

58 x 29 x 24½-50	1450 x 725 x 620-1270	T5N	-RCAM2958GC	3,208
64 x 29 x 24½-50	1600 x 725 x 620-1270	T5N	-RCAM2964GC	3,225
70 x 29 x 24½-50	1750 x 725 x 620-1270	T5N	-RCAM2970GC	3,242


Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W).

46 x 23 x 24½-50	1150 x 585 x 620-1270	T5K	-RCAM2346GC	3,416
52 x 23 x 24½-50	1300 x 585 x 620-1270	T5K	-RCAM2352GC	3,438
58 x 23 x 24½-50	1450 x 585 x 620-1270	T5K	-RCAM2358GC	3,457
64 x 23 x 24½-50	1600 x 585 x 620-1270	T5K	-RCAM2364GC	3,473
70 x 23 x 24½-50	1750 x 585 x 620-1270	T5K	-RCAM2370GC	3,494
46 x 29 x 24½-50	1150 x 725 x 620-1270	T5K	-RCAM2946GC	3,487
52 x 29 x 24½-50	1300 x 725 x 620-1270	T5K	-RCAM2952GC	3,503
58 x 29 x 24½-50	1450 x 725 x 620-1270	T5K	-RCAM2958GC	3,524
64 x 29 x 24½-50	1600 x 725 x 620-1270	T5K	-RCAM2964GC	3,538
70 x 29 x 24½-50	1750 x 725 x 620-1270	T5K	-RCAM2970GC	3,560

Surface 5. Knife edge K. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W).

W x D x H (in)	X (in)	W x D x H (mm)	X (mm)	Code	(\$)
----------------	--------	----------------	--------	------	------

Left extended corner tables – 23" D



Surfaces 1" (25 mm) or 1½" (38 mm) thick. 1 rectangular grommet. Metal triple C-base. 120" L (3048 mm) cable with plug for wall outlet.

1" (25 mm) surfaces: Minimum position of 24" (607 mm) and maximum position of 49½" (1257 mm).

58 x 40 x 24-49½	23	1450 x 1000 x 607-1257	585	T1N	-CMA584023GC	4,054
64 x 40 x 24-49½	23	1600 x 1000 x 607-1257	585	T1N	-CMA644023GC	4,066
70 x 40 x 24-49½	23	1750 x 1000 x 607-1257	585	T1N	-CMA704023GC	4,082
76 x 40 x 24-49½	23	1900 x 1000 x 607-1257	585	T1N	-CMA764023GC	4,090
82 x 40 x 24-49½	23	2050 x 1000 x 607-1257	585	T1N	-CMA824023GC	4,102
58 x 46 x 24-49½	23	1450 x 1150 x 607-1257	585	T1N	-CMA584623GC	4,066
64 x 46 x 24-49½	23	1600 x 1150 x 607-1257	585	T1N	-CMA644623GC	4,082
70 x 46 x 24-49½	23	1750 x 1150 x 607-1257	585	T1N	-CMA704623GC	4,090
76 x 46 x 24-49½	23	1900 x 1150 x 607-1257	585	T1N	-CMA764623GC	4,102
82 x 46 x 24-49½	23	2050 x 1150 x 607-1257	585	T1N	-CMA824623GC	4,110
58 x 52 x 24-49½	23	1450 x 1300 x 607-1257	585	T1N	-CMA585223GC	4,082
64 x 52 x 24-49½	23	1600 x 1300 x 607-1257	585	T1N	-CMA645223GC	4,090
70 x 52 x 24-49½	23	1750 x 1300 x 607-1257	585	T1N	-CMA705223GC	4,102
76 x 52 x 24-49½	23	1900 x 1300 x 607-1257	585	T1N	-CMA765223GC	4,110
82 x 52 x 24-49½	23	2050 x 1300 x 607-1257	585	T1N	-CMA825223GC	4,124
58 x 58 x 24-49½	23	1450 x 1450 x 607-1257	585	T1N	-CMA585823GC	4,090
64 x 58 x 24-49½	23	1600 x 1450 x 607-1257	585	T1N	-CMA645823GC	4,102
70 x 58 x 24-49½	23	1750 x 1450 x 607-1257	585	T1N	-CMA705823GC	4,110
76 x 58 x 24-49½	23	1900 x 1450 x 607-1257	585	T1N	-CMA765823GC	4,124
82 x 58 x 24-49½	23	2050 x 1450 x 607-1257	585	T1N	-CMA825823GC	4,139

Surface 1. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W).

1½" (38 mm) surfaces: Minimum position of 24½" (620 mm) and maximum position of 50" (1270 mm).

58 x 40 x 24½-50	23	1450 x 1000 x 620-1270	585	T5N	-CMA584023GC	4,139
64 x 40 x 24½-50	23	1600 x 1000 x 620-1270	585	T5N	-CMA644023GC	4,152
70 x 40 x 24½-50	23	1750 x 1000 x 620-1270	585	T5N	-CMA704023GC	4,174
76 x 40 x 24½-50	23	1900 x 1000 x 620-1270	585	T5N	-CMA764023GC	4,191
82 x 40 x 24½-50	23	2050 x 1000 x 620-1270	585	T5N	-CMA824023GC	4,209
58 x 46 x 24½-50	23	1450 x 1150 x 620-1270	585	T5N	-CMA584623GC	4,152
64 x 46 x 24½-50	23	1600 x 1150 x 620-1270	585	T5N	-CMA644623GC	4,174
70 x 46 x 24½-50	23	1750 x 1150 x 620-1270	585	T5N	-CMA704623GC	4,191
76 x 46 x 24½-50	23	1900 x 1150 x 620-1270	585	T5N	-CMA764623GC	4,209
82 x 46 x 24½-50	23	2050 x 1150 x 620-1270	585	T5N	-CMA824623GC	4,227
58 x 52 x 24½-50	23	1450 x 1300 x 620-1270	585	T5N	-CMA585223GC	4,174
64 x 52 x 24½-50	23	1600 x 1300 x 620-1270	585	T5N	-CMA645223GC	4,191
70 x 52 x 24½-50	23	1750 x 1300 x 620-1270	585	T5N	-CMA705223GC	4,209
76 x 52 x 24½-50	23	1900 x 1300 x 620-1270	585	T5N	-CMA765223GC	4,227
82 x 52 x 24½-50	23	2050 x 1300 x 620-1270	585	T5N	-CMA825223GC	4,246
58 x 58 x 24½-50	23	1450 x 1450 x 620-1270	585	T5N	-CMA585823GC	4,191
64 x 58 x 24½-50	23	1600 x 1450 x 620-1270	585	T5N	-CMA645823GC	4,209
70 x 58 x 24½-50	23	1750 x 1450 x 620-1270	585	T5N	-CMA705823GC	4,227
76 x 58 x 24½-50	23	1900 x 1450 x 620-1270	585	T5N	-CMA765823GC	4,246
82 x 58 x 24½-50	23	2050 x 1450 x 620-1270	585	T5N	-CMA825823GC	4,260

Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W).

SURFACE WIDTH	UPCHARGE
48" (1200 mm) or less	\$214
Between 54" and 72" (1350 and 1800 mm)	\$268
Between 84" and 96" (2100 and 2400 mm)	\$401
Between 108" and 120" (2700 and 3000 mm)	\$535
Between 132" and 144" (3300 and 3600 mm)	\$668
Between 156" and 192" (3900 and 4800 mm)	\$913
Between 204" and 252" (5100 and 6300 mm)	\$1,202

ASSEMBLY REQUIRED

CANADA – FEBRUARY 2024

	W x D x H (in)	X (in)	W x D x H (mm)	X (mm)	Code	(\$)
Right extended corner tables – 23" D						
<i>Surfaces 1" (25 mm) or 1½" (38 mm) thick. 1 rectangular grommet. Metal triple C-base. 120" L (3048 mm) cable with plug for wall outlet.</i>						
<i>1" (25 mm) surfaces: Minimum position of 24" (607 mm) and maximum position of 49½" (1257 mm).</i>						
58 x 40 x 24-49½	23		1450 x 1000 x 607-1257	585	T1N -CMA4058236C	4,054
64 x 40 x 24-49½	23		1600 x 1000 x 607-1257	585	T1N -CMA4064236C	4,066
70 x 40 x 24-49½	23		1750 x 1000 x 607-1257	585	T1N -CMA4070236C	4,082
76 x 40 x 24-49½	23		1900 x 1000 x 607-1257	585	T1N -CMA4076236C	4,090
82 x 40 x 24-49½	23		2050 x 1000 x 607-1257	585	T1N -CMA4082236C	4,102
58 x 46 x 24-49½	23		1450 x 1150 x 607-1257	585	T1N -CMA4658236C	4,066
64 x 46 x 24-49½	23		1600 x 1150 x 607-1257	585	T1N -CMA4664236C	4,082
70 x 46 x 24-49½	23		1750 x 1150 x 607-1257	585	T1N -CMA4670236C	4,090
76 x 46 x 24-49½	23		1900 x 1150 x 607-1257	585	T1N -CMA4676236C	4,102
82 x 46 x 24-49½	23		2050 x 1150 x 607-1257	585	T1N -CMA4682236C	4,110
58 x 52 x 24-49½	23		1450 x 1300 x 607-1257	585	T1N -CMA5258236C	4,082
64 x 52 x 24-49½	23		1600 x 1300 x 607-1257	585	T1N -CMA5264236C	4,090
70 x 52 x 24-49½	23		1750 x 1300 x 607-1257	585	T1N -CMA5270236C	4,102
76 x 52 x 24-49½	23		1900 x 1300 x 607-1257	585	T1N -CMA5276236C	4,110
82 x 52 x 24-49½	23		2050 x 1300 x 607-1257	585	T1N -CMA5282236C	4,124
58 x 58 x 24-49½	23		1450 x 1450 x 607-1257	585	T1N -CMA5858236C	4,090
64 x 58 x 24-49½	23		1600 x 1450 x 607-1257	585	T1N -CMA5864236C	4,102
70 x 58 x 24-49½	23		1750 x 1450 x 607-1257	585	T1N -CMA5870236C	4,110
76 x 58 x 24-49½	23		1900 x 1450 x 607-1257	585	T1N -CMA5876236C	4,124
82 x 58 x 24-49½	23		2050 x 1450 x 607-1257	585	T1N -CMA5882236C	4,139
Surface 1. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W).						
<i>1½" (38 mm) surfaces: Minimum position of 24½" (620 mm) and maximum position of 50" (1270 mm).</i>						
58 x 40 x 24½-50	23		1450 x 1000 x 620-1270	585	T5N -CMA4058236C	4,139
64 x 40 x 24½-50	23		1600 x 1000 x 620-1270	585	T5N -CMA4064236C	4,152
70 x 40 x 24½-50	23		1750 x 1000 x 620-1270	585	T5N -CMA4070236C	4,174
76 x 40 x 24½-50	23		1900 x 1000 x 620-1270	585	T5N -CMA4076236C	4,191
82 x 40 x 24½-50	23		2050 x 1000 x 620-1270	585	T5N -CMA4082236C	4,209
58 x 46 x 24½-50	23		1450 x 1150 x 620-1270	585	T5N -CMA4658236C	4,152
64 x 46 x 24½-50	23		1600 x 1150 x 620-1270	585	T5N -CMA4664236C	4,174
70 x 46 x 24½-50	23		1750 x 1150 x 620-1270	585	T5N -CMA4670236C	4,191
76 x 46 x 24½-50	23		1900 x 1150 x 620-1270	585	T5N -CMA4676236C	4,209
82 x 46 x 24½-50	23		2050 x 1150 x 620-1270	585	T5N -CMA4682236C	4,227
58 x 52 x 24½-50	23		1450 x 1300 x 620-1270	585	T5N -CMA5258236C	4,174
64 x 52 x 24½-50	23		1600 x 1300 x 620-1270	585	T5N -CMA5264236C	4,191
70 x 52 x 24½-50	23		1750 x 1300 x 620-1270	585	T5N -CMA5270236C	4,209
76 x 52 x 24½-50	23		1900 x 1300 x 620-1270	585	T5N -CMA5276236C	4,227
82 x 52 x 24½-50	23		2050 x 1300 x 620-1270	585	T5N -CMA5282236C	4,246
58 x 58 x 24½-50	23		1450 x 1450 x 620-1270	585	T5N -CMA5858236C	4,191
64 x 58 x 24½-50	23		1600 x 1450 x 620-1270	585	T5N -CMA5864236C	4,209
70 x 58 x 24½-50	23		1750 x 1450 x 620-1270	585	T5N -CMA5870236C	4,227
76 x 58 x 24½-50	23		1900 x 1450 x 620-1270	585	T5N -CMA5876236C	4,246
82 x 58 x 24½-50	23		2050 x 1450 x 620-1270	585	T5N -CMA5882236C	4,260
Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W).						

Left extended corner tables – 29" D						
<i>Surfaces 1" (25 mm) or 1½" (38 mm) thick. 1 rectangular grommet. Metal triple C-base. 120" L (3048 mm) cable with plug for wall outlet.</i>						
<i>1" (25 mm) surfaces: Minimum position of 24" (607 mm) and maximum position of 49½" (1257 mm).</i>						
58 x 40 x 24-49½	29		1450 x 1000 x 607-1257	725	T1N -CMA5840296C	4,074
64 x 40 x 24-49½	29		1600 x 1000 x 607-1257	725	T1N -CMA6440296C	4,090
70 x 40 x 24-49½	29		1750 x 1000 x 607-1257	725	T1N -CMA7040296C	4,102
76 x 40 x 24-49½	29		1900 x 1000 x 607-1257	725	T1N -CMA7640296C	4,117
82 x 40 x 24-49½	29		2050 x 1000 x 607-1257	725	T1N -CMA8240296C	4,133
58 x 46 x 24-49½	29		1450 x 1150 x 607-1257	725	T1N -CMA5846296C	4,090
64 x 46 x 24-49½	29		1600 x 1150 x 607-1257	725	T1N -CMA6446296C	4,102
70 x 46 x 24-49½	29		1750 x 1150 x 607-1257	725	T1N -CMA7046296C	4,117
76 x 46 x 24-49½	29		1900 x 1150 x 607-1257	725	T1N -CMA7646296C	4,133
82 x 46 x 24-49½	29		2050 x 1150 x 607-1257	725	T1N -CMA8246296C	4,146
58 x 52 x 24-49½	29		1450 x 1300 x 607-1257	725	T1N -CMA5852296C	4,102
64 x 52 x 24-49½	29		1600 x 1300 x 607-1257	725	T1N -CMA6452296C	4,117
70 x 52 x 24-49½	29		1750 x 1300 x 607-1257	725	T1N -CMA7052296C	4,133
76 x 52 x 24-49½	29		1900 x 1300 x 607-1257	725	T1N -CMA7652296C	4,146
82 x 52 x 24-49½	29		2050 x 1300 x 607-1257	725	T1N -CMA8252296C	4,160


	W x D x H (in)	X (in)	W x D x H (mm)	X (mm)	Code	(\$)
Left extended corner tables – 29" D (cont'd)						
58 x 58 x 24-49½	29		1450 x 1450 x 607-1257	725	T1N -CMA5858296C	4,117
64 x 58 x 24-49½	29		1600 x 1450 x 607-1257	725	T1N -CMA6458296C	4,133
70 x 58 x 24-49½	29		1750 x 1450 x 607-1257	725	T1N -CMA7058296C	4,146
76 x 58 x 24-49½	29		1900 x 1450 x 607-1257	725	T1N -CMA7658296C	4,160
82 x 58 x 24-49½	29		2050 x 1450 x 607-1257	725	T1N -CMA8258296C	4,174
Surface 1. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W).						
<i>1½" (38 mm) surfaces: Minimum position of 24½" (620 mm) and maximum position of 50" (1270 mm).</i>						
58 x 40 x 24½-50	29		1450 x 1000 x 620-1270	725	T5N -CMA5840296C	4,168
64 x 40 x 24½-50	29		1600 x 1000 x 620-1270	725	T5N -CMA6440296C	4,191
70 x 40 x 24½-50	29		1750 x 1000 x 620-1270	725	T5N -CMA7040296C	4,209
76 x 40 x 24½-50	29		1900 x 1000 x 620-1270	725	T5N -CMA7640296C	4,232
82 x 40 x 24½-50	29		2050 x 1000 x 620-1270	725	T5N -CMA8240296C	4,253
58 x 46 x 24½-50	29		1450 x 1150 x 620-1270	725	T5N -CMA5846296C	4,191
64 x 46 x 24½-50	29		1600 x 1150 x 620-1270	725	T5N -CMA6446296C	4,209
70 x 46 x 24½-50	29		1750 x 1150 x 620-1270	725	T5N -CMA7046296C	4,232
76 x 46 x 24½-50	29		1900 x 1150 x 620-1270	725	T5N -CMA7646296C	4,253
82 x 46 x 24½-50	29		2050 x 1150 x 620-1270	725	T5N -CMA8246296C	4,276
58 x 52 x 24½-50	29		1450 x 1300 x 620-1270	725	T5N -CMA5852296C	4,209
64 x 52 x 24½-50	29		1600 x 1300 x 620-1270	725	T5N -CMA6452296C	4,232
70 x 52 x 24½-50	29		1750 x 1300 x 620-1270	725	T5N -CMA7052296C	4,253
76 x 52 x 24½-50	29		1900 x 1300 x 620-1270	725	T5N -CMA7652296C	4,276
82 x 52 x 24½-50	29		2050 x 1300 x 620-1270	725	T5N -CMA8252296C	4,297
58 x 58 x 24½-50	29		1450 x 1450 x 620-1270	725	T5N -CMA5858296C	4,232
64 x 58 x 24½-50	29		1600 x 1450 x 620-1270	725	T5N -CMA6458296C	4,253
70 x 58 x 24½-50	29		1750 x 1450 x 620-1270	725	T5N -CMA7058296C	4,276
76 x 58 x 24½-50	29		1900 x 1450 x 620-1270	725	T5N -CMA7658296C	4,297
82 x 58 x 24½-50	29		2050 x 1450 x 620-1270	725	T5N -CMA8258296C	4,317
Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W).						

Right extended corner tables – 29" D						
<i>Surfaces 1" (25 mm) or 1½" (38 mm) thick. 1 rectangular grommet. Metal triple C-base. 120" L (3048 mm) cable with plug for wall outlet.</i>						
<i>1" (25 mm) surfaces: Minimum position of 24" (607 mm) and maximum position of 49½" (1257 mm).</i>						
58 x 40 x 24-49½	29		1450 x 1000 x 607-1257	725	T1N -CMA4058296C	4,074
64 x 40 x 24-49½	29		1600 x 1000 x 607-1257	725	T1N -CMA4064296C	4,090
70 x 40 x 24-49½	29		1750 x 1000 x 607-1257	725	T1N -CMA4070296C	4,102
76 x 40 x 24-49½	29		1900 x 1000 x 607-1257	725	T1N -CMA4076296C	4,117
82 x 40 x 24-49½	29		2050 x 1000 x 607-1257	725	T1N -CMA4082296C	4,133
58 x 46 x 24-49½	29		1450 x 1150 x 607-1257	725	T1N -CMA4658296C	4,090
64 x 46 x 24-49½	29		1600 x 1150 x 607-1257	725	T1N -CMA4664296C	4,102
70 x 46 x 24-49½	29		1750 x 1150 x 607-1257	725	T1N -CMA4670296C	4,117
76 x 46 x 24-49½	29		1900 x 1150 x 607-1257	725	T1N -CMA4676296C	4,133
82 x 46 x 24-49½	29		2050 x 1150 x 607-1257	725	T1N -CMA4682296C	4,146
58 x 52 x 24-49½	29		1450 x 1300 x 607-1257	725	T1N -CMA5258296C	4,102
64 x 52 x 24-49½	29		1600 x 1300 x 607-1257	725	T1N -CMA5264296C	4,117
70 x 52 x 24-49½	29		1750 x 1300 x 607-1257	725	T1N -CMA5270296C	4,133
76 x 52 x 24-49½	29		1900 x 1300 x 607-1257	725	T1N -CMA5276296C	4,146
82 x 52 x 24-49½	29		2050 x 1300 x 607-1257	725	T1N -CMA5282296C	4,160
58 x 58 x 24-49½	29		1450 x 1450 x 607-1257	725	T1N -CMA5858296C	4,117
64 x 58 x 24-49½	29		1600 x 1450 x 607-1257	725	T1N -CMA5864296C	4,133
70 x 58 x 24-49½	29		1750 x 1450 x 607-1257	725	T1N -CMA5870296C	4,146
76 x 58 x 24-49½	29		1900 x 1450 x 607-1257	725	T1N -CMA5876296C	4,160
82 x 58 x 24-49½	29		2050 x 1450 x 607-1257	725	T1N -CMA5882296C	4,174
Surface 1. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W).						
<i>1½" (38 mm) surfaces: Minimum position of 24½" (620 mm) and maximum position of 50" (1270 mm).</i>						
58 x 40 x 24½-50	29		1450 x 1000 x 620-1270	725	T5N -CMA4058296C	4,168
64 x 40 x 24½-50	29		1600 x 1000 x 620-1270	725	T5N -CMA4064296C	4,191
70 x 40 x 24½-50	29		1750 x 1000 x 620-1270	725	T5N -CMA4070296C	4,209
76 x 40 x 24½-50	29		1900 x 1000 x 620-1270	725	T5N -CMA4076296C	4,232
82 x 40 x 24½-50	29		2050 x 1000 x 620-1270	725	T5N -CMA4082296C	4,253
58 x 46 x 24½-50	29		1450 x 1150 x 620-1270	725	T5N -CMA4658296C	4,191

QUORUM MULTICONFERENCE

	W x D x H (in)	X (in)	W x D x H (mm)	X (mm)	Code	(\$)
Right extended corner tables – 29" D (cont'd)	58 x 52 x 24½-50	29	1450 x 1300 x 620-1270	725	T5N -CMA525829GC	4,209
	64 x 52 x 24½-50	29	1600 x 1300 x 620-1270	725	T5N -CMA526429GC	4,232
	70 x 52 x 24½-50	29	1750 x 1300 x 620-1270	725	T5N -CMA527029GC	4,253
	76 x 52 x 24½-50	29	1900 x 1300 x 620-1270	725	T5N -CMA527629GC	4,276
	82 x 52 x 24½-50	29	2050 x 1300 x 620-1270	725	T5N -CMA528229GC	4,297
	58 x 58 x 24½-50	29	1450 x 1450 x 620-1270	725	T5N -CMA585829GC	4,232
	64 x 58 x 24½-50	29	1600 x 1450 x 620-1270	725	T5N -CMA586429GC	4,253
	70 x 58 x 24½-50	29	1750 x 1450 x 620-1270	725	T5N -CMA587029GC	4,276
	76 x 58 x 24½-50	29	1900 x 1450 x 620-1270	725	T5N -CMA587629GC	4,297
	82 x 58 x 24½-50	29	2050 x 1450 x 620-1270	725	T5N -CMA588229GC	4,317
	Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W).					

Left extended corner tables with modesty panel – 23" D

	Surfaces 1" (25 mm) or 1½" (38 mm) thick. 1 rectangular grommet. Metal triple C-base. 120" L (3048 mm) cable with plug for wall outlet. Laminate modesty panel 12" (300 mm) H.					
	1" (25 mm) surfaces: Minimum position of 24" (607 mm) and maximum position of 49½" (1257 mm).					
	58 x 40 x 24-49½	23	1450 x 1000 x 607-1257	585	T1N -CMAM584023GC	4,325
	64 x 40 x 24-49½	23	1600 x 1000 x 607-1257	585	T1N -CMAM644023GC	4,339
	70 x 40 x 24-49½	23	1750 x 1000 x 607-1257	585	T1N -CMAM704023GC	4,353
	76 x 40 x 24-49½	23	1900 x 1000 x 607-1257	585	T1N -CMAM764023GC	4,360
	82 x 40 x 24-49½	23	2050 x 1000 x 607-1257	585	T1N -CMAM824023GC	4,376
	58 x 46 x 24-49½	23	1450 x 1150 x 607-1257	585	T1N -CMAM584623GC	4,339
	64 x 46 x 24-49½	23	1600 x 1150 x 607-1257	585	T1N -CMAM644623GC	4,353
	70 x 46 x 24-49½	23	1750 x 1150 x 607-1257	585	T1N -CMAM704623GC	4,360
	76 x 46 x 24-49½	23	1900 x 1150 x 607-1257	585	T1N -CMAM764623GC	4,376
	82 x 46 x 24-49½	23	2050 x 1150 x 607-1257	585	T1N -CMAM824623GC	4,383


Surface 1. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W).

	1½" (38 mm) surfaces: Minimum position of 24½" (620 mm) and maximum position of 50" (1270 mm).					
	58 x 40 x 24½-50	23	1450 x 1000 x 620-1270	585	T5N -CMAM584023GC	4,411
	64 x 40 x 24½-50	23	1600 x 1000 x 620-1270	585	T5N -CMAM644023GC	4,426
	70 x 40 x 24½-50	23	1750 x 1000 x 620-1270	585	T5N -CMAM704023GC	4,447
	76 x 40 x 24½-50	23	1900 x 1000 x 620-1270	585	T5N -CMAM764023GC	4,461
	82 x 40 x 24½-50	23	2050 x 1000 x 620-1270	585	T5N -CMAM824023GC	4,483
	58 x 46 x 24½-50	23	1450 x 1150 x 620-1270	585	T5N -CMAM584623GC	4,426
	64 x 46 x 24½-50	23	1600 x 1150 x 620-1270	585	T5N -CMAM644623GC	4,447
	70 x 46 x 24½-50	23	1750 x 1150 x 620-1270	585	T5N -CMAM704623GC	4,461
	76 x 46 x 24½-50	23	1900 x 1150 x 620-1270	585	T5N -CMAM764623GC	4,483
	82 x 46 x 24½-50	23	2050 x 1150 x 620-1270	585	T5N -CMAM824623GC	4,497
	58 x 52 x 24½-50	23	1450 x 1300 x 620-1270	585	T5N -CMAM585223GC	4,447

Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W).

SURFACE WIDTH	UPCHARGE
48" (1200 mm) or less	\$214
Between 54" and 72" (1350 and 1800 mm)	\$268
Between 84" and 96" (2100 and 2400 mm)	\$401
Between 108" and 120" (2700 and 3000 mm)	\$535
Between 132" and 144" (3300 and 3600 mm)	\$668
Between 156" and 192" (3900 and 4800 mm)	\$913
Between 204" and 252" (5100 and 6300 mm)	\$1,202

Right extended corner tables with modesty panel – 23" D



Surfaces 1" (25 mm) or 1½" (38 mm) thick. 1 rectangular grommet. Metal triple C-base. 120" L (3048 mm) cable with plug for wall outlet. Laminate modesty panel 12" (300 mm) H.

1" (25 mm) surfaces: Minimum position of 24" (607 mm) and maximum position of 49½" (1257 mm).

58 x 40 x 24-49½	23	1450 x 1000 x 607-1257	585	T1N -CMAM405823GC	4,325
64 x 40 x 24-49½	23	1600 x 1000 x 607-1257	585	T1N -CMAM406423GC	4,339
70 x 40 x 24-49½	23	1750 x 1000 x 607-1257	585	T1N -CMAM407023GC	4,353
76 x 40 x 24-49½	23	1900 x 1000 x 607-1257	585	T1N -CMAM407623GC	4,360
82 x 40 x 24-49½	23	2050 x 1000 x 607-1257	585	T1N -CMAM408223GC	4,376
58 x 46 x 24-49½	23	1450 x 1150 x 607-1257	585	T1N -CMAM465823GC	4,339
64 x 46 x 24-49½	23	1600 x 1150 x 607-1257	585	T1N -CMAM466423GC	4,353
70 x 46 x 24-49½	23	1750 x 1150 x 607-1257	585	T1N -CMAM467023GC	4,360
76 x 46 x 24-49½	23	1900 x 1150 x 607-1257	585	T1N -CMAM467623GC	4,376
82 x 46 x 24-49½	23	2050 x 1150 x 607-1257	585	T1N -CMAM468223GC	4,383
58 x 52 x 24-49½	23	1450 x 1300 x 607-1257	585	T1N -CMAM525823GC	4,353
64 x 52 x 24-49½	23	1600 x 1300 x 607-1257	585	T1N -CMAM526423GC	4,360
70 x 52 x 24-49½	23	1750 x 1300 x 607-1257	585	T1N -CMAM527023GC	4,376
76 x 52 x 24-49½	23	1900 x 1300 x 607-1257	585	T1N -CMAM527623GC	4,383
82 x 52 x 24-49½	23	2050 x 1300 x 607-1257	585	T1N -CMAM528223GC	4,396


Surface 1. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W).

1½" (38 mm) surfaces: Minimum position of 24½" (620 mm) and maximum position of 50" (1270 mm).

58 x 40 x 24½-50	23	1450 x 1000 x 620-1270	585	T5N -CMAM405823GC	4,411
64 x 40 x 24½-50	23	1600 x 1000 x 620-1270	585	T5N -CMAM406423GC	4,426
70 x 40 x 24½-50	23	1750 x 1000 x 620-1270	585	T5N -CMAM407023GC	4,447
76 x 40 x 24½-50	23	1900 x 1000 x 620-1270	585	T5N -CMAM407623GC	4,461
82 x 40 x 24½-50	23	2050 x 1000 x 620-1270	585	T5N -CMAM408223GC	4,483
58 x 46 x 24½-50	23	1450 x 1150 x 620-1270	585	T5N -CMAM465823GC	4,426
64 x 46 x 24½-50	23	1600 x 1150 x 620-1270	585	T5N -CMAM466423GC	4,447
70 x 46 x 24½-50	23	1750 x 1150 x 620-1270	585	T5N -CMAM467023GC	4,461
76 x 46 x 24½-50	23	1900 x 1150 x 620-1270	585	T5N -CMAM467623GC	4,483
82 x 46 x 24½-50	23	2050 x 1150 x 620-1270	585	T5N -CMAM468223GC	4,497
58 x 52 x 24½-50	23	1450 x 1300 x 620-1270	585	T5N -CMAM525823GC	4,447
64 x 52 x 24½-50	23	1600 x 1300 x 620-1270	585	T5N -CMAM526423GC	4,461
70 x 52 x 24½-50	23	1750 x 1300 x 620-1270	585	T5N -CMAM527023GC	4,483
76 x 52 x 24½-50	23	1900 x 1300 x 620-1270	585	T5N -CMAM527623GC	4,497
82 x 52 x 24½-50	23	2050 x 1300 x 620-1270	585	T5N -CMAM528223GC	4,519

Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W).

Left extended corner tables with modesty panel – 29" D



Surfaces 1" (25 mm) or 1½" (38 mm) thick. 1 rectangular grommet. Metal triple C-base. 120" L (3048 mm) cable with plug for wall outlet. Laminate modesty panel 12" (300 mm) H.



1" (25 mm) surfaces: Minimum position of 24" (607 mm) and maximum position of 49½" (1257 mm).




58 x 40 x 24-49½	29	1450 x 1000 x 607-1257	725	T1N -CMAM584029GC	4,348
64 x 40 x 24-49½	29	1600 x 1000 x 607-1257	725	T1N -CMAM644029GC	4,360
70 x 40 x 24-49½	29	1750 x 1000 x 607-1257	725	T1N -CMAM704029GC	4,376
76 x 40 x 24-49½	29	1900 x 1000 x 607-1257	725	T1N -CMAM764029GC	4,389
82 x 40 x 24-49½	29	2050 x 1000 x 607-1257	725	T1N -CMAM824029GC	4,404
58 x 46 x 24-49½	29	1450 x 1150 x 607-1257	725	T1N -CMAM584629GC	4,360
64 x 46 x 24-49½	29	1600 x 1150 x 607-1257	725	T1N -CMAM644629GC	4,376
70 x 46 x 24-49½	29	1750 x 1150 x 607-1257	725	T1N -CMAM704629GC	4,389
76 x 46 x 24-49½	29	1900 x 1150 x 607-1257	725	T1N -CMAM764629GC	4,404
82 x 46 x 24-49½	29	2050 x 1150 x 607-1257	725	T1N -CMAM824629GC	4,418
58 x 52 x 24-49½	29	1450 x 1300 x 607-1257	725	T1N -CMAM585229GC	4,376
64 x 52 x 24-49½	29	1600 x 1300 x 607-1257	725	T1N -CMAM645229GC	4,389
70 x 52 x 24-49½	29	1750 x 1300 x 607-1257	725	T1N -CMAM705229GC	4,404
76 x 52 x 24-49½	29	1900 x 1300 x 607-1257	725	T1N -CMAM765229GC	4,418
82 x 52 x 24-49½	29	2050 x 1300 x 607-1257	725	T1N -CMAM825229GC	4,434

Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description. Add HPL upcharge to all table tops / work surfaces.

ASSEMBLY REQUIRED

CANADA – FEBRUARY 2024


	W x D x H (in)	X (in)	W x D x H (mm)	X (mm)	Code	(\$)
Left extended corner tables with modesty panel – 29" D (cont'd) 	58 x 58 x 24-49 1/2	29	1450 x 1450 x 607-1257	725	T1N -CMAM5858296C	4,389
	64 x 58 x 24-49 1/2	29	1600 x 1450 x 607-1257	725	T1N -CMAM6458296C	4,404
	70 x 58 x 24-49 1/2	29	1750 x 1450 x 607-1257	725	T1N -CMAM7058296C	4,418
	76 x 58 x 24-49 1/2	29	1900 x 1450 x 607-1257	725	T1N -CMAM7658296C	4,434
	82 x 58 x 24-49 1/2	29	2050 x 1450 x 607-1257	725	T1N -CMAM8258296C	4,447
	Surface 1. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W).					
	<i>1 1/2" (38 mm) surfaces: Minimum position of 24 1/2" (620 mm) and maximum position of 50" (1270 mm).</i>					
	58 x 40 x 24 1/2-50	29	1450 x 1000 x 620-1270	725	T5N -CMAM5840296C	4,440
	64 x 40 x 24 1/2-50	29	1600 x 1000 x 620-1270	725	T5N -CMAM6440296C	4,461
	70 x 40 x 24 1/2-50	29	1750 x 1000 x 620-1270	725	T5N -CMAM7040296C	4,483
Right extended corner tables with modesty panel – 29" D (cont'd) 	76 x 40 x 24 1/2-50	29	1900 x 1000 x 620-1270	725	T5N -CMAM7640296C	4,503
	82 x 40 x 24 1/2-50	29	2050 x 1000 x 620-1270	725	T5N -CMAM8240296C	4,525
	58 x 46 x 24 1/2-50	29	1450 x 1150 x 620-1270	725	T5N -CMAM5846296C	4,461
	64 x 46 x 24 1/2-50	29	1600 x 1150 x 620-1270	725	T5N -CMAM6446296C	4,483
	70 x 46 x 24 1/2-50	29	1750 x 1150 x 620-1270	725	T5N -CMAM7046296C	4,503
	76 x 46 x 24 1/2-50	29	1900 x 1150 x 620-1270	725	T5N -CMAM7646296C	4,525
	82 x 46 x 24 1/2-50	29	2050 x 1150 x 620-1270	725	T5N -CMAM8246296C	4,548
	58 x 52 x 24 1/2-50	29	1450 x 1300 x 620-1270	725	T5N -CMAM5852296C	4,399
	64 x 52 x 24 1/2-50	29	1600 x 1300 x 620-1270	725	T5N -CMAM6452296C	4,503
	70 x 52 x 24 1/2-50	29	1750 x 1300 x 620-1270	725	T5N -CMAM7052296C	4,525
Right extended corner tables with modesty panel – 29" D 	76 x 52 x 24 1/2-50	29	1900 x 1300 x 620-1270	725	T5N -CMAM7652296C	4,548
	82 x 52 x 24 1/2-50	29	2050 x 1300 x 620-1270	725	T5N -CMAM8252296C	4,569
	58 x 58 x 24 1/2-50	29	1450 x 1450 x 620-1270	725	T5N -CMAM5858296C	4,503
	64 x 58 x 24 1/2-50	29	1600 x 1450 x 620-1270	725	T5N -CMAM6458296C	4,525
	70 x 58 x 24 1/2-50	29	1750 x 1450 x 620-1270	725	T5N -CMAM7058296C	4,548
	76 x 58 x 24 1/2-50	29	1900 x 1450 x 620-1270	725	T5N -CMAM7658296C	4,569
	82 x 58 x 24 1/2-50	29	2050 x 1450 x 620-1270	725	T5N -CMAM8258296C	4,591
	Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W).					
	<i>Surfaces 1" (25 mm) or 1 1/2" (38 mm) thick. 1 rectangular grommet. Metal triple C-base. 120" L (3048 mm) cable with plug for wall outlet. Laminate modesty panel 12" (300 mm) H.</i>					
	<i>1" (25 mm) surfaces: Minimum position of 24" (607 mm) and maximum position of 49 1/2" (1257 mm).</i>					

Right extended corner tables with modesty panel – 29" D 	58 x 40 x 24-49 1/2	29	1450 x 1000 x 607-1257	725	T1N -CMAM4058296C	4,348
	64 x 40 x 24-49 1/2	29	1600 x 1000 x 607-1257	725	T1N -CMAM4064296C	4,360
	70 x 40 x 24-49 1/2	29	1750 x 1000 x 607-1257	725	T1N -CMAM4070296C	4,376
	76 x 40 x 24-49 1/2	29	1900 x 1000 x 607-1257	725	T1N -CMAM4076296C	4,389
	82 x 40 x 24-49 1/2	29	2050 x 1000 x 607-1257	725	T1N -CMAM4082296C	4,404
	58 x 46 x 24-49 1/2	29	1450 x 1150 x 607-1257	725	T1N -CMAM4658296C	4,360
	64 x 46 x 24-49 1/2	29	1600 x 1150 x 607-1257	725	T1N -CMAM4664296C	4,376
	70 x 46 x 24-49 1/2	29	1750 x 1150 x 607-1257	725	T1N -CMAM4670296C	4,389
	76 x 46 x 24-49 1/2	29	1900 x 1150 x 607-1257	725	T1N -CMAM4676296C	4,404
	82 x 46 x 24-49 1/2	29	2050 x 1150 x 607-1257	725	T1N -CMAM4682296C	4,418
Rectangular tables 	58 x 52 x 24-49 1/2	29	1450 x 1300 x 607-1257	725	T1N -CMAM5258296C	4,376
	64 x 52 x 24-49 1/2	29	1600 x 1300 x 607-1257	725	T1N -CMAM5264296C	4,389
	70 x 52 x 24-49 1/2	29	1750 x 1300 x 607-1257	725	T1N -CMAM5270296C	4,404
	76 x 52 x 24-49 1/2	29	1900 x 1300 x 607-1257	725	T1N -CMAM5276296C	4,418
	82 x 52 x 24-49 1/2	29	2050 x 1300 x 607-1257	725	T1N -CMAM5282296C	4,434
	58 x 58 x 24-49 1/2	29	1450 x 1450 x 607-1257	725	T1N -CMAM5858296C	4,389
	64 x 58 x 24-49 1/2	29	1600 x 1450 x 607-1257	725	T1N -CMAM5864296C	4,404
	70 x 58 x 24-49 1/2	29	1750 x 1450 x 607-1257	725	T1N -CMAM5870296C	4,418
	76 x 58 x 24-49 1/2	29	1900 x 1450 x 607-1257	725	T1N -CMAM5876296C	4,434
	82 x 58 x 24-49 1/2	29	2050 x 1450 x 607-1257	725	T1N -CMAM5882296C	4,447
Rectangular L-shape table with 23" D return surface 	Surface 1. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W).					
	<i>1 1/2" (38 mm) surfaces: Minimum position of 24 1/2" (620 mm) and maximum position of 50" (1270 mm).</i>					
	58 x 40 x 24 1/2-50	29	1450 x 1000 x 620-1270	725	T5N -CMAM4058296C	4,440
	64 x 40 x 24 1/2-50	29	1600 x 1000 x 620-1270	725	T5N -CMAM4064296C	4,461
	70 x 40 x 24 1/2-50	29	1750 x 1000 x 620-1270	725	T5N -CMAM4070296C	4,483
	76 x 40 x 24 1/2-50	29	1900 x 1000 x 620-1270	725	T5N -CMAM4076296C	4,503
	82 x 40 x 24 1/2-50	29	2050 x 1000 x 620-1270	725	T5N -CMAM4082296C	4,525
	58 x 46 x 24 1/2-50	29	1450 x 1150 x 620-1270	725	T5N -CMAM4658296C	4,461
	64 x 46 x 24 1/2-50	29	1600 x 1150 x 620-1270	725	T5N -CMAM4664296C	4,513
	70 x 46 x 24 1/2-50	29	1750 x 1150 x 620-1270	725	T5N -CMAM4670296C	4,525



Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description.
Add HPL upcharge to all table tops / work surfaces.

— ASSEMBLY REQUIRED


CANADA – FEBRUARY 2024

	W x D x H (in)	X (in)	W x D x H (mm)	X (mm)	Code	(\$)
Right extended corner tables with modesty panel – 29" D (cont'd) 	82 x 46 x 24 1/2-50	29	2050 x 1150 x 620-1270	725	T5N -CMAM4682296C	4,548
	58 x 52 x 24 1/2-50	29	1450 x 1300 x 620-1270	725	T5N -CMAM5258296C	4,399
	64 x 52 x 24 1/2-50	29	1600 x 1300 x 620-1270	725	T5N -CMAM5264296C	4,503
	70 x 52 x 24 1/2-50	29	1750 x 1300 x 620-1270	725	T5N -CMAM5270296C	4,525
	76 x 52 x 24 1/2-50	29	1900 x 1300 x 620-1270	725	T5N -CMAM5276296C	4,548
	82 x 52 x 24 1/2-50	29	2050 x 1300 x 620-1270	725	T5N -CMAM5282296C	4,569
	58 x 58 x 24 1/2-50	29	1450 x 1450 x 620-1270	725	T5N -CMAM5858296C	4,503
	64 x 58 x 24 1/2-50	29	1600 x 1450 x 620-1270	725	T5N -CMAM5864296C	4,525
	70 x 58 x 24 1/2-50	29	1750 x 1450 x 620-1270	725	T5N -CMAM5870296C	4,548
	76 x 58 x 24 1/2-50	29	1900 x 1450 x 620-1270	725	T5N -CMAM5876296C	4,569
Rectangular L-shape table with 23" D return surface 	82 x 58 x 24 1/2-50	29	2050 x 1450 x 620-1270	725	T5N -CMAM5882296C	4,591
	Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W).					
	<i>Surfaces 1" (25 mm) thick. Metal T-Base. Programmable control keypad with a 3 positions memory. 106" L (2692 mm) cable with plug for wall outlet. Recommended functional load capacity: 75 lbs (34 kg).</i>					
	<i>Minimum position of 28" (712 mm) and maximum position of 47 3/4" (1212 mm).</i>					
	46 x 23 x 28-47 3/4	1150 x 585 x 712-1212	T1NN -RCA2346GT			1,435
	58 x 23 x 28-47 3/4	1450 x 585 x 712-1212	T1NN -RCA2358GT			1,486
	70 x 23 x 28-47 3/4	1750 x 585 x 712-1212	T1NN -RCA2370GT			1,539
	46 x 29 x 28-47 3/4	1150 x 725 x 712-1212	T1NN -RCA2946GT			1,484
	58 x 29 x 28-47 3/4	1450 x 725 x 712-1212	T1NN -RCA2958GT			1,542
	70 x 29 x 28-47 3/4	1750 x 725 x 712-1212	T1NN -RCA2970GT			1,602

ELECTRIC HEIGHT ADJUSTABLE TABLES | QUORUM ESSENTIAL (T-BASE)

Rectangular tables 	Surface 1" (25 mm) thick. Metal T-Base. Programmable control keypad with a 3 positions memory. 106" L (2692 mm) cable with plug for wall outlet. Recommended functional load capacity: 75 lbs (34 kg).					
	<i>Minimum position of 28" (712 mm) and maximum position of 47 3/4" (1212 mm).</i>					
	46 x 23 x 28-47 3/4	1150 x 585 x 712-1212	T1NN -RCA2346GT			1,435
	58 x 23 x 28-47 3/4	1450 x 585 x 712-1212	T1NN -RCA2358GT			1,486
	70 x 23 x 28-47 3/4	1750 x 585 x 712-1212	T1NN -RCA2370GT			1,539
	46 x 29 x 28-47 3/4	1150 x 725 x 712-1212	T1NN -RCA2946GT			1,484
	58 x 29 x 28-47 3/4	1450 x 725 x 712-1212	T1NN -RCA2958GT			1,542
	70 x 29 x 28-47 3/4	1750 x 725 x 712-1212	T1NN -RCA2970GT			1,602
	Surface 1. Smooth N and matching N edge. Specify accent color (K, S, W).					
	<i>Reversible. Surface 1" (25 mm) thick. Metal T-Base. Programmable control keypad with 3 positions memory. 106" L (2692 mm) cable with plug for wall outlet. Recommended functional load capacity: 75 lbs (34 kg).</i>					
Rectangular L-shape table with 23" D return surface 	<i>Minimum position of 28" (712 mm) and maximum position of 47 3/4" (1212 mm).</i>					
	70 x 70 x 28-47 3/4	29	1750 x 1750 x 712-1212	725	T1NN -LLA7070GT	2,499
	Surface 1. Smooth N and matching N edge. Specify accent color (K, S, W).					

ACCESSORIES FOR ELECTRIC HEIGHT ADJUSTABLE TABLES

Fabric vertical wire cover 	<i>Allows vertical cable management. Diameter of 2 1/2" (63 mm). With zipper. All United Chair® standard fabrics are applicable.</i>					
				Gr1	Gr2	Gr3
				Gr4	Gr5	Gr6
				Gr7	Gr8	Gr9
	2 1/2 x 2 1/2 x 52	63 x 63 x 1320	DWW48	144	150	158
				164	185	202
				231		
	Specify the fabric code at the end of the product code.					
	<i>Install beneath work surfaces. Make it possible to pinch cables beneath the work surface for cable management. Grey. Pack of 5.</i>					
	5 1/2 x 1 1/2 x 1	140 x 40 x 25	LGC-WMC05			135

SURFACE WIDTH	UPCHARGE
48" (1200 mm) or less	\$214
Between 54" and 72" (1350 and 1800 mm)	\$268
Between 84" and 96" (2100 and 2400 mm)	\$401
Between 108" and 120" (2700 and 3000 mm)	\$535
Between 132" and 144" (3300 and 3600 mm)	\$668
Between 156" and 192" (3900 and 4800 mm)	\$913
Between 204" and 252" (5100 and 6300 mm)	\$1,202

QUORUM MULTICONFERENCE

TRAINING TABLES – V-BASE

Mobile rectangular tables with flip-top mechanism



Approx. no. of seats W x D x H (in) W x D x H (mm) Code With option: PC (\$)

Surfaces 1" (25 mm) or 1½" (38 mm) thick. V-base with casters with brakes. Mechanism to make the work surface flip vertically. The tables can be connected to one another by using LGC-UP4 connectors. Can accept a modesty panel and LGC-TH2_ hooks. Option of electrical module at the center with non-sequential multiple interconnection system. **Must be ordered separately: 1 starter kit for interconnection system LGC-DCPS108.**

1	48 x 24 x 29	1200 x 600 x 738	T1N	-MRCF2448V	2,113	3,064
2	54 x 24 x 29	1350 x 600 x 738	T1N	-MRCF2454V	2,141	3,097
2	60 x 24 x 29	1500 x 600 x 738	T1N	-MRCF2460V	2,165	3,127
2	66 x 24 x 29	1650 x 600 x 738	T1N	-MRCF2466V	2,189	3,157
2	72 x 24 x 29	1800 x 600 x 738	T1N	-MRCF2472V	2,216	3,184
2	78 x 24 x 29	1950 x 600 x 738	T1N	-MRCF2478V	2,240	3,215
3	84 x 24 x 29	2100 x 600 x 738	T1N	-MRCF2484V	2,332	3,327
1	48 x 30 x 29	1200 x 750 x 738	T1N	-MRCF3048V	2,141	3,090
2	54 x 30 x 29	1350 x 750 x 738	T1N	-MRCF3054V	2,165	3,121
2	60 x 30 x 29	1500 x 750 x 738	T1N	-MRCF3060V	2,196	3,160
2	66 x 30 x 29	1650 x 750 x 738	T1N	-MRCF3066V	2,221	3,191
2	72 x 30 x 29	1800 x 750 x 738	T1N	-MRCF3072V	2,247	3,217
2	78 x 30 x 29	1950 x 750 x 738	T1N	-MRCF3078V	2,281	3,257
3	84 x 30 x 29	2100 x 750 x 738	T1N	-MRCF3084V	2,373	3,369

Surface 1. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W). Option of module at the center: add PC at the end of the product code.

1	48 x 24 x 29½	1200 x 600 x 751	T5N	-MRCF2448V	2,196	3,147
2	54 x 24 x 29½	1350 x 600 x 751	T5N	-MRCF2454V	2,230	3,186
2	60 x 24 x 29½	1500 x 600 x 751	T5N	-MRCF2460V	2,265	3,228
2	66 x 24 x 29½	1650 x 600 x 751	T5N	-MRCF2466V	2,296	3,266
2	72 x 24 x 29½	1800 x 600 x 751	T5N	-MRCF2472V	2,332	3,301
2	78 x 24 x 29½	1950 x 600 x 751	T5N	-MRCF2478V	2,399	3,375
3	84 x 24 x 29½	2100 x 600 x 751	T5N	-MRCF2484V	2,465	3,460
1	48 x 30 x 29½	1200 x 750 x 751	T5N	-MRCF3048V	2,240	3,189
2	54 x 30 x 29½	1350 x 750 x 751	T5N	-MRCF3054V	2,272	3,229
2	60 x 30 x 29½	1500 x 750 x 751	T5N	-MRCF3060V	2,307	3,269
2	66 x 30 x 29½	1650 x 750 x 751	T5N	-MRCF3066V	2,348	3,318
2	72 x 30 x 29½	1800 x 750 x 751	T5N	-MRCF3072V	2,382	3,350
2	78 x 30 x 29½	1950 x 750 x 751	T5N	-MRCF3078V	2,456	3,432
3	84 x 30 x 29½	2100 x 750 x 751	T5N	-MRCF3084V	2,531	3,528

Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W). Option of module at the center: add PC at the end of the product code.

Mobile rectangular tables with radius corners and flip-top mechanism



Surfaces 1" (25 mm) or 1½" (38 mm) thick. V-base with casters with brakes. Mechanism to make the work surface flip vertically. The tables can be connected to one another by using LGC-UP4 connectors. Can accept a modesty panel and LGC-TH2_ hooks. Option of electrical module at the center with non-sequential multiple interconnection system. **Must be ordered separately for PC option: 1 starter kit for interconnection system LGC-DCPS108.**

1	48 x 24 x 29	1200 x 600 x 738	T1N	-MRCRF2448V	2,231	3,180
2	54 x 24 x 29	1350 x 600 x 738	T1N	-MRCRF2454V	2,258	3,214
2	60 x 24 x 29	1500 x 600 x 738	T1N	-MRCRF2460V	2,282	3,245
2	66 x 24 x 29	1650 x 600 x 738	T1N	-MRCRF2466V	2,307	3,276
2	72 x 24 x 29	1800 x 600 x 738	T1N	-MRCRF2472V	2,333	3,303
2	78 x 24 x 29	1950 x 600 x 738	T1N	-MRCRF2478V	2,357	3,333
3	84 x 24 x 29	2100 x 600 x 738	T1N	-MRCRF2484V	2,449	3,446
1	48 x 30 x 29	1200 x 750 x 738	T1N	-MRCRF3048V	2,258	3,208
2	54 x 30 x 29	1350 x 750 x 738	T1N	-MRCRF3054V	2,282	3,238
2	60 x 30 x 29	1500 x 750 x 738	T1N	-MRCRF3060V	2,315	3,277
2	66 x 30 x 29	1650 x 750 x 738	T1N	-MRCRF3066V	2,340	3,309
2	72 x 30 x 29	1800 x 750 x 738	T1N	-MRCRF3072V	2,367	3,336

Mobile rectangular tables with radius corners and flip-top mechanism (cont'd)



Approx. no. of seats W x D x H (in) W x D x H (mm) Code With option: PC (\$)

2	78 x 30 x 29	1950 x 750 x 738	T1N	-MRCRF3078V	2,399	3,375
3	84 x 30 x 29	2100 x 750 x 738	T1N	-MRCRF3084V	2,491	3,487

Surface 1. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W). Option of module at the center: add PC at the end of the product code.

1	48 x 24 x 29½	1200 x 600 x 751	T5N	-MRCRF2448V	2,315	3,264
2	54 x 24 x 29½	1350 x 600 x 751	T5N	-MRCRF2454V	2,348	3,305
2	60 x 24 x 29½	1500 x 600 x 751	T5N	-MRCRF2460V	2,384	3,345
2	66 x 24 x 29½	1650 x 600 x 751	T5N	-MRCRF2466V	2,414	3,384
2	72 x 24 x 29½	1800 x 600 x 751	T5N	-MRCRF2472V	2,449	3,418
2	78 x 24 x 29½	1950 x 600 x 751	T5N	-MRCRF2478V	2,517	3,492
3	84 x 24 x 29½	2100 x 600 x 751	T5N	-MRCRF2484V	2,583	3,580
1	48 x 30 x 29½	1200 x 750 x 751	T5N	-MRCRF3048V	2,357	3,307
2	54 x 30 x 29½	1350 x 750 x 751	T5N	-MRCRF3054V	2,390	3,346
2	60 x 30 x 29½	1500 x 750 x 751	T5N	-MRCRF3060V	2,424	3,386
2	66 x 30 x 29½	1650 x 750 x 751	T5N	-MRCRF3066V	2,465	3,434
2	72 x 30 x 29½	1800 x 750 x 751	T5N	-MRCRF3072V	2,498	3,468
2	78 x 30 x 29½	1950 x 750 x 751	T5N	-MRCRF3078V	2,573	3,550
3	84 x 30 x 29½	2100 x 750 x 751	T5N	-MRCRF3084V	2,648	3,644

Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W). Option of module at the center: add PC at the end of the product code.

Surfaces 1" (25 mm) or 1½" (38 mm) thick. V-base with casters with brakes. The tables can be connected to one another by using LGC-UP4 connectors. Can accept a modesty panel and LGC-TH2_ hooks. Option of electrical module at the center with non-sequential multiple interconnection system. **Must be ordered separately for PC option: 1 starter kit for interconnection system LGC-DCPS108.**

1	48 x 24 x 29	1200 x 600 x 738	T1N	-MRC2448V	1,578	2,527
2	54 x 24 x 29	1350 x 600 x 738	T1N	-MRC2454V	1,605	2,562
2	60 x 24 x 29	1500 x 600 x 738	T1N	-MRC2460V	1,636	2,598
2	66 x 24 x 29	1650 x 600 x 738	T1N	-MRC2466V	1,664	2,633
2	72 x 24 x 29	1800 x 600 x 738	T1N	-MRC2472V	1,687	2,656
2	78 x 24 x 29	1950 x 600 x 738	T1N	-MRC2478V	1,714	2,693
3	84 x 24 x 29	2100 x 600 x 738	T1N	-MRC2484V	1,796	2,791
1	48 x 30 x 29	1200 x 750 x 738	T1N	-MRC3048V	1,605	2,555
2	54 x 30 x 29	1350 x 750 x 738	T1N	-MRC3054V	1,636	2,593
2	60 x 30 x 29	1500 x 750 x 738	T1N	-MRC3060V	1,664	2,627
2	66 x 30 x 29	1650 x 750 x 738	T1N	-MRC3066V	1,694	2,664
2	72 x 30 x 29	1800 x 750 x 738	T1N	-MRC3072V	1,722	2,693
2	78 x 30 x 29	1950 x 750 x 738	T1N	-MRC3078V	1,756	2,730
3	84 x 30 x 29	2100 x 750 x 738	T1N	-MRC3084V	1,839	2,834


Surface 1. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W). Option of module at the center: add PC at the end of the product code.

1	48 x 24 x 29½	1200 x 600 x 751	T5N	-MRC2448V	1,657	2,605
2	54 x 24 x 29½	1350 x 600 x 751	T5N	-MRC2454V	1,687	2,644
2	60 x 24 x 29½	1500 x 600 x 751	T5N	-MRC2460V	1,722	2,683
2	66 x 24 x 29½	1650 x 600 x 751	T5N	-MRC2466V	1,756	2,724
2	72 x 24 x 29½	1800 x 600 x 751	T5N	-MRC2472V	1,789	2,757
2	78 x 24 x 29½	1950 x 600 x 751	T5N	-MRC2478V	1,853	2,829
3	84 x 24 x 29½	2100 x 600 x 751	T5N	-MRC2484V	1,913	2,908
1	48 x 30 x 29½	1200 x 750 x 751	T5N	-MRC3048V	1,694	2,644
2	54 x 30 x 29½	1350 x 750 x 751	T5N	-MRC3054V	1,731	2,684
2	60 x 30 x 29½	1500 x 750 x 751	T5N	-MRC3060V	1,772	2,735
2	66 x 30 x 29½	1650 x 750 x 751	T5N	-MRC3066V	1,803	2,774
2	72 x 30 x 29½	1800 x 750 x 751	T5N	-MRC3072V	1,847	2,815
2	78 x 30 x 29½	1950 x 750 x 751	T5N	-MRC3078V	1,913	2,887
3	84 x 30 x 29½	2100 x 750 x 751	T5N	-MRC3084V	1,983	2,979

Surface 5. Smooth edge N. Specify matching (N) or contrasting (K, S, W) edge. Specify accent color (K, S, W). Option of module at the center: add PC at the end of the product code.


Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description. Add HPL upcharge to all table tops / work surfaces.

TECHNOLOGY INTEGRATION



PC
Electrical module

POSITIONING



PC

SURFACE WIDTH	UPCHARGE
48" (1200 mm) or less	\$214
Between 54" and 72" (1350 and 1800 mm)	\$268
Between 84" and 96" (2100 and 2400 mm)	\$401
Between 108" and 120" (2700 and 3000 mm)	\$535
Between 132" and 144" (3300 and 3600 mm)	\$668
Between 156" and 192" (3900 and 4800 mm)	\$913
Between 204" and 252" (5100 and 6300 mm)	\$1,202

ASSEMBLY REQUIRED


QUICKSHIP PROGRAM

CANADA – FEBRUARY 2024


QUORUM MULTICONFERENCE

COMPLEMENTARY FURNITURE

Bookcase credenzas with doors




29" H (736 mm)




36" H (914 mm)

Bookcase credenzas with doors and drawers *Utility drawers with soft-close slides. Doors with soft-close hinges. Locks. 2 adjustable shelves.*



29" H (736 mm)



36" H (914 mm)

Bookcases with doors

Doors with soft-close hinges. Lock. 1 adjustable shelf.



29" H (736 mm)



36" H (914 mm)

Bookcase credenzas with doors and drawer *Utility drawer with soft-close slides. Doors with soft-close hinges. Locks. 1 adjustable shelf.*




29" H (736 mm)



36" H (914 mm)

Credenzas with space for refrigerator on right




Space 20³/₄" W x 21⁵/₁₆" D x 32" H (530 x 542 x 812 mm) for a compact refrigerator. Vent at back. Utility drawers. Utensil tray. Door with access to 1 garbage bin and 1 recycling bin. Locks on 1 door and 1 drawer. 1 adjustable shelf.

Specify handle color (K, S, W).

W x D x H (in) W x D x H (mm) Code (\$)


Credenzas with space for refrigerator on left



Space 20³/₄" W x 21⁵/₁₆" D x 32" H (530 x 542 x 812 mm) for a compact refrigerator. Vent at back. Utility drawers. Utensil tray. Door with access to 1 garbage bin and 1 recycling bin. Locks on 1 door and 1 drawer. 1 adjustable shelf.

Specify handle color (K, S, W).

Cabinets




Doors with lock. 3 adjustable shelves and 1 full-width fixed shelf.

Laminate doors

36 x 20 x 73 900 x 500 x 1834 **T1NN -203673B** 1,985

Specify handle color (K, S, W).

Wall-mounted bookcases with doors



Doors with soft-close hinges. Locks. Assembly hardware for wall installation included.

Laminate doors

72 x 20 x 18 1800 x 500 x 450 **T1NN -BM207218B** 1,525

Specify handle color (K, S, W).

Wall-mounted bookcases with doors




Doors with soft-close hinges. Locks. Handles with silver finish. Assembly hardware for wall installation included.

36 x 20 x 18 900 x 500 x 450 **T1NN -BM203618B** 990

Specify handle color (K, S, W).

Marker board with sliding doors




Laminate marker board surface for dry-erase marker. Non-magnetic. Accessories tray at bottom of board.

Dimension of open board: 117¹/₂" W (2938 mm).

60 x 4 x 48 1500 x 105 x 1200 **TNNN -VBX4860C** 2,329

Specify handle color (K, S, W).

Marker board with doors



Laminate marker board surface for dry-erase marker. Non-magnetic. Accessories tray at bottom of board. Interior of doors made of natural cork. 180° hinges.


Hooks for flip chart.

Dimension of open board: 107¹/₂" W (2725 mm).

54 x 5 x 41¹/₄ 1368 x 130 x 1049 **T1NN -VBX4054** 2,014

Specify handle color (K, S, W).

Mobile marker board with storage module



Laminate 2-sided marker board surface for dry-erase marker. Non-magnetic. 1 accessories tray included, metal with silver finish. 4 storage spaces. 2 fixed shelves. Casters with brakes. 1-tone finish only.

54 x 25 x 65 1350 x 622 x 1629 **TNNNS-MWB5465** 2,087

Mobile serving carts



Open storage space: 33" W x 18" D x 3" H (847 x 462 x 84 mm). Doors with soft-close hinges. Lock. 1 adjustable shelf. 4 casters, of which 2 have brakes.

36 x 20 x 36 900 x 500 x 914 **T1NN -MS203636** 2,191

Specify handle color (K, S, W).



Lectern




1 shelf at a fixed angle. 1 adjustable shelf. Cable access. 4 casters, of which 2 have brakes. 1-tone finish only.

24 x 20 x 42 600 x 510 x 1072 **TNNNN-LC242042** 1,379

Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description. Add HPL upcharge to all table tops / work surfaces.


	W x D x H (in)	W x D x H (mm)	Code	(\$)
ELECTRIFICATION				
	Electrical communication module			
	2 electric outlets and an open space, one USB-A outlet and one USB-C outlet. Can accept the connectors shown on this page. 72" L (1829 mm) cable with plug for wall outlet. Field installation. UL and CUL certified.			
	8 7/16 x 2 3/16	208 x 59	LGC-PCB2PUSBC	541
	Specify accent color (K, S, W).			
	Electrical module			
	1 electric outlet, one USB-A outlet and one USB-C outlet. 72" L (1829 mm) cable with plug for wall outlet. Field installation. UL and CUL certified.			
	5 7/16 x 2 3/16	132 x 59	LGC-PCPUSBC	514
	Specify accent color (K, S, W).			
	Telephone jack			
	RJ11 connector, category 3. Modular connector for standard telephone. Must be used with the adapters supplied with the selected accessories, plates or modules. Black. Field installation.			
	9/16 x 3/8 x 1 3/16	14 x 16 x 30	LGC-RJ11K	77
	Private network jack			
	RJ45 connector, category 6. For Internet and multiline connection or voice-over-IP telephone systems. Must be used with the adapters supplied with the selected accessories, plates or modules. Black. Field installation.			
	5/8 x 3/8 x 1 3/16	16 x 16 x 30	LGC-RJ45K	145
	HDMI connector			
	For HD screens that accept HDMI connections. Female/female connection. Must be used with the adapters supplied with the selected accessories, plates or modules. Black or white. Field installation.			
	1 x 1 x 1 3/16	26 x 26 x 21	LGC-HDMI	152
	Specify accent color (K, W).			
	USB-A charging connector			
	USB-A connections for USB-powered devices and for charging mobile electronic devices. Charging power of 2000 mA. 72" L (1829 mm) cable with plug. Must be used with the adapters supplied with the selected accessories, plates or modules. Field installation. Transformer is UL and CUL certified.			
	1 x 1 x 1 3/16	26 x 26 x 21	LGC-USB	189
	Specify accent color (K, S, W).			
	USB 3.0 connector			
	Simultaneous read and write capability. Transfer speed of 5 Gb/s. Cannot be used for charging. 72" L (1829 mm) cable. Must be used with the adapters supplied with the selected accessories, plates or modules. Black or white. Field installation.			
	1 x 1 x 1 3/16	26 x 26 x 21	LGC-USBDATA	131
	Specify accent color (K, W).			
	USB-C charging connector			
	USB-C connection for USB-powered devices and for charging mobile electronic devices. 60W power. Cannot be used for data transfer. 72" L (1829 mm) cable with plug. Must be used with the adapters supplied with the selected accessories, plates or modules. Black or white. Field installation.			
	1 x 1 x 1 3/16	26 x 26 x 21	LGC-USBC60	501
	Specify accent color (K, W).			
	Passive USB-C connector			
	USB-C connection with simultaneous read and write capability. Transfer speed of 480 Mps. 60W power. 40" L (1000 mm) cable. Must be used with the adapters supplied with the selected accessories, plates or modules. Black. Field installation.			
	1 x 1 x 3 3/8	26 x 26 x 21	LGC-USBCK	112
	Starter kit for interconnection system			
	Starting cable for use with the non-sequential multiple interconnection system. Connection for wall outlet. 108" L (2743 mm) cable. Control housing with system status visual indicator. Meets the code requirements of the city of Chicago.			
	108	2743	LGC-DCPS108	656
	Channels			
	1 channel allows cable and wire management. Installs using screws (included) beneath a work surface. Anodized aluminum, silver finish.			
	32 x 3 3/8 x 3 3/8	800 x 92 x 61	TNNNS-HWMA32	194
	56 x 3 3/8 x 3 3/8	1400 x 92 x 61	TNNNS-HWMA56	220
	92 x 3 3/8 x 3 3/8	2300 x 92 x 61	TNNNS-HWMA92	246

	W x D x H (in)	W x D x H (mm)	Code	(\$)
	Electrical / communication module			
	Includes two electrical outlets. Can accommodate the couplers listed on this page. 72" (1829 mm) cord included. Silver anodized aluminum. Field installed. UL and CUL certified. Adaptors included.			
	8 1/4 x 4 3/8 x 3	212 x 110 x 75	LGC-PC2P	563
	Double-sided electrical / communication module			
	Includes two electrical outlets on each side. Can accommodate the couplers listed on this page. 72" (1829 mm) cord included. Silver anodized aluminum. Field installed. UL and CUL certified. Adaptors included.			
	8 1/4 x 8 x 3	206 x 200 x 75	LGC-DPC4P	967

Place the letter S at the beginning of each item code, and specify "exact dimensions" in item description. For laminate items only. Not applicable on fabric items or accessories.

QUORUM MULTICONFERENCE >

Price Book > Canada > February 2024



Office Furniture Solutions

Founded in 1956, Groupe Lacasse is a North American leader in the design, manufacture and service of a broad range of high-quality furniture products for all types of work environments. We have the experience, expertise and capability to deliver incomparable design, exceptional quality, optimum service and outstanding value in Office Furniture Solutions.



1-888-522-2773
www.groupelacasse.com

QUORUM MULTICONFERENCE has achieved GREENGUARD GOLD Certification.